Melanoma staging: Evidenceâ€based changes in the Ameighth edition cancer staging manual

Ca-A Cancer Journal for Clinicians 67, 472-492

DOI: 10.3322/caac.21409

Citation Report

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Has the melanoma information tsunami become a maelstrom?. Melanoma Management, 2017, 4, 179-182. | 0.1 | 0 |
| 3 | ECCO essential requirements for quality cancer care: Melanoma. Critical Reviews in Oncology/Hematology, 2018, 122, 164-178. | 2.0 | 41 |
| 4 | Breslow Density Is a Novel Prognostic Feature That Adds Value to Melanoma Staging. American Journal of Surgical Pathology, 2018, 42, 715-725. | 2.1 | 11 |
| 6 | Adjuvant Therapy in the Treatment of Melanoma. Annals of Surgical Oncology, 2018, 25, 1807-1813. | 0.7 | 7 |
| 7 | LinfadenectomÃa tras una biopsia positiva del ganglio centinela en el melanoma: un cambio de paradigma. Actas Dermo-sifiliográficas, 2018, 109, 298-302. | 0.2 | 6 |
| 8 | Metastatic melanoma with balloon/histiocytoid cytomorphology after treatment with immunotherapy: A histologic mimic and diagnostic pitfall. Journal of Cutaneous Pathology, 2018, 45, 545-549. | 0.7 | 5 |
| 9 | More on Adjuvant Therapy in Resected Melanoma. New England Journal of Medicine, 2018, 378, 1656-1657. | 13.9 | 5 |
| 10 | Risk stratification of sentinel node–positive melanoma patients defines surgical management and adjuvant therapy treatment considerations. European Journal of Cancer, 2018, 96, 25-33. | 1.3 | 59 |
| 11 | Association of Skin Examination Behaviors and Thinner Nodular vs Superficial Spreading Melanoma at Diagnosis. JAMA Dermatology, 2018, 154, 544. | 2.0 | 23 |
| 12 | Obstacles to improving outcomes in the treatment of uveal melanoma. Cancer, 2018, 124, 2693-2703. | 2.0 | 15 |
| 13 | <scp>PD</scp> â€L1 expression in tumourâ€infiltrating lymphocytes is a poor prognostic factor for primary acral melanoma patients. Histopathology, 2018, 73, 386-396. | 1.6 | 22 |
| 14 | T cell–induced CSF1 promotes melanoma resistance to PD1 blockade. Science Translational Medicine, 2018, 10, . | 5.8 | 229 |
| 15 | Disección ganglionar en el paciente con melanoma y metástasis en el ganglio centinela: propuesta de decisión basada en la evidencia actual. Actas Dermo-sifiliográficas, 2018, 109, 390-398. | 0.2 | 8 |
| 16 | Cells to Surgery Quiz: February 2018. Journal of Investigative Dermatology, 2018, 138, e21. | 0.3 | O |
| 17 | Emerging Biomarkers in Cutaneous Melanoma. Molecular Diagnosis and Therapy, 2018, 22, 203-218. | 1.6 | 35 |
| 18 | Prognostic Significance of Periadnexal Extension in Cutaneous Melanoma and its Implications for Pathologic Reporting and Staging. American Journal of Surgical Pathology, 2018, 42, 359-366. | 2.1 | 11 |
| 19 | Update on adjuvant melanoma therapy. Current Opinion in Oncology, 2018, 30, 118-124. | 1.1 | 12 |
| 20 | Follow-Up Recommendations after Diagnosis of Primary Cutaneous Melanoma: A Population-Based Study in New South Wales, Australia. Annals of Surgical Oncology, 2018, 25, 617-625. | 0.7 | 18 |

| # | Article | IF | Citations |
|----|--|------|-----------|
| 21 | Long-Term Survival of Patients with Thin (T1) Cutaneous Melanomas: A Breslow Thickness Cut Point of 0.8Amm Separates Higher-Risk and Lower-Risk Tumors. Annals of Surgical Oncology, 2018, 25, 894-902. | 0.7 | 69 |
| 22 | Management of Sentinel-Node Metastasis in Melanoma. New England Journal of Medicine, 2018, 378, 85-88. | 13.9 | 8 |
| 23 | Melanoma Surveillance Strategies: Different Approaches to a Shared Goal. Annals of Surgical Oncology, 2018, 25, 583-584. | 0.7 | 6 |
| 24 | Influence of variability in assessment of Breslow thickness, mitotic rate and ulceration among US pathologists interpreting invasive melanoma, for the purpose of AJCC staging. Journal of Cutaneous Pathology, 2018, 45, 588-596. | 0.7 | 8 |
| 25 | Immunohistochemical CD271 expression correlates with melanoma progress in a case-control study. Pathology, 2018, 50, 402-410. | 0.3 | 6 |
| 26 | Melanoma staging: Varying precision and terminal digit clustering in Breslow thickness data is evident in a population-based study. Journal of the American Academy of Dermatology, 2018, 79, 118-125.e1. | 0.6 | 6 |
| 27 | Personal history of nonâ€melanoma skin cancer diagnosis and death from melanoma in women. International Journal of Cancer, 2018, 142, 1536-1541. | 2.3 | 3 |
| 28 | Improved stratification of pT1 melanoma according to the 8th American Joint Committee on Cancer staging edition criteria: A Dutch population-based study. European Journal of Cancer, 2018, 92, 100-107. | 1.3 | 8 |
| 29 | Eighth American Joint Committee on Cancer (AJCC) melanoma classification: Let us reconsider stage III. European Journal of Cancer, 2018, 91, 168-170. | 1.3 | 33 |
| 30 | Moving treatments earlier to move further forwards. Nature Reviews Clinical Oncology, 2018, 15, 75-76. | 12.5 | 7 |
| 31 | Biological Validation of RNA Sequencing Data From Formalin-Fixed Paraffin-Embedded Primary Melanomas. JCO Precision Oncology, 2018, 2018, 1-19. | 1.5 | 19 |
| 32 | Responses to Topical Diphenylcyclopropenone as an Adjunct Treatment for In-Transit Melanoma: A Tertiary Referral Center Experience. Dermatologic Surgery, 2018, 44, 1501-1508. | 0.4 | 10 |
| 33 | Management of In-Transit Melanoma: We Need Some High-Quality Data. Journal of Oncology Practice, 2018, 14, 302-303. | 2.5 | 1 |
| 34 | Duration of Anti–Programmed Death-1 Therapy in Advanced Melanoma: How Much of a Good Thing Is Enough?. Journal of Clinical Oncology, 2018, 36, 1649-1653. | 0.8 | 4 |
| 35 | Primary Cutaneous Melanocytic Neoplasms. , 2018, , 1-28. | | 0 |
| 36 | Inflammation: A key process in skin tumorigenesis (Review). Oncology Letters, 2018, 17, 4068-4084. | 0.8 | 77 |
| 37 | Incomplete Vogt–Koyanagi–Harada disease following treatment with encorafenib and binimetinib for metastatic melanoma. Melanoma Research, 2018, 28, 648-651. | 0.6 | 23 |
| 38 | The Modern Approach to Targeting Melanoma. , 2018, , . | | 2 |

| # | Article | IF | Citations |
|----|---|------|-----------|
| 39 | The rule of 10s versus the rule of 2s: High complication rates after conventional excision with postoperative margin assessment of specialty site versus trunk and proximal extremity melanomas. Journal of the American Academy of Dermatology, 2021, 85, 442-452. | 0.6 | 35 |
| 40 | Exfoliative cytology for diagnosing basal cell carcinoma and other skin cancers in adults. The Cochrane Library, 2018, 2018, CD013187. | 1.5 | 10 |
| 41 | Optical coherence tomography for diagnosing skin cancer in adults. The Cochrane Library, 2018, 12, CD013189. | 1.5 | 59 |
| 42 | Visual inspection for diagnosing cutaneous melanoma in adults. The Cochrane Library, 2018, 2018, CD013194. | 1.5 | 32 |
| 43 | Natural history of pain associated with melanoma surgery. Pain Reports, 2018, 3, e689. | 1.4 | 5 |
| 44 | The dynamics of medical care in skin cancers. Current Opinion in Oncology, 2018, 30, 105-106. | 1.1 | 0 |
| 45 | High-frequency ultrasound for diagnosing skin cancer in adults. The Cochrane Library, 2018, 2018, CD013188. | 1.5 | 45 |
| 46 | Teledermatology for diagnosing skin cancer in adults. The Cochrane Library, 2018, 2018, CD013193. | 1.5 | 74 |
| 47 | ASO Author Reflections: Long-Term Survival of Patients with Thin (T1) Cutaneous Melanomas. Annals of Surgical Oncology, 2018, 25, 918-919. | 0.7 | 1 |
| 48 | Detection of Minimal Residual Disease and Its Clinical Applications in Melanoma and Breast Cancer Patients. Advances in Experimental Medicine and Biology, 2018, 1100, 83-95. | 0.8 | 10 |
| 49 | Targeting Chemokines and Chemokine Receptors in Melanoma and Other Cancers. Frontiers in Immunology, 2018, 9, 2480. | 2.2 | 57 |
| 50 | Improving clinical diagnosis of early-stage cutaneous melanoma based on Raman spectroscopy. British Journal of Cancer, 2018, 119, 1339-1346. | 2.9 | 40 |
| 51 | Dermoscopy, with and without visual inspection, for diagnosing melanoma in adults. The Cochrane Library, 2018, 2018, CD011902. | 1.5 | 89 |
| 52 | The existence of early stage oral mucosal melanoma: A 10-year retrospective analysis of 170 patients in a single institute. Oral Oncology, 2018, 87, 70-76. | 0.8 | 16 |
| 53 | Wishing to be perceived as a capable and resourceful person $\hat{a} \in A$ qualitative study of melanoma patients $\hat{a} \in A$ experiences of the contact and interaction with healthcare professionals. Journal of Clinical Nursing, 2018, 28, 1223-1232. | 1.4 | 6 |
| 54 | Adjuvant melanoma therapy with new drugs: should physicians continue to focus on metastatic disease or use it earlier in primary melanoma?. Lancet Oncology, The, 2018, 19, e720-e725. | 5.1 | 25 |
| 55 | Neoadjuvant immune checkpoint blockade in high-risk resectable melanoma. Nature Medicine, 2018, 24, 1649-1654. | 15.2 | 592 |
| 56 | A model for predicting low probability of nonsentinel lymph node positivity in melanoma patients with a single positive sentinel lymph node. Journal of Surgical Oncology, 2018, 118, 922-927. | 0.8 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 57 | Subungual melanoma: A retrospective cohort of 157 cases from Brazilian National Cancer Institute. Journal of Surgical Oncology, 2018, 118, 1142-1149. | 0.8 | 16 |
| 58 | Sentinel Lymph Node Biopsy and Completion Lymph Node Dissection for Melanoma. Current Treatment Options in Oncology, 2018, 19, 55. | 1.3 | 20 |
| 59 | Acral Melanoma: A Patient's Experience and Physician's Commentary. Dermatology and Therapy, 2018, 8, 503-507. | 1.4 | 1 |
| 60 | Predictive and on-treatment monitoring biomarkers in advanced melanoma: Moving toward personalized medicine. Cancer Treatment Reviews, 2018, 71, 8-18. | 3.4 | 58 |
| 61 | The World of Melanoma: Epidemiologic, Genetic, and Anatomic Differences of Melanoma Across the Globe. Current Oncology Reports, 2018, 20, 87. | 1.8 | 119 |
| 62 | Risk factors for development of new skin neoplasms in patients with past history of skin cancer: A survival analysis. Scientific Reports, 2018, 8, 15744. | 1.6 | 14 |
| 64 | A Prognostic Gene Signature Expressed in Primary Cutaneous Melanoma: Synergism With Conventional Staging. JNCI Cancer Spectrum, 2018, 2, pky032. | 1.4 | 23 |
| 65 | Genetic polymorphisms may influence the vertical growth rate of melanoma. Journal of Cancer, 2018, 9, 3078-3083. | 1.2 | 2 |
| 66 | Omitting Completion Dissection in Melanoma? Help is Available for Surgeons Coping Without Routine Dissection, But More Work is Needed. Annals of Surgical Oncology, 2018, 25, 3416-3418. | 0.7 | 3 |
| 67 | The relationship between mitotic rate and depth of invasion in biopsies of malignant melanoma. Clinical, Cosmetic and Investigational Dermatology, 2018, Volume 11, 125-130. | 0.8 | 7 |
| 68 | Eighth American Joint Committee on Cancer (AJCC) melanoma classification: what about stage IIC?. British Journal of Dermatology, 2018, 179, 1422-1423. | 1.4 | 7 |
| 69 | Clinically amelanotic or hypomelanotic melanoma: Anatomic distribution, risk factors, and survival. Journal of the American Academy of Dermatology, 2018, 79, 645-651.e4. | 0.6 | 39 |
| 70 | Melanoma. Lancet, The, 2018, 392, 971-984. | 6.3 | 1,016 |
| 71 | Sentinel lymph node biopsy in patients with thin melanomas: Frequency and predictors of metastasis based on analysis of two large international cohorts. Journal of Surgical Oncology, 2018, 118, 599-605. | 0.8 | 13 |
| 73 | Role of Anti-PD-1 Antibodies in Advanced Melanoma: The Era of Immunotherapy. Cureus, 2018, 10, e3700. | 0.2 | 25 |
| 74 | Staging of Cutaneous Melanoma. JAMA Network Open, 2018, 1, e180086. | 2.8 | 4 |
| 75 | The melanoma genomics managing your risk study: A protocol for a randomized controlled trial evaluating the impact of personal genomic risk information on skin cancer prevention behaviors. Contemporary Clinical Trials, 2018, 70, 106-116. | 0.8 | 19 |
| 76 | 1 Versus 2-cm Excision Margins for pT2-pT4 Primary Cutaneous Melanoma (MelMarT): A Feasibility Study. Annals of Surgical Oncology, 2018, 25, 2541-2549. | 0.7 | 35 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 77 | Lymph Node Dissection in Patients With Melanoma and Sentinel Lymph Node Metastasis: An Updated, Evidence-Based Decision Algorithm. Actas Dermo-sifiliográficas, 2018, 109, 390-398. | 0.2 | 2 |
| 78 | Lymphadenectomy After a Positive Sentinel Lymph Node Biopsy in Melanoma: A Paradigm Shift. Actas Dermo-sifiliográficas, 2018, 109, 298-302. | 0.2 | 0 |
| 79 | Cutaneous melanoma in adolescents and young adults. Pediatric Blood and Cancer, 2018, 65, e27292. | 0.8 | 24 |
| 80 | Targeting tumor-associated acidity in cancer immunotherapy. Cancer Immunology, Immunotherapy, 2018, 67, 1331-1348. | 2.0 | 55 |
| 81 | Essential Components of Melanoma Histopathological Reporting: The Surgical Oncologist's Perspective. Journal of Skin Cancer, 2018, 2018, 1-4. | 0.5 | 5 |
| 82 | Pathological assessment of resection specimens after neoadjuvant therapy for metastatic melanoma. Annals of Oncology, 2018, 29, 1861-1868. | 0.6 | 135 |
| 83 | S100B and LDH as early prognostic markers for response and overall survival in melanoma patients treated with anti-PD-1 or combined anti-PD-1 plus anti-CTLA-4 antibodies. British Journal of Cancer, 2018, 119, 339-346. | 2.9 | 83 |
| 84 | Tumor mitotic rate is an independent predictor of survival for nonmetastatic melanoma. Surgery, 2018, 164, 589-593. | 1.0 | 21 |
| 85 | The new 8th edition of TNM staging and its implications for skin cancer: a review by the British Association of Dermatologists and the Royal College of Pathologists, U.K British Journal of Dermatology, 2018, 179, 824-828. | 1.4 | 51 |
| 86 | Combining common genetic variants and non-genetic risk factors to predict risk of cutaneous melanoma. Human Molecular Genetics, 2018, 27, 4145-4156. | 1.4 | 34 |
| 87 | When is surgery for metastatic melanoma still the most appropriate treatment option?. Expert Review of Anticancer Therapy, 2018, 18, 943-945. | 1.1 | 2 |
| 88 | Malignant Melanoma: Diagnostic and Management Update. Plastic and Reconstructive Surgery, 2018, 142, 202e-216e. | 0.7 | 45 |
| 89 | Older melanoma patients aged 75 and above retain responsiveness to anti-PD1 therapy: results of a retrospective single-institution cohort study. Cancer Immunology, Immunotherapy, 2018, 67, 1571-1578. | 2.0 | 35 |
| 90 | Reply to â€~Challenging PD-L1 expressing cytotoxic T cells as a predictor for response to immunotherapy in melanoma'. Nature Communications, 2018, 9, 2922. | 5.8 | 3 |
| 91 | Challenges and Opportunities of Neoadjuvant Treatment in Locally Advanced Melanoma. American Journal of Clinical Dermatology, 2018, 19, 639-646. | 3.3 | 1 |
| 92 | MiR-497-5p, miR-195-5p and miR-455-3p function as tumor suppressors by targeting hTERT in melanoma A375 cells. Cancer Management and Research, 2018, Volume 10, 989-1003. | 0.9 | 93 |
| 93 | Primary Solitary Intracranial Malignant Melanoma: A Systematic Review of Literature. World Neurosurgery, 2018, 117, 386-393. | 0.7 | 19 |
| 94 | Biomarkers for Clinical Benefit of Immune Checkpoint Inhibitor Treatment—A Review From the Melanoma Perspective and Beyond. Frontiers in Immunology, 2018, 9, 1474. | 2.2 | 174 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 95 | Clinical Perspective of 3D Total Body Photography for Early Detection and Screening of Melanoma. Frontiers in Medicine, 2018 , 5 , 152 . | 1.2 | 62 |
| 96 | Melanoma Immunotherapy: Next-Generation Biomarkers. Frontiers in Oncology, 2018, 8, 178. | 1.3 | 53 |
| 97 | Personalized Medicine in Malignant Melanoma: Towards Patient Tailored Treatment. Frontiers in Oncology, 2018, 8, 202. | 1.3 | 35 |
| 98 | Bi-allelic Loss of CDKN2A Initiates Melanoma Invasion via BRN2 Activation. Cancer Cell, 2018, 34, 56-68.e9. | 7.7 | 113 |
| 99 | Adjuvant bevacizumab for melanoma patients at high risk of recurrence: survival analysis of the AVAST-M trial. Annals of Oncology, 2018, 29, 1843-1852. | 0.6 | 47 |
| 100 | An update on cutaneous melanocytic lesions. Diagnostic Histopathology, 2018, 24, 313-319. | 0.2 | 0 |
| 101 | Update on systemic therapy for advanced cutaneous melanoma and recent development of novel drugs. Clinical and Experimental Metastasis, 2018, 35, 503-520. | 1.7 | 9 |
| 102 | Regional therapies for locoregionally advanced and unresectable melanoma. Clinical and Experimental Metastasis, 2018, 35, 495-502. | 1.7 | 12 |
| 104 | Serum exosomal microRNAs as potent circulating biomarkers for melanoma. Melanoma Research, 2018, 28, 295-303. | 0.6 | 55 |
| 105 | Treatment of Clinically Positive Cervical Lymph Nodes by Limited Local Node Excision and Adjuvant Radiotherapy in Melanoma Patients with Major Comorbidities. Annals of Surgical Oncology, 2018, 25, 3476-3482. | 0.7 | 6 |
| 106 | National practice patterns of completion lymph node dissection for sentinel nodeâ€positive melanoma. Journal of Surgical Oncology, 2018, 118, 493-500. | 0.8 | 9 |
| 107 | Intraoperative Imaging with a Portable Gamma Camera May Reduce the False-Negative Rate for Melanoma Sentinel Lymph Node Surgery. Annals of Surgical Oncology, 2018, 25, 3326-3333. | 0.7 | 19 |
| 109 | Association between Breslow thickness and dermoscopic findings in acral melanoma. Journal of the American Academy of Dermatology, 2018, 79, 831-835. | 0.6 | 22 |
| 110 | Sentinel lymph node biopsy in cutaneous melanoma of the head and neck using the indocyanine green SPY Elite system. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2018, 39, 485-488. | 0.6 | 14 |
| 111 | Anthropometric factors and Breslow thickness: prospective data on 2570 cases of cutaneous melanoma in the population-based Janus Cohort. British Journal of Dermatology, 2018, 179, 632-641. | 1.4 | 15 |
| 112 | Melanoma Staging: American Joint Committee on Cancer (AJCC) 8th Edition and Beyond. Annals of Surgical Oncology, 2018, 25, 2105-2110. | 0.7 | 338 |
| 113 | Association between Kiâ€67 expression and clinical outcomes among patients with clinically nodeâ€negative, thick primary melanoma who underwent nodal staging. Journal of Surgical Oncology, 2018, 118, 150-156. | 0.8 | 7 |
| 114 | History of Melanoma., 2018,, 1-13. | | 1 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 115 | Patterns of disease control and survival in patients withÂmelanoma brain metastases undergoing immune-checkpoint blockade. European Journal of Cancer, 2018, 99, 58-65. | 1.3 | 8 |
| 116 | It is finally time for adjuvant therapy in melanoma. Cancer Treatment Reviews, 2018, 69, 101-111. | 3.4 | 37 |
| 117 | An integrated clinicalâ€dermoscopic risk scoring system for the differentiation between early melanoma and atypical nevi: the iDScore. Journal of the European Academy of Dermatology and Venereology, 2018, 32, 2162-2170. | 1.3 | 28 |
| 118 | Survival of patients with early invasive melanoma down-staged under the new eighth edition of the American Joint Committee on Cancer staging system. Journal of the American Academy of Dermatology, 2019, 80, 272-274. | 0.6 | 11 |
| 119 | Primary Cutaneous Melanocytic Neoplasms. , 2019, , 337-364. | | 0 |
| 120 | Melanoma Clinical Staging (Historical and Current). , 2019, , 485-500. | | 0 |
| 121 | Evolving Role of the Oncology Nurse in the Care of Patients with Melanoma., 2019,, 791-817. | | 0 |
| 122 | Adjuvant ipilimumab versus placebo after complete resection of stage III melanoma: long-term follow-up results of the European Organisation for Research and Treatment of Cancer 18071 double-blind phase 3 randomised trial. European Journal of Cancer, 2019, 119, 1-10. | 1.3 | 132 |
| 123 | Characteristics Associated with Pathologic Nodal Burden in Patients Presenting with Clinical Melanoma Nodal Metastasis. Annals of Surgical Oncology, 2019, 26, 3962-3971. | 0.7 | 5 |
| 124 | Impact of American Joint Committee on Cancer 8th edition classification on staging and survival of patients with melanoma. European Journal of Cancer, 2019, 119, 18-29. | 1.3 | 44 |
| 125 | Successful combination therapy of systemic checkpoint inhibitors and intralesional interleukin-2 in patients with metastatic melanoma with primary therapeutic resistance to checkpoint inhibitors alone. Cancer Immunology, Immunotherapy, 2019, 68, 1417-1428. | 2.0 | 23 |
| 126 | Observational study of talimogene laherparepvec use for melanoma in clinical practice in the United States (COSMUS-1). Melanoma Management, 2019, 6, MMT19. | 0.1 | 21 |
| 127 | New paradigm for stage III melanoma: from surgery to adjuvant treatment. Journal of Translational Medicine, 2019, 17, 266. | 1.8 | 27 |
| 128 | Diagnosing melanoma: the method matters. Medical Journal of Australia, 2019, 211, 209-210. | 0.8 | 1 |
| 129 | Diagnosis and management of vulvar cancer: A review. Journal of the American Academy of Dermatology, 2019, 81, 1387-1396. | 0.6 | 45 |
| 130 | Immunohistochemical analysis of Bclâ€2, nuclear S100A4, MITF and Ki67 for risk stratification of earlyâ€stage melanoma – A combined IHC score for melanoma risk stratification. JDDG - Journal of the German Society of Dermatology, 2019, 17, 800-808. | 0.4 | 12 |
| 132 | Update on Current Treatment Recommendations for Primary Cutaneous Melanoma. Dermatologic Clinics, 2019, 37, 397-407. | 1.0 | 13 |
| 133 | Patterns of failure after immunotherapy with checkpoint inhibitors predict durable progression-free survival after local therapy for metastatic melanoma. , 2019, 7, 196. | | 62 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 134 | Neoadjuvant therapy of locally/regionally advanced melanoma. Therapeutic Advances in Medical Oncology, 2019, 11, 175883591986695. | 1.4 | 21 |
| 135 | Surgical cost implications of the AJCC v8 staging system for melanoma and the melanoma in focus consensus statement. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2019, 72, 1700-1738. | 0.5 | 0 |
| 136 | Surgery for gastrointestinal metastases of malignant melanoma â€" a retrospective exploratory study. World Journal of Surgical Oncology, 2019, 17, 123. | 0.8 | 8 |
| 137 | Journey of the Patient With Melanoma: Understanding Resource Use and Bridging the Gap Between Dermatologist, Surgeon, and Oncologist in Different Health Care Systems. Journal of Global Oncology, 2019, 5, 1-8. | 0.5 | 2 |
| 138 | External validation of a prognostic model to predict survival of patients with sentinel node-negative melanoma. British Journal of Surgery, 2019, 106, 1319-1326. | 0.1 | 5 |
| 139 | The "-OMICS―facet of melanoma: Heterogeneity of genomic, proteomic and metabolomic biomarkers. Seminars in Cancer Biology, 2019, 59, 165-174. | 4.3 | 23 |
| 140 | Prognostic factors for pulmonary metastasectomy in malignant melanoma: size matters. European Journal of Cardio-thoracic Surgery, 2019, 56, 1104-1109. | 0.6 | 7 |
| 141 | Comparison of seventh and eighth edition of AJCC staging system in melanomas at locoregional stage. World Journal of Surgical Oncology, 2019, 17, 129. | 0.8 | 14 |
| 142 | Differences between pure desmoplastic melanoma and superficial spreading melanoma in terms of survival, distribution and other clinicopathologic features. Journal of the European Academy of Dermatology and Venereology, 2019, 33, 1899-1906. | 1.3 | 12 |
| 143 | Sex matters: men with melanoma have a worse prognosis than women. Journal of the European Academy of Dermatology and Venereology, 2019, 33, 2062-2067. | 1.3 | 28 |
| 144 | Local Melanoma Recurrence, Satellitosis, and In-transit Metastasis: Incidence, Outcomes, and Selection of Treatment Options., 2019, , 1-28. | | 0 |
| 145 | Neoadjuvant systemic therapy in melanoma: recommendations of the International Neoadjuvant Melanoma Consortium. Lancet Oncology, The, 2019, 20, e378-e389. | 5.1 | 155 |
| 146 | Correlates of response and outcomes with talimogene laherperpoec. Journal of Surgical Oncology, 2019, 120, 558-564. | 0.8 | 17 |
| 147 | Current Immunotherapy Practices in Melanoma. Surgical Oncology Clinics of North America, 2019, 28, 403-418. | 0.6 | 18 |
| 148 | Survival Outcomes of Patients with Clinical Stage III Melanoma in the Era of Novel Systemic Therapies. Annals of Surgical Oncology, 2019, 26, 4621-4630. | 0.7 | 10 |
| 149 | Number of levels required to assess Breslow thickness in cutaneous invasive melanoma: An observational study. Journal of Cutaneous Pathology, 2019, 46, 819-822. | 0.7 | 2 |
| 150 | An evidence-based approach to positive sentinel node disease: should we ever do a completion node dissection?. Melanoma Management, 2019, 6, MMT24. | 0.1 | 4 |
| 151 | A nomogram to predict node positivity in patients with thin melanomas helps inform shared patient decision making. Journal of Surgical Oncology, 2019, 120, 1276-1283. | 0.8 | 14 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 152 | Expression of CMV protein pp65 in cutaneous malignant melanoma. PLoS ONE, 2019, 14, e0223854. | 1.1 | 1 |
| 153 | Applications of biomarkers for different purposes in drug development. , 2019, , 11-40. | | 1 |
| 154 | Analytical discrepancies and their potential impact on biomarkers and precision medicine initiative., $2019, 215-239$. | | 0 |
| 155 | Melanoma-specific survival in patients with positive sentinel lymph nodes: Relevance of sentinel tumor burden. European Journal of Cancer, 2019, 123, 83-91. | 1.3 | 15 |
| 156 | The Role and Necessity of Sentinel Lymph Node Biopsy for Invasive Melanoma. Frontiers in Medicine, 2019, 6, 231. | 1.2 | 11 |
| 157 | Enzyme responsiveness enhances the specificity and effectiveness of nanoparticles for the treatment of B16F10 melanoma. Journal of Controlled Release, 2019, 316, 208-222. | 4.8 | 19 |
| 158 | Managing in-transit melanoma metastases in the new era of effective systemic therapies for melanoma. Expert Review of Clinical Pharmacology, 2019, 12, 1107-1119. | 1.3 | 11 |
| 159 | Novel Targets for the Treatment of Melanoma. Current Oncology Reports, 2019, 21, 97. | 1.8 | 15 |
| 160 | Ultrasound, CT, MRI, or PET-CT for staging and re-staging of adults with cutaneous melanoma. The Cochrane Library, 2019, 7, CD012806. | 1.5 | 22 |
| 161 | Use of circulating tumoral DNA to guide treatment for metastatic melanoma. Pharmacogenomics, 2019, 20, 1259-1270. | 0.6 | 6 |
| 163 | Serum 5-S-cysteinyl-dopa levels as a predictive marker for the efficacy of nivolumab in advanced malignant melanoma. International Journal of Biological Markers, 2019, 34, 414-420. | 0.7 | 6 |
| 164 | The Prognosis and Natural History of In-Transit Melanoma Metastases at a High-Volume Centre. Annals of Surgical Oncology, 2019, 26, 4673-4680. | 0.7 | 6 |
| 165 | The adjuvant treatment revolution for high-risk melanoma patients. Seminars in Cancer Biology, 2019, 59, 283-289. | 4.3 | 40 |
| 168 | ASO Author Reflections: Effects of the Updated AJCC Classification for Patients with Stage III Melanoma. Annals of Surgical Oncology, 2019, 26, 713-714. | 0.7 | 0 |
| 169 | NEAT1/miR-23a-3p/KLF3: a novel regulatory axis in melanoma cancer progression. Cancer Cell International, 2019, 19, 217. | 1.8 | 45 |
| 170 | Practice Patterns and Prognostic Value of Sentinel Lymph Node Biopsy for Thick Melanoma: A National Cancer Database Study. Annals of Surgical Oncology, 2019, 26, 4651-4662. | 0.7 | 9 |
| 171 | Oncodermatology of the Head and Neck. Facial Plastic Surgery, 2019, 35, 368-376. | 0.5 | 2 |
| 172 | Developing a score system to predict therapeutic outcomes to anti-PD-1 immunotherapy in metastatic melanoma. Tumori, 2019, 105, 465-473. | 0.6 | 4 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 173 | Final Analysis of DeCOG-SLT Trial: No Survival Benefit for Complete Lymph Node Dissection in Patients With Melanoma With Positive Sentinel Node. Journal of Clinical Oncology, 2019, 37, 3000-3008. | 0.8 | 155 |
| 174 | Common Nevus and Skin Cutaneous Melanoma: Prognostic Genes Identified by Gene Co-Expression Network Analysis. Genes, 2019, 10, 747. | 1.0 | 17 |
| 175 | Cutaneous melanoma: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. Annals of Oncology, 2019, 30, 1884-1901. | 0.6 | 394 |
| 176 | Serum proteomic analysis of melanoma patients with immunohistochemical profiling of primary melanomas and cultured cells: Pilot study. Oncology Reports, 2019, 42, 1793-1804. | 1.2 | 13 |
| 177 | Serological landscape of cytokines in cutaneous melanoma. Cancer Biomarkers, 2019, 26, 333-342. | 0.8 | 4 |
| 178 | Should Sentinel Lymph Node Biopsy Be Performed for All T1b Melanomas in the New 8th Edition American Joint Committee on Cancer Staging System?. Journal of the American College of Surgeons, 2019, 228, 466-472. | 0.2 | 31 |
| 179 | A nomogram to identify high-risk melanoma patients with a negative sentinel lymph node biopsy. Journal of the American Academy of Dermatology, 2019, 80, 722-726. | 0.6 | 14 |
| 180 | Coexpression network analysis identified that plakophilin 1 is associated with the metastasis in human melanoma. Biomedicine and Pharmacotherapy, 2019, 111, 1234-1242. | 2.5 | 18 |
| 181 | Survival analysis and sentinel lymph node status in thin cutaneous melanoma: A multicenter observational study. Cancer Medicine, 2019, 8, 4235-4244. | 1.3 | 42 |
| 182 | Poliosis Circumscripta: A Mark of Melanoma. American Journal of Medicine, 2019, 132, 1417-1418. | 0.6 | 3 |
| 183 | Anatomic location of primary melanoma: Survival differences and sun exposure. Journal of the American Academy of Dermatology, 2019, 81, 500-509. | 0.6 | 29 |
| 184 | Development and Initial Validation of Calculated Tumor Area as a Prognostic Tool in Cutaneous Malignant Melanoma. JAMA Dermatology, 2019, 155, 890. | 2.0 | 14 |
| 185 | ASO Author Reflections: The Impacts of a Negative Sentinel Lymph Node on Quality of Life. Annals of Surgical Oncology, 2019, 26, 651-652. | 0.7 | 1 |
| 186 | Caveolin‑1 and dynamin‑2 overexpression is associated with the progression of bladder cancer. Oncology Letters, 2019, 18, 219-226. | 0.8 | 18 |
| 187 | The prognostic value of the proteasome activator subunit gene family in skin cutaneous melanoma. Journal of Cancer, 2019, 10, 2205-2219. | 1.2 | 25 |
| 188 | Identification of the optimal combination dosing schedule of neoadjuvant ipilimumab plus nivolumab in macroscopic stage III melanoma (OpACIN-neo): a multicentre, phase 2, randomised, controlled trial. Lancet Oncology, The, 2019, 20, 948-960. | 5.1 | 346 |
| 189 | Neoadjuvant dabrafenib combined with trametinib for resectable, stage IIIB–C, BRAFV600 mutation-positive melanoma (NeoCombi): a single-arm, open-label, single-centre, phase 2 trial. Lancet Oncology, The, 2019, 20, 961-971. | 5.1 | 126 |
| 190 | The course of stage III melanoma in accordance with the severity of node involvement. Current Medical Research and Opinion, 2019, 35, 1819-1824. | 0.9 | 1 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 191 | Combination of denosumab and immune checkpoint inhibition: experience in 29 patients with metastatic melanoma and bone metastases. Cancer Immunology, Immunotherapy, 2019, 68, 1187-1194. | 2.0 | 40 |
| 192 | Prognostic and predictive value of AJCC-8 staging in the phase III EORTC1325/KEYNOTE-054 trial of pembrolizumab vs placebo in resected high-risk stage III melanoma. European Journal of Cancer, 2019, 116, 148-157. | 1.3 | 64 |
| 193 | A Population-Based Comparison of the AJCC 7th and AJCC 8th Editions for Patients Diagnosed with Stage III Cutaneous Malignant Melanoma in Sweden. Annals of Surgical Oncology, 2019, 26, 2839-2845. | 0.7 | 16 |
| 194 | Approaches to High-Risk Resected Stage II and III Melanoma. American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2019, 39, e207-e211. | 1.8 | 18 |
| 195 | Re-biopsy of partially sampled thin melanoma impacts sentinel lymph node sampling as well as surgical margins. Melanoma Management, 2019, 6, MMT17. | 0.1 | 0 |
| 196 | An updated analysis of 4 randomized ECOG trials of highâ€dose interferon in the adjuvant treatment of melanoma. Cancer, 2019, 125, 3013-3024. | 2.0 | 14 |
| 197 | Cells to Surgery Quiz: May 2019. Journal of Investigative Dermatology, 2019, 139, e53-e58. | 0.3 | 0 |
| 198 | Role of interleukinâ€24 in the tumorâ€suppressive effects of interferonâ€Î² on melanoma. Experimental Dermatology, 2019, 28, 836-844. | 1.4 | 7 |
| 199 | Modern Management of Central Nervous System Metastases in the Era of Targeted Therapy and Immune Oncology. American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2019, 39, e59-e69. | 1.8 | 8 |
| 200 | Pathological review of primary cutaneous malignant melanoma by a specialist skin cancer multidisciplinary team improves patient care in the UK. Journal of Clinical Pathology, 2019, 72, 482-486. | 1.0 | 8 |
| 201 | Epidermal autophagy and beclin 1 regulator 1 and loricrin: a paradigm shift in the prognostication and stratification of the American Joint Committee on Cancer stage I melanomas. British Journal of Dermatology, 2020, 182, 156-165. | 1.4 | 16 |
| 202 | Treatment of Occupational Skin Cancer. , 2019, , 1-10. | | O |
| 204 | Cutaneous melanoma in patients from western Mexico: Clinical pathology characteristics and their relationship to prognosis. Australasian Journal of Dermatology, 2019, 60, e298-e303. | 0.4 | 0 |
| 205 | Negative Sentinel Lymph Node Biopsy in Patients with Melanoma: The Patient's Perspective. Annals of Surgical Oncology, 2019, 26, 2263-2267. | 0.7 | 11 |
| 206 | Risk of Melanoma Recurrence After Diagnosis of a High-Risk Primary Tumor. JAMA Dermatology, 2019, 155, 688. | 2.0 | 74 |
| 207 | Classification of 3097 patients from the Japanese melanoma study database using the American joint committee on cancer eighth edition cancer staging system. Journal of Dermatological Science, 2019, 94, 284-289. | 1.0 | 13 |
| 208 | BRAF immunohistochemistry predicts sentinel lymph node involvement in intermediate thickness melanomas. PLoS ONE, 2019, 14, e0216043. | 1.1 | 8 |
| 209 | The Changing Kinetics of Advanced Melanoma. JAMA Dermatology, 2019, 155, 657. | 2.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 210 | Clinical protein science in translational medicine targeting malignant melanoma. Cell Biology and Toxicology, 2019, 35, 293-332. | 2.4 | 33 |
| 211 | Embracing changes to the American Joint Committee on Cancer 8th edition melanoma staging system. European Journal of Cancer, 2019, 112, 9-11. | 1.3 | 6 |
| 212 | Pembrolizumab in the treatment of advanced/metastatic melanoma: a single-center institution experience. Melanoma Research, 2019, 29, 289-294. | 0.6 | 5 |
| 213 | A 10-year retrospective study of melanoma stage at diagnosisin the academic emergency hospital of Sibiu county. Oncology Letters, 2019, 17, 4145-4148. | 0.8 | 7 |
| 214 | Prediction and monitoring of relapse in stage III melanoma using circulating tumor DNA. Annals of Oncology, 2019, 30, 804-814. | 0.6 | 117 |
| 215 | Observed Survival Interval: A Supplement to TCGA Pan-Cancer Clinical Data Resource. Cancers, 2019, 11, 280. | 1.7 | 33 |
| 216 | False-Positive Results and Incidental Findings with Annual CT or PET/CT Surveillance in Asymptomatic Patients with Resected Stage III Melanoma. Annals of Surgical Oncology, 2019, 26, 1860-1868. | 0.7 | 29 |
| 217 | Characterisation and validation of Mel38; A multi-tissue microRNA signature of cutaneous melanoma. PLoS ONE, 2019, 14, e0211504. | 1.1 | 6 |
| 218 | Early Melanoma Nodal Positivity and Biopsy Rates Before and After Implementation of the 7th Edition of the AJCC Cancer Staging Manual. JAMA Dermatology, 2019, 155, 572. | 2.0 | 2 |
| 219 | Pre-operative ctDNA predicts survival in high-risk stage III cutaneous melanoma patients. Annals of Oncology, 2019, 30, 815-822. | 0.6 | 77 |
| 220 | Distinct Clinicopathological and Prognostic Features of Thin Nodular Primary Melanomas: An International Study from 17 Centers. Journal of the National Cancer Institute, 2019, 111, 1314-1322. | 3.0 | 35 |
| 222 | Multispectral photoacoustic imaging for the detection of subclinical melanoma. Journal of Surgical Oncology, 2019, 119, 1070-1076. | 0.8 | 11 |
| 223 | What Is the Role of Dabrafenib Plus Trametinib Adjuvant Therapy in Stage IIIA Melanoma?. Journal of Clinical Oncology, 2019, 37, 1355-1356. | 0.8 | 7 |
| 224 | Telomerase Expression in a Series of Melanocytic Neoplasms. Actas Dermo-sifiliogr $	ilde{A}_i$ ficas, 2019, 110, 212-219. | 0.2 | 5 |
| 225 | Improved survival prognostication of node-positive malignant melanoma patients utilizing shotgun proteomics guided by histopathological characterization and genomic data. Scientific Reports, 2019, 9, 5154. | 1.6 | 12 |
| 226 | Age as key factor for pattern, timing, and extent of distant metastasis in patients with cutaneous melanoma: A study of the German Central Malignant Melanoma Registry. Journal of the American Academy of Dermatology, 2019, 80, 1299-1307.e7. | 0.6 | 8 |
| 227 | Update on BRAF and MEK inhibition for treatment of melanoma in metastatic, unresectable, and adjuvant settings. Expert Opinion on Drug Safety, 2019, 18, 381-392. | 1.0 | 62 |
| 228 | Association of Indoor Tanning Exposure With Age at Melanoma Diagnosis and BRAF V600E Mutations. Journal of the National Cancer Institute, 2019, 111, 1228-1231. | 3.0 | 4 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 229 | Re: "Time to reconsider the role of sentinel lymph node biopsy in melanoma― Journal of the American Academy of Dermatology, 2023, 88, e25-e26. | 0.6 | 3 |
| 230 | Clinical and histopathological characteristics and survival analysis of 4594 Japanese patients with melanoma. Cancer Medicine, 2019, 8, 2146-2156. | 1.3 | 74 |
| 231 | NKG2D Polymorphism in Melanoma Patients from Southeastern Spain. Cancers, 2019, 11, 438. | 1.7 | 6 |
| 232 | Accumulation of Circulating CCR7+ Natural Killer Cells Marks Melanoma Evolution and Reveals a CCL19-Dependent Metastatic Pathway. Cancer Immunology Research, 2019, 7, 841-852. | 1.6 | 47 |
| 233 | Unlocking the therapeutic potential of primary tumor-draining lymph nodes. Cancer Immunology, Immunotherapy, 2019, 68, 1681-1688. | 2.0 | 56 |
| 234 | TERT Promoter Mutations are Associated with Visceral Spreading in Melanoma of the Trunk. Cancers, 2019, 11, 452. | 1.7 | 17 |
| 235 | Prospective validation of the prognostic 31â€gene expression profiling test in primary cutaneous melanoma. Cancer Medicine, 2019, 8, 2205-2212. | 1.3 | 58 |
| 236 | Serum S100B Levels in Melanoma. Methods in Molecular Biology, 2019, 1929, 691-700. | 0.4 | 8 |
| 237 | Trends in Sentinel Lymph Node Biopsy Enactment for Cutaneous Melanoma. Annals of Surgical Oncology, 2019, 26, 1494-1502. | 0.7 | 25 |
| 238 | Guidance of sentinel lymph node biopsy decisions in patients with T1–T2 melanoma using gene expression profiling. Future Oncology, 2019, 15, 1207-1217. | 1.1 | 59 |
| 239 | Cardiovascular, antidepressant and immunosuppressive drug use in relation to risk of cutaneous melanoma: a protocol for a prospective caseâ€"control study. BMJ Open, 2019, 9, e025246. | 0.8 | 4 |
| 240 | Tyrosine Kinase Inhibitor and Immune Checkpoint Inhibitor Responses in KIT-Mutant Metastatic Melanoma. Journal of Investigative Dermatology, 2019, 139, 728-731. | 0.3 | 8 |
| 241 | Sentinel bruising as a presentation of metastatic melanoma. BMJ Case Reports, 2019, 12, e228114. | 0.2 | 3 |
| 242 | Do Not Forget About the Importance of Loco-Regional Therapy in Melanoma Management. Seminars in Radiation Oncology, 2019, 29, 166-170. | 1.0 | 3 |
| 243 | How I treat metastatic melanoma. ESMO Open, 2019, 4, e000509. | 2.0 | 2 |
| 244 | Impact of general anaesthesia in overall and disease-free survival compared to other types of anaesthesia in patients undergoing surgery for cutaneous melanoma: a systematic review and meta-analysis protocol. BMJ Open, 2019, 9, e027993. | 0.8 | 1 |
| 245 | Targeting L-Lactate Metabolism to Overcome Resistance to Immune Therapy of Melanoma and Other Tumor Entities. Journal of Oncology, 2019, 2019, 1-12. | 0.6 | 47 |
| 246 | Adjuvant therapy versus watch-and-wait post surgery for stage III melanoma: a multicountry retrospective chart review. Melanoma Management, 2019, 6, MMT33. | 0.1 | 6 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 247 | Vertical Growth Phase as a Prognostic Factor for Sentinel Lymph Node Positivity in Thin Melanomas. Plastic and Reconstructive Surgery, 2019, 143, 444e-445e. | 0.7 | 0 |
| 248 | Enhancing Case Capture, Quality, and Completeness of Primary Melanoma Pathology Records via Natural Language Processing. JCO Clinical Cancer Informatics, 2019, 3, 1-11. | 1.0 | 11 |
| 249 | Primary Melanoma: from History to Actual Debates. Current Oncology Reports, 2019, 21, 112. | 1.8 | 8 |
| 250 | Sentinel Lymph Node Biopsy in Patients With Acral Melanoma: Analysis of 201 Cases From the Brazilian National Cancer Institute. Dermatologic Surgery, 2019, 45, 1026-1034. | 0.4 | 4 |
| 251 | Patients with melanoma of unknown primary show better outcome under immune checkpoint inhibitor therapy than patients with known primary: preliminary results. Oncolmmunology, 2019, 8, e1677139. | 2.1 | 14 |
| 252 | The Evolution of Adjuvant Therapy for Melanoma. Current Oncology Reports, 2019, 21, 106. | 1.8 | 23 |
| 253 | Analysis of the Whole-Exome Sequencing of Tumor and Circulating Tumor DNA in Metastatic Melanoma. Cancers, 2019, 11, 1905. | 1.7 | 14 |
| 254 | Prognostic significance of CD163 expression and its correlation with cyclooxygenase-2 and vascular endothelial growth factor expression in cutaneous melanoma. Melanoma Research, 2019, 29, 501-509. | 0.6 | 12 |
| 255 | Adjuvant systemic therapy in high-risk melanoma. Melanoma Research, 2019, 29, 358-364. | 0.6 | 16 |
| 256 | Artificial Intelligence Estimates the Importance of Baseline Factors in Predicting Response to Anti-PD1 in Metastatic Melanoma. American Journal of Clinical Oncology: Cancer Clinical Trials, 2019, 42, 643-648. | 0.6 | 11 |
| 257 | "Personalized Excision―of Malignant Melanomaâ€"Need for a Paradigm Shift in the Beginning Era of Personalized Medicine. American Journal of Dermatopathology, 2019, 41, 884-896. | 0.3 | 12 |
| 258 | Small and Isolated Immunohistochemistry-positive Cells in Melanoma Sentinel Lymph Nodes Are Associated With Disease-specific and Recurrence-free Survival Comparable to that of Sentinel Lymph Nodes Negative for Melanoma. American Journal of Surgical Pathology, 2019, 43, 755-765. | 2.1 | 6 |
| 259 | Prognostic gene expression profiling in melanoma: necessary steps to incorporate into clinical practice. Melanoma Management, 2019, 6, MMT32. | 0.1 | 28 |
| 260 | Evolving management of positive regional lymph nodes in melanoma: Past, present and future directions. Oncology Reviews, 2019, 13, 433. | 0.8 | 9 |
| 261 | Topical and intralesional therapies for in-transitmelanoma. Melanoma Management, 2019, 6, MMT23. | 0.1 | 4 |
| 262 | Systemic therapies for unresectable locoregional melanoma: a significant area of need. Melanoma Management, 2019, 6, MMT25. | 0.1 | 6 |
| 263 | Locoregional melanoma: identifying optimal care in a rapidly changing landscape. Melanoma Management, 2019, 6, MMT22. | 0.1 | 0 |
| 264 | Prognosis and Management of Thick and Ultrathick Melanoma. American Journal of Clinical Oncology: Cancer Clinical Trials, 2019, 42, 824-829. | 0.6 | 11 |

| # | ARTICLE | IF | Citations |
|-----|---|-----|-----------|
| 265 | The Hidden Story of Heterogeneous B-raf V600E Mutation Quantitative Protein Expression in Metastatic Melanoma—Association with Clinical Outcome and Tumor Phenotypes. Cancers, 2019, 11, 1981. | 1.7 | 16 |
| 266 | Lymph node identification in skin malignancy using indocyanine green transcutaneously study. Medicine (United States), 2019, 98, e17839. | 0.4 | 2 |
| 267 | Isolated Imunohistochemistry-positive Cells Without Morphologic Characteristics of Melanoma Should Not Result in Designation as a Positive Sentinel Lymph Node According to the AJCC 8th Edition Staging System. American Journal of Surgical Pathology, 2019, 43, 1442-1444. | 2.1 | 4 |
| 268 | Reply: Vertical Growth Phase as a Prognostic Factor for Sentinel Lymph Node Positivity in Thin Melanomas: A Systematic Review and Meta-Analysis. Plastic and Reconstructive Surgery, 2019, 143, 445e-446e. | 0.7 | 1 |
| 269 | Prognostic role of disease extent and lymphocyte–monocyte ratio in advanced melanoma. Melanoma Research, 2019, 29, 510-515. | 0.6 | 12 |
| 270 | Correlation of Tumor Burden in Sentinel Lymph Nodes with Tumor Burden in Nonsentinel Lymph Nodes and Survival in Cutaneous Melanoma. Clinical Cancer Research, 2019, 25, 7585-7593. | 3.2 | 17 |
| 271 | Dibutyltin(IV) and Tributyltin(IV) Derivatives of meso-Tetra(4-sulfonatophenyl)porphine Inhibit the Growth and the Migration of Human Melanoma Cells. Cells, 2019, 8, 1547. | 1.8 | 4 |
| 272 | A Brief Communication on Circulating PD-1-positive T-Regulatory Lymphocytes in Melanoma Patients Undergoing Adjuvant Immunotherapy With Nivolumab. Journal of Immunotherapy, 2019, 42, 265-268. | 1.2 | 11 |
| 273 | Utility of TERT Promoter Mutations for Cutaneous Primary Melanoma Diagnosis. American Journal of Dermatopathology, 2019, 41, 264-272. | 0.3 | 29 |
| 274 | Relapse patterns in patients with local and regional cutaneous melanoma. Clinical and Translational Oncology, 2019, 21, 412-419. | 1.2 | 12 |
| 275 | Melanoma of the eyelid and periocular skin: Histopathologic classification and molecular pathology. Survey of Ophthalmology, 2019, 64, 272-288. | 1.7 | 25 |
| 276 | Clinical implications of the eighth edition of the American Joint Committee on Cancer melanoma staging. Journal of Surgical Oncology, 2019, 119, 168-174. | 0.8 | 15 |
| 277 | Indications for the surgical resection of stage IV disease. Journal of Surgical Oncology, 2019, 119, 249-261. | 0.8 | 14 |
| 278 | Malignant Skin Neoplasms and Associated Conditions. , 2019, , 135-170. | | 0 |
| 279 | Metastatic Melanoma., 2019,, 314-329. | | 1 |
| 280 | Effectiveness of interventions to support the early detection of skin cancer through skin selfâ€examination: a systematic review and metaâ€analysis. British Journal of Dermatology, 2019, 180, 1339-1347. | 1.4 | 17 |
| 281 | Wholeâ€exome sequencing reveals novel genetic variants associated with diverse phenotypes of melanoma cells. Molecular Carcinogenesis, 2019, 58, 588-602. | 1.3 | 37 |
| 282 | Current controversies in early-stage melanoma. Journal of the American Academy of Dermatology, 2019, 80, 15-25. | 0.6 | 10 |

| # | ARTICLE | IF | Citations |
|-----|--|-----|-----------|
| 283 | Neoadjuvant Treatments for Advanced Resectable Melanoma. Journal of Surgical Oncology, 2019, 119, 216-221. | 0.8 | 7 |
| 284 | Prognosis, Staging, and Reporting of Melanomas. , 2019, , 386-396. | | 4 |
| 285 | Estudio de la expresión de telomerasa en una serie de neoplasias melanocÃŧicas. Actas Dermo-sifiliográficas, 2019, 110, 212-219. | 0.2 | 7 |
| 286 | Tackling melanoma by adjuvant therapy: why, whom and how?. British Journal of Dermatology, 2019, 180, 1-2. | 1.4 | 3 |
| 287 | Prognostic and predictive role of elevated lactate dehydrogenase in patients with melanoma treated with immunotherapy and BRAF inhibitors: a systematic review and meta-analysis. Melanoma Research, 2019, 29, 1-12. | 0.6 | 61 |
| 288 | Subungual Melanoma of the Hand. Annals of Surgical Oncology, 2019, 26, 1035-1043. | 0.7 | 28 |
| 289 | Sentinel node for malignant melanoma: An observational study of a consecutive single centre experience. European Journal of Surgical Oncology, 2019, 45, 225-230. | 0.5 | 4 |
| 290 | Cutaneous Metastasis. Hematology/Oncology Clinics of North America, 2019, 33, 173-197. | 0.9 | 32 |
| 291 | Cutaneous Melanoma—A Review in Detection, Staging, and Management. Hematology/Oncology Clinics of North America, 2019, 33, 25-38. | 0.9 | 85 |
| 292 | Melanoma of unknown primary. Journal of Surgical Oncology, 2019, 119, 232-241. | 0.8 | 21 |
| 293 | Management of inâ€transit melanoma metastases: a review. ANZ Journal of Surgery, 2019, 89, 647-652. | 0.3 | 18 |
| 294 | Prognostic impact of regression in patients with primary cutaneous melanoma >1Âmm in thickness. Journal of the American Academy of Dermatology, 2019, 80, 99-105.e5. | 0.6 | 19 |
| 295 | Microsatellitosis in Patients with Melanoma. Annals of Surgical Oncology, 2019, 26, 33-41. | 0.7 | 11 |
| 296 | Updates in Melanoma. Dermatologic Clinics, 2019, 37, 73-82. | 1.0 | 57 |
| 297 | Management of Early-Stage Melanoma. Facial Plastic Surgery Clinics of North America, 2019, 27, 35-42. | 0.9 | 18 |
| 298 | The Role of Sentinel Lymph Node Biopsy in the Management of Cutaneous Malignancies. Facial Plastic Surgery Clinics of North America, 2019, 27, 119-129. | 0.9 | 4 |
| 299 | Stage III melanoma incidence and impact of transitioning to the 8th AJCC staging system: a US population-based study. Future Oncology, 2019, 15, 359-370. | 1.1 | 11 |
| 300 | Validation of a Nomogram for Non-sentinel Node Positivity in Melanoma Patients, and Its Clinical Implications: A Brazilian–Dutch Study. Annals of Surgical Oncology, 2019, 26, 395-405. | 0.7 | 16 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 301 | Prognostic value of uPAR expression and angiogenesis in primary and metastatic melanoma. PLoS ONE, 2019, 14, e0210399. | 1.1 | 20 |
| 302 | Cell-targeted c(AmpRGD)-sunitinib molecular conjugates impair tumor growth of melanoma. Cancer Letters, 2019, 446, 25-37. | 3.2 | 28 |
| 303 | Immunotherapy plus surgery/radiosurgery is associated with favorable survival in patients with melanoma brain metastasis. Immunotherapy, 2019, 11, 297-309. | 1.0 | 22 |
| 304 | Expression of Neural Crest Markers GLDC and ERRFI1 is Correlated with Melanoma Prognosis. Cancers, 2019, 11, 76. | 1.7 | 11 |
| 305 | Validation of Melanoma Immune Profile (MIP), a Prognostic Immune Gene Prediction Score for Stage II–III Melanoma. Clinical Cancer Research, 2019, 25, 2494-2502. | 3.2 | 18 |
| 306 | Harnessing autophagy to overcome mitogenâ€activated protein kinase kinase inhibitorâ€induced resistance in metastatic melanoma. British Journal of Dermatology, 2019, 180, 346-356. | 1.4 | 23 |
| 307 | PD‣1 methylation regulates PD‣1 expression and is associated with melanoma survival. Pigment Cell and Melanoma Research, 2019, 32, 435-440. | 1.5 | 54 |
| 308 | Molecular Testing for Cutaneous Melanoma: An Update and Review. Archives of Pathology and Laboratory Medicine, 2019, 143, 811-820. | 1.2 | 19 |
| 309 | Increased tumour cell <scp>PD</scp> ‣1 expression, macrophage and dendritic cell infiltration characterise the tumour microenvironment of ulcerated primary melanomas. Journal of the European Academy of Dermatology and Venereology, 2019, 33, 667-675. | 1.3 | 21 |
| 310 | Association of Quality of Life With Surgical Excision of Early-Stage Melanoma of the Head and Neck. JAMA Dermatology, 2019, 155, 85. | 2.0 | 16 |
| 311 | Inter-observer variation in the histopathology reports of head and neck melanoma; a comparison between the seventh and eighth edition of the AJCC staging system. European Journal of Surgical Oncology, 2019, 45, 235-241. | 0.5 | 5 |
| 312 | Guidelines of care for the management of primary cutaneous melanoma. Journal of the American Academy of Dermatology, 2019, 80, 208-250. | 0.6 | 400 |
| 313 | Evaluation of the agreement between TNM 7th and 8th in a populationâ€based series of cutaneous melanoma. Journal of the European Academy of Dermatology and Venereology, 2019, 33, 521-524. | 1.3 | 7 |
| 314 | Monoclonal Antibodies for the Treatment of Melanoma: Present and Future Strategies. Methods in Molecular Biology, 2019, 1904, 83-108. | 0.4 | 47 |
| 315 | Current controversies in early-stage melanoma. Journal of the American Academy of Dermatology, 2019, 80, 1-12. | 0.6 | 45 |
| 316 | Identification of risk in cutaneous melanoma patients: Prognostic and predictive markers. Journal of Surgical Oncology, 2019, 119, 175-186. | 0.8 | 32 |
| 317 | Management of local or regional nonâ€nodal disease. Journal of Surgical Oncology, 2019, 119, 187-199. | 0.8 | 8 |
| 319 | Soluble PD-L1 is a potential biomarker of cutaneous melanoma aggressiveness and metastasis in obstructive sleep apnoea patients. European Respiratory Journal, 2019, 53, 1801298. | 3.1 | 27 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 320 | Identification of patients at risk of metastasis using a prognostic 31-gene expression profile in subpopulations of melanoma patients with favorable outcomes by standard criteria. Journal of the American Academy of Dermatology, 2019, 80, 149-157.e4. | 0.6 | 72 |
| 321 | Melanoma subtypes: genomic profiles, prognostic molecular markers and therapeutic possibilities. Journal of Pathology, 2019, 247, 539-551. | 2.1 | 142 |
| 322 | Development and validation of a nomogram to predict recurrence and melanoma-specific mortality in patients with negative sentinel lymph nodes. British Journal of Surgery, 2019, 106, 217-225. | 0.1 | 34 |
| 323 | Outcomes and Risk Factors in Patients withÂMultiple Primary Melanomas. Journal of Investigative Dermatology, 2019, 139, 195-201. | 0.3 | 20 |
| 324 | Sentinel lymph node biopsy remains the most accurate method of obtaining staging and prognostic information for patients with primary cutaneous melanomas. Australasian Journal of Dermatology, 2019, 60, 75-76. | 0.4 | 1 |
| 325 | Update on eighth edition American Joint Committee on Cancer classification for cutaneous melanoma and overview of potential pitfalls in histological examination of staging parameters. Journal of Clinical Pathology, 2019, 72, 265-270. | 1.0 | 21 |
| 326 | Stellenwert der chirurgischen Metastasenentfernung bei Hautmelanomen im StadiumÂlV. Wiener Medizinische Wochenschrift, 2019, 169, 331-338. | 0.5 | 10 |
| 327 | Aquaporin-1 Protein Expression of the Primary Tumor May Predict Cerebral Progression of Cutaneous Melanoma. Pathology and Oncology Research, 2020, 26, 405-410. | 0.9 | 7 |
| 328 | Treatment of melanoma of unknown primary in the era of immunotherapy and targeted therapy: A Dutch populationâ€based study. International Journal of Cancer, 2020, 146, 26-34. | 2.3 | 28 |
| 329 | Dermoscopic features in different dermatopathological stages of cutaneous melanomas. Postepy Dermatologii I Alergologii, 2020, 37, 677-684. | 0.4 | 4 |
| 330 | Robotic-Assisted Pelvic Lymphadenectomy for Metastatic Melanoma Results in Durable Oncologic Outcomes. Annals of Surgical Oncology, 2020, 27, 196-202. | 0.7 | 6 |
| 331 | The Landmark Series: MSLT-1, MSLT-2 and DeCOG (Management of Lymph Nodes). Annals of Surgical Oncology, 2020, 27, 15-21. | 0.7 | 56 |
| 332 | Modelling Survival of Patients Treated with Adjuvant Nivolumab Who Have Melanoma with Lymph Node Involvement or Metastatic Disease After Complete Resection. PharmacoEconomics - Open, 2020, 4, 343-351. | 0.9 | 4 |
| 333 | MicroRNA Ratios Distinguish Melanomas fromÂNevi. Journal of Investigative Dermatology, 2020, 140, 164-173.e7. | 0.3 | 32 |
| 334 | Close proximity of immune and tumor cells underlies response to anti-PD-1 based therapies in metastatic melanoma patients. Oncolmmunology, 2020, 9, 1659093. | 2.1 | 62 |
| 335 | Siteâ€specific response patterns, pseudoprogression, and acquired resistance in patients with melanoma treated with ipilimumab combined with anti–PDâ€1 therapy. Cancer, 2020, 126, 86-97. | 2.0 | 113 |
| 336 | Biomarkers Predictive of Survival and Response to Immune Checkpoint Inhibitors in Melanoma. American Journal of Clinical Dermatology, 2020, 21, 1-11. | 3.3 | 13 |
| 337 | Factors associated with sentinel lymph node status and prognostic role of completion lymph node dissection for thick melanoma. European Journal of Surgical Oncology, 2020, 46, 263-271. | 0.5 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 338 | Prognostic model for patient survival in primary anorectal mucosal melanoma: stage at presentation determines relevance of histopathologic features. Modern Pathology, 2020, 33, 496-513. | 2.9 | 19 |
| 339 | Deep Adversarial Training for Multi-Organ Nuclei Segmentation in Histopathology Images. IEEE Transactions on Medical Imaging, 2020, 39, 3257-3267. | 5.4 | 190 |
| 340 | Concomitant <i>GNA11</i> and <i>SF3B1</i> mutations in two cases of melanoma associated with blue naevus. Clinical and Experimental Dermatology, 2020, 45, 123-126. | 0.6 | 1 |
| 341 | Protein expression information of prostate infection based on data mining. Journal of Infection and Public Health, 2020, 13, 1533-1536. | 1.9 | 0 |
| 342 | The Landmark Series: Regional Therapy of Recurrent Cutaneous Melanoma. Annals of Surgical Oncology, 2020, 27, 35-42. | 0.7 | 4 |
| 343 | Staging Melanoma. Surgical Clinics of North America, 2020, 100, 29-41. | 0.5 | 4 |
| 345 | Cutaneous metastases: A great imitator. Clinics in Dermatology, 2020, 38, 216-222. | 0.8 | 17 |
| 346 | Surgical Management of Lymph Nodes in Melanoma. Surgical Clinics of North America, 2020, 100, 71-90. | 0.5 | 6 |
| 347 | Nonsurgical Management of Lymph Node Basins in Melanoma. Surgical Clinics of North America, 2020, 100, 91-107. | 0.5 | 1 |
| 348 | Surgical Considerations and Systemic Therapy of Melanoma. Surgical Clinics of North America, 2020, 100, 141-159. | 0.5 | 4 |
| 349 | Reconstructive burden and financial implications of wider excision margins for invasive primary cutaneous melanoma. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2020, 73, 313-318. | 0.5 | 2 |
| 350 | The prognostic value of tumor mitotic rate in children and adolescents with cutaneous melanoma: A retrospective cohort study. Journal of the American Academy of Dermatology, 2020, 82, 910-919. | 0.6 | 10 |
| 351 | Preferences for Immunotherapy in Melanoma: A Systematic Review. Annals of Surgical Oncology, 2020, 27, 571-584. | 0.7 | 36 |
| 352 | Immunohistochemical detectability of cyclooxygenaseâ€2 expression in cells of human melanocytic skin lesions: A methodological review. Journal of Cutaneous Pathology, 2020, 47, 363-380. | 0.7 | 4 |
| 353 | ASO Author Reflections: Important Factors for Adjuvant Immunotherapy Treatment Decisions for Stage Il–IV Melanoma Patients and Their Clinicians. Annals of Surgical Oncology, 2020, 27, 585-586. | 0.7 | 0 |
| 354 | Adjuvant therapy for cutaneous melanoma: a systematic review and network metaâ€analysis of new therapies. Journal of the European Academy of Dermatology and Venereology, 2020, 34, 956-966. | 1.3 | 19 |
| 355 | Role of Surgery for Metastatic Melanoma. Surgical Clinics of North America, 2020, 100, 127-139. | 0.5 | 19 |
| 356 | A variant in <i>FTO</i> gene shows association with histological ulceration in cutaneous melanoma. Journal of Cutaneous Pathology, 2020, 47, 98-101. | 0.7 | 4 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 357 | Clinicopathological factors associated with death from thin ($\hat{a}\%$ $\mathbf{A}.00$ mm) melanoma. British Journal of Dermatology, 2020, 182, 927-931. | 1.4 | 20 |
| 358 | Primary malignant melanoma of the uterine cervix or vagina which were successfully treated with nivolumab. Journal of Obstetrics and Gynaecology Research, 2020, 46, 190-195. | 0.6 | 15 |
| 359 | Brain malignancies: Glioblastoma and brain metastases. Seminars in Cancer Biology, 2020, 60, 262-273. | 4.3 | 208 |
| 360 | A risk prediction model for the development of subsequent primary melanoma in a populationâ€based cohort. British Journal of Dermatology, 2020, 182, 1148-1157. | 1.4 | 28 |
| 361 | The Evolution of Melanoma – Moving beyond Binary Models of Genetic Progression. Journal of Investigative Dermatology, 2020, 140, 291-297. | 0.3 | 7 |
| 362 | Association of combined <scp>PD</scp> â€L1 expression and tumourâ€infiltrating lymphocyte features with survival and treatment outcomes in patients with metastatic melanoma. Journal of the European Academy of Dermatology and Venereology, 2020, 34, 984-994. | 1.3 | 31 |
| 363 | In the mix: the potential benefits of adding GM-CSF to CpG-B in the local treatment of patients with early-stage melanoma. Oncolmmunology, 2020, 9, 1708066. | 2.1 | 5 |
| 364 | New biomarkers improve stratification of patients with melanoma. British Journal of Dermatology, 2020, 182, 5-6. | 1.4 | 1 |
| 365 | The challenge of identifying which stage III melanoma patients need adjuvant treatment and with what. Annals of Oncology, 2020, 31, 11-12. | 0.6 | 2 |
| 366 | Time-varying pattern of recurrence risk for localized melanoma in China. World Journal of Surgical Oncology, 2020, 18, 6. | 0.8 | 6 |
| 367 | Neoadjuvant Versus Adjuvant Immune Checkpoint Blockade in the Treatment of Clinical Stage III Melanoma. Annals of Surgical Oncology, 2020, 27, 2915-2926. | 0.7 | 11 |
| 368 | Considering adjuvant therapy for stage II melanoma. Cancer, 2020, 126, 1166-1174. | 2.0 | 32 |
| 369 | Thick melanomas without lymph node metastases: A forgotten group with poor prognosis. European Journal of Surgical Oncology, 2020, 46, 918-923. | 0.5 | 4 |
| 370 | Surgical Management of Primary Cutaneous Melanoma. Surgical Clinics of North America, 2020, 100, 61-70. | 0.5 | 23 |
| 371 | Quantitative associations between health insurance and stage of melanoma at diagnosis among nonelderly adults in the United States. Cancer, 2020, 126, 775-781. | 2.0 | 12 |
| 372 | Melanoma Awareness Among Medical Students. Journal of Cancer Education, 2021, 36, 677-681. | 0.6 | 8 |
| 374 | An evaluation of encorafenib for the treatment of melanoma. Expert Opinion on Pharmacotherapy, 2020, 21, 155-161. | 0.9 | 11 |
| 375 | Sentinel Node Identification in Melanoma: Current Clinical Impact, New Emerging SPECT Radiotracers and Technological Advancements. An Update of the Last Decade. Current Radiopharmaceuticals, 2020, 13, 32-41. | 0.3 | 23 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 376 | Educational interventions for primary care providers to improve clinical skin examination for skin cancer. Journal of the American Association of Nurse Practitioners, 2020, 32, 369-379. | 0.5 | 9 |
| 377 | ls it Necessary to Perform Sentinel Lymph Node Biopsy in Thin Melanoma? A Retrospective Single Center Analysis. Pathology and Oncology Research, 2020, 26, 1861-1868. | 0.9 | 16 |
| 378 | Clinical validation of a prognostic 11-gene expression profiling score in prospectively collected FFPE tissue of patients with AJCC v8 stage II cutaneous melanoma. European Journal of Cancer, 2020, 125, 38-45. | 1.3 | 36 |
| 379 | Long Non-Coding RNA-CASC15 Promotes Cell Proliferation, Migration, and Invasion by Activating Wnt/β-Catenin Signaling Pathway in Melanoma. Pathobiology, 2020, 87, 20-29. | 1.9 | 22 |
| 380 | External validation of the American Joint Committee on Cancer 8th edition melanoma staging system: who needs adjuvant treatment?. Melanoma Research, 2020, 30, 185-192. | 0.6 | 17 |
| 381 | Neoadjuvant immunotherapy with combined ipilimumab and nivolumab in patients with melanoma with primary or in transit disease. British Journal of Dermatology, 2020, 183, 559-563. | 1.4 | 18 |
| 382 | Melanoma pathology reporting and staging. Modern Pathology, 2020, 33, 15-24. | 2.9 | 61 |
| 383 | Blockade of CCR5 in melanoma: An alternative immune checkpoint modulator. Experimental Dermatology, 2020, 29, 196-196. | 1.4 | 5 |
| 384 | Anti-PD-1 immunotherapy in advanced metastatic melanoma: State of the art and future challenges. Life Sciences, 2020, 240, 117093. | 2.0 | 12 |
| 386 | Immune checkpoint inhibitors in melanoma in the metastatic, neoadjuvant, and adjuvant setting. Current Opinion in Oncology, 2020, 32, 106-113. | 1.1 | 52 |
| 387 | Immunohistochemistry for PRAME in the Distinction of Nodal Nevi From Metastatic Melanoma. American Journal of Surgical Pathology, 2020, 44, 503-508. | 2.1 | 75 |
| 388 | Global and mitosisâ€specific interobserver variation in mitotic count scoring and implications for malignant melanoma staging. Histopathology, 2020, 76, 803-813. | 1.6 | 6 |
| 389 | KEYNOTE-716: Phase III study of adjuvant pembrolizumab versus placebo in resected high-risk stage II melanoma. Future Oncology, 2020, 16, 4429-4438. | 1.1 | 59 |
| 390 | The Tumor and Host Immune Signature, and the Gut Microbiota as Predictive Biomarkers for Immune Checkpoint Inhibitor Response in Melanoma Patients. Life, 2020, 10, 219. | 1.1 | 11 |
| 391 | The Width of Invasion in Malignant Melanoma Is a Novel Prognostic Feature That Accounts for Outcome Better Than Breslow Thickness. American Journal of Surgical Pathology, 2020, 44, 1522-1527. | 2.1 | 4 |
| 392 | Pathogenic germline variants are associated with poor survival in stage III/IV melanoma patients. Scientific Reports, 2020, 10, 17687. | 1.6 | 14 |
| 393 | FRAMe: Familial Risk Assessment of Melanomaâ€"a risk prediction tool to guide CDKN2A germline mutation testing in Australian familial melanoma. Familial Cancer, 2021, 20, 231-239. | 0.9 | 6 |
| 394 | Expression of IMP3 in a retrospective cohort of melanomas with selective lymph node biopsy. Dermatologic Therapy, 2020, 33, e14413. | 0.8 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----------|----------------|
| 395 | How does the mitotic index impact patients with T1 melanoma? Comparison between the 7th and 8th edition of the American Joint Committee on Cancer melanoma staging system. Anais Brasileiros De Dermatologia, 2020, 95, 691-695. | 0.5 | 3 |
| 396 | ESMO consensus conference recommendations on the management of metastatic melanoma: under the auspices of the ESMO Guidelines Committee. Annals of Oncology, 2020, 31, 1435-1448. | 0.6 | 132 |
| 397 | Is the neutrophil-to-lymphocyte ratio a useful prognostic indicator in melanoma patients?. Melanoma Management, 2020, 7, MMT47. | 0.1 | 24 |
| 398 | Identification of stage I/IIA melanoma patients at high risk for disease relapse using a clinicopathologic and gene expression model. European Journal of Cancer, 2020, 140, 11-18. | 1.3 | 31 |
| 399 | Obesity attenuates the effect of sleep apnea on active TGF-ß1 levels and tumor aggressiveness in patients with melanoma. Scientific Reports, 2020, 10, 15528. | 1.6 | 8 |
| 400 | Cost-Effective Patient Selection for Adjuvant Therapy in Stage IIIA Melanoma. Journal of the American College of Surgeons, 2020, 231, 554-556. | 0.2 | 1 |
| 402 | Circulating Tumor DNA Predicts Outcome from First-, but not Second-line Treatment and Identifies Melanoma Patients Who May Benefit from Combination Immunotherapy. Clinical Cancer Research, 2020, 26, 5926-5933. | 3.2 | 41 |
| 403 | Molecular and immunological associations of elevated serum lactate dehydrogenase in metastatic melanoma patients: A fresh look at an old biomarker. Cancer Medicine, 2020, 9, 8650-8661. | 1.3 | 11 |
| 404 | Impact of Non-Steroidal Anti-Inflammatory Drugs on Recurrence and Survival after Melanoma Surgery: A Cohort Study. Cancer Investigation, 2020, 38, 415-423. | 0.6 | 4 |
| 405 | The MelFo Study UK: Effects of a Reduced-Frequency, Stage-Adjusted Follow-Up Schedule for Cutaneous Melanoma 1B to 2C Patients After 3-Years. Annals of Surgical Oncology, 2020, 27, 4109-4119. | 0.7 | 12 |
| 406 | Targeted and immunotherapies in <i>BRAF</i> mutant melanoma: where we stand and what to expect. British Journal of Dermatology, 2021, 185, 253-262. | 1.4 | 20 |
| 407 | Anxiety and depression after diagnosis of high-risk primary cutaneous melanoma: a 4-year longitudinal study. Journal of Cancer Survivorship, 2020, 14, 712-719. | 1.5 | 12 |
| 408 | Cost-Benefit Implication of Gene Expression Profiling and Adjuvant Therapy in Stage IIIA Melanoma. Journal of the American College of Surgeons, 2020, 231, 547-554e1. | 0.2 | 8 |
| 409 | Immune Microenvironment Related Competitive Endogenous RNA Network as Powerful Predictors for Melanoma Prognosis Based on WGCNA Analysis. Frontiers in Oncology, 2020, 10, 577072. | 1.3 | 21 |
| 410 | Locoregional Management of in-Transit Metastasis in Melanoma: An Ontario Health (Cancer Care) Tj ETQq0 0 0 | rgBT JOve | rlock 10 Tf 50 |
| 411 | Risk prediction in cutaneous melanoma patients from their clinico-pathological features: superiority of clinical data over gene expression data. Heliyon, 2020, 6, e04811. | 1.4 | 8 |
| 412 | Cost-effectiveness analysis of PET/CT surveillance imaging to detect systemic recurrence in resected stage III melanoma: study protocol. BMJ Open, 2020, 10, e037857. | 0.8 | 4 |
| 413 | Management of adjuvant settings for Stage III melanoma patients in France prior to checkpoint inhibitors: epidemiological data from the RIC-Mel database. European Journal of Dermatology, 2020, 30, 389-396. | 0.3 | 1 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 414 | Efficacy of Electrochemotherapy in the Treatment of Cutaneous Melanoma Metastases and Rare Non-melanoma Skin Cancer. Anticancer Research, 2020, 40, 6485-6492. | 0.5 | 16 |
| 415 | Mixed adenoneuroendocrine carcinoma of the hepatic bile duct: a case report and review of the literature. BMC Gastroenterology, 2020, 20, 399. | 0.8 | 4 |
| 416 | Overcoming Immune Evasion in Melanoma. International Journal of Molecular Sciences, 2020, 21, 8984. | 1.8 | 88 |
| 417 | RAGE Signaling in Melanoma Tumors. International Journal of Molecular Sciences, 2020, 21, 8989. | 1.8 | 13 |
| 418 | Enhancer of zeste 2 polycomb repressive complex 2 subunit polymorphisms in melanoma skin cancer risk. Experimental Dermatology, 2020, 29, 980-986. | 1.4 | 1 |
| 419 | Sentinel Node Status is the Most Important Prognostic Information for Clinical Stage IIB and IIC Melanoma Patients. Annals of Surgical Oncology, 2020, 27, 4133-4140. | 0.7 | 9 |
| 420 | Early Cost-effectiveness Analysis of Electrochemotherapy as a Prospect Treatment Modality for Skin Melanoma. Clinical Therapeutics, 2020, 42, 1535-1548.e2. | 1.1 | 6 |
| 421 | Reappraisal of the prognostic significance of mitotic rate supports its reincorporation into the melanoma staging system. Cancer, 2020, 126, 4717-4725. | 2.0 | 14 |
| 422 | Complete response to immunotherapy in a nonagenarian patient with metastatic melanoma. BMJ Case Reports, 2020, 13, e235472. | 0.2 | 0 |
| 423 | Reply to E. Hindié. Journal of Clinical Oncology, 2020, 38, 3238-3240. | 0.8 | 3 |
| 424 | Chemotherapy efficacy after first-line immunotherapy in 18 advanced melanoma patients. Medicine (United States), 2020, 99, e21329. | 0.4 | 17 |
| 425 | Adjuvant Therapy for Melanoma: Past, Current, and Future Developments. Cancers, 2020, 12, 1994. | 1.7 | 26 |
| 426 | Comorbidity burden on receipt of adjuvant immunotherapy and survival in patients with stage III melanoma: an analysis of the National Cancer Database. International Journal of Dermatology, 2020, 59, 1381-1390. | 0.5 | 3 |
| 427 | Overestimation of Risk for Sentinel Lymph Node Metastasis in a Nomogram for T1 Melanomas. Journal of Clinical Oncology, 2020, 38, 3234-3235. | 0.8 | 6 |
| 428 | Clinicoprognostic characteristics of cutaneous metastatic melanoma: a retrospective comparative study between acral and nonacral melanoma. International Journal of Dermatology, 2020, 59, 1249-1257. | 0.5 | 0 |
| 429 | Bempegaldesleukin plus nivolumab in untreated, unresectable or metastatic melanoma: Phase III PIVOT IO 001 study design. Future Oncology, 2020, 16, 2165-2175. | 1.1 | 20 |
| 430 | ECG Changes in Melanoma Patients Undergoing Cancer Therapyâ€"Data from the ECoR Registry. Journal of Clinical Medicine, 2020, 9, 2060. | 1.0 | 6 |
| 431 | Prognostic Gene Expression Profiling in Cutaneous Melanoma. JAMA Dermatology, 2020, 156, 1004. | 2.0 | 59 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 432 | ASO Author Reflections: Sentinel Node Biopsyâ€"Retirement Will Have to Wait. Annals of Surgical Oncology, 2020, 27, 4141-4142. | 0.7 | 0 |
| 433 | Clinical Development of BRAF plus MEK Inhibitor Combinations. Trends in Cancer, 2020, 6, 797-810. | 3.8 | 169 |
| 434 | How cancer registries can detect neoplasms in pathology laboratories that code with SNOMED CT terminology? An actual, simple and flexible solution. International Journal of Medical Informatics, 2020, 141, 104167. | 1.6 | 5 |
| 435 | "To Anticipate― Neoadjuvant Therapy in Melanoma with a Focus on Predictive Biomarkers. Cancers, 2020, 12, 1941. | 1.7 | 4 |
| 436 | Sentinel Node Biopsy in Patients With Thin Melanoma: A Need to Better Define the Aim. Journal of Clinical Oncology, 2020, 38, 3237-3238. | 0.8 | 1 |
| 437 | The use of FDGâ€PET/CT to detect early recurrence after resection of highâ€risk stage III melanoma. Journal of Surgical Oncology, 2020, 122, 1328-1336. | 0.8 | 4 |
| 438 | Advances in the Systemic Treatment of Melanoma Brain Metastases. , 2020, , . | | 0 |
| 440 | Expression and clinical significance of five major genes in cutaneous melanoma based on TCGA database. Human Pathology: Case Reports, 2020, 21, 200411. | 0.2 | 0 |
| 441 | Without Missing a Beat: Absence of Cilia Informs the Diagnosis of Histopathologically Challenging Spitzoid Melanocytic Neoplasms. Journal of Investigative Dermatology, 2020, 140, 1320-1323. | 0.3 | 1 |
| 442 | Proangiogenic factor midkine is increased in melanoma patients with sleep apnea and induces tumor cell proliferation. FASEB Journal, 2020, 34, 16179-16190. | 0.2 | 11 |
| 443 | Novel application of adipose-derived mesenchymal stem cells via producing antiangiogenic factor TSP-1 in lung metastatic melanoma animal model. Biologicals, 2020, 68, 9-18. | 0.5 | 14 |
| 444 | Circulating tumor DNA (ctDNA) detection is associated with shorter progression-free survival in advanced melanoma patients. Scientific Reports, 2020, 10, 18682. | 1.6 | 40 |
| 445 | Recurrence patterns in patients with Stage II melanoma: The evolving role of routine imaging for surveillance. Journal of Surgical Oncology, 2020, 122, 1770-1777. | 0.8 | 23 |
| 446 | ESMO consensus conference recommendations on the management of locoregional melanoma: under the auspices of the ESMO Guidelines Committee. Annals of Oncology, 2020, 31, 1449-1461. | 0.6 | 69 |
| 447 | Blood-based extracellular matrix biomarkers are correlated with clinical outcome after PD-1 inhibition in patients with metastatic melanoma., 2020, 8, e001193. | | 28 |
| 448 | The prognostic significance of VISTA and CD33-positive myeloid cells in cutaneous melanoma and their relationship with PD-1 expression. Scientific Reports, 2020, 10, 14372. | 1.6 | 31 |
| 449 | Diagnostics of Melanocytic Skin Tumours by a Combination of Ultrasonic, Dermatoscopic and Spectrophotometric Image Parameters. Diagnostics, 2020, 10, 632. | 1.3 | 11 |
| 450 | The association between active tumor volume, total lesion glycolysis and levels of S-100B and LDH in stage IV melanoma patients. European Journal of Surgical Oncology, 2020, 46, 2147-2153. | 0.5 | 13 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 451 | Updates in the evidenceâ€based management of cutaneous melanoma. Head and Neck, 2020, 42, 3396-3404. | 0.9 | 3 |
| 453 | Development and validation of prognostic nomogram in patients with nonmetastatic malignant melanoma: a SEER populationâ€based study. Cancer Medicine, 2020, 9, 8562-8570. | 1.3 | 12 |
| 454 | PD-1 checkpoint blockade in advanced melanoma patients: NK cells, monocytic subsets and host PD-L1 expression as predictive biomarker candidates. Oncolmmunology, 2020, 9, 1786888. | 2.1 | 29 |
| 455 | Longer Follow-Up Confirms Recurrence-Free Survival Benefit of Adjuvant Pembrolizumab in High-Risk Stage III Melanoma: Updated Results From the EORTC 1325-MG/KEYNOTE-054 Trial. Journal of Clinical Oncology, 2020, 38, 3925-3936. | 0.8 | 192 |
| 456 | Intraventricular metastatic melanoma: A case report and review of the literature. Clinical Case Reports (discontinued), 2020, 8, 1757-1764. | 0.2 | 1 |
| 457 | Mclâ \in 1 targeting strategies unlock the proapoptotic potential of TRAIL in melanoma cells. Molecular Carcinogenesis, 2020, 59, 1256-1268. | 1.3 | 11 |
| 458 | Tissue microRNA expression profiling in hepatic and pulmonary metastatic melanoma. Melanoma Research, 2020, 30, 455-464. | 0.6 | 4 |
| 459 | MC1R variants and cutaneous melanoma risk according to histological type, body site, and Breslow thickness: a pooled analysis from the M-SKIP project. Melanoma Research, 2020, 30, 500-510. | 0.6 | 6 |
| 460 | Disparity in outcomes of melanoma adjuvant immunotherapy by demographic profile. Melanoma Management, 2020, 7, MMT43. | 0.1 | 7 |
| 461 | Uncommon Subtypes of Malignant Melanomas: A Review Based on Clinical and Molecular Perspectives. Cancers, 2020, 12, 2362. | 1.7 | 22 |
| 462 | Surgical and Pathological Documentation and Compliance With Consensus Guidelines in Patients With Thin Melanoma at a Community Teaching Hospital. American Surgeon, 2020, , 000313482097335. | 0.4 | 0 |
| 463 | The Expression of CD74-Regulated Inflammatory Markers in Stage IV Melanoma: Risk of CNS Metastasis and Patient Survival. Cancers, 2020, 12, 3754. | 1.7 | 3 |
| 465 | Skin melanoma survival is not superior in females in the new stage IIID of the 8th edition of the staging system: an analysis of data from the Surveillance, Epidemiology, and End Results (SEER) database. Annals of Translational Medicine, 2020, 8, 1381-1381. | 0.7 | 7 |
| 466 | The Prognostic Impact of Circulating Tumour DNA in Melanoma Patients Treated with Systemic Therapies—Beyond BRAF Mutant Detection. Cancers, 2020, 12, 3793. | 1.7 | 12 |
| 467 | Circulating Melanoma-Derived Extracellular Vesicles: Impact on Melanoma Diagnosis, Progression Monitoring, and Treatment Response. Pharmaceuticals, 2020, 13, 475. | 1.7 | 13 |
| 468 | The tumor genetics of acral melanoma: What should a dermatologist know?. JAAD International, 2020, 1, 135-147. | 1.1 | 18 |
| 469 | Clinicopathological characteristics and management of colitis with anti-PD1 immunotherapy alone or in combination with ipilimumab. , 2020, 8, e001488. | | 22 |
| 470 | "Giant cell arteritis manifesting as retinal arterial occlusion and paracentral acute middle maculopathy in a patient on pembrolizumab for metastatic uveal melanoma― American Journal of Ophthalmology Case Reports, 2020, 20, 100891. | 0.4 | 14 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 471 | Association of HERV-K and LINE-1 hypomethylation with reduced disease-free survival in melanoma patients. Epigenomics, 2020, 12, 1689-1706. | 1.0 | 11 |
| 472 | The Use of Immune Checkpoint Inhibitors in Oncology and the Occurrence of AKI: Where Do We Stand?. Frontiers in Immunology, 2020, 11, 574271. | 2.2 | 112 |
| 473 | Observational study of talimogene laherparepvec use in the anti-PD-1 era for melanoma in the US (COSMUS-2). Melanoma Management, 2020, 7, MMT41. | 0.1 | 3 |
| 475 | Development and validation of a Brazilian nomogram to assess sentinel node biopsy positivity in melanoma. Tumori, 2021, 107, 440-445. | 0.6 | 0 |
| 476 | The Effect of Beta-Adrenergic Blocking Agents in Cutaneous Melanoma—A Nation-Wide Swedish Population-Based Retrospective Register Study. Cancers, 2020, 12, 3228. | 1.7 | 9 |
| 477 | Lymphatic invasion in acral and non-acral melanoma: a comparative, clinicoprognostic study of primary cutaneous melanoma according to tumour site. Pathology, 2020, 52, 670-675. | 0.3 | 7 |
| 478 | Fine Needle Aspiration Cytology (FNAC) for Chinese Patients With Acral and Cutaneous Melanoma: Accuracy and Safety Analysis From a Single Institution. Frontiers in Oncology, 2020, 10, 1724. | 1.3 | 0 |
| 479 | Primary dermal melanoma: clinical behaviour, prognosis and treatment. European Journal of Surgical Oncology, 2020, 46, 2131-2139. | 0.5 | 5 |
| 480 | Estimated effect of COVIDâ€19 lockdown on melanoma thickness and prognosis: a rate of growth model. Journal of the European Academy of Dermatology and Venereology, 2020, 34, e351-e353. | 1.3 | 40 |
| 481 | Acral lentiginous melanoma: Clinicopathologic and survival differences according to tumour location. Australasian Journal of Dermatology, 2020, 61, 312-317. | 0.4 | 7 |
| 482 | Supportive care and unmet needs in patients with melanoma: a mixed-methods systematic review. Supportive Care in Cancer, 2020, 28, 3489-3501. | 1.0 | 18 |
| 484 | Prognostic significance of tumor size for primary invasive cutaneous melanoma: A populationâ€based study, 2004â€2016. Cancer Medicine, 2020, 9, 4561-4571. | 1.3 | 13 |
| 485 | Circular RNA circ_0020710 drives tumor progression and immune evasion by regulating the miR-370-3p/CXCL12 axis in melanoma. Molecular Cancer, 2020, 19, 84. | 7.9 | 99 |
| 486 | ASO Author Reflections: The Landmark Series: Neoadjuvant Systemic Therapy (NAST) for Stage 3 Melanoma Patients: A Potential Paradigm Shift in Management. Annals of Surgical Oncology, 2020, 27, 2201-2202. | 0.7 | 0 |
| 487 | â€~Primum non nocere': how harmless is routine wide local excision for AJCC stage IA melanoma?. Annals of the Royal College of Surgeons of England, 2020, 102, 483-487. | 0.3 | 6 |
| 488 | Serum markers improve current prediction of metastasis development in earlyâ€stage melanoma patients: a machine learningâ€based study. Molecular Oncology, 2020, 14, 1705-1718. | 2.1 | 19 |
| 489 | Management of primary skin cancer during a pandemic: Multidisciplinary recommendations. Cancer, 2020, 126, 3900-3906. | 2.0 | 62 |
| 490 | In-depth plasma proteomics reveals increase in circulating PD-1 during anti-PD-1 immunotherapy in patients with metastatic cutaneous melanoma., 2020, 8, e000204. | | 35 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 491 | Tumor growth rate as a prognostic factor of acral melanoma in a Korean population. Medicine (United States), 2020, 99, e19936. | 0.4 | 1 |
| 492 | Treatment of High Risk Resected Melanoma in Australia: Current Landscape and Practises. Australasian Journal of Dermatology, 2020, 61, 203-209. | 0.4 | 4 |
| 493 | Efficacy of immune checkpoint inhibitors for in-transit melanoma., 2020, 8, e000440. | | 18 |
| 494 | Speed rate (SR) as a new dynamic index of melanoma behavior. Pigment Cell and Melanoma Research, 2020, 33, 709-718. | 1.5 | 11 |
| 495 | The Landmark Series: Neoadjuvant Systemic Therapy (NAST) for Stage 3 Melanoma Patients – A Potential Paradigm Shift in Management. Annals of Surgical Oncology, 2020, 27, 2188-2200. | 0.7 | 4 |
| 496 | Adjuvant therapy with pegylated interferon-alfa2b vs observation in stage II B/C patients with ulcerated primary: Results of the European Organisation for Research and Treatment of Cancer 18081 randomised trial. European Journal of Cancer, 2020, 133, 94-103. | 1.3 | 13 |
| 497 | The EORTC-DeCOG nomogram adequately predicts outcomes of patients with sentinel node–positive melanoma without the need for completion lymph node dissection. European Journal of Cancer, 2020, 134, 9-18. | 1.3 | 11 |
| 498 | Mixed Response to Immunotherapy in Patients with Metastatic Melanoma. Annals of Surgical Oncology, 2020, 27, 3488-3497. | 0.7 | 24 |
| 499 | Circular RNAs: new genetic tools in melanoma. Biomarkers in Medicine, 2020, 14, 563-571. | 0.6 | 16 |
| 500 | Impact of a preceding radiotherapy on the outcome of immune checkpoint inhibition in metastatic melanoma: a multicenter retrospective cohort study of the DeCOG., 2020, 8, e000395. | | 9 |
| 501 | Outcomes after progression of disease with anti–PDâ€1/PDâ€1 therapy for patients with advanced melanoma. Cancer, 2020, 126, 3448-3455. | 2.0 | 20 |
| 502 | Systemic adjuvant therapy for adult patients at high risk for recurrent melanoma: A systematic review. Cancer Treatment Reviews, 2020, 87, 102032. | 3.4 | 13 |
| 503 | Management of Regional Nodal Melanoma. Surgical Oncology Clinics of North America, 2020, 29, 415-431. | 0.6 | 1 |
| 504 | Role of Surgery in Stage IV Melanoma. Surgical Oncology Clinics of North America, 2020, 29, 485-495. | 0.6 | 8 |
| 505 | Neoadjuvant Therapy for Melanoma. Surgical Oncology Clinics of North America, 2020, 29, 445-453. | 0.6 | 2 |
| 506 | Tspan8 Drives Melanoma Dermal Invasion by Promoting ProMMP-9 Activation and Basement Membrane Proteolysis in a Keratinocyte-Dependent Manner. Cancers, 2020, 12, 1297. | 1.7 | 16 |
| 507 | Prognosis of Patients With Stage III Melanoma According to American Joint Committee on Cancer Version 8: A Reassessment on the Basis of 3 Independent Stage III Melanoma Cohorts. Journal of Clinical Oncology, 2020, 38, 2543-2551. | 0.8 | 40 |
| 508 | Sentinel Lymph Node Biopsy for Melanoma: Buggy Whip or Roller Bearing?. Annals of Surgical Oncology, 2020, 27, 2586-2588. | 0.7 | 1 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 509 | Quality assurance in melanoma care: guidelineâ€based quality indicators for melanoma – implementation, evaluation and update process. JDDG - Journal of the German Society of Dermatology, 2020, 18, 848-857. | 0.4 | 7 |
| 510 | Reduction in skin cancer diagnosis, and overall cancer referrals, during the COVIDâ€19 pandemic. British Journal of Dermatology, 2020, 183, 792-794. | 1.4 | 58 |
| 511 | Real-World Recurrence Rates and Economic Burden in Patients with Resected Early-Stage Melanoma. Dermatology and Therapy, 2020, 10, 985-999. | 1.4 | 6 |
| 512 | Reply to Problematic methodology in a systematic review and meta-analysis of DecisionDx-Melanoma. Journal of the American Academy of Dermatology, 2020, 83, e359-e360. | 0.6 | 1 |
| 513 | The Evolution of Care of Cancers of the Head and Neck Region: State of the Science in 2020. Cancers, 2020, 12, 1543. | 1.7 | 18 |
| 514 | Anti-PD1 checkpoint inhibitor therapy in acral melanoma: a multicenter study of 193 Japanese patients. Annals of Oncology, 2020, 31, 1198-1206. | 0.6 | 96 |
| 515 | Efficacy of ipilimumab after anti-PD-1 therapy in sequential treatment of metastatic melanoma patients - Real world evidence. Advances in Medical Sciences, 2020, 65, 316-323. | 0.9 | 12 |
| 516 | Sentinel Lymph Node Biopsy for T1b Melanoma: Balancing Prognostic Value and Cost. Annals of Surgical Oncology, 2020, 27, 5248-5256. | 0.7 | 12 |
| 517 | Diagnosis of Cutaneous Melanoma: the Gap Between the Knowledge of General Practitioners and Dermatologists in a Brazilian Population. Journal of Cancer Education, 2020, 35, 819-825. | 0.6 | 4 |
| 518 | Regional nodal metastasis and 5â€year survival in patients with thin melanoma in Queensland: a populationâ€based study. ANZ Journal of Surgery, 2020, 90, 503-507. | 0.3 | 3 |
| 519 | Statins may reduce disease recurrence in patients with ulcerated primary melanoma. British Journal of Dermatology, 2020, 183, 1049-1055. | 1.4 | 10 |
| 520 | Whole transcriptome signature for prognostic prediction (WTSPP): application of whole transcriptome signature for prognostic prediction in cancer. Laboratory Investigation, 2020, 100, 1356-1366. | 1.7 | 1 |
| 521 | Minimal residual disease in advanced or metastatic solid cancers: The GO-G1 state and immunotherapy are key to unwinding cancer complexity. Seminars in Cancer Biology, 2022, 79, 68-82. | 4.3 | 15 |
| 522 | Identifying challenges to implementation of clinical practice guidelines for sentinel lymph node biopsy in patients with melanoma in Australia: protocol paper for a mixed methods study. BMJ Open, 2020, 10, e032636. | 0.8 | 6 |
| 523 | Isolated limb infusion: Institutional protocol and implementation. Journal of Surgical Oncology, 2020, 122, 99-105. | 0.8 | 7 |
| 524 | Clinical and Immunological Outcomes in High-Risk Resected Melanoma Patients Receiving Peptide-Based Vaccination and Interferon Alpha, With or Without Dacarbazine Preconditioning: A Phase II Study. Frontiers in Oncology, 2020, 10, 202. | 1.3 | 6 |
| 525 | Systemic Adjuvant Therapy for Adult Patients at High Risk for Recurrent Cutaneous or Mucosal Melanoma: An Ontario Health (Cancer Care Ontario) Clinical Practice Guideline. Current Oncology, 2020, 27, 43-52. | 0.9 | 12 |
| 526 | Factors Affecting Sentinel Node Metastasis in Thin (T1) Cutaneous Melanomas: Development and External Validation of a Predictive Nomogram. Journal of Clinical Oncology, 2020, 38, 1591-1601. | 0.8 | 50 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 527 | Management Recommendations for Merkel Cell Carcinomaâ€"A Danish Perspective. Cancers, 2020, 12, 554. | 1.7 | 15 |
| 528 | Long-Term Outcomes in BRAF-Mutated Melanoma Treated with Combined Targeted Therapy or Immune Checkpoint Blockade: Are We Approaching a True Cure?. American Journal of Clinical Dermatology, 2020, 21, 493-504. | 3.3 | 30 |
| 529 | Challenges in sentinel node pathology in the era of adjuvant treatment. Journal of Surgical Oncology, 2020, 122, 964-972. | 0.8 | 7 |
| 530 | Adjuvant Therapy for Cutaneous Melanoma. Surgical Oncology Clinics of North America, 2020, 29, 455-465. | 0.6 | 1 |
| 531 | Patients with BRAF-Mutant Advanced/Metastatic Melanoma: Original Research on the Treatment Reality in Germany and Austria in the Era of Choice. Advances in Therapy, 2020, 37, 3619-3629. | 1.3 | 5 |
| 532 | Evaluation of the Merits and Limitations of Evidence-Based Medicine. JAMA Dermatology, 2020, 156, 924. | 2.0 | 0 |
| 533 | 20/20 in 2020: seeking clarity on the management of stage III melanoma in a rapidly changing treatment environment. Annals of Translational Medicine, 2020, 8, 776-776. | 0.7 | 0 |
| 534 | Optimal treatment strategy for metastatic melanoma patients harboring <i>BRAF-V600</i> mutations. Therapeutic Advances in Medical Oncology, 2020, 12, 175883592092521. | 1.4 | 31 |
| 535 | Dedifferentiated melanomas: Morpho-phenotypic profile, genetic reprogramming and clinical implications. Cancer Treatment Reviews, 2020, 88, 102060. | 3.4 | 27 |
| 536 | Effect of delay between nuclear medicine scanning and sentinel node biopsy on outcome in patients with cutaneous melanoma. British Journal of Surgery, 2020, 107, 669-676. | 0.1 | 7 |
| 537 | Effect of a Skin Self-monitoring Smartphone Application on Time to Physician Consultation Among Patients With Possible Melanoma. JAMA Network Open, 2020, 3, e200001. | 2.8 | 20 |
| 538 | Combination of cyclophosphamide and shengbai decoction has synergistic effect against melanoma. Biomedicine and Pharmacotherapy, 2020, 126, 109866. | 2.5 | 2 |
| 539 | Sex-Based Differences in Melanoma Survival in a Contemporary Patient Cohort. Journal of Women's Health, 2020, 29, 1160-1167. | 1.5 | 21 |
| 540 | The prognostic significance of microsatellites in cutaneous melanoma. Modern Pathology, 2020, 33, 1369-1379. | 2.9 | 13 |
| 541 | Clinicopathological Features, Staging, and Current Approaches to Treatment in High-Risk Resectable Melanoma. Journal of the National Cancer Institute, 2020, 112, 875-885. | 3.0 | 20 |
| 542 | Longâ€ŧerm deaths from melanoma according to tumor thickness at diagnosis. International Journal of Cancer, 2020, 147, 1391-1396. | 2.3 | 16 |
| 543 | Macrophages/Microglia Represent the Major Source of Indolamine 2,3-Dioxygenase Expression in Melanoma Metastases of the Brain. Frontiers in Immunology, 2020, 11, 120. | 2.2 | 28 |
| 544 | Sentinel node tumor burden in prediction of prognosis in melanoma patients. Clinical and Experimental Metastasis, 2020, 37, 365-376. | 1.7 | 5 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 545 | Efficacy of late concurrent hypofractionated radiotherapy in advanced melanoma patients failing antiâ€PDâ€1 monotherapy. International Journal of Cancer, 2020, 147, 1707-1714. | 2.3 | 14 |
| 546 | Real-world outcomes of melanoma surveillance using the MoleMap NZ telemedicine platform. Journal of the American Academy of Dermatology, 2021, 85, 596-603. | 0.6 | 8 |
| 547 | Does the time interval between sentinel lymph node biopsy and completion lymph node dissection affect outcome in malignant melanoma? A retrospective cohort study. International Journal of Surgery, 2020, 75, 160-164. | 1.1 | 3 |
| 548 | The 2018 World Health Organization Classification of Cutaneous, Mucosal, and Uveal Melanoma: Detailed Analysis of 9 Distinct Subtypes Defined by Their Evolutionary Pathway. Archives of Pathology and Laboratory Medicine, 2020, 144, 500-522. | 1.2 | 239 |
| 549 | Talimogene laherparepvec treatment to overcome loco-regional acquired resistance to immune checkpoint blockade in tumor stage IIIB–IV M1c melanoma patients. Cancer Immunology, Immunotherapy, 2020, 69, 759-769. | 2.0 | 20 |
| 550 | Internal Pathology Review of Invasive Melanoma: An Academic Institution Experience. Journal of Surgical Research, 2020, 250, 97-101. | 0.8 | 1 |
| 551 | European consensus-based interdisciplinary guideline for melanoma. Part 1: Diagnostics – Update 2019. European Journal of Cancer, 2020, 126, 141-158. | 1.3 | 133 |
| 552 | Molecular analysis of primary melanoma T cells identifies patients at risk for metastatic recurrence. Nature Cancer, 2020, 1, 197-209. | 5.7 | 30 |
| 553 | Melanoma Prognosis: Accuracy of the American Joint Committee on Cancer Staging Manual Eighth Edition. Journal of the National Cancer Institute, 2020, 112, 921-928. | 3.0 | 32 |
| 554 | Staging for Melanoma - Toward a New Paradigm?. Journal of the National Cancer Institute, 2020, 112, 873-874. | 3.0 | 2 |
| 555 | Anti-PD-1 and Novel Combinations in the Treatment of Melanoma—An Update. Journal of Clinical Medicine, 2020, 9, 223. | 1.0 | 95 |
| 556 | Biomarkers for Melanoma. , 2020, , 73-104. | | 0 |
| 557 | Cumulative Incidence and Predictors of CNS Metastasis for Patients With American Joint Committee on Cancer 8th Edition Stage III Melanoma. Journal of Clinical Oncology, 2020, 38, 1429-1441. | 0.8 | 23 |
| 558 | The miRNAs Role in Melanoma and in Its Resistance to Therapy. International Journal of Molecular Sciences, 2020, 21, 878. | 1.8 | 50 |
| 559 | Neoadjuvant checkpoint blockade for cancer immunotherapy. Science, 2020, 367, . | 6.0 | 553 |
| 560 | Linking Transcriptomic and Imaging Data Defines Features of a Favorable Tumor Immune Microenvironment and Identifies a Combination Biomarker for Primary Melanoma. Cancer Research, 2020, 80, 1078-1087. | 0.4 | 18 |
| 561 | A novel RNA sequencing-based prognostic nomogram to predict survival for patients with cutaneous melanoma. Medicine (United States), 2020, 99, e18868. | 0.4 | 15 |
| 562 | Who dies from thin melanoma?. British Journal of Dermatology, 2020, 182, 827-828. | 1.4 | 1 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 563 | Acral lentiginous melanoma: a singleâ€centre retrospective review of four decades in Eastâ€Central Europe. Journal of the European Academy of Dermatology and Venereology, 2020, 34, 2004-2010. | 1.3 | 12 |
| 564 | Prevention versus early detection for long-term control of melanoma and keratinocyte carcinomas: a cost-effectiveness modelling study. BMJ Open, 2020, 10, e034388. | 0.8 | 18 |
| 565 | Technological advances for the detection of melanoma. Journal of the American Academy of Dermatology, 2020, 83, 996-1004. | 0.6 | 20 |
| 566 | Computing Skin Cutaneous Melanoma Outcome From the HLA-Alleles and Clinical Characteristics. Frontiers in Genetics, 2020, 11, 221. | 1.1 | 33 |
| 568 | Oncolytic Viruses for the Treatment of Metastatic Melanoma. Current Treatment Options in Oncology, 2020, 21, 26. | 1.3 | 21 |
| 569 | Molecular risk prediction in cutaneous melanoma: A meta-analysis of the 31-gene expression profile prognostic test in 1,479 patients. Journal of the American Academy of Dermatology, 2020, 83, 745-753. | 0.6 | 50 |
| 570 | Clinical Relevance of Liquid Biopsy in Melanoma and Merkel Cell Carcinoma. Cancers, 2020, 12, 960. | 1.7 | 25 |
| 571 | A twelve-gene signature for survival prediction in malignant melanoma patients. Annals of Translational Medicine, 2020, 8, 312-312. | 0.7 | 15 |
| 572 | Primary Resistance to PD-1-Based Immunotherapyâ€"A Study in 319 Patients with Stage IV Melanoma. Cancers, 2020, 12, 1027. | 1.7 | 17 |
| 573 | Neoadjuvant treatments in patients with high-risk resectable stage III/IV melanoma. Expert Review of Anticancer Therapy, 2020, 20, 403-413. | 1.1 | 2 |
| 574 | Combined immunotherapy with nivolumab and ipilimumab with and without local therapy in patients with melanoma brain metastasis: a DeCOG* study in 380 patients., 2020, 8, e000333. | | 55 |
| 575 | Metastatic melanoma: can FDG-PET predict success of anti-PD-1 therapy and help determine when it can be discontinued?. European Journal of Nuclear Medicine and Molecular Imaging, 2020, 47, 2227-2232. | 3.3 | 8 |
| 576 | Demographic, Clinical, and Pathologic Features of Patients With Cutaneous Melanoma: Final Analysis of the Brazilian Melanoma Group Database. JCO Global Oncology, 2020, 6, 575-582. | 0.8 | 5 |
| 577 | Melanoma of unknown primary in the pancreas: should it be considered primary?. BMC Surgery, 2020, 20, 76. | 0.6 | 6 |
| 578 | The Great Debate at "Melanoma Bridgeâ€, Naples, December 7th, 2019. Journal of Translational Medicine, 2020, 18, 171. | 1.8 | 2 |
| 579 | Model Combining Tumor Molecular and Clinicopathologic Risk Factors Predicts Sentinel Lymph Node Metastasis in Primary Cutaneous Melanoma. JCO Precision Oncology, 2020, 4, 319-334. | 1.5 | 67 |
| 580 | Radiomics, Tumor Volume, and Blood Biomarkers for Early Prediction of Pseudoprogression in Patients with Metastatic Melanoma Treated with Immune Checkpoint Inhibition. Clinical Cancer Research, 2020, 26, 4414-4425. | 3.2 | 70 |
| 581 | Treatment exceeds expectations with vemurafenib monotherapy in a patient with BRAFV600E-mutant metastatic melanoma. Journal of Oncology Pharmacy Practice, 2020, 26, 1754-1758. | 0.5 | 2 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 582 | Tumor Ulceration, Reduced Infiltration of CD8-Lymphocytes, High Neutrophil-to-CD8-Lymphocyte Ratio and Absence of MC Virus are Negative Prognostic Markers for Patients with Merkel Cell Carcinoma. Cancers, 2020, 12, 888. | 1.7 | 8 |
| 583 | Treatment of Advanced Melanoma in 2020 and Beyond. Journal of Investigative Dermatology, 2021, 141, 23-31. | 0.3 | 193 |
| 584 | Survival in 31Â670 patients with thin melanomas: a Swedish populationâ€based study*. British Journal of Dermatology, 2021, 184, 60-67. | 1.4 | 15 |
| 585 | Oncological outcome of videoscopic groin dissection for lymph node metastasis from melanoma. Surgical Endoscopy and Other Interventional Techniques, 2021, 35, 2576-2582. | 1.3 | 4 |
| 586 | Quantitative and Spatial Analysis of CD8+/PD-1 Tumor-Infiltrating Lymphocytes as a Predictive Biomarker for Clinical Response of Melanoma In-Transit Metastases to Topical Immunotherapy. Annals of Surgical Oncology, 2021, 28, 1029-1038. | 0.7 | 4 |
| 587 | Immune metabolism in PD-1 blockade-based cancer immunotherapy. International Immunology, 2021, 33, 17-26. | 1.8 | 26 |
| 588 | Melanoma of the External Auditory Canal: A Review of Seven Cases at a Tertiary Care Referral Center. Laryngoscope, 2021, 131, 165-172. | 1.1 | 9 |
| 589 | Immunotherapy for advanced melanoma: current situation in Japan. Japanese Journal of Clinical Oncology, 2021, 51, 3-9. | 0.6 | 11 |
| 590 | Survival Outcomes Following Lymph Node Biopsy in Thin Melanoma—A Propensity-Matched Analysis. Annals of Surgical Oncology, 2021, 28, 1634-1641. | 0.7 | 4 |
| 591 | Extent of ulceration in cutaneous melanoma: is this biomarker ready for primetime?. British Journal of Dermatology, 2021, 184, 192-193. | 1.4 | 0 |
| 593 | Preexisting melanoma and hematological malignancies, prognosis, and timing to solid organ transplantation: A consensus expert opinion statement. American Journal of Transplantation, 2021, 21, 475-483. | 2.6 | 45 |
| 594 | Melanoma recurrence patterns and management after adjuvant targeted therapy: a multicentre analysis. British Journal of Cancer, 2021, 124, 574-580. | 2.9 | 27 |
| 596 | Patient preferences for treatment of advanced melanoma: impact of comorbidities. JDDG - Journal of the German Society of Dermatology, 2021, 19, 58-70. | 0.4 | 7 |
| 597 | Predicting recurrence in patients with sentinel node-negative melanoma: validation of the EORTC nomogram using population-based data. British Journal of Surgery, 2021, 108, 550-553. | 0.1 | 7 |
| 598 | Indoor tanning exposure in association with multiple primary melanoma. Cancer, 2021, 127, 560-568. | 2.0 | 8 |
| 599 | Prognostic significance of an 11-gene RNA assay in archival tissue of cutaneous melanoma stage l–III patients. European Journal of Cancer, 2021, 143, 11-18. | 1.3 | 12 |
| 600 | Five-year survival in patients with nodular and superficial spreading melanomas in the US population. Journal of the American Academy of Dermatology, 2021, 84, 1015-1022. | 0.6 | 23 |
| 601 | Correlation between ferromagnetic and isotopic tracers for sentinel lymph node detection in cutaneous melanoma: IMINEM study. Journal of Surgical Oncology, 2021, 123, 654-659. | 0.8 | 4 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 602 | BRAF and MEK inhibition in melanoma patients enables reprogramming of tumor infiltrating lymphocytes. Cancer Immunology, Immunotherapy, 2021, 70, 1635-1647. | 2.0 | 13 |
| 603 | Neoadjuvant Therapy for Melanoma: A U.S. Food and Drug Administration—Melanoma Research Alliance Public Workshop. Clinical Cancer Research, 2021, 27, 394-401. | 3.2 | 5 |
| 604 | Knowledge and attitudes of Australian dermatologists towards sentinel lymph node biopsy for melanoma: a mixed methods study. Australasian Journal of Dermatology, 2021, 62, 168-176. | 0.4 | 3 |
| 605 | Repurposing of antipsychotic trifluoperazine for treating brain metastasis, lung metastasis and bone metastasis of melanoma by disrupting autophagy flux. Pharmacological Research, 2021, 163, 105295. | 3.1 | 51 |
| 606 | State of Melanoma. Hematology/Oncology Clinics of North America, 2021, 35, 1-27. | 0.9 | 4 |
| 607 | Ipilimumab and Radiation in Patients with High-risk Resected or Regionally Advanced Melanoma. Clinical Cancer Research, 2021, 27, 1287-1295. | 3.2 | 2 |
| 608 | Adjuvant Therapy of Melanoma. Hematology/Oncology Clinics of North America, 2021, 35, 73-84. | 0.9 | 2 |
| 609 | Characterization of Sentinel Lymph Node Immune Signatures and Implications for Risk Stratification for Adjuvant Therapy in Melanoma. Annals of Surgical Oncology, 2021, 28, 3501-3510. | 0.7 | 13 |
| 610 | Groin dissections in skin cancer: Effect of a change in prophylactic antibiotic protocol. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2021, 74, 1553-1561. | 0.5 | 1 |
| 611 | The use of indocyanine green and near-infrared fluorescence imaging to assist sentinel lymph node biopsy in cutaneous melanoma: A systematic review. European Journal of Surgical Oncology, 2021, 47, 935-941. | 0.5 | 12 |
| 612 | Surveillance of Sentinel Node-Positive Melanoma Patients with Reasons for Exclusion from MSLT-II: Multi-Institutional Propensity Score Matched Analysis. Journal of the American College of Surgeons, 2021, 232, 424-431. | 0.2 | 14 |
| 613 | Stage IIIa Melanoma and Impact of Multiple Positive Lymph Nodes on Survival. Journal of the American College of Surgeons, 2021, 232, 517-524e1. | 0.2 | 4 |
| 615 | Adjuvant Radiation Therapy for Clinical Stage III Melanoma in the Modern Therapeutic Era. Annals of Surgical Oncology, 2021, 28, 3512-3521. | 0.7 | 8 |
| 616 | Classification and Grading of Melanocytic Lesions in a Mouse Model of NRAS-driven Melanomagenesis. Journal of Histochemistry and Cytochemistry, 2021, 69, 203-218. | 1.3 | 0 |
| 617 | Ultrasound Examination of the Lymphatic Drainage Area and Regional Lymph Nodes in Melanoma Patients with In-Transit Metastases. Annals of Surgical Oncology, 2021, 28, 1625-1631. | 0.7 | 7 |
| 618 | ASO Author Reflections: Ultrasound Assessment of the Lymphatic Drainage Area in Melanoma Patients With In-Transit Metastases. Annals of Surgical Oncology, 2021, 28, 1632-1633. | 0.7 | 2 |
| 619 | Applying adjuvant therapy for melanoma into clinical practice. Expert Review of Anticancer Therapy, 2021, 21, 129-133. | 1.1 | 1 |
| 620 | Surgical treatment of melanoma metastases to the small bowel: A single cancer referral center real-life experience. European Journal of Surgical Oncology, 2021, 47, 409-415. | 0.5 | 3 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 621 | 3D wideâ€field multispectral photoacoustic imaging of human melanomas <i>in vivo</i> : a pilot study. Journal of the European Academy of Dermatology and Venereology, 2021, 35, 669-676. | 1.3 | 67 |
| 622 | The role of sentinel lymph node status performed in melanoma patients with local recurrence or in transit metastasis. European Journal of Surgical Oncology, 2021, 47, 1152-1156. | 0.5 | 0 |
| 623 | The impact of BRAF mutation status on clinical outcomes with antiâ€PDâ€1 monotherapy versus combination ipilimumab/nivolumab in treatmentâ€naÃ⁻ve advanced stage melanoma. Pigment Cell and Melanoma Research, 2021, 34, 629-640. | 1.5 | 6 |
| 624 | Dissecting the immune landscape of tumor draining lymph nodes in melanoma with high-plex spatially resolved protein detection. Cancer Immunology, Immunotherapy, 2021, 70, 475-483. | 2.0 | 6 |
| 625 | Multiple combinations of melanocytic and vascular endothelial markers enhance the detection rate of lymphovascular invasion in cutaneous melanoma. Journal of Cutaneous Pathology, 2021, 48, 472-478. | 0.7 | 2 |
| 626 | Extracapsular Spread in Melanoma Lymphadenopathy: Prognostic Implications, Classification, and Management. Annals of Surgical Oncology, 2021, 28, 1642-1653. | 0.7 | 11 |
| 627 | Sentinel lymph node biopsy is associated with increased cost in higher risk thin melanoma. Journal of Surgical Oncology, 2021, 123, 104-109. | 0.8 | 3 |
| 628 | Validation of a clinicopathological and gene expression profile model for sentinel lymph node metastasis in primary cutaneous melanoma*. British Journal of Dermatology, 2021, 184, 944-951. | 1.4 | 26 |
| 629 | Phenotypic Characteristics and Melanoma Thickness in Women. Acta Dermato-Venereologica, 2021, 101, adv00446. | 0.6 | 2 |
| 630 | Practical Management of Melanoma. , 2021, , 241-256. | | O |
| 631 | A polymer–lipid membrane artificial cell nanocarrier containing enzyme–oxygen biotherapeutic inhibits the growth of B16F10 melanoma in 3D culture and in a mouse model. Artificial Cells, Nanomedicine and Biotechnology, 2021, 49, 461-470. | 1.9 | 3 |
| 632 | Primary melanoma of the oral cavity: A multi-institutional retrospective analysis in Brazil. Medicina Oral, Patologia Oral Y Cirugia Bucal, 2021, 26, e379-e386. | 0.7 | 7 |
| 633 | Molecular Landscape Profile of Melanoma. , 2021, , 31-55. | | 0 |
| 634 | ASO Author Reflections: Gene Expression Profiling for Melanoma: Is it Ready for Prime Time?. Annals of Surgical Oncology, 2021, 28, 4590-4591. | 0.7 | 0 |
| 635 | Anoikis Resistance in Melanoma. , 2021, , 137-160. | | 1 |
| 636 | Initial Stage of Cutaneous Primary Melanoma Plays a Key Role in the Pattern and Timing of Disease Recurrence. Acta Dermato-Venereologica, 2021, 101, adv00502. | 0.6 | 13 |
| 637 | Regional lymph node infiltration and thick lesions are associated with poor prognosis in high-risk resected melanomas: A retrospective cohort study. Annals of Medicine and Surgery, 2021, 61, 132-138. | 0.5 | 2 |
| 638 | Surgical Approach to Cutaneous Malignancy with Systemic Implications. , 2021, , 117-147. | | 0 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 639 | Disease Progression in Cutaneous Squamous Cell Carcinoma Patients With Satellitosis and In-transit Metastasis. Anticancer Research, 2021, 41, 289-295. | 0.5 | 8 |
| 641 | Therapy understanding and health related quality of life in stageÂIII/IV melanoma patients treated with novel adjuvant therapies. JDDG - Journal of the German Society of Dermatology, 2021, 19, 215-221. | 0.4 | 5 |
| 642 | YY1 is a potential key player in the pathogenesis of malignant melanoma., 2021,, 163-169. | | 1 |
| 643 | Clinical Suspicion Sensitivity of Nodular and Superficial Spreading Melanoma. Acta Dermato-Venereologica, 2021, 101, adv00427. | 0.6 | 4 |
| 644 | Pembrolizumab in Melanoma: From Care to Cure. , 2021, , 249-264. | | 1 |
| 645 | Pathology of Melanoma and Skin Carcinomas. , 2021, , 3-30. | | 2 |
| 647 | Novel Prognostic Models Predicting the Cancer-Specific Survival in Patients with Cutaneous Melanoma Based on Metastatic Lymph Node Status. Annals of Surgical Oncology, 2021, 28, 4572-4581. | 0.7 | 1 |
| 648 | GINS2 was regulated by lncRNA XIST/miR-23a-3p to mediate proliferation and apoptosis in A375 cells. Molecular and Cellular Biochemistry, 2021, 476, 1455-1465. | 1.4 | 12 |
| 649 | Standardized Method for Defining a 1-mm2 Region of Interest for Calculation of Mitotic Rate on Melanoma Whole Slide Images. Archives of Pathology and Laboratory Medicine, 2021, 145, 1255-1263. | 1.2 | 6 |
| 650 | Evaluation of a Gene Expression Profiling Assay in Primary Cutaneous Melanoma. Annals of Surgical Oncology, 2021, 28, 4582-4589. | 0.7 | 13 |
| 651 | National Review of Melanomas in Turkey and Comparison with Clinicopathological Features of Melanomas Diagnosed at a Northwestern Academic Tertiary Center. SN Comprehensive Clinical Medicine, 2021, 3, 104-116. | 0.3 | 0 |
| 652 | Protocol for the Histologic Diagnosis of Cutaneous Melanoma: Consensus Statement of the Spanish Society of Pathology and the Spanish Academy of Dermatology and Venereology (AEDV) for the National Cutaneous Melanoma Registry. Actas Dermo-sifiliogršficas, 2021, 112, 32-43. | 0.2 | 1 |
| 653 | Brain Tumor Microenvironment and Angiogenesis in Melanoma Brain Metastases. Frontiers in Oncology, 2020, 10, 604213. | 1.3 | 13 |
| 654 | Performance of Long-Term CT and PET/CT Surveillance for Detection of Distant Recurrence in Patients with Resected Stage IIIA–D Melanoma. Annals of Surgical Oncology, 2021, 28, 4561-4569. | 0.7 | 11 |
| 655 | Neoadjuvant and Adjuvant Therapies of Melanoma. , 2021, , 401-415. | | 0 |
| 657 | Clinical Practice Guideline on Melanoma From the Spanish Academy of Dermatology and Venereology (AEDV). Actas Dermo-sifiliogr \tilde{A}_i ficas, 2021, 112, 142-152. | 0.2 | 2 |
| 658 | Novel oxidative stress-related prognostic biomarkers for melanoma associated with tumor metastasis. Medicine (United States), 2021, 100, e24866. | 0.4 | 8 |
| 659 | Integrative Genomic Analyses of Patient-Matched Intracranial and Extracranial Metastases Reveal a Novel Brain-Specific Landscape of Genetic Variants in Driver Genes of Malignant Melanoma. Cancers, 2021, 13, 731. | 1.7 | 12 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 660 | Malignant Melanoma of the Gastrointestinal Tract: Symptoms, Diagnosis, and Current Treatment Options. Cells, 2021, 10, 327. | 1.8 | 37 |
| 661 | Pembrolizumab in the adjuvant treatment of melanoma: efficacy and safety. Expert Review of Anticancer Therapy, 2021, 21, 583-590. | 1.1 | 4 |
| 662 | The value of melanoma inhibitory activity and LDH with melanoma patients in a Chinese population. Medicine (United States), 2021, 100, e24840. | 0.4 | 4 |
| 663 | Adjuvant immunotherapy for melanoma. Journal of Surgical Oncology, 2021, 123, 789-797. | 0.8 | 20 |
| 664 | Prevalence of skin examination behaviours among Australians over time. Cancer Epidemiology, 2021, 70, 101874. | 0.8 | 11 |
| 665 | Association of Histologic Regression With a Favorable Outcome in Patients With Stage 1 and Stage 2 Cutaneous Melanoma. JAMA Dermatology, 2021, 157, 166. | 2.0 | 21 |
| 666 | Cost-Effectiveness of Pembrolizumab for the Adjuvant Treatment of Melanoma Patients with Lymph Node Involvement Who Have Undergone Complete Resection in Argentina. Oncology and Therapy, 2021, 9, 167-185. | 1.0 | 3 |
| 667 | Microsimulation Model for Evaluating the Cost-Effectiveness of Surveillance in <i>BAP1</i> Pathogenic Variant Carriers. JCO Clinical Cancer Informatics, 2021, 5, 143-154. | 1.0 | 7 |
| 668 | Melanoma of unknown primary: New perspectives for an old story. Critical Reviews in Oncology/Hematology, 2021, 158, 103208. | 2.0 | 37 |
| 669 | Molecular profiling of Asian patients with advanced melanoma receiving check-point inhibitor treatment. ESMO Open, 2021, 6, 100002. | 2.0 | 12 |
| 670 | Decoding Melanoma Development and Progression: Identification of Therapeutic Vulnerabilities. Frontiers in Oncology, 2020, 10, 626129. | 1.3 | 48 |
| 671 | Automated digital TIL analysis (ADTA) adds prognostic value to standard assessment of depth and ulceration in primary melanoma. Scientific Reports, 2021, 11, 2809. | 1.6 | 20 |
| 672 | Digital Immunophenotyping Predicts Disease Free and Overall Survival in Early Stage Melanoma Patients. Cells, 2021, 10, 422. | 1.8 | 6 |
| 673 | Early detection of melanoma in specialised primary care practice in Australia. Cancer Epidemiology, 2021, 70, 101872. | 0.8 | 5 |
| 674 | Checkpoint inhibitor–induced autoimmune central nervous system disorder in patients with metastatic melanoma and Hodgkin's lymphoma. Clinical and Experimental Neuroimmunology, 2021, 12, 127-134. | 0.5 | 1 |
| 675 | Clinical performance of a novel hyperspectral imaging device for cutaneous melanoma and pigmented skin lesions in Caucasian skin. Skin Research and Technology, 2021, 27, 803-809. | 0.8 | 3 |
| 676 | Considerations on the Role of Pembrolizumab Adjuvant Therapy in AJCC-8 Stage IIIA Melanoma. Journal of Clinical Oncology, 2021, 39, 943-944. | 0.8 | 2 |
| 677 | Multimarker scores of Th1 and Th2 immune cellular profiles in peripheral blood predict response and immune related toxicity with CTLA4 blockade and IFNα in melanoma. Translational Oncology, 2021, 14, 101014. | 1.7 | 13 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 678 | Differences in cutaneous melanoma survival between the 7th and 8th edition of the American Joint Committee on Cancer (AJCC). A multicentric population-based study. European Journal of Cancer, 2021, 145, 29-37. | 1.3 | 12 |
| 679 | Circulating clonally expanded T cells reflect functions of tumor-infiltrating T cells. Journal of Experimental Medicine, 2021, 218, . | 4.2 | 48 |
| 680 | Analysis of malignant melanoma risk and outcomes in solid organ transplant recipients: Assessment of transplant candidacy and the potential role of checkpoint inhibitors. Clinical Transplantation, 2021, 35, e14264. | 0.8 | 3 |
| 681 | Mitotic rate in node-positive stage III melanoma: it might be as important a prognostic factor as node number. Japanese Journal of Clinical Oncology, 2021, 51, 873-878. | 0.6 | 2 |
| 682 | Long-term prognostic value of sentinel lymph node tumor burden in survival of melanoma patients. Acta Oncológica, 2021, 60, 803-807. | 0.8 | 4 |
| 683 | Validation of the American Joint Committee on Cancer Eighth Edition Staging of Patients With Metastatic Cutaneous Melanoma Treated With Immune Checkpoint Inhibitors. JAMA Network Open, 2021, 4, e210980. | 2.8 | 16 |
| 684 | Surgery vs non-surgery in cutaneous melanoma based on SEER database. Medicine (United States), 2021, 100, e25120. | 0.4 | 0 |
| 685 | Should I Have Adjuvant Immunotherapy? An Interview Study Among Adults with Resected Stage 3 Melanoma and Their Partners. Patient, 2021, 14, 635-647. | 1.1 | 8 |
| 686 | Impact of Shave Biopsy on Diagnosis and Management of Cutaneous Melanoma: A Systematic Review and Meta-Analysis. Annals of Surgical Oncology, 2021, 28, 6168-6176. | 0.7 | 12 |
| 687 | Talimogene Laherparepvec (T-VEC): An Intralesional Cancer Immunotherapy for Advanced Melanoma. Cancers, 2021, 13, 1383. | 1.7 | 120 |
| 688 | A Multi-Omics Analysis of Metastatic Melanoma Identifies a Germinal Center-Like Tumor Microenvironment in HLA-DR-Positive Tumor Areas. Frontiers in Oncology, 2021, 11, 636057. | 1.3 | 8 |
| 689 | Synthesis and Pharmacological In Vitro Investigations of Novel Shikonin Derivatives with a Special Focus on Cyclopropane Bearing Derivatives. International Journal of Molecular Sciences, 2021, 22, 2774. | 1.8 | 9 |
| 690 | Differences in Melanoma Between Canada and New South Wales, Australia: A Population-Based Genes, Environment, and Melanoma (GEM) Study. JID Innovations, 2021, 1, 100002. | 1.2 | 1 |
| 691 | A review of the AJCC melanoma staging system in the TNM classification (eighth edition). Japanese Journal of Clinical Oncology, 2021, 51, 671-674. | 0.6 | 8 |
| 692 | Improved detection of in-transit metastases of malignant melanoma with BSREM reconstruction in digital [18F]FDG PET/CT. European Radiology, 2021, 31, 8011-8020. | 2.3 | 12 |
| 693 | Different progression pattern between acral and nonacral melanoma: A retrospective, comparative, clinicoprognostic study of 492 cases of primary cutaneous melanoma according to tumor site. Indian Journal of Dermatology, Venereology and Leprology, 2021, 87, 498-508. | 0.2 | 4 |
| 694 | Ultraviolet radiation and risk of cutaneous melanoma and squamous cell carcinoma in males and females in the Norwegian Offshore Petroleum Workers cohort. American Journal of Industrial Medicine, 2021, 64, 496-510. | 1.0 | 7 |
| 695 | Dermoscopy of early melanomas: variation according to the anatomic site. Archives of Dermatological Research, 2021, , 1. | 1.1 | 5 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 696 | Evidence for continuity of interstitial spaces across tissue and organ boundaries in humans. Communications Biology, 2021, 4, 436. | 2.0 | 33 |
| 697 | Relationship between type 2 diabetes mellitus and markers of cutaneous melanoma aggressiveness: an observational multicentric study in 443 patients with melanoma. British Journal of Dermatology, 2021, 185, 756-763. | 1.4 | 6 |
| 698 | Sentinel node biopsy for primary cutaneous melanoma. Annals of Oncology, 2021, 32, 290-292. | 0.6 | 8 |
| 699 | SEOM clinical guideline for the management of cutaneous melanoma (2020). Clinical and Translational Oncology, 2021, 23, 948-960. | 1.2 | 22 |
| 700 | Clinical outcome of patients with metastatic melanoma of unknown primary in the era of novel therapy. Cancer Immunology, Immunotherapy, 2021, 70, 3123-3135. | 2.0 | 6 |
| 701 | The incidence of skin melanoma in Gran Canaria (Canary Islands, Spain) is lower than expected in Southern Europe despite high-risk environmental conditions: an island-wide cross-sectional study. Cancer Causes and Control, 2021, 32, 525-535. | 0.8 | 4 |
| 702 | Reply to E. Hindié. Journal of Clinical Oncology, 2021, 39, 944-946. | 0.8 | 1 |
| 703 | Melanoma Brain Metastases in the Era of Targeted Therapy and Checkpoint Inhibitor Therapy. Cancers, 2021, 13, 1489. | 1.7 | 7 |
| 704 | Recent advancements in melanoma management. Internal Medicine Journal, 2021, 51, 327-333. | 0.5 | 4 |
| 705 | Sentinel node biopsy in patients with melanoma improves the accuracy of staging when added to clinicopathological features of the primary tumor. Annals of Oncology, 2021, 32, 375-383. | 0.6 | 25 |
| 706 | Management of Nail Unit Melanoma. Dermatologic Clinics, 2021, 39, 269-280. | 1.0 | 9 |
| 707 | Neoadjuvant Cytoreductive Treatment With BRAF/MEK Inhibition of Prior Unresectable Regionally Advanced Melanoma to Allow Complete Surgical Resection, REDUCTOR. Annals of Surgery, 2021, 274, 383-389. | 2.1 | 28 |
| 708 | Clinical Significance of Tumor Microenvironment in Acral Melanoma: A Large Single-Institution Study of Caucasians. Journal of Clinical Medicine, 2021, 10, 1452. | 1.0 | 4 |
| 709 | The Role of Systemic Therapy in Advanced Cutaneous Melanoma of the Head and Neck. Otolaryngologic Clinics of North America, 2021, 54, 329-342. | 0.5 | 1 |
| 710 | Thyroid Immune-related Adverse Events Following Immune Checkpoint Inhibitor Treatment. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e3704-e3713. | 1.8 | 98 |
| 711 | Validation of CPâ€GEP (Merlin Assay) for predicting sentinel lymph node metastasis in primary cutaneous melanoma patients: A U.S. cohort study. International Journal of Dermatology, 2021, 60, 851-856. | 0.5 | 19 |
| 712 | Estimating the potential impact of interventions to reduce overâ€calling and underâ€calling of melanoma. Journal of the European Academy of Dermatology and Venereology, 2021, 35, 1519-1527. | 1.3 | 3 |
| 713 | Molecular Biomarkers for Melanoma Screening, Diagnosis and Prognosis: Current State and Future Prospects. Frontiers in Medicine, 2021, 8, 642380. | 1.2 | 28 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 714 | Development and Validation of Nomograms to Predict Local, Regional, and Distant Recurrence in Patients With Thin (T1) Melanomas. Journal of Clinical Oncology, 2021, 39, 1243-1252. | 0.8 | 28 |
| 715 | A multicentre study of naevusâ€associated melanoma vs. <i>de novo</i> melanoma, tumour thickness and body site differences*. British Journal of Dermatology, 2021, 185, 101-109. | 1.4 | 13 |
| 716 | Age and Mitogenicity are Important Predictors of Sentinel Lymph Node Metastasis in T1a Melanoma. Annals of Surgical Oncology, 2021, 28, 4777-4779. | 0.7 | 4 |
| 717 | Combined immune checkpoint inhibitors of CTLA4 and PD-1 for hepatic melanoma of unknown primary origin: A case report. World Journal of Clinical Cases, 2021, 9, 2641-2648. | 0.3 | 3 |
| 718 | Find the Flame: Predictive Biomarkers for Immunotherapy in Melanoma. Cancers, 2021, 13, 1819. | 1.7 | 16 |
| 719 | Risk factors and patterns of recurrence after sentinel lymph node biopsy for thin melanoma. Archives of Dermatological Research, 2022, 314, 285-292. | 1.1 | 0 |
| 720 | Expression of SEC62 Oncogene in Benign, Malignant and Borderline Melanocytic Tumorsâ€"Unmasking the Wolf in Sheep's Clothing?. Cancers, 2021, 13, 1645. | 1.7 | 10 |
| 721 | Active surveillance of patients who have melanoma with a positive sentinel node in an era of effective adjuvant therapy: Early lessons learned … and still learning. Cancer, 2021, 127, 2177-2180. | 2.0 | 1 |
| 722 | Comparing the characteristics and predicting the survival of patients with head and neck melanoma versus body melanoma: a population-based study. BMC Cancer, 2021, 21, 420. | 1.1 | 15 |
| 723 | The Impact of Longitudinal Surveillance on Tumor Thickness for Melanoma-Prone Families with and without Pathogenic Germline Variants of <i>CDKN2A</i> and <i>CDK4</i> Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 676-681. | 1.1 | 3 |
| 724 | The "Great Debate―at Melanoma Bridge 2020: December, 5th, 2020. Journal of Translational Medicine, 2021, 19, 142. | 1.8 | 1 |
| 725 | Prognostic and Predictive Biomarkers in Stage III Melanoma: Current Insights and Clinical Implications. International Journal of Molecular Sciences, 2021, 22, 4561. | 1.8 | 21 |
| 726 | Nucleosome assembly protein 1-like 4, a new therapeutic target for proliferation and invasion of melanoma cells. Journal of Dermatological Science, 2021, 102, 16-24. | 1.0 | 2 |
| 727 | Defining the Criteria for Reflex Testing for BRAF Mutations in Cutaneous Melanoma Patients. Cancers, 2021, 13, 2282. | 1.7 | 6 |
| 728 | Early time to recurrence predicts worse survival in patients with localized or regionally advanced cutaneous melanoma. Dermatologic Therapy, 2021, 34, e14981. | 0.8 | 1 |
| 729 | In-transit metastatic cutaneous melanoma: current management and future directions. Clinical and Experimental Metastasis, 2022, 39, 201-211. | 1.7 | 6 |
| 730 | Proposed quality performance indicators of sentinel lymph node biopsy for cutaneous melanoma. ANZ Journal of Surgery, 2021, , . | 0.3 | 1 |
| 731 | Silencing of Mcl-1 overcomes resistance of melanoma cells against TRAIL-armed oncolytic adenovirus by enhancement of apoptosis. Journal of Molecular Medicine, 2021, 99, 1279-1291. | 1.7 | 3 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 732 | Impact of Circulating and Tissue Biomarkers in Adjuvant and Neoadjuvant Therapy for High-Risk Melanoma: Ready for Prime Time?. American Journal of Clinical Dermatology, 2021, 22, 511-522. | 3.3 | 6 |
| 733 | Cutaneous Melanoma Classification: The Importance of High-Throughput Genomic Technologies. Frontiers in Oncology, 2021, 11, 635488. | 1.3 | 36 |
| 734 | The Proportion Cured of Patients with Resected Stage II–III Cutaneous Melanoma in Sweden. Cancers, 2021, 13, 2456. | 1.7 | 2 |
| 735 | Predicting sentinel node positivity in patients with melanoma: external validation of a riskâ€prediction calculator (the Melanoma Institute Australia nomogram) using a large European populationâ€based patient cohort*. British Journal of Dermatology, 2021, 185, 412-418. | 1.4 | 14 |
| 736 | High discordance rate in assessing sentinel node positivity in cutaneous melanoma: Expert review may reduce unjustified adjuvant treatment. European Journal of Cancer, 2021, 149, 105-113. | 1.3 | 4 |
| 737 | Hidden in plain sight. Melanoma Research, 2021, Publish Ahead of Print, 389-392. | 0.6 | 0 |
| 738 | Histopathologic synoptic reporting of invasive melanoma: How reliable are the data?. Cancer, 2021, 127, 3125-3136. | 2.0 | 5 |
| 739 | The role of osteopontin in the development and metastasis of melanoma. Melanoma Research, 2021, 31, 283-289. | 0.6 | 6 |
| 740 | Neoadjuvant ipilimumab plus nivolumab in synchronous clinical stage III melanoma. European Journal of Cancer, 2021, 148, 51-57. | 1.3 | 16 |
| 741 | PET-CT for staging pT4b melanomas prior to sentinel lymph node biopsy: a 5-year review. Melanoma Research, 2021, 31, 397-401. | 0.6 | 4 |
| 742 | Early Exanthema Upon Vemurafenib Plus Cobimetinib Is Associated With a Favorable Treatment Outcome in Metastatic Melanoma: A Retrospective Multicenter DeCOG Study. Frontiers in Oncology, 2021, 11, 672172. | 1.3 | 2 |
| 743 | Neoadjuvant Therapy in Resectable Melanoma. Advances in Oncology, 2021, 1, 41-48. | 0.1 | O |
| 744 | Malignant Tumours Presenting as Chronic Leg or Foot Ulcers. Journal of Clinical Medicine, 2021, 10, 2251. | 1.0 | 4 |
| 745 | The Role of Clinical Prediction Tools to Risk Stratify Patients with Melanoma After a Positive Sentinel Lymph Node Biopsy. Annals of Surgical Oncology, 2021, 28, 4082-4083. | 0.7 | 4 |
| 746 | Nivolumab for metastatic uveal melanoma: a multicenter, retrospective study. Melanoma Research, 2021, 31, 449-455. | 0.6 | 9 |
| 747 | The role of regional chemotherapy for advanced limb melanoma in the era of potentially effective systemic therapies. Melanoma Research, 2021, Publish Ahead of Print, 290-297. | 0.6 | 2 |
| 748 | Efficiency of Detecting New Primary Melanoma Among Individuals Treated in a High-risk Clinic for Skin Surveillance. JAMA Dermatology, 2021, 157, 521. | 2.0 | 25 |
| 749 | Outcome of melanoma patients with elevated LDH treated with first-line targeted therapy or PD-1-based immune checkpoint inhibition. European Journal of Cancer, 2021, 148, 61-75. | 1.3 | 15 |

| # | Article | IF | CITATIONS |
|-------------|---|------|-----------|
| 750 | Current Status and Prospects of Immunotherapy for Gynecologic Melanoma. Journal of Personalized Medicine, 2021, 11, 403. | 1.1 | 4 |
| 751 | Factors Influencing the Adjuvant Therapy Decision: Results of a Real-World Multicenter Data Analysis of 904 Melanoma Patients. Cancers, 2021, 13, 2319. | 1.7 | 15 |
| 752 | Survival models induced by zero-modified power series discrete frailty: Application with a melanoma data set. Statistical Methods in Medical Research, 2021, 30, 1874-1889. | 0.7 | 1 |
| 7 53 | Adjuvant pembrolizumab versus placebo in resected stage III melanoma (EORTC 1325-MG/KEYNOTE-054): distant metastasis-free survival results from a double-blind, randomised, controlled, phase 3 trial. Lancet Oncology, The, 2021, 22, 643-654. | 5.1 | 224 |
| 754 | The Negative Binomial Beta Prime Regression Model with Cure Rate: Application with a Melanoma Dataset. Journal of Statistical Theory and Practice, $2021, 15, 1$. | 0.3 | 4 |
| 755 | Mucosal Melanomas of the Anogenital Tract. Surgical Pathology Clinics, 2021, 14, 225-235. | 0.7 | 0 |
| 756 | Obesity is not associated with diseaseâ€free interval, melanomaâ€specific survival, or overall survival in patients with clinical stage IBâ€I melanoma after SLNB. Journal of Surgical Oncology, 2021, 124, 655-664. | 0.8 | 3 |
| 757 | Identifying High-Risk Tumors within AJCC Stage IB–III Melanomas Using a Seven-Marker Immunohistochemical Signature. Cancers, 2021, 13, 2902. | 1.7 | 6 |
| 758 | Immunotherapy combined with high- and low-dose radiation to all sites leads to complete clearance of disease in a patient with metastatic vaginal melanoma. Gynecologic Oncology, 2021, 161, 645-652. | 0.6 | 15 |
| 759 | Recent Advances in the Treatment of Melanoma. New England Journal of Medicine, 2021, 384, 2229-2240. | 13.9 | 201 |
| 760 | Capillary-leak syndrome: an unrecognized early immune adverse effect of checkpoint-inhibitors treatment. Immunotherapy, 2021, 13, 653-659. | 1.0 | 13 |
| 761 | Vulvar and Vaginal Melanomasâ€"The Darker Shades of Gynecological Cancers. Biomedicines, 2021, 9, 758. | 1.4 | 10 |
| 762 | Functional assessment of cancer therapy questionnaire for melanoma in the Serbian population: A factor analytic approach. PLoS ONE, 2021, 16, e0253937. | 1.1 | 1 |
| 763 | Reâ€thinking therapeutic development for CNS metastatic disease. Experimental Dermatology, 2021, , . | 1.4 | 1 |
| 764 | Biomarkers for Diagnosis, Prognosis and Response to Immunotherapy in Melanoma. Cancers, 2021, 13, 2875. | 1.7 | 14 |
| 765 | Head & neck melanoma: A 22â€year experience of recurrence following sentinel lymph node biopsy. Laryngoscope Investigative Otolaryngology, 2021, 6, 738-746. | 0.6 | 1 |
| 766 | Multidisciplinary Care of <scp><i>BRAF </i>-Mutant </scp> Stage <scp>III </scp> Melanoma: A Physicians Perspective Review. Oncologist, 2021, 26, e1644-e1651. | 1.9 | 5 |
| 768 | The sentinel node invasion level (SNIL) as a prognostic parameter in melanoma. Modern Pathology, 2021, 34, 1839-1849. | 2.9 | 13 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 769 | How we treat locoregional melanoma. ESMO Open, 2021, 6, 100136. | 2.0 | 10 |
| 770 | Impact of multiple lymphatic basin drainage in truncal melanoma patients. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2022, 75, 217-225. | 0.5 | 0 |
| 771 | Risk tolerance in adjuvant and metastatic melanoma settings: a patient perspective study using the threshold technique. Future Oncology, 2021, 17, 2151-2167. | 1.1 | 4 |
| 772 | Association of the Affordable Care Act's Medicaid expansion with the diagnosis and treatment of clinically localized melanoma: A National Cancer Database study. Journal of the American Academy of Dermatology, 2021, 84, 1628-1635. | 0.6 | 9 |
| 773 | Trend Shifts in Age-Specific Incidence for In Situ and Invasive Cutaneous Melanoma in Sweden. Cancers, 2021, 13, 2838. | 1.7 | 10 |
| 774 | Non-invasive optical methods for melanoma diagnosis. Photodiagnosis and Photodynamic Therapy, 2021, 34, 102266. | 1.3 | 17 |
| 775 | Resolution of tissue signatures of therapy response in patients with recurrent GBM treated with neoadjuvant anti-PD1. Nature Communications, 2021, 12, 4031. | 5.8 | 21 |
| 776 | Therapeutic Advancements Across Clinical Stages in Melanoma, With a Focus on Targeted Immunotherapy. Frontiers in Oncology, 2021, 11, 670726. | 1.3 | 26 |
| 777 | Targeted screening for melanoma after a 5-year follow-up: Comparison of melanoma incidence and lesion thickness at diagnosis in screened (versus unscreened) patients. La Presse Médicale Open, 2021, 2, 100013. | 0.1 | 0 |
| 778 | Inconsistencies in Cutaneous Melanoma Staging Within SEER Registries. JAMA Dermatology, 2021, 157, 727. | 2.0 | 6 |
| 779 | Health utilities for nonâ€melanoma skin cancers and preâ€cancerous lesions: A systematic review. Skin Health and Disease, 2021, 1, e51. | 0.7 | 5 |
| 780 | Microbeam Radiotherapy—A Novel Therapeutic Approach to Overcome Radioresistance and Enhance Anti-Tumour Response in Melanoma. International Journal of Molecular Sciences, 2021, 22, 7755. | 1.8 | 18 |
| 781 | Nodular melanoma on lip with retrograde in-transit metastases on face. Indian Journal of Dermatology, Venereology and Leprology, 2021, 87, 687-689. | 0.2 | 0 |
| 782 | Surgical excision margins in primary cutaneous melanoma: A systematic review and meta-analysis. European Journal of Surgical Oncology, 2021, 47, 1558-1574. | 0.5 | 7 |
| 783 | Oral Amelanotic Melanoma: A Systematic Review of Case Reports and Case Series. Head and Neck Pathology, 2022, 16, 513-524. | 1.3 | 4 |
| 784 | Surgical procedures in melanoma: recommended deep and lateral margins, indications for sentinel lymph node biopsy, and complete lymph node dissection. Italian Journal of Dermatology and Venereology, 2021, 156, . | 0.1 | 3 |
| 785 | Clinical characteristics and therapy response in unresectable melanoma patients stage IIIB-IIID with in-transit and satellite metastases. European Journal of Cancer, 2021, 152, 139-154. | 1.3 | 13 |
| 786 | Identification of Potential Prognostic Biomarkers Associated With Cancerometastasis in Skin Cutaneous Melanoma. Frontiers in Genetics, 2021, 12, 687979. | 1.1 | 5 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 787 | Novel adjuvant options for cutaneous melanoma. Annals of Oncology, 2021, 32, 854-865. | 0.6 | 31 |
| 788 | Sentinel lymph node biopsy versus elective neck dissection in squamous cell carcinoma of the oral cavity with a clinically <scp>N0</scp> neck: Systematic review and metaâ€analysis of prospective studies. Head and Neck, 2021, 43, 3185-3198. | 0.9 | 17 |
| 789 | Optimizing Detection of Lymphatic Invasion in Primary Cutaneous Melanoma With the Use of D2-40 and a Paired Melanocytic Marker. American Journal of Dermatopathology, 2022, 44, 21-27. | 0.3 | 4 |
| 790 | Melanoma: Staging and Follow-Up. Dermatology Practical and Conceptual, 2021, 11, 2021162S. | 0.5 | 6 |
| 791 | Current Landscape and Open Questions on Adjuvant Therapies in Melanoma. Dermatology Practical and Conceptual, 2021, 11, 2021165S. | 0.5 | 0 |
| 792 | Histopathologic classification and prognostic factors of melanoma: a 2021 update. Italian Journal of Dermatology and Venereology, 2021, 156, 300-321. | 0.1 | 30 |
| 793 | AP-2α–Mediated Activation of E2F and EZH2 Drives Melanoma Metastasis. Cancer Research, 2021, 81, 4455-4470. | 0.4 | 15 |
| 794 | Comparative performance of predictors of death from thin (â‰ \mathbf{q} ·0 mm) melanoma. British Journal of Dermatology, 2021, 185, 849-851. | 1.4 | 3 |
| 795 | An Integrated Microfluidicâ€SERS Platform Enables Sensitive Phenotyping of Serum Extracellular Vesicles in Early Stage Melanomas. Advanced Functional Materials, 2022, 32, 2010296. | 7.8 | 30 |
| 796 | Early melanoma invasivity correlates with gut fungal and bacterial profiles. British Journal of Dermatology, 2022, 186, 106-116. | 1.4 | 26 |
| 797 | Not all melanomas are created equal: a review and call for more research into nodular melanoma. British Journal of Dermatology, 2021, 185, 700-710. | 1.4 | 12 |
| 798 | Evaluation of the reporting quality of clinical practice guidelines on melanoma using the RIGHT checklist. Annals of Translational Medicine, 2021, 9, 1172-1172. | 0.7 | 0 |
| 799 | Molecular characterization of fast-growing melanomas. Journal of the American Academy of Dermatology, 2022, 86, 312-321. | 0.6 | 11 |
| 800 | Recognition, Staging, and Management of Melanoma. Medical Clinics of North America, 2021, 105, 643-661. | 1.1 | 4 |
| 801 | Adjuvant antiâ€PDâ€1 antibody treatment in stageÂlII/IV melanoma: realâ€world experience and health economic considerations. JDDG - Journal of the German Society of Dermatology, 2021, 19, 1186-1198. | 0.4 | 3 |
| 802 | Contemporary management of locoregionally advanced melanoma in Australia and New Zealand and the role of adjuvant systemic therapy. ANZ Journal of Surgery, 2021, 91, 3-13. | 0.3 | 7 |
| 803 | Larger Tumors Are Associated with Poorer Prognostic Factors in Cutaneous Melanoma. Indian Journal of Surgery, $0, 1$. | 0.2 | 0 |
| 804 | Genetic markers for characterization and prediction of prognosis of melanoma subtypes: a 2021 update. Italian Journal of Dermatology and Venereology, 2021, 156, 322-330. | 0.1 | 4 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 805 | Mucosal Melanoma: Pathological Evolution, Pathway Dependency and Targeted Therapy. Frontiers in Oncology, 2021, 11, 702287. | 1.3 | 31 |
| 806 | Treatment of Advanced Metastatic Melanoma. Dermatology Practical and Conceptual, 2021, 11, 2021164S. | 0.5 | 10 |
| 807 | Malignant melanoma: evolving practice management in an era of increasingly effective systemic therapies. Current Problems in Surgery, 2022, 59, 101030. | 0.6 | 4 |
| 808 | Clinicopathologic Characteristics and Prognostic Factors Impacting Survival in Melanoma of the Eyelid. American Journal of Ophthalmology, 2021, 234, 71-80. | 1.7 | 1 |
| 809 | Specialised skin cancer spectral library for use in dataâ€independent mass spectrometry. Proteomics, 2021, 21, e2100128. | 1.3 | 3 |
| 810 | Assessing the Association of Targeted Therapy and Intracranial Metastatic Disease. JAMA Oncology, 2021, 7, 1220. | 3.4 | 5 |
| 811 | Need to restage Korean melanoma patients following publication of the 8th edition of the American Joint Committee on Cancer staging manual. Indian Journal of Dermatology, Venereology and Leprology, 2021, . | 0.2 | 0 |
| 812 | Clinicopathological features and associations in a series of South African acral melanomas. Pigment Cell and Melanoma Research, 2021, 34, 1120-1122. | 1.5 | 2 |
| 814 | Genetic variants of SDCCAG8 and MAGI2 in mitosisâ€related pathway genes are independent predictors of cutaneous melanomaâ€specific survival. Cancer Science, 2021, 112, 4355-4364. | 1.7 | 1 |
| 815 | Recurrence of Thin Cutaneous Melanoma in the Optic Nerve After Over a Decade of Clinical Cure. Journal of Neuro-Ophthalmology, 2022, 42, e343-e346. | 0.4 | 0 |
| 816 | Stem cell spreading dynamics intrinsically differentiate acral melanomas from nevi. Cell Reports, 2021, 36, 109492. | 2.9 | 8 |
| 817 | The impact of incomplete clinical information and initial biopsy technique on the histopathological diagnosis of cutaneous melanoma. Australasian Journal of Dermatology, 2021, 62, e524-e531. | 0.4 | 6 |
| 818 | Cells to Surgery Quiz: August 2021. Journal of Investigative Dermatology, 2021, 141, e93-e101. | 0.3 | 0 |
| 819 | Residual melanoma in wide local excision specimens after â€~complete' excision of primary cutaneous in situ and invasive melanomas. Pathology, 2022, 54, 71-78. | 0.3 | 2 |
| 820 | Broad-Spectrum Antibiotic Use and Disease Progression in Early-Stage Melanoma Patients: A Retrospective Cohort Study. Cancers, 2021, 13, 4367. | 1.7 | 2 |
| 821 | Adjuvant nivolumab for stage III/IV melanoma: evaluation of safety outcomes and association with recurrence-free survival., 2021, 9, e003188. | | 12 |
| 822 | Plasma BRAF Mutation Detection for the Diagnostic and Monitoring Trajectory of Patients with LDH-High Stage IV Melanoma. Cancers, 2021, 13, 3913. | 1.7 | 5 |
| 823 | Impact of personal genomic risk information on melanoma prevention behaviors and psychological outcomes: a randomized controlled trial. Genetics in Medicine, 2021, 23, 2394-2403. | 1.1 | 22 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 824 | A survey of surgical management of the sentinel node positive melanoma patient in the postâ€MSLT2 era. Journal of Surgical Oncology, 2021, 124, 1544-1550. | 0.8 | 4 |
| 825 | Integrating 31-Gene Expression Profiling With Clinicopathologic Features to Optimize Cutaneous Melanoma Sentinel Lymph Node Metastasis Prediction. JCO Precision Oncology, 2021, 5, 1466-1479. | 1.5 | 17 |
| 826 | Prevalence of Homologous Recombination Pathway Gene Mutations in Melanoma: Rationale for a New Targeted Therapeutic Approach. Journal of Investigative Dermatology, 2021, 141, 2028-2036.e2. | 0.3 | 17 |
| 827 | The Danish metastatic melanoma database (DAMMED): A nation-wide platform for quality assurance and research in real-world data on medical therapy in Danish melanoma patients. Cancer Epidemiology, 2021, 73, 101943. | 0.8 | 21 |
| 828 | Translation of a circulating miRNA signature of melanoma into a solid tissue assay to improve diagnostic accuracy and precision. Biomarkers in Medicine, 2021, 15, 1111-1122. | 0.6 | 4 |
| 829 | Prognosis in Thin Melanoma Patients: Is Slightly Less Than Excellent Still Okay?. Annals of Surgical Oncology, 2021, 28, 6911-6914. | 0.7 | 0 |
| 830 | BRAF mutation correlates with worse local–regional control following radiation therapy in patients with stage III melanoma. Radiation Oncology, 2021, 16, 181. | 1.2 | 5 |
| 831 | Application of an indocyanine green surgical fluorescence imaging system in sentinel lymph node biopsy of acral malignant melanoma. Annals of Translational Medicine, 2021, 9, 1456-1456. | 0.7 | 1 |
| 832 | Non-Sentinel Lymph Node Detection during Sentinel Lymph Node Biopsy in Not-Complete-Lymph-Node-Dissection Era: A New Technique for Better Staging and Treating Melanoma Patients. Journal of Clinical Medicine, 2021, 10, 4319. | 1.0 | 2 |
| 833 | The Status of Adjuvant and Neoadjuvant Melanoma Therapy, New Developments and Upcoming Challenges. Targeted Oncology, 2021, 16, 537-552. | 1.7 | 20 |
| 834 | Development and Validation of a Modified Pathologic Nodal Classification System for Cutaneous Melanoma. JAMA Surgery, 2021, 156, e214298. | 2.2 | 1 |
| 835 | Emerging Minimally Invasive Technologies for the Detection of Skin Cancer. Journal of Personalized Medicine, 2021, 11, 951. | 1.1 | 8 |
| 836 | The 31-gene expression profile stratifies recurrence and metastasis risk in patients with cutaneous melanoma. Future Oncology, 2021, 17, 5023-5031. | 1.1 | 6 |
| 837 | Road to Metastasis: The TWEAK Pathway as a Discriminant between Metastasizing and Non-Metastasizing Thick Melanomas. International Journal of Molecular Sciences, 2021, 22, 10568. | 1.8 | 0 |
| 838 | Outcome of pretransplant melanoma after solid organ transplantation: an observational study. Transplant International, 2021, 34, 2154-2165. | 0.8 | 0 |
| 839 | Adjuvant treatment for melanoma in clinical practice – Trial versus reality. European Journal of Cancer, 2021, 158, 234-245. | 1.3 | 12 |
| 840 | Retrospective analysis of adjuvant therapy using dabrafenib plus trametinib in Japanese patients with advanced melanoma: analysis of 36 cases. Melanoma Research, 2021, 31, 575-578. | 0.6 | 5 |
| 841 | Loss of miR-1469 expression mediates melanoma cell migration and invasion. PLoS ONE, 2021, 16, e0256629. | 1.1 | 2 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 842 | Demographic, clinical and morphological profile of malignant cutaneous melanoma in a Northeastern region of Bulgaria. Scripta Scientifica Medica, 2021, 53, 21. | 0.1 | O |
| 843 | Employing competing risks analysis in an aging population where many patients die from other causes. Journal of Geriatric Oncology, 2021, , . | 0.5 | 0 |
| 844 | Impact of the changes in the completion lymph node dissection criteria and approval of adjuvant therapies on the real-world outcomes of Japanese stage III melanoma patients. International Journal of Clinical Oncology, 2021, 26, 2338-2346. | 1.0 | 3 |
| 845 | On a new piecewise regression model with cure rate: Diagnostics and application to medical data. Statistics in Medicine, 2021, 40, 6723-6742. | 0.8 | 9 |
| 846 | Beyond Nicotinamide Metabolism: Potential Role of Nicotinamide N-Methyltransferase as a Biomarker in Skin Cancers. Cancers, 2021, 13, 4943. | 1.7 | 37 |
| 847 | COVID-19-Induced Reduction in Primary Melanoma Diagnoses: Experience from a Dermatopathology Referral Center. Journal of Clinical Medicine, 2021, 10, 4059. | 1.0 | 13 |
| 848 | Adjuvant immunotherapy recommendations for stage III melanoma: physician and nurse interviews. BMC Cancer, 2021, 21, 1014. | 1.1 | 3 |
| 849 | Histopathologic and Molecular Diagnosis of Melanoma. Clinics in Plastic Surgery, 2021, 48, 587-598. | 0.7 | 6 |
| 850 | Sentinel Lymph Node Biopsy, Lymph Node Dissection, and Lymphedema Management Options in Melanoma. Clinics in Plastic Surgery, 2021, 48, 607-616. | 0.7 | 2 |
| 851 | Extirpative Considerations of Melanoma of the Head and Neck. Clinics in Plastic Surgery, 2021, 48, 659-668. | 0.7 | 3 |
| 852 | Thoracic metastasis of malignant melanoma of unknown primary: A case report and literature review. International Journal of Surgery Case Reports, 2021, 87, 106383. | 0.2 | 0 |
| 853 | Non-Operative Options for Loco-regional Melanoma. Clinics in Plastic Surgery, 2021, 48, 631-642. | 0.7 | 1 |
| 854 | American Joint Committee on Cancer Staging and Other Platforms to Assess Prognosis and Risk. Clinics in Plastic Surgery, 2021, 48, 599-606. | 0.7 | 6 |
| 855 | Predictive Factors for Metastasis of Skin Melanoma of Varying Thickness According to Breslow to Sentinel Lymph Nodes. Journal of Oncology Diagnostic Radiology and Radiotherapy, 2021, 4, 18-25. | 0.1 | 0 |
| 856 | Real-world efficacy of anti-PD-1 antibody or combined anti-PD-1 plus anti-CTLA-4 antibodies, with or without radiotherapy, in advanced mucosal melanoma patients: A retrospective, multicenter study. European Journal of Cancer, 2021, 157, 361-372. | 1.3 | 24 |
| 857 | Galactofucoidans from Sargassum fusiforme and their antagonistic effects against the proliferation-inhibition of RAW264.7 macrophage induced by culture supernatants of melanoma cells. Carbohydrate Polymer Technologies and Applications, 2021, 2, 100090. | 1.6 | 2 |
| 858 | Early stage melanoma diagnosis and mental health-related: emotional influence of body self-perception. Journal of Affective Disorders Reports, 2021, 6, 100188. | 0.9 | 1 |
| 860 | Sex-specific survival benefit in early skin melanoma based on 8th AJCC edition: an analysis of data from the Surveillance, Epidemiology, and End Results (SEER) database. Annals of Translational Medicine, 2021, 9, 53-53. | 0.7 | 3 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 861 | Differences Between Recommended Surgical Margins and Measured Histological Margins in Malignant Melanoma In Situ and Malignant Melanomas. American Journal of Dermatopathology, 2021, Publish Ahead of Print, 881-886. | 0.3 | 4 |
| 862 | Association of TRF2 expression and myeloid-derived suppressor cells infiltration with clinical outcome of patients with cutaneous melanoma. Oncolmmunology, 2021, 10, 1901446. | 2.1 | 2 |
| 863 | Survival and Prognostic Nomogram for Primary Gastrointestinal Melanoma (PGIM): A Population-based Study. Anticancer Research, 2021, 41, 967-974. | 0.5 | 5 |
| 864 | The combination of encorafenib and binimetinib for the treatment of patients with BRAF-mutated advanced, unresectable, or metastatic melanoma: an update. Expert Review of Precision Medicine and Drug Development, 2021, 6, 19-29. | 0.4 | 3 |
| 865 | Computer-assisted diagnosis techniques (dermoscopy and spectroscopy-based) for diagnosing skin cancer in adults. The Cochrane Library, 2018, 2018, CD013186. | 1.5 | 65 |
| 866 | Isolated Limb Infusion for Melanoma. , 2020, , 827-850. | | 1 |
| 867 | Local Melanoma Recurrence, Satellitosis, and In-transit Metastasis: Incidence, Outcomes, and Selection of Treatment Options., 2020,, 867-894. | | 3 |
| 868 | Classification and Histopathology of Melanoma. , 2020, , 317-379. | | 1 |
| 869 | Neoadjuvant Systemic Therapy for High-Risk Melanoma Patients. , 2020, , 767-793. | | 1 |
| 870 | Preoperative and Intraoperative Lymphatic Mapping for Radioguided Sentinel Lymph Node Biopsy in Cutaneous Melanoma., 2020,, 219-259. | | 4 |
| 871 | Mucosal Melanoma., 2019,, 1-17. | | 1 |
| 872 | The Importance of Incorporating Human Factors in the Design and Implementation of Artificial Intelligence for Skin Cancer Diagnosis in the Real World. American Journal of Clinical Dermatology, 2021, 22, 233-242. | 3.3 | 26 |
| 873 | Sentinel Lymph Node Biopsy. Surgical Oncology Clinics of North America, 2020, 29, 401-414. | 0.6 | 3 |
| 874 | The eighth edition American Joint Committee on Cancer (AJCC) melanoma staging system: implications for melanoma treatment and care. Expert Review of Anticancer Therapy, 2018, 18, 775-784. | 1.1 | 268 |
| 875 | Primary tumour ulceration in cutaneous melanoma: its role on TNM stages Japanese Journal of Clinical Oncology, 2021, 51, 192-198. | 0.6 | 9 |
| 876 | Subtyping Cutaneous Melanoma Matters. JNCI Cancer Spectrum, 2020, 4, pkaa097. | 1.4 | 17 |
| 877 | Single-center real-life experience with low-dose ipilimumab monotherapy in adjuvant setting for patients with stage III melanoma. Melanoma Research, 2019, 29, 648-654. | 0.6 | 8 |
| 878 | ldentification of prognostic mRNAs in metastatic cutaneous melanoma. Melanoma Research, 2020, 30, 543-547. | 0.6 | 7 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 879 | MicroRNAs expression associated with aggressive clinicopathological features and poor prognosis in primary cutaneous melanomas. Melanoma Research, 2021, 31, 18-26. | 0.6 | 5 |
| 880 | Molecular Alterations in Vaginal Melanomas: Report of 4 Cases and Literature Review. American Journal of Dermatopathology, 2021, 43, 45-48. | 0.3 | 2 |
| 884 | Blood-based kinase activity profiling: a potential predictor of response to immune checkpoint inhibition in metastatic cancer. , 2020, 8, e001607. | | 4 |
| 885 | 218â€A preclinical study of IMC-002, a fully human therapeutic antibody safely targeting CD47 in cancer. , 2020, , . | | 1 |
| 886 | Circulating Tumor Cells and Early Relapse in Node-positive Melanoma. Clinical Cancer Research, 2020, 26, 1886-1895. | 3.2 | 42 |
| 887 | Timed Ang2-Targeted Therapy Identifies the Angiopoietin–Tie Pathway as Key Regulator of Fatal Lymphogenous Metastasis. Cancer Discovery, 2021, 11, 424-445. | 7.7 | 18 |
| 888 | Acetylsalicylic Acid Exerts Potent Antitumor and Antiangiogenic Effects in Cutaneous and Uveal Melanoma Cell Lines. Ocular Oncology and Pathology, 2020, 6, 442-455. | 0.5 | 3 |
| 889 | $\rm H3K27me3$ -mediated PGC1 $\hat{\rm l}\pm$ gene silencing promotes melanoma invasion through WNT5A and YAP. Journal of Clinical Investigation, 2020, 130, 853-862. | 3.9 | 32 |
| 890 | Adjuvant Therapy Failure Patterns in the Modern Era of Melanoma Management. Annals of Surgical Oncology, 2020, 27, 5128-5136. | 0.7 | 13 |
| 891 | Performance Improvement of Automated Melanoma Diagnosis System by Data Augmentation. Advanced Biomedical Engineering, 2020, 9, 62-70. | 0.4 | 4 |
| 892 | The outweigh of toxicity versus risk of recurrence for adjuvant interferon therapy: a survey in German melanoma patients and their treating physicians. Oncotarget, 2018, 9, 26217-26225. | 0.8 | 6 |
| 893 | Tumor tissue hnRNP M and HSP 90î± as potential predictors of disease-specific mortality in patients with early-stage cutaneous head and neck melanoma: A proteomics-based study. Oncotarget, 2019, 10, 6713-6722. | 0.8 | 4 |
| 894 | The use of baseline tumor size to prognosticate overall survival in stage IV melanoma patients treated with the PD-1 inhibitor pembrolizumab. Annals of Translational Medicine, 2019, 7, S24-S24. | 0.7 | 8 |
| 895 | <p>Long Noncoding RNA LINC00173 Promotes the Malignancy of Melanoma by Promoting the Expression of IRS4 Through Competitive Binding to microRNA-493</p> . Cancer Management and Research, 2020, Volume 12, 3131-3144. | 0.9 | 13 |
| 896 | Melanoma: Prognostic Factors and Factors Predictive of Response to Therapy. Current Medicinal Chemistry, 2020, 27, 2792-2813. | 1.2 | 12 |
| 897 | Malignant Cutaneous Melanoma: Updates in PET Imaging. Current Radiopharmaceuticals, 2020, 13, 14-23. | 0.3 | 7 |
| 898 | Intra-patient Heterogeneity of BRAF and NRAS Molecular Alterations in Primary Melanoma and Metastases. Acta Dermato-Venereologica, 2020, 100, 1-8. | 0.6 | 13 |
| 899 | Patient Preferences in Adjuvant and Palliative Treatment of Advanced Melanoma: A Discrete Choice Experiment. Acta Dermato-Venereologica, 2020, 100, adv00083-9. | 0.6 | 17 |

| # | Article | IF | CITATIONS |
|-----|--|-----------|-----------|
| 900 | Lentigo maligna: diagnosis and treatment. Giornale Italiano Di Dermatologia E Venereologia, 2020, 155, 179-189. | 0.8 | 2 |
| 901 | Management of cutaneous melanoma: comparison of the leading international guidelines updated to the 8th American Joint Committee on Cancer staging system and workup proposal by the Italian Society of Dermatology. Giornale Italiano Di Dermatologia E Venereologia, 2020, 155, 126-145. | 0.8 | 5 |
| 902 | The LIPI score and inflammatory biomarkers for selection of patients with solid tumors treated with checkpoint inhibitors. Quarterly Journal of Nuclear Medicine and Molecular Imaging, 2020, 64, 162-174. | 0.4 | 38 |
| 903 | Anorectal Melanoma - a Histopathological Case Report and a Review of the Literature. Folia Medica, 2018, 60, 641-646. | 0.2 | 7 |
| 904 | Retrospective analysis of treatment-naive Slovenian patients with metastatic melanoma treated with pembrolizumab – real-world experience. Radiology and Oncology, 2020, 54, 119-127. | 0.6 | 8 |
| 905 | Establishing an evidence-based decision point for clinical use of the 31-gene expression profile test in cutaneous melanoma. SKIN the Journal of Cutaneous Medicine, 2019, 3, 239-249. | 0.1 | 5 |
| 906 | Investigating the role of immunotherapy in advanced/recurrent female genital tract melanoma: a preliminary experience. Journal of Gynecologic Oncology, 2019, 30, e94. | 1.0 | 29 |
| 907 | Long non‑coding RNAs lnc‑ANGPTL1‑3:3 and lnc‑GJA10‑12:1 present as regulators of sentinel lymph no metastasis in breast cancer. Oncology Letters, 2020, 20, 1-1. | de 0.8 | 10 |
| 908 | Long non‑coding RNA SNHG6 promotes tumorigenesis in melanoma cells via the microRNA‑101‑3p/RAP2B axis. Oncology Letters, 2020, 20, 323. | 0.8 | 6 |
| 909 | Cutaneous Melanoma, Version 2.2019, NCCN Clinical Practice Guidelines in Oncology. Journal of the National Comprehensive Cancer Network: JNCCN, 2019, 17, 367-402. | 2.3 | 326 |
| 910 | NCCN Guidelines \hat{A}^{\otimes} Insights: Melanoma: Cutaneous, Version 2.2021. Journal of the National Comprehensive Cancer Network: JNCCN, 2021, 19, 364-376. | 2.3 | 167 |
| 911 | A spindle cell squamous cell carcinoma on the cheek presenting with in-transit metastases and a satellite lesion. Archives of Craniofacial Surgery, 2020, 21, 58-63. | 0.4 | 3 |
| 912 | A machine learning approach to automatic detection of irregularity in skin lesion border using dermoscopic images. PeerJ Computer Science, 2020, 6, e268. | 2.7 | 33 |
| 913 | Cutaneous Melanoma and Other Skin Cancers. UNIPA Springer Series, 2021, , 979-1007. | 0.1 | O |
| 914 | Survival in Patients With Sentinel Node–Positive Melanoma With Extranodal Extension. Journal of the National Comprehensive Cancer Network: JNCCN, 2021, 19, 1165-1173. | 2.3 | 3 |
| 915 | Association between melanoma thickness and clinical and demographic characteristics. European Journal of Dermatology, 2021, 31, 514-520. | 0.3 | 3 |
| 916 | Low expression of endoplasmic reticulum stress-related gene SERP1 is associated with poor prognosis and immune infiltration in skin cutaneous melanoma. Aging, 2021, 13, 23036-23071. | 1.4 | 3 |
| 917 | UBTF facilitates melanoma progression via modulating MEK1/2-ERK1/2 signalling pathways by promoting GIT1 transcription. Cancer Cell International, 2021, 21, 543. | 1.8 | 9 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 918 | A biomarker panel predicts recurrence-free survival in ulcerated primary cutaneous melanoma. Acta $Oncol\tilde{A}^3$ gica, 2022, 61, 14-21. | 0.8 | 1 |
| 919 | Different mitotic rates are associated with different prognostic factors, relapses, and survival rates in melanoma. International Journal of Dermatology, 2022, 61, 472-479. | 0.5 | 6 |
| 920 | BRAFV600E Mutant Allele Frequency (MAF) Influences Melanoma Clinicopathologic Characteristics. Cancers, 2021, 13, 5073. | 1.7 | 2 |
| 921 | Effectiveness of SPECT/CT Imaging for Sentinel Node Biopsy Staging of Primary Cutaneous Melanoma and Patient Outcomes. Annals of Surgical Oncology, 2022, 29, 767-775. | 0.7 | 9 |
| 922 | Altered Glycosylation of Human Alpha-1-Acid Glycoprotein as a Biomarker for Malignant Melanoma. Molecules, 2021, 26, 6003. | 1.7 | 7 |
| 923 | Melanoma brain metastases that progress on BRAF-MEK inhibitors demonstrate resistance to ipilimumab-nivolumab that is associated with the Innate PD-1 Resistance Signature (IPRES)., 2021, 9, e002995. | | 18 |
| 924 | Interleukin enhancerâ€binding factor 2 promotes cell proliferation and DNA damage response in metastatic melanoma. Clinical and Translational Medicine, 2021, 11, e608. | 1.7 | 8 |
| 925 | Glioblastoma and malignant melanoma: Serendipitous or anticipated association?. Neuropathology, 2021, 41, 489-491. | 0.7 | 2 |
| 928 | A novel pyroptosis-associated gene signature for immune status and prognosis of cutaneous melanoma. PeerJ, 2021, 9, e12304. | 0.9 | 14 |
| 929 | More sentinel lymph node biopsies for thin melanomas after transition to AJCC 8th edition do not increase positivity rate: A Danish populationâ€based study of 7148 patients. Journal of Surgical Oncology, 2022, 125, 498-508. | 0.8 | 8 |
| 930 | High-Plex Spatial RNA Profiling Reveals Cell Typeâ€'Specific Biomarker Expression during Melanoma Development. Journal of Investigative Dermatology, 2022, 142, 1401-1412.e20. | 0.3 | 10 |
| 931 | Risk factors of recurrence and distant metastasis in primary cutaneous melanoma in Taiwan. Scientific Reports, 2021, 11, 21012. | 1.6 | 6 |
| 932 | Encorafenib, binimetinib plus pembrolizumab triplet therapy in patients with advanced BRAFV600 mutant melanoma: safety and tolerability results from the phase I IMMU-TARGET trial. European Journal of Cancer, 2021, 158, 72-84. | 1.3 | 14 |
| 933 | Analysis of tumor response and clinical factors associated with vitiligo in patients receiving anti–programmed cell death-1 therapies for melanoma: AÂcross-sectional study. JAAD International, 2021, 5, 112-120. | 1.1 | 10 |
| 934 | Melanoma Clinical Staging (Historical and Current). , 2018, , 1-16. | | 0 |
| 935 | Cutaneous melanoma. Journal of the Korean Medical Association, 2018, 61, 662. | 0.1 | 0 |
| 936 | Cardiac metastasis of malignant melanoma: where are we standing?. , 2018, 01, . | | 0 |
| 937 | Malignes Melanom: Optionen fÃ $\frac{1}{4}$ r Patienten im fortgeschrittenen Stadium. Deutsches Ärzteblatt International, 0, , . | 0.6 | 0 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 938 | Melanoma Prevention and Screening. , 2019, , 1-46. | | 1 |
| 939 | Isolated Limb Infusion for Melanoma. , 2019, , 1-24. | | O |
| 940 | Evolving Role of the Oncology Nurse in the Care of Patients with Melanoma. , 2019, , 1-27. | | 1 |
| 941 | Genomic Applications in Melanoma. , 2019, , 509-540. | | O |
| 942 | Neoadjuvant Systemic Therapy for High-Risk Melanoma Patients. , 2019, , 1-27. | | 0 |
| 943 | Classification and Histopathology of Melanoma. , 2019, , 1-64. | | O |
| 944 | Literatur zu Giordano/Wenz: Strahlentherapie kompakt, 3. Auflage. , 2019, , e.1-e.39. | | 0 |
| 945 | Adjuvant Systemic Therapy for High-Risk Melanoma Patients. , 2019, , 1-20. | | O |
| 946 | Biomarkers for Melanoma. , 2019, , 1-32. | | 0 |
| 947 | Diagnosis of Stage IV Melanoma. , 2019, , 1-47. | | 1 |
| 948 | Melanom., 2019,, 45-134. | | 0 |
| 949 | Models for Predicting Melanoma Outcome. , 2019, , 1-16. | | O |
| 950 | Hauttumoren., 2019,, 285-291. | | 0 |
| 952 | Melanom., 2019,, 89-102. | | O |
| 953 | Melanoma Prognosis and Staging. , 2019, , 1-27. | | 0 |
| 954 | Current Treatment Strategies in Cutaneous Malignant Melanoma of the Head and Neck. Ent Updates, 0, | 0.0 | O |
| 955 | Sentinel Lymph Node Biopsy in Head and Neck Cutaneous Malignant Melanoma. Journal of the Portuguese Society of Dermatology and Venereology, 2019, 77, 129-133. | 0.0 | 0 |
| 956 | Combined Immunotherapy in Metastatic Melanoma with Unknown Primary. Cureus, 2019, 11, e5324. | 0.2 | 1 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 959 | Malignancy, Staging andÂSurgical Management. , 2020, , 77-104. | | 0 |
| 960 | Assessment of Efficacy of Systemic Therapy in Patients with Metastatic Melanoma., 2020,, 57-71. | | 0 |
| 961 | Treatment of Occupational Skin Cancer. , 2020, , 1483-1492. | | 0 |
| 962 | Clinical characteristics of malignant melanoma in central China and predictors of metastasis. Oncology Letters, 2020, 19, 1452-1464. | 0.8 | 5 |
| 963 | Models for Predicting Melanoma Outcome. , 2020, , 299-314. | | 0 |
| 964 | Fluorescent Lymphangiography: Sentinel Node Navigation Surgery in Melanoma. , 2020, , 273-280. | | 0 |
| 966 | Melanoma Prevention and Screening. , 2020, , 525-570. | | 4 |
| 967 | Adjuvant Systemic Therapy for High-Risk Melanoma Patients. , 2020, , 747-766. | | 0 |
| 970 | Surgery for Stage IV Melanoma., 2021,, 171-189. | | 0 |
| 971 | Melanoma Epidemiology, Staging and Prognostic Factors. , 2021, , 61-81. | | 0 |
| 973 | Regional Melanoma Therapy: Positive Sentinel Lymph Node. , 2021, , 149-160. | | 0 |
| 974 | Regional Nodal Staging: Clinically Node Negative. , 2021, , 125-147. | | 0 |
| 975 | Patient with metastatic malignant melanoma treated with pembrolizumab. Onkologie (Czech Republic), 2020, 14, 44-46. | 0.0 | 0 |
| 976 | Delivering Clinical Skin Examination Education to Nurse Practitioners Using an Internet-Based, Microlearning Approach: Development and Feasibility of a Video Intervention. JMIR Dermatology, 2020, 3, e16714. | 0.4 | 1 |
| 977 | Current prospects of successful therapeutic procedures in advanced stage melanoma – the short review. Journal of Education, Health and Sport, 2020, 10, 308. | 0.0 | 0 |
| 978 | Risk stratification of cutaneous melanoma reveals carcinogen metabolism enrichment and immune inhibition in high-risk patients. Aging, 2020, 12, 16457-16475. | 1.4 | 2 |
| 980 | Surgical Reconstruction following Wide Local Excision of Malignant Melanoma of the Scalp. Plastic and Reconstructive Surgery - Global Open, 2020, 8, e3059. | 0.3 | 0 |
| 981 | Features associated with melanoma metastasis in Latvia. Oncology Letters, 2020, 20, 1-1. | 0.8 | 0 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 982 | Tratamiento adyuvante de melanoma cutáneo : indicaciones y alternativas Revista Colombiana De Hematologila Y Oncologila, 2020, 7, 56-63. | 0.0 | 0 |
| 984 | Predictive Value of Baseline [18F]FDG PET/CT for Response to Systemic Therapy in Patients with Advanced Melanoma. Journal of Clinical Medicine, 2021, 10, 4994. | 1.0 | 4 |
| 985 | A disease networkâ€based deep learning approach for characterizing melanoma. International Journal of Cancer, 2022, 150, 1029-1044. | 2.3 | 16 |
| 986 | Bioinformatic and Machine Learning Applications in Melanoma Risk Assessment and Prognosis: A Literature Review. Genes, 2021, 12, 1751. | 1.0 | 7 |
| 987 | Value of pretreatment serum lactate dehydrogenase as a prognostic and predictive factor for smallâ€cell lung cancer patients treated with firstâ€line platinumâ€containing chemotherapy. Thoracic Cancer, 2021, 12, 3101-3109. | 0.8 | 11 |
| 988 | Mucosal Melanoma. , 2020, , 953-968. | | 0 |
| 990 | Multiscale Dilated UNet for Segmentation of Multi-Organ Nuclei in Digital Histology Images. , 2020, , . | | 6 |
| 991 | The Role of PET/CT in Melanoma Patients: A Surgeon's Perspective. , 2021, , 151-166. | | 0 |
| 993 | Letter Regarding Editorial by Samuel Zagarella. American Journal of Dermatopathology, 2021, 43, 539-541. | 0.3 | 2 |
| 994 | Huidtumoren., 2020,, 411-431. | | 0 |
| 995 | Cutaneous Melanoma – A Review of Systemic Therapies. Acta Dermato-Venereologica, 2020, 100, adv00141. | 0.6 | 7 |
| 996 | Diagnosis of Stage IV Melanoma. , 2020, , 997-1043. | | 0 |
| 998 | Cancer stem cells, plasticity, and drug resistance. , 2020, 3, 140-148. | | 0 |
| 999 | Melanoma Prognosis and Staging. , 2020, , 271-297. | | 2 |
| 1000 | Análisis de las modificaciones en la estadificación del T según el manual del American Joint Committee on Cancer. ¿Cómo cambia nuestro manejo de los pacientes?. DermatologÃa Argentina, 2020, 26, 23-25. | 0.0 | 0 |
| 1001 | Adjuvant therapy for melanoma: how to choose?. Lancet Oncology, The, 2020, 21, 319-320. | 5.1 | 2 |
| 1003 | Body Mass Index and Melanoma Prognosis. Dermatology Practical and Conceptual, 2021, 11, e2021106. | 0.5 | 3 |
| 1004 | Association Between Melanoma Detected During Routine Skin Checks and Mortality. JAMA Dermatology, 2021, 157, 1425. | 2.0 | 27 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1005 | ¹⁸ Fâ€FDG positron emission tomography–computed tomographyÂhas a low positive predictive value for detecting occult recurrence in asymptomatic patients with highâ€risk Stages IIB, IIC, and IIIA melanoma. Journal of Surgical Oncology, 2022, 125, 525-534. | 0.8 | 0 |
| 1006 | Non-invasive diagnostic techniques for skin tumors and their potential for use in skin melanoma screening: a systematic literature review. Meditsinskiy Sovet, 2020, , 102-120. | 0.1 | 1 |
| 1007 | Approaches to metastatic skin melanoma therapy in 2020: a dynamic way forward. Meditsinskiy Sovet, 2020, , 80-93. | 0.1 | 0 |
| 1008 | Is AJCC 8th Edition useful in qualifying melanoma patients to adjuvant therapy?. Annals of Translational Medicine, 2020, 8, 898-898. | 0.7 | 0 |
| 1011 | New Melanoma Staging: Prognostic Factors. Updates in Surgery Series, 2021, , 47-53. | 0.0 | 0 |
| 1012 | The Rationale of Sentinel Lymph Node Biopsy. Updates in Surgery Series, 2021, , 85-95. | 0.0 | 0 |
| 1013 | Does morphology have real impact on local and distant recurrences in head and neck cutaneous melanoma?. Opuholi Golovy I Sei, 2020, 10, 55-64. | 0.1 | 0 |
| 1014 | Sleep Duration and Cutaneous Melanoma Aggressiveness. A Prospective Observational Study in 443 Patients. Archivos De Bronconeumologia, 2021, 57, 776-778. | 0.4 | 2 |
| 1015 | Improving Reporting of Tumor Size in Synoptic Reports. Archives of Pathology and Laboratory Medicine, 2021, 145, 969-972. | 1.2 | 3 |
| 1016 | Diagnosis of melanocytic neoplasms: a literature review. Russian Journal of Skin and Venereal Diseases, 2020, 23, 278-287. | 0.0 | 0 |
| 1017 | Melanoma Radiological Surveillance: A Review of Current Evidence and Clinical Challenges. Yale Journal of Biology and Medicine, 2020, 93, 207-213. | 0.2 | 5 |
| 1018 | Trend and socioeconomic disparities in survival outcome of metastatic melanoma after approval of immune checkpoint inhibitors: a population-based study. American Journal of Translational Research (discontinued), 2020, 12, 3767-3779. | 0.0 | 3 |
| 1019 | Primary malignant melanomas of the female lower genital tract: clinicopathological characteristics and management. American Journal of Cancer Research, 2020, 10, 4017-4037. | 1.4 | 2 |
| 1020 | The effect of the COVID-19 pandemic on skin cancer surgery in the United Kingdom: a national, multi-centre, prospective cohort study and survey of Plastic Surgeons. British Journal of Surgery, 2020, 107, e598-e600. | 0.1 | 12 |
| 1021 | Pelvic sentinel lymph nodes have minimal impact on survival in melanoma patients. BJS Open, 2021, 5, . | 0.7 | 2 |
| 1022 | Protein expression of prognostic genes in primary melanoma and benign nevi. Journal of Cancer Research and Clinical Oncology, 2022, 148, 2673-2680. | 1.2 | 4 |
| 1023 | Characterization of the CpG Island Hypermethylated Phenotype Subclass in Primary Melanomas. Journal of Investigative Dermatology, 2022, 142, 1869-1881.e10. | 0.3 | 5 |
| 1024 | External validation of the American Joint Committee on Cancer melanoma staging system eighth edition using the surveillance, epidemiology, and end results program. Asia-Pacific Journal of Clinical Oncology, 2021, , . | 0.7 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1025 | Nomogram based on autophagy related genes for predicting the survival in melanoma. BMC Cancer, 2021, 21, 1258. | 1.1 | 6 |
| 1027 | Oxidative Stress and Autophagy as Key Targets in Melanoma Cell Fate. Cancers, 2021, 13, 5791. | 1.7 | 10 |
| 1028 | Radiotherapy in the Treatment of Subcutaneous Melanoma. Cancers, 2021, 13, 5859. | 1.7 | 5 |
| 1029 | ASO Author Reflections: Effectiveness of SPECT/CT Imaging for Sentinel Node Biopsy Staging of Primary Cutaneous Melanoma and Patient Outcomes. Annals of Surgical Oncology, 2021, 29, 776. | 0.7 | 3 |
| 1030 | Validation of a clinicopathological and gene expression profile model to identify patients with cutaneous melanoma where sentinel lymph node biopsy is unnecessary. European Journal of Surgical Oncology, 2022, 48, 320-325. | 0.5 | 18 |
| 1031 | Crossover and rechallenge with pembrolizumab in recurrent patients from the EORTC 1325-MG/Keynote-054 phase III trial, pembrolizumab versus placebo after complete resection of high-risk stage III melanoma. European Journal of Cancer, 2021, 158, 156-168. | 1.3 | 19 |
| 1032 | Chemokine Pathways in Cutaneous Melanoma: Their Modulation by Cancer and Exploitation by the Clinician. Cancers, 2021 , 13 , 5625 . | 1.7 | 8 |
| 1033 | Time to Treatment With Nivolumab or Pembrolizumab for Patients With Advanced Melanoma in Everyday Practice. Cureus, 2021, 13, e19835. | 0.2 | 0 |
| 1034 | Assessing the Potential for Patient-led Surveillance After Treatment of Localized Melanoma (MEL-SELF). JAMA Dermatology, 2022, 158, 33. | 2.0 | 26 |
| 1035 | Prognostic value of total metabolic tumour volume and therapy-response assessment by [18F]FDG PET/CT in patients with metastatic melanoma treated with BRAF/MEK inhibitors. European Radiology, 2022, 32, 3398-3407. | 2.3 | 8 |
| 1036 | Neoantigen-Reactive T Cells: The Driving Force behind Successful Melanoma Immunotherapy. Cancers, 2021, 13, 6061. | 1.7 | 5 |
| 1037 | High-resolution three-dimensional imaging for precise staging in melanoma. European Journal of Cancer, 2021, 159, 182-193. | 1.3 | 8 |
| 1038 | Validation of four cutaneous squamous cell carcinoma staging systems using nationwide data*. British Journal of Dermatology, 2022, 186, 835-842. | 1.4 | 14 |
| 1039 | Cost-effectiveness of adjuvant systemic therapies for patients with high-risk melanoma in Europe: a model-based economic evaluation. ESMO Open, 2021, 6, 100303. | 2.0 | 7 |
| 1040 | Anti-PD-1 antibody monotherapy versus anti-PD-1 plus anti-CTLA-4 combination therapy as first-line immunotherapy in unresectable or metastatic mucosal melanoma: a retrospective, multicenter study of 329 Japanese cases (JMAC study). ESMO Open, 2021, 6, 100325. | 2.0 | 24 |
| 1041 | Sleep Duration and Cutaneous Melanoma Aggressiveness. A Prospective Observational Study in 443 Patients. Archivos De Bronconeumologia, 2021, 57, 776-778. | 0.4 | 1 |
| 1043 | Evolution of Melanoma Staging. , 2021, , 139-153. | | 0 |
| 1044 | Acral Lentiginous Melanoma: A United States Multi-Center Substage Survival Analysis. Cancer Control, 2021, 28, 107327482110535. | 0.7 | 7 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1045 | Nevi, dysplastic nevi, and melanoma: Molecular and immune mechanisms involving the progression. Tzu Chi Medical Journal, 2022, 34, 1. | 0.4 | 8 |
| 1046 | Sentinel lymph node localization and staging with a low-dose of superparamagnetic iron oxide (SPIO) enhanced MRI and magnetometer in patients with cutaneous melanoma of the extremity - The MAGMEN feasibility study. European Journal of Surgical Oncology, 2022, 48, 326-332. | 0.5 | 9 |
| 1047 | Surgical Outcomes of Vaginal or Cervical Melanoma. Frontiers in Surgery, 2021, 8, 771160. | 0.6 | 1 |
| 1048 | InÂVivo Melanoma Cell Morphology Reflects Molecular Signature and Tumor Aggressiveness. Journal of Investigative Dermatology, 2022, 142, 2205-2216.e6. | 0.3 | 16 |
| 1049 | Improving Skin cancer Management with ARTificial Intelligence (SMARTI): protocol for a preintervention/postintervention trial of an artificial intelligence system used as a diagnostic aid for skin cancer management in a specialist dermatology setting. BMJ Open, 2022, 12, e050203. | 0.8 | 11 |
| 1050 | High score of LDH plus dNLR predicts poor survival in patients with HER2-positive advanced breast cancer treated with trastuzumab emtansine. BMC Cancer, 2022, 22, 29. | 1.1 | 4 |
| 1051 | Utilization and survival benefit of adjuvant immunotherapy in resected high-risk stage II melanoma. Surgery in Practice and Science, 2022, 8, 100056. | 0.2 | 0 |
| 1052 | Epigenetic Modification of PD-1/PD-L1-Mediated Cancer Immunotherapy against Melanoma. International Journal of Molecular Sciences, 2022, 23, 1119. | 1.8 | 10 |
| 1053 | PIVOT-12: aÂphase IIIÂstudy of adjuvant bempegaldesleukin plus nivolumab in resected stage III/IV melanoma at high risk for recurrence. Future Oncology, 2022, 18, 903-913. | 1.1 | 7 |
| 1054 | Seasonal variation in high-risk phenotypes of cutaneous malignant melanoma diagnosed in Eastern England: An observational study. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2022, 75, 1923-1930. | 0.5 | 1 |
| 1055 | Optimal Surveillance Strategies for Early-Stage Cutaneous Melanoma Post Primary Tumor Excision: An Economic Evaluation. MDM Policy and Practice, 2022, 7, 238146832110699. | 0.5 | 0 |
| 1056 | Neoadjuvant Systemic Therapy (NAST) in Patients with Melanoma: Surgical Considerations by the International Neoadjuvant Melanoma Consortium (INMC). Annals of Surgical Oncology, 2022, 29, 3694-3708. | 0.7 | 21 |
| 1057 | Prognostic value of ulceration varies across Breslow thicknesses and clinical stages in acral melanoma: a retrospective study*. British Journal of Dermatology, 2022, 186, 977-987. | 1.4 | 9 |
| 1058 | TGFÎ 2 activating integrins Î 2 6 and Î 2 8 are dysregulated in inflammatory skin disease and cutaneous melanoma. Journal of Dermatological Science, 2022, 106, 2-11. | 1.0 | 3 |
| 1059 | The Impact of Hyaluronan on Tumor Progression in Cutaneous Melanoma. Frontiers in Oncology, 2021, 11, 811434. | 1.3 | 6 |
| 1060 | Improved prognosis and evidence of enhanced immunogenicity in tumor and circulation of high-risk melanoma patients with unknown primary., 2022, 10, e004310. | | 6 |
| 1061 | Multiomic profiling of checkpoint inhibitor-treated melanoma: Identifying predictors of response and resistance, and markers of biological discordance. Cancer Cell, 2022, 40, 88-102.e7. | 7.7 | 64 |
| 1062 | The clinical significance of adenomatous polyposis coli (APC) and catenin Beta 1 (CTNNB1) genetic aberrations in patients with melanoma. BMC Cancer, 2022, 22, 38. | 1.1 | 4 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1063 | Cost-Effectiveness of Pembrolizumab Versus Carboplatin and Paclitaxel in Patients With Unresectable or Metastatic Melanoma After First-Line Treatment in China. Value in Health Regional Issues, 2022, 27, 99-107. | 0.5 | 3 |
| 1064 | Expanded evidence that the 31-gene expression profile test provides clinical utility for melanoma management in a multicenter study. Current Medical Research and Opinion, 2022, 38, 1267-1274. | 0.9 | 8 |
| 1065 | Using the Merlin assay for reducing sentinel lymph node biopsy complications in melanoma: a retrospective cohort study. International Journal of Dermatology, 2022, , . | 0.5 | 4 |
| 1066 | Immune checkpoint inhibitors, endocrine adverse events, and outcomes of melanoma. Endocrine Connections, 2022, 11, . | 0.8 | 4 |
| 1067 | La fotografÃa corporal total está cambiando el panorama diagnóstico del melanoma cutáneo. Piel, 2022, , . | 0.0 | 0 |
| 1069 | Plasma Thymidine Kinase Activity as a Novel Biomarker in Metastatic Melanoma Patients Treated with Immune Checkpoint Inhibitors. Cancers, 2022, 14, 702. | 1.7 | 3 |
| 1070 | The progressive relationship between increasing Breslow thickness and decreasing survival is lost in patients with ultrathick melanomas ($\hat{a}\% \pm 15 \hat{A}$ mm in thickness). Journal of the American Academy of Dermatology, 2022, 87, 298-305. | 0.6 | 3 |
| 1071 | BRAF mutation testing for patients diagnosed with stage III or stage IV melanoma: practical guidance for the Australian setting. Pathology, 2022, 54, 6-19. | 0.3 | 3 |
| 1072 | Vaginal melanoma in Denmark from 1980 to 2018: A population-based study based on genetic profile and survival. Gynecologic Oncology, 2022, 165, 53-59. | 0.6 | 1 |
| 1073 | Circulating Tumour DNA in Melanomaâ€"Clinic Ready?. Current Oncology Reports, 2022, 24, 363-373. | 1.8 | 10 |
| 1074 | Costâ€effectiveness of a policyâ€based intervention to reduce melanoma and other skin cancers associated with indoor tanning*. British Journal of Dermatology, 2022, 187, 105-114. | 1.4 | 12 |
| 1075 | Extra-Axial Skeletal Metastasis of Malignant Melanoma: Case Report and Literature Review. Cureus, 2022, 14, e22115. | 0.2 | 0 |
| 1076 | Melanoma and intellectual disability: do prognostic factors at diagnosis differ from general population?. Journal of Intellectual Disability Research, 2022, , . | 1.2 | 0 |
| 1077 | Sentinel lymph node melanoma metastases: Assessment of tumor burden for clinical prediction of outcome in the first Multicenter Selective Lymphadenectomy Trial (MSLT-I). European Journal of Surgical Oncology, 2022, 48, 1280-1287. | 0.5 | 7 |
| 1078 | Managing Metastatic Melanoma in 2022: A Clinical Review. JCO Oncology Practice, 2022, 18, 335-351. | 1.4 | 91 |
| 1079 | Improved cutaneous melanoma survival stratification through integration of 31-gene expression profile testing with the American Joint Committee on Cancer 8th Edition Staging. Melanoma Research, 2022, Publish Ahead of Print, 98-102. | 0.6 | 0 |
| 1080 | The diagnostic accuracy and clinical impact of FDG-PET/CT follow-up for patients on adjuvant immunotherapy for high-risk malignant melanoma. European Journal of Nuclear Medicine and Molecular Imaging, 2022, 49, 2342-2351. | 3.3 | 6 |
| 1081 | The Impact of Surveillance Imaging Frequency on the Detection of Distant Disease for Patients with Resected Stage III Melanoma. Annals of Surgical Oncology, 2022, 29, 2871-2881. | 0.7 | 5 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1082 | Mesenchymal-epithelial transition factor (MET) immunoreactivity in positive sentinel nodes from patients with melanoma. Annals of Diagnostic Pathology, 2022, 58, 151909. | 0.6 | 1 |
| 1083 | Melanoma and Quality of Life. , 2022, , 439-466. | | 2 |
| 1088 | 25 Years of Adjuvant Therapy in Melanoma: A Perspective on Current Approvals and Insights into Future Directions. Current Oncology Reports, 2022, 24, 533-542. | 1.8 | 3 |
| 1089 | Management of In-Transit Metastases. Current Oncology Reports, 2022, 24, 573. | 1.8 | 0 |
| 1090 | The prognosis of cutaneous malignant melanoma associated with paraneoplastic dermatomyositis. International Journal of Dermatology, 2022, , . | 0.5 | 0 |
| 1091 | Quality of Life in the First Year of Follow-Up in a Randomized Multicenter Trial Assessing the Role of Imaging after Radical Surgery of Stage IIB-C and III Cutaneous Melanoma (TRIM Study). Cancers, 2022, 14, 1040. | 1.7 | 2 |
| 1092 | Treat Now or Treat Later: Comparative Effectiveness of Adjuvant Therapy in Resected Stage IIIA Melanoma. Journal of the American College of Surgeons, 2022, 234, 521-528. | 0.2 | 3 |
| 1093 | Effect of the time interval between melanoma diagnosis and sentinel node biopsy on the size of metastatic tumour deposits in node-positive patients. European Journal of Cancer, 2022, 167, 133-141. | 1.3 | 3 |
| 1094 | Using a 31-Gene Expression Profile Test to Stratify Patients with Stage l–II Cutaneous Melanoma According to Recurrence Risk: Update to a Prospective, Multicenter Study. Cancers, 2022, 14, 1060. | 1.7 | 3 |
| 1095 | Sentinel lymph node biopsy rates in Victoria, 2018 and 2019. Medical Journal of Australia, 2022, 217, 208-209. | 0.8 | 3 |
| 1096 | Expert Consensus on the Use of Prognostic Gene Expression Profiling Tests for the Management of Cutaneous Melanoma: Consensus from the Skin Cancer Prevention Working Group. Dermatology and Therapy, 2022, 12, 807-823. | 1.4 | 11 |
| 1097 | Differences in Thickness-Specific Incidence and Factors Associated With Cutaneous Melanoma in the US From 2010 to 2018. JAMA Oncology, 2022, 8, 755. | 3.4 | 20 |
| 1098 | Pathologist initiated reflex BRAF mutation testing in metastatic melanoma: experience at a specialist melanoma treatment centre. Pathology, 2022, , . | 0.3 | 1 |
| 1099 | The impact of the COVIDâ€19 pandemic on melanoma diagnoses. , 2022, 1, 122-125. | | 1 |
| 1100 | Benefit and toxicity of programmed death-1 blockade vary by ethnicity in patients with advanced melanoma: an international multicentre observational study. British Journal of Dermatology, 2022, 187, 401-410. | 1.4 | 21 |
| 1101 | F-18 Fluoro-2-Deoxyglucose Positron Emission Tomography (PET)/Computed Tomography (CT) Imaging in Melanoma: Normal Variants, Pitfalls, and Artifacts. Frontiers in Nuclear Medicine, 2022, 2, . | 0.7 | 1 |
| 1102 | The Interplay between Tumour Microenvironment Components in Malignant Melanoma. Medicina (Lithuania), 2022, 58, 365. | 0.8 | 8 |
| 1103 | Estimated Healthcare Costs of Melanoma and Keratinocyte Skin Cancers in Australia and Aotearoa New Zealand in 2021. International Journal of Environmental Research and Public Health, 2022, 19, 3178. | 1.2 | 22 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1104 | Circulating tumour DNA monitoring and early treatment for relapse: views from patients with early-stage melanoma. British Journal of Cancer, 2022, 126, 1450-1456. | 2.9 | O |
| 1105 | Time interval between diagnostic excision-biopsy of a primary melanoma and sentinel node biopsy: effects on the sentinel node positivity rate and survival outcomes. European Journal of Cancer, 2022, 167, 123-132. | 1.3 | 4 |
| 1106 | The EORTC protocol for sentinel lymph node biopsy (SLNB) reveals a high number of nodal nevi and a strong association with nevus-associated melanoma. Pathology Research and Practice, 2022, , 153805. | 1.0 | 1 |
| 1107 | Comparison of the prognostic value of microscopically measured invasive width versus macroscopic width in cutaneous melanoma shows the superiority of microscopic invasive width measurement. Journal of Cutaneous Pathology, 2022, 49, 536-542. | 0.7 | 5 |
| 1108 | Economic and health care resource utilization burden of central nervous system metastases in patients with metastatic melanoma. Journal of Managed Care & Decialty Pharmacy, 2022, 28, 342-353. | 0.5 | 0 |
| 1109 | Circulating Biomarkers for Therapeutic Monitoring of Anti-cancer Agents. Oncologist, 2022, 27, 352-362. | 1.9 | 6 |
| 1111 | The Prognostic Value of miR-125b, miR-200c and miR-205 in Primary Cutaneous Malignant Melanoma Is Independent of BRAF Mutational Status. Cancers, 2022, 14, 1532. | 1.7 | 1 |
| 1112 | Impact of Reflex Testing for <i>BRAF</i> Mutational Status in Advanced Melanoma. Archives of Pathology and Laboratory Medicine, 2022, , . | 1.2 | O |
| 1113 | Follow-up of primary melanoma patients with high risk of recurrence: recommendations based on evidence and consensus. Clinical and Translational Oncology, 2022, , 1. | 1.2 | 2 |
| 1114 | Comments on Post-Publication Discussion of "Evaluation of a Gene Expression Profiling Assay in Primary Cutaneous Melanoma― Annals of Surgical Oncology, 2022, , 1. | 0.7 | 0 |
| 1115 | Impact of a personal history of cutaneous squamous cell carcinoma in the overall survival of cutaneous melanoma patients. , 0, , . | | 0 |
| 1116 | Health professional and patient views of a novel prognostic test for melanoma: A theoretically informed qualitative study. PLoS ONE, 2022, 17, e0265048. | 1.1 | 2 |
| 1117 | Retrospective analysis of secondary enucleation for uveal melanoma after plaque radiotherapy. BMC Ophthalmology, 2022, 22, 163. | 0.6 | 2 |
| 1118 | Diagnostic pitfalls after COVID-19 vaccination in melanoma and breast cancer patients: A case series. International Journal of Surgery Case Reports, 2022, 93, 106938. | 0.2 | 1 |
| 1119 | Neoadjuvant Immune Checkpoint Inhibitor Therapy in Melanoma: Efficacy, Safety and Timing. BioDrugs, 2022, 36, 373-380. | 2.2 | 2 |
| 1120 | Predictors of Nodal Metastasis in Cutaneous Head and Neck Cancers. Current Oncology Reports, 2022, 24, 1145-1152. | 1.8 | 5 |
| 1121 | Pembrolizumab versus placebo as adjuvant therapy in completely resected stage IIB or IIC melanoma (KEYNOTE-716): a randomised, double-blind, phase 3 trial. Lancet, The, 2022, 399, 1718-1729. | 6.3 | 236 |
| 1122 | Melanoma in pregnancy: Diagnosis and management in early-stage and advanced disease. European Journal of Cancer, 2022, 166, 240-253. | 1.3 | 11 |

| # | Article | IF | Citations |
|------|---|-----|-----------|
| 1123 | Response to immune checkpoint inhibitors in acral melanoma: A nationwide cohort study. European Journal of Cancer, 2022, 167, 70-80. | 1.3 | 19 |
| 1124 | Early disappearance of tumor antigen-reactive T cells from peripheral blood correlates with superior clinical outcomes in melanoma under anti-PD-1 therapy., 2021, 9, e003439. | | 10 |
| 1125 | BIOIMPEDANCE ANALYSIS IN THE DIAGNOSIS OF SKIN CONDITION. Bulletin of Kyiv Polytechnic Institute Series Instrument Making, 2021, , 82-87. | 0.0 | 0 |
| 1126 | Primary deâ€differentiated, transâ€differentiated and undifferentiated melanomas: overview of the clinicopathological, immunohistochemical and molecular spectrum. Histopathology, 2022, 80, 135-149. | 1.6 | 14 |
| 1127 | Efficacy of Neoadjuvant Targeted Therapy for Borderline Resectable III B-D or IV Stage BRAF V600 Mutation-Positive Melanoma. Cancers, 2022, 14, 110. | 1.7 | 5 |
| 1128 | Sentinel Lymph Node Biopsy vs. Observation in Thin Melanoma: A Multicenter Propensity Score Matching Study. Journal of Clinical Medicine, 2021, 10, 5878. | 1.0 | 2 |
| 1129 | Multispectral Imaging Algorithm Predicts Breslow Thickness of Melanoma. Journal of Clinical Medicine, 2022, 11, 189. | 1.0 | 4 |
| 1130 | Dermoscopy of Small Diameter Melanomas with the Diagnostic Feasibility of Selected Algorithms—A Clinical Retrospective Multicenter Study. Cancers, 2021, 13, 6095. | 1.7 | 4 |
| 1131 | Difficulties in diagnosing anorectal melanoma: A case report and review of the literature. World Journal of Clinical Cases, 2021, 9, 11369-11381. | 0.3 | 1 |
| 1132 | Association between Immune-Related Adverse Events and Survival in 319 Stage IV Melanoma Patients Treated with PD-1-Based Immunotherapy: An Approach Based on Clinical Chemistry. Cancers, 2021, 13, 6141. | 1.7 | 11 |
| 1133 | Predictive Performance of Serum S100B Versus LDH in Melanoma Patients: A Systematic Review and Meta-Analysis. Frontiers in Oncology, 2021, 11, 772165. | 1.3 | 10 |
| 1134 | Anchored Multiplex PCR Custom Melanoma Next Generation Sequencing Panel for Analysis of Circulating Tumor DNA. Frontiers in Oncology, 2022, 12, 820510. | 1.3 | 2 |
| 1135 | Current Trends in Circulating Biomarkers for Melanoma Detection. Frontiers in Medicine, 2022, 9, 873728. | 1.2 | 11 |
| 1137 | The future is hard to predict, even for patients with cutaneous squamous cell carcinoma. British Journal of Dermatology, 2022, , . | 1.4 | 0 |
| 1138 | ASO Author Reflections: Staging System for Mucosal Melanoma: A Proposal to Fill a Gap. Annals of Surgical Oncology, 2022, , 1. | 0.7 | 0 |
| 1139 | Can patient-led surveillance detect subsequent new primary or recurrent melanomas and reduce the need for routinely scheduled follow up? Statistical analysis plan for the MEL-SELF randomised controlled trial Contemporary Clinical Trials, 2022, , 106761. | 0.8 | 2 |
| 1140 | Principles of Surgery in Head and Neck Cutaneous Melanoma. Oral and Maxillofacial Surgery Clinics of North America, 2022, 34, 251-262. | 0.4 | 1 |
| 1141 | Imaging and Laboratory Workup for Melanoma. Oral and Maxillofacial Surgery Clinics of North America, 2022, 34, 235-250. | 0.4 | 2 |

| # | Article | IF | CITATIONS |
|------|---|------|-----------|
| 1142 | An Evidence-Based Staging System for Mucosal Melanoma: A Proposal. Annals of Surgical Oncology, 2022, 29, 5221-5234. | 0.7 | 15 |
| 1143 | Validation of artificial intelligence prediction models for skin cancer diagnosis using dermoscopy images: the 2019 International Skin Imaging Collaboration Grand Challenge. The Lancet Digital Health, 2022, 4, e330-e339. | 5.9 | 38 |
| 1144 | Acral lentiginous melanoma histotype predicts outcome in clinical stage I-II melanoma patients: an International multicenter study. ESMO Open, 2022, 7, 100469. | 2.0 | 1 |
| 1158 | Same-day or next-day sentinel node biopsy after lymphoscintigraphy for melanoma using Tc-labelled antimony sulphide colloid. British Journal of Surgery, 2020, 107, 1773-1779. | 0.1 | 1 |
| 1160 | Sentinel lymph node biopsy in patients with clinical stage IIB/C cutaneous melanoma: A national cohort study. Journal of the American Academy of Dermatology, 2022, 87, 754-760. | 0.6 | 7 |
| 1161 | Optimal systemic therapy for high-risk resectable melanoma. Nature Reviews Clinical Oncology, 2022, 19, 431-439. | 12.5 | 12 |
| 1162 | Sentinel Lymph Node Biopsy after Previous Radical Lymphadenectomy ofÂthe Same Lymph Node Basin. Journal of Investigative Surgery, 2022, 35, 1171-1175. | 0.6 | 2 |
| 1163 | Positive margins after surgical excision of locoregional cutaneous melanoma metastasis and their impact on patient outcome. European Journal of Dermatology, 2018, 28, 661-667. | 0.3 | 3 |
| 1164 | Patient Perception of the Diagnosis Announcement and its Impact on Quality of Life of Patients with Primary Melanoma or Basal Cell Carcinoma Acta Dermato-Venereologica, 2022, , . | 0.6 | 1 |
| 1165 | Mutation Testing and Adjuvant Systemic Therapy in Cutaneous Melanoma. Journal of the National Comprehensive Cancer Network: JNCCN, 2019, 17, 615-617. | 2.3 | 0 |
| 1166 | Risk Stratification of Patients with Stage I Cutaneous Melanoma Using 31-Gene Expression Profiling Journal of Clinical and Aesthetic Dermatology, 2021, 14, E61-E63. | 0.1 | 5 |
| 1167 | Risk Factors and Predictors of Survival Among Patients with Amelanotic Melanoma Compared to Melanotic Melanoma in the National Cancer Database Journal of Clinical and Aesthetic Dermatology, 2021, 14, 36-43. | 0.1 | 1 |
| 1170 | Efficacy Comparison between Anti-PD-1 Antibody Monotherapy and Anti-PD-1 Plus Anti-CTLA-4 Combination Therapy as First-Line Immunotherapy for Advanced Acral Melanoma: A Retrospective, Multicenter Study of 254 Japanese Patients. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 1171 | The Experience of 3D Total-Body Photography to Monitor Nevi: Results From an Australian General Population-Based Cohort Study. JMIR Dermatology, 2022, 5, e37034. | 0.4 | 4 |
| 1173 | Patient Perception of the Diagnosis Announcement and its Impact on Quality of Life of Patients with Primary Melanoma or Basal Cell Carcinoma. Acta Dermato-Venereologica, 0, 102, adv00717. | 0.6 | 3 |
| 1174 | Chrysin enhances antitumour immunity response through the <scp>lLâ€12â€5TAT4</scp> signal pathway in the <scp>B16F10</scp> melanoma mouse model. Scandinavian Journal of Immunology, 2022, 96, e13177. | 1.3 | 6 |
| 1175 | Extraordinarily aggressive cutaneous sarcomatoid squamous cell carcinoma of the face: a case report. Archives of Craniofacial Surgery, 2022, 23, 77-82. | 0.4 | 2 |
| 1176 | Development of an Image Analysis-Based Prognosis Score Using Google's Teachable Machine in Melanoma. Cancers, 2022, 14, 2243. | 1.7 | 7 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1177 | Assessment of the Novel, Practical, and Prognosis-Relevant TNM Staging System for Stage I-III Cutaneous Melanoma. Frontiers in Oncology, 2022, 12, 738298. | 1.3 | 1 |
| 1178 | Addition of interleukin-2 overcomes resistance to neoadjuvant CTLA4 and PD1 blockade in ex vivo patient tumors. Science Translational Medicine, 2022, 14, eabj9779. | 5.8 | 18 |
| 1179 | Evaluation of the Indications for Sentinel Node Biopsy in Early-Stage Melanoma with the Advent of Adjuvant Systemic Therapy: An International, Multicenter Study. Annals of Surgical Oncology, 2022, 29, 5937-5945. | 0.7 | 4 |
| 1180 | Genome-Wide Association Study Suggests the Variant rs7551288*A within the DHCR24 Gene Is Associated with Poor Overall Survival in Melanoma Patients. Cancers, 2022, 14, 2410. | 1.7 | 2 |
| 1181 | European consensus-based interdisciplinary guideline for melanoma. Part 1: Diagnostics: Update 2022. European Journal of Cancer, 2022, 170, 236-255. | 1.3 | 102 |
| 1182 | Blood Eosinophils Are Associated with Efficacy of Targeted Therapy in Patients with Advanced Melanoma. Cancers, 2022, 14, 2294. | 1.7 | 3 |
| 1183 | Melanoma Brain Metastases: An Update on the Use of Immune Checkpoint Inhibitors and Molecularly Targeted Agents. American Journal of Clinical Dermatology, 2022, 23, 523-545. | 3.3 | 2 |
| 1184 | The Dark Side of Melanin Secretion in Cutaneous Melanoma Aggressiveness. Frontiers in Oncology, 2022, 12, . | 1.3 | 18 |
| 1185 | Introduction to Head and Neck Melanoma. Oral and Maxillofacial Surgery Clinics of North America, 2022, 34, 213-220. | 0.4 | 1 |
| 1186 | Adjuvant and Neoadjuvant Therapies in Cutaneous Melanoma. Oral and Maxillofacial Surgery Clinics of North America, 2022, 34, 315-324. | 0.4 | 2 |
| 1187 | Potential Biomarkers of Skin Melanoma Resistance to Targeted Therapyâ€"Present State and Perspectives. Cancers, 2022, 14, 2315. | 1.7 | 7 |
| 1188 | Future Treatments in Melanoma. Oral and Maxillofacial Surgery Clinics of North America, 2022, 34, 325-331. | 0.4 | 1 |
| 1189 | ASO Author Reflections: Why Treatment Risk Thresholds Are Needed for Patients with Melanoma. Annals of Surgical Oncology, 2022, , 1. | 0.7 | 1 |
| 1190 | Effects of COVID-19 Lockdown on Melanoma Diagnosis in Switzerland: Increased Tumor Thickness in Elderly Females and Shift towards Stage IV Melanoma during Lockdown. Cancers, 2022, 14, 2360. | 1.7 | 10 |
| 1191 | The "Great Debate―at Melanoma Bridge 2021, December 2nd–4th, 2021. Journal of Translational Medicine, 2022, 20, 200. | 1.8 | 0 |
| 1192 | The future of targeted kinase inhibitors in melanoma. , 2022, 239, 108200. | | 17 |
| 1193 | Melanoma lentiginoso acral ¿Qué sabemos de uno de los melanomas mas frecuentes en Latinoamérica?. Revista Colombiana De CancerologÃa, 2021, 25, 140-53. | 0.0 | 1 |
| 1194 | Clinically Significant Risk Thresholds in the Management of Primary Cutaneous Melanoma: A Survey of Melanoma Experts. Annals of Surgical Oncology, 2022, , . | 0.7 | 2 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1195 | Factors Related to Delayed Diagnosis of Cutaneous Melanoma in the Brazilian Public Health System. Journal of Cancer Education, 2022, , . | 0.6 | O |
| 1196 | Disruption of Redox Homeostasis by Alterations in Nitric Oxide Synthase Activity and Tetrahydrobiopterin along with Melanoma Progression. International Journal of Molecular Sciences, 2022, 23, 5979. | 1.8 | 3 |
| 1197 | The efficacy of immune checkpoint blockade for melanoma in-transit with or without nodal metastases – A multicenter cohort study. European Journal of Cancer, 2022, 169, 210-222. | 1.3 | 12 |
| 1198 | Current State of Adjuvant Therapy for Melanoma: Less Is More, or More Is Better?. American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2022, , 738-744. | 1.8 | 5 |
| 1200 | Sentinel node biopsy in thin melanoma: a retrospective descriptive cohort study. Journal of the European Academy of Dermatology and Venereology, 2022, 36, . | 1.3 | 2 |
| 1201 | European consensus-based interdisciplinary guideline for melanoma. Part 2: Treatment - Update 2022. European Journal of Cancer, 2022, 170, 256-284. | 1.3 | 92 |
| 1202 | CD3D Is an Independent Prognostic Factor and Correlates With Immune Infiltration in Gastric Cancer. Frontiers in Oncology, 0, 12 , . | 1.3 | 5 |
| 1203 | The role of sentinel node tumor burden in modeling the prognosis of melanoma patients with positive sentinel node biopsy: an Italian melanoma intergroup study (N = 2,086). BMC Cancer, 2022, 22, . | 1.1 | 5 |
| 1204 | Evaluating and Embracing Modern Imaging Technology to Guide Sentinel Node Biopsy for Melanoma. Annals of Surgical Oncology, 2022, 29, 5350-5352. | 0.7 | 1 |
| 1205 | Breslow thickness 2.0: Why gene expression profiling is a step toward better patient selection for sentinel lymph node biopsies. Modern Pathology, 2022, 35, 1509-1514. | 2.9 | 7 |
| 1206 | Skin Cancer Disease Detection Using Transfer Learning Technique. Applied Sciences (Switzerland), 2022, 12, 5714. | 1.3 | 28 |
| 1207 | Cutaneous melanoma. , 2023, , 370-375. | | 0 |
| 1210 | Treatment Approaches for Melanomas That Relapse After Adjuvant or Neoadjuvant Therapy. Current Oncology Reports, 2022, 24, 1273-1280. | 1.8 | 5 |
| 1211 | Does Residual Invasive Disease in Wide Local Excision after Diagnosis with Partial Biopsy Technique Influence Survival in Melanoma? Matched-Pair Analysis of Multicenter Selective Lymphadenectomy Trial I and II. Journal of the American College of Surgeons, 2022, 235, 49-59. | 0.2 | 4 |
| 1212 | Adjuvant Anti-PD-1 Antibody Therapy for Advanced Melanoma: A Multicentre Study of 78 Japanese Cases. Acta Dermato-Venereologica, 0, 102, adv00756. | 0.6 | 8 |
| 1213 | Prognosis of Patients With Primary Melanoma Stage I and II According to American Joint Committee on Cancer Version 8 Validated in Two Independent Cohorts: Implications for Adjuvant Treatment. Journal of Clinical Oncology, 2022, 40, 3741-3749. | 0.8 | 33 |
| 1214 | A novel 7 RNA-based signature for prediction of prognosis and therapeutic responses of wild-type BRAF cutaneous melanoma. Biological Procedures Online, 2022, 24, . | 1.4 | 0 |
| 1215 | Advancedâ€Stage Melanoma at Presentation Following the Peak of the Pandemic: A COVIDâ€19 Cancer Canary in a Coal Mine. World Journal of Surgery, 2022, 46, 1820-1825. | 0.8 | 5 |

| # | Article | IF | Citations |
|------|--|-----|-----------|
| 1216 | Using a Clinicopathologic and Gene Expression (CP-GEP) Model to Identify Stage I–II Melanoma Patients at Risk of Disease Relapse. Cancers, 2022, 14, 2854. | 1.7 | 9 |
| 1217 | Sinonasal Mucosal Melanoma: Role of Tumor Proliferative Indices and Pathological Factors in Survival. Laryngoscope, 2022, 132, 2350-2358. | 1.1 | 7 |
| 1218 | Immune checkpoint inhibitors-associated thrombosis in patients with lung cancer and melanoma: a study of the Spanish society of medical oncology (SEOM) thrombosis and cancer group. Clinical and Translational Oncology, 2022, 24, 2010-2020. | 1.2 | 8 |
| 1219 | Symptomatic melanoma metastases in the brain: are we using all therapy options?. Meditsinskiy Sovet, 2022, , 66-74. | 0.1 | 0 |
| 1220 | Immunophenotype of tumor-infiltrating lymphocytes in atypical Spitzoid tumors according to the risk of progression. Annals of Diagnostic Pathology, 2022, 60, 151985. | 0.6 | 1 |
| 1221 | Statistical analysis of 225 cases with malignant melanoma, assessed during 2008-2017, in the Department of Dermatology, Osaka City University Graduate School of Medicine. Skin Cancer, 2022, 37, 22-26. | 0.1 | 0 |
| 1222 | Primary Intracranial Brainstem Malignant Melanoma: A Technical Case Report. Operative Neurosurgery, 2022, 23, e139-e142. | 0.4 | 1 |
| 1223 | Clinicopathological Characteristics Predicting Further Recurrence and Survival Following Resection of In-Transit Melanoma Metastases. Annals of Surgical Oncology, 2022, 29, 7019-7028. | 0.7 | 3 |
| 1224 | Predictors of Sentinel Lymph Node Metastasis in Patients with Thin Melanoma: An International Multi-institutional Collaboration. Annals of Surgical Oncology, 2022, 29, 7010-7017. | 0.7 | 3 |
| 1225 | The prognostic significance of the clinical and histological parameters in primary cutaneous melanoma patients. Medicine and Pharmacy Reports, 0, , . | 0.2 | 1 |
| 1226 | A population-based validation study of the 8th edition UICC/AJCC TNM staging system for cutaneous melanoma. BMC Cancer, 2022, 22, . | 1.1 | 5 |
| 1227 | Role and Place of PET/CT in the Assessment of Skin Melanoma Prevalence. Vestnik Rentgenologii I Radiologii, 2022, 103, 77-82. | 0.1 | 3 |
| 1228 | A Novel Necroptosis-Related Gene Signature in Skin Cutaneous Melanoma Prognosis and Tumor Microenvironment. Frontiers in Genetics, 0, 13, . | 1.1 | 14 |
| 1229 | Identification of a Seven-Differentially Expressed Gene-Based Recurrence-Free Survival Model for Melanoma Patients. Disease Markers, 2022, 2022, 1-14. | 0.6 | 1 |
| 1230 | Xeroderma Pigmentosum: A Genetic Condition Skin Cancer Correlatedâ€"A Systematic Review. BioMed Research International, 2022, 2022, 1-12. | 0.9 | 7 |
| 1231 | Metastasis of Melanoma to the Adrenal Glands: A Case Report and Literature Review. Cureus, 2022, , . | 0.2 | 1 |
| 1232 | EPAC Regulates Melanoma Growth by Stimulating mTORC1 Signaling and Loss of EPAC Signaling Dependence Correlates with Melanoma Progression. Molecular Cancer Research, 2022, 20, 1548-1560. | 1.5 | 3 |
| 1233 | Early Response Assessment in Advanced Stage Melanoma Treated with Combination Ipilimumab/Nivolumab. Frontiers in Immunology, 0, 13, . | 2.2 | 2 |

| # | Article | IF | Citations |
|------|---|--------------|--------------|
| 1234 | The Impact of SARS-CoV-2 Pandemic on Patients with Malignant Melanoma at a Romanian Academic Center: A Four-Year Retrospective Analysis. International Journal of Environmental Research and Public Health, 2022, 19, 8499. | 1.2 | 8 |
| 1235 | Optimizing treatment approaches for patients with cutaneous melanoma by integrating clinical and pathologic features with the 31-gene expression profile test. Journal of the American Academy of Dermatology, 2022, 87, 1312-1320. | 0.6 | 12 |
| 1236 | Local delivery of low-dose anti–CTLA-4 to the melanoma lymphatic basin leads to systemic T _{reg} reduction and effector T cell activation. Science Immunology, 2022, 7, . | 5 . 6 | 18 |
| 1237 | Objective assessment of tumor infiltrating lymphocytes as a prognostic marker in melanoma using machine learning algorithms. EBioMedicine, 2022, 82, 104143. | 2.7 | 12 |
| 1239 | Follow-up Schedule for Patients With Sentinel Node–negative Cutaneous Melanoma (The MELFO) Tj ETQq0 0 | 0 rgBT /Ον | erlock 10 Tf |
| 1240 | Treatment reality of patients with BRAF-mutant advanced/metastatic melanoma in Switzerland in the era of choice. Melanoma Research, 0, Publish Ahead of Print, . | 0.6 | 1 |
| 1241 | CaracterÃsticas del melanoma cutÃjneo en dos instituciones de BogotÃj, Colombia: AnÃjlisis 2012-2016. Revista Colombiana De CancerologÃa, 2021, 25, 188-195. | 0.0 | 2 |
| 1242 | An updated algorithm integrated with patient data for the differentiation of atypical nevi from early melanomas: the idScore 2021. Dermatology Practical and Conceptual, 0, , e2022134. | 0.5 | 5 |
| 1243 | Clinical Outcomes and Risk Stratification of Early-Stage Melanoma Micrometastases From an International Multicenter Study: Implications for the Management of American Joint Committee on Cancer IIIA Disease. Journal of Clinical Oncology, 2022, 40, 3940-3951. | 0.8 | 13 |
| 1244 | Comparing the associations between host and tumor factors with survival outcomes with <scp>antiâ€PD</scp> â€1 immunotherapy in metastatic melanoma. Cancer Medicine, 2023, 12, 2427-2439. | 1.3 | 3 |
| 1245 | Detailed spatial immunophenotyping of primary melanomas reveals immune cell subpopulations associated with patient outcome. Frontiers in Immunology, $0,13,.$ | 2.2 | 8 |
| 1246 | Patient-reported tolerability of adjuvant ipilimumab (3 or 10Âmg/kg) versus high-dose interferon alfa-2b for resected high-risk stage Ill–lV melanoma in phase III trial E1609. Quality of Life Research, 0, , . | 1.5 | 0 |
| 1247 | α-Enolase inhibits apoptosis and promotes cell invasion and proliferation of skin cutaneous melanoma. Molecular Biology Reports, 2022, 49, 8241-8250. | 1.0 | 2 |
| 1248 | Dataset for the Reporting of Merkel Cell Carcinoma. American Journal of Surgical Pathology, 0, Publish Ahead of Print, . | 2.1 | 1 |
| 1249 | Acral Melanocytic Neoplasms: A Comprehensive Review of Acral Nevus and Acral Melanoma in Asian Perspective. Dermatopathology (Basel, Switzerland), 2022, 9, 292-303. | 0.7 | 5 |
| 1250 | Investigation of CTLA4's Application in Advanced Melanoma with Ipilimumab and Nivolumab. , 0, 8, 481-489. | | 0 |
| 1251 | Prognostic or Therapeutic—The Role of Sentinel Lymph Node Biopsy in Contemporary Practice. JAMA Surgery, 2022, 157, 843. | 2.2 | 3 |
| 1252 | Machine learning algorithm-generated and multi-center validated melanoma prognostic signature with inspiration for treatment management. Cancer Immunology, Immunotherapy, 2023, 72, 599-615. | 2.0 | 4 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1253 | Landscape of mutations in early stage primary cutaneous melanoma: An <scp>InterMEL</scp> study. Pigment Cell and Melanoma Research, 2022, 35, 605-612. | 1.5 | 8 |
| 1254 | Efficacy of Large Use of Combined Hypofractionated Radiotherapy in a Cohort of Anti-PD-1 Monotherapy-Treated Melanoma Patients. Cancers, 2022, 14, 4069. | 1.7 | 4 |
| 1255 | Visceral adiposity and systemic inflammation in the obesity paradox in patients with unresectable or metastatic melanoma undergoing immune checkpoint inhibitor therapy: a retrospective cohort study. , 2022, 10, e005226. | | 17 |
| 1256 | Adjuvant therapy in stage IIB and IIC melanoma: is sentinel biopsy needed?. Lancet, The, 2022, 400, 559. | 6.3 | 1 |
| 1257 | Adjuvant nivolumab versus ipilimumab (CheckMate 238 trial): Reassessment of 4-year efficacy outcomes in patients with stage III melanoma per AJCC-8 staging criteria. European Journal of Cancer, 2022, 173, 285-296. | 1.3 | 16 |
| 1258 | Reporting of melanoma cell densities in the sentinel node refines outcome prediction. European Journal of Cancer, 2022, 174, 121-130. | 1.3 | 2 |
| 1259 | Four Immune Modulating Genes in Primary Melanoma That Predict Metastatic Potential. Journal of Surgical Research, 2022, 279, 682-691. | 0.8 | 1 |
| 1260 | A general class of promotion time cure rate models with a new biological interpretation. Lifetime Data Analysis, 2023, 29, 66-86. | 0.4 | 1 |
| 1261 | Dynamics of plasma thymidine kinase activity in metastatic melanoma reflects immune checkpoint inhibitor efficacy. Acta Oncol \tilde{A}^3 gica, 2022, 61, 1116-1120. | 0.8 | 2 |
| 1262 | Cumulative incidence and risk factors of brain metastasis for acral and mucosal melanoma patients with stages l–III. European Journal of Cancer, 2022, 175, 196-203. | 1.3 | 1 |
| 1263 | Anti-melanoma effect and action mechanism of a novel chitosan-based composite hydrogel containing hydroxyapatite nanoparticles. International Journal of Energy Production and Management, 2022, 9, . | 1.9 | 2 |
| 1264 | Diagnostic Applications of Nuclear Medicine: Malignant Melanoma. , 2022, , 1235-1269. | | 0 |
| 1265 | Radioguided Surgery for Malignant Melanoma. , 2022, , 1595-1631. | | 0 |
| 1266 | Survival of patients with stage IIIC and IIID melanomas with nodal metastases in the light of new therapies. Postepy Dermatologii I Alergologii, 2022, 39, 1141-1150. | 0.4 | 1 |
| 1267 | Clinicopathologic characteristics of cutaneous melanoma - A single-center retrospective study. Srpski Arhiv Za Celokupno Lekarstvo, 2022, 150, 533-538. | 0.1 | 0 |
| 1268 | Contrastive andÂAttention-Based Multiple Instance Learning forÂtheÂPrediction ofÂSentinel Lymph Node Status fromÂHistopathologies ofÂPrimary Melanoma Tumours. Lecture Notes in Computer Science, 2022, , 57-66. | 1.0 | 0 |
| 1269 | Healthâ€related quality of life in stage IIIâ€IV melanoma treated with targeted therapy or immunotherapy: A systematic review on the adequacy of reporting and clinical issues in phase III randomized controlled trials. Cancer Medicine, 2023, 12, 2262-2280. | 1.3 | 1 |
| 1270 | Ulcerated Cutaneous Melanoma: A Review of the Clinical, Histologic, and Molecular Features Associated with a Clinically Aggressive Histologic Phenotype. Clinical, Cosmetic and Investigational Dermatology, 0, Volume 15, 1743-1757. | 0.8 | 4 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1271 | Resilience of melanoma diagnostics at a tertiary-care hospital during the SARS-CoV-2 pandemic. JAAD International, 2022, 9, 78-79. | 1.1 | 0 |
| 1272 | Multivariate logistic regression analysis of the correlation between five biomarkers and ovarian cancer in patients with intermediate-risk: A prospective cross-sectional study. Frontiers in Cell and Developmental Biology, 0, 10 , . | 1.8 | 1 |
| 1273 | Evaluation of the Transplant Recipient. Nephrology Self-assessment Program: NephSAP, 2022, 21, 246-258. | 3.0 | 0 |
| 1274 | <i>BRAF</i> and <i>NRAS</i> Mutation Status and Response to Checkpoint Inhibition in Advanced Melanoma. JCO Precision Oncology, 2022, , . | 1.5 | 5 |
| 1275 | WZB117 enhanced the anti-tumor effect of apatinib against melanoma via blocking STAT3/PKM2 axis. Frontiers in Pharmacology, 0, 13 , . | 1.6 | 3 |
| 1276 | Hypoxia and Ezrin Expression in Primary Melanoma Have High Prognostic Relevance. International Journal of Molecular Sciences, 2022, 23, 10745. | 1.8 | 1 |
| 1277 | Detection of cutaneous malignant melanoma using RNA sampled by tape strips: A study protocol. PLoS ONE, 2022, 17, e0274413. | 1.1 | 4 |
| 1278 | Intratumoral CD73: An immune checkpoint shaping an inhibitory tumor microenvironment and implicating poor prognosis in Chinese melanoma cohorts. Frontiers in Immunology, 0, 13, . | 2.2 | 8 |
| 1279 | Transcriptome profiles of fatty acid metabolism-related genes and immune infiltrates identify hot tumors for immunotherapy in cutaneous melanoma. Frontiers in Genetics, $0,13,\ldots$ | 1.1 | 1 |
| 1280 | Neoadjuvant therapy for melanoma: A critical appraisal. Journal of Surgical Oncology, 0, , . | 0.8 | 0 |
| 1281 | HLA-DRB1: A new potential prognostic factor and therapeutic target of cutaneous melanoma and an indicator of tumor microenvironment remodeling. PLoS ONE, 2022, 17, e0274897. | 1.1 | 3 |
| 1282 | Prognostic impact of Breslow thickness in acral melanoma: A retrospective analysis. Journal of the American Academy of Dermatology, 2022, , . | 0.6 | 3 |
| 1283 | Current and future approaches in the surgical management of T3b/ <scp>T4</scp> primary and locoregionally advanced melanoma. Cancer, 2022, 128, 3764-3771. | 2.0 | 1 |
| 1284 | Clinical predictors of survival in real world practice in stage <scp>IV</scp> melanoma. Cancer Reports, 0, , . | 0.6 | 1 |
| 1285 | Melanoma Management: From Epidemiology to Treatment and Latest Advances. Cancers, 2022, 14, 4652. | 1.7 | 32 |
| 1286 | Identification of a predictive gene signature related to pyroptosis for the prognosis of cutaneous melanoma. Medicine (United States), 2022, 101, e30564. | 0.4 | 2 |
| 1287 | Five-Year Analysis of Adjuvant Pembrolizumab or Placebo in Stage III Melanoma. , 2022, 1, . | | 29 |
| 1288 | Comprehensive transcriptomic analysis of immune-related eRNAs associated with prognosis and immune microenvironment in melanoma. Frontiers in Surgery, 0, 9, . | 0.6 | 0 |

| # | Article | IF | CITATIONS |
|------|---|-----|-----------|
| 1289 | Identification of an endoplasmic reticulum stress-associated gene signature to predict the immune status and prognosis of cutaneous melanoma. Medicine (United States), 2022, 101, e30280. | 0.4 | 0 |
| 1290 | Chemotherapy in combination with anti-PD-1 agents as adjuvant therapy for high-risk oral mucosal melanoma. Journal of Cancer Research and Clinical Oncology, 0, , . | 1.2 | 1 |
| 1292 | Sentinel lymph node biopsy in patients with T1a cutaneous malignant melanoma: A multicenter cohort study. Journal of the American Academy of Dermatology, 2023, 88, 52-59. | 0.6 | 8 |
| 1293 | DNA methylome combined with chromosome cluster-oriented analysis provides an early signature for cutaneous melanoma aggressiveness. ELife, $0,11,.$ | 2.8 | 2 |
| 1294 | Ulceration vs. Mitosis in Cutaneous Melanoma: Which Is Superior for Predicting Prognosis Across Clinical Stages?. Cancer Investigation, 2022, 40, 842-851. | 0.6 | 0 |
| 1295 | Pigmented Nail Lesions: When to Observe, When to Biopsy, When to Widely Excise, and When to Amputate?. Journal of Hand Surgery, 2022, 47, 988-997. | 0.7 | 2 |
| 1296 | Causes, consequences and clinical significance of an euploidy across melanoma subtypes. Frontiers in Oncology, $0,12,.$ | 1.3 | 1 |
| 1297 | Adjuvant pembrolizumab versus placebo in resected high-risk stage II melanoma: Health-related quality of life from the randomized phase 3 KEYNOTE-716 study. European Journal of Cancer, 2022, 176, 207-217. | 1.3 | 7 |
| 1298 | Factors influencing acceptance, adoption and adherence to sentinel node biopsy recommendations in the Australian Melanoma Management Guidelines: a qualitative study using an implementation science framework. Implementation Science Communications, 2022, 3, . | 0.8 | 1 |
| 1299 | Efficacy comparison between anti-PD-1 antibody monotherapy and anti-PD-1 plus anti-CTLA-4 combination therapy as first-line immunotherapy for advanced acral melanoma: A retrospective, multicenter study of 254 Japanese patients. European Journal of Cancer, 2022, 176, 78-87. | 1.3 | 13 |
| 1301 | Systemic adjuvant therapy for high-risk cutaneous melanoma. Therapeutic Advances in Medical Oncology, 2022, 14, 175883592211340. | 1.4 | 7 |
| 1302 | Advances in the Application of Nanomaterials to the Treatment of Melanoma. Pharmaceutics, 2022, 14, 2090. | 2.0 | 2 |
| 1303 | Effects of modern antitumor drug therapy possibilities to skin melanoma on oncological and epidemiological indicators in the Krasnoyarsk region. Russian Journal of Oncology, 2022, 26, 111-120. | 0.1 | 0 |
| 1304 | The importance of mitosis ≥2 in selecting patients with T1 cutaneous melanomas for sentinel lymph node biopsy. Melanoma Research, 2022, 32, 469-476. | 0.6 | 0 |
| 1306 | Comparison of 18F-FDG PET/CT and ultrasound in staging of patients with malignant melanoma. Medicine (United States), 2022, 101, e31092. | 0.4 | 0 |
| 1307 | Hyperspectral Imaging for Non-invasive Diagnostics of Melanocytic Lesions. Acta Dermato-Venereologica, 0, 102, adv00815. | 0.6 | 1 |
| 1309 | Prediction of early-stage melanoma recurrence using clinical and histopathologic features. Npj Precision Oncology, 2022, 6, . | 2.3 | 10 |
| 1310 | Machine Learning Techniques in Predicting BRAF Mutation Status in Cutaneous Melanoma From Clinical and Histopathologic Features. Applied Immunohistochemistry and Molecular Morphology, 2022, 30, 674-680. | 0.6 | 3 |

| # | Article | IF | CITATIONS |
|------|--|------|-----------|
| 1311 | Melanoma lymph node metastases $\hat{a} \in \hat{b}$ moving beyond quantity in clinical trial design and contemporary practice. Frontiers in Oncology, 0, 12, . | 1.3 | 4 |
| 1313 | Nerve Density and Neuronal Biomarkers in Cancer. Cancers, 2022, 14, 4817. | 1.7 | 11 |
| 1314 | Sentinel Lymph Node Gene Expression Signature Predicts Recurrence-Free Survival in Cutaneous Melanoma. Cancers, 2022, 14, 4973. | 1.7 | 1 |
| 1315 | Identification of an ergosterol derivative with anti-melanoma effect from the sponge-derived fungus Pestalotiopsis sp. XWS03F09. Frontiers in Microbiology, 0, 13, . | 1.5 | 1 |
| 1316 | Obstructive sleep apnoea is related to melanoma aggressiveness through paraspeckle protein-1 upregulation. European Respiratory Journal, 2023, 61, 2200707. | 3.1 | 6 |
| 1317 | Melanoma classification and management in the era of molecular medicine. Dermatologic Clinics, 2023, 41, 49-63. | 1.0 | 15 |
| 1318 | Association of Immune-Related Adverse Event Management With Survival in Patients With Advanced Melanoma. JAMA Oncology, 2022, 8, 1794. | 3.4 | 33 |
| 1319 | Vulvar Malignant Melanoma: A Narrative Review. Cancers, 2022, 14, 5217. | 1.7 | 2 |
| 1321 | Neoadjuvant relatlimab and nivolumab in resectable melanoma. Nature, 2022, 611, 155-160. | 13.7 | 114 |
| 1322 | A population-based cohort study for presence of ulceration among cutaneous malignant melanoma subgroups of patients. Frontiers in Oncology, 0, 12 , . | 1.3 | 1 |
| 1323 | Near complete remission of a locally advanced giant melanoma of the vulva following hypoâ€'fractionated radiotherapy and immune checkpoint inhibitors: A case report. Oncology Letters, 2022, 24, . | 0.8 | 1 |
| 1324 | Pembrolizumab versus placebo as adjuvant therapy in resected stage IIB or IIC melanoma (KEYNOTE-716): distant metastasis-free survival results of a multicentre, double-blind, randomised, phase 3 trial. Lancet Oncology, The, 2022, 23, 1378-1388. | 5.1 | 64 |
| 1325 | Prognostic significance of age on superficial spreading melanoma after resection: lessons from <scp>SEER</scp> database involving 12 536 patients. ANZ Journal of Surgery, 0, , . | 0.3 | 0 |
| 1326 | Real-world clinical outcomes of patients with stage IIB or IIC cutaneous melanoma treated at US community oncology clinics. Future Oncology, 2022, 18, 3755-3767. | 1.1 | 1 |
| 1327 | Prognostic modeling of cutaneous melanoma stage I patients using cancer registry data identifies subsets with very″ow melanoma mortality. Cancer, 2023, 129, 89-97. | 2.0 | 7 |
| 1328 | Recurrence of a Cellular Blue Nevus with Satellitosis—A Diagnostic Pitfall with Clinical Consequences. Dermatopathology (Basel, Switzerland), 2022, 9, 361-367. | 0.7 | 0 |
| 1329 | Tissue-resident memory T cells in the era of (Neo) adjuvant melanoma management. Frontiers in Immunology, 0, 13, . | 2.2 | 5 |
| 1330 | Subcapsular Sinus Macrophages Promote Melanoma Metastasis to the Sentinel Lymph Nodes via an IL1α–STAT3 Axis. Cancer Immunology Research, 2022, 10, 1525-1541. | 1.6 | 3 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1331 | Sentinel Lymph Node Biopsy in Cutaneous Melanoma, a Clinical Point of View. Medicina (Lithuania), 2022, 58, 1589. | 0.8 | 1 |
| 1332 | Genomic and proteomic findings in early melanoma and opportunities for early diagnosis. Experimental Dermatology, 2023, 32, 104-116. | 1.4 | 1 |
| 1333 | The Integrated 31-Gene Expression Profile (i31-GEP) Test for Cutaneous Melanoma Outperforms a Clinicopathologic-only Nomogram at Identifying Patients who can Forego Sentinel Lymph Node Biopsy. SKIN the Journal of Cutaneous Medicine, 2022, 6, 463-473. | 0.1 | 4 |
| 1334 | The Integrated 31-Gene Expression Profile Test (i31-GEP) for Cutaneous Melanoma Outperforms the CP-GEP at Identifying Patients who can Forego Sentinel Lymph Node Biopsy when Applying NCCN Guidelines. SKIN the Journal of Cutaneous Medicine, 2022, 6, 474-481. | 0.1 | 1 |
| 1335 | Identification of m7G-associated IncRNA prognostic signature for predicting the immune status in cutaneous melanoma. Aging, 2022, 14, 5233-5249. | 1.4 | 19 |
| 1336 | Classifications., 2022, , 13-24. | | 0 |
| 1337 | Ultrasound of Cutaneous Melanoma: Primary Tumor Assessment and Locoregional Staging. , 2022, , 213-249. | | 1 |
| 1338 | Patient Preferences and Satisfaction With Decisions in Stage-III Melanoma: A Mixed Methods Study. Journal of Surgical Research, 2023, 283, 485-493. | 0.8 | 0 |
| 1339 | Integration of Context., 2022,, 79-99. | | 0 |
| 1340 | Dermatologic Concepts and Terminology. , 2022, , 21-72. | | 0 |
| 1341 | Amelanotic nodular malignant melanoma in a patient with a family history of skin cancers. Russian Journal of Skin and Venereal Diseases, 2022, 25, 261-268. | 0.0 | 0 |
| 1342 | Not Your Mother's Melanoma: Causes and Effects of Early Melanoma Diagnosis. Dermatopathology (Basel, Switzerland), 2022, 9, 368-378. | 0.7 | 0 |
| 1343 | Risk Stratification of Sentinel Node Metastasis Disease Burden and Phenotype in Stage III Melanoma Patients. Annals of Surgical Oncology, 0, , . | 0.7 | 2 |
| 1344 | Cost evaluation of the Merlin assay for predicting melanoma sentinel lymph node biopsy metastasis. International Journal of Dermatology, 2023, 62, 56-61. | 0.5 | 1 |
| 1345 | Activated Eosinophils Predict Longer Progression-Free Survival under Immune Checkpoint Inhibition in Melanoma. Cancers, 2022, 14, 5676. | 1.7 | 3 |
| 1346 | Melanoma awareness and prevention among latinx and non″atinx white adults in urban and rural California: A qualitative exploration. Cancer Medicine, 2023, 12, 7438-7449. | 1.3 | 4 |
| 1347 | Sentinel lymph node biopsy status improves adjuvant therapy decision-making in patients with clinical stage IIB/C melanoma: A population-based analysis. Journal of the American Academy of Dermatology, 2023, 88, 802-807. | 0.6 | 6 |
| 1348 | Fiveâ€year survival and clinical correlates among patients with advanced nonâ€small cell lung cancer, melanoma and renal cell carcinoma treated with immune checkâ€point inhibitors in Australian tertiary oncology centres. Cancer Medicine, 2023, 12, 6788-6801. | 1.3 | 2 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1349 | Prognostic Hematologic Biomarkers Following Immune Checkpoint Inhibition in Metastatic Uveal Melanoma. Cancers, 2022, 14, 5789. | 1.7 | 3 |
| 1350 | PET/CT radiomics for prediction of hyperprogression in metastatic melanoma patients treated with immune checkpoint inhibitors. Frontiers in Oncology, 0, 12 , . | 1.3 | 3 |
| 1351 | Risk of Overusing Sentinel Node Biopsy in Patients With Thin Melanoma. Journal of Clinical Oncology, 0, , . | 0.8 | 0 |
| 1352 | Reply to A. Mangla and E. Hindié. Journal of Clinical Oncology, 0, , . | 0.8 | 0 |
| 1353 | Molecular Detection of Lymph Node Metastases in Lung Cancer Patients Using the One-Step Nucleic Acid Amplification Method:Clinical Significance and Prognostic Value. Cells, 2022, 11, 4010. | 1.8 | 0 |
| 1354 | Metastatic melanoma and rare melanoma variants: a review. Pathology, 2023, 55, 236-244. | 0.3 | 6 |
| 1355 | <scp>FLI</scp> â€1/ <scp>Melanâ€A</scp> dual stain is an alternative to <scp>PRAME</scp> in differentiating metastatic melanoma from nodal nevus: A monocentric retrospective study. Journal of Cutaneous Pathology, 0, , . | 0.7 | 2 |
| 1356 | Impact of the COVID-19 Pandemic on Melanoma Diagnosis: Increased Breslow Thickness in Primary Melanomas—A Single Center Experience. International Journal of Environmental Research and Public Health, 2022, 19, 16806. | 1.2 | 5 |
| 1357 | ASO Author Reflections: Risk Stratification of Sentinel Node Metastases in Stage III Melanoma Patients in the Era of Adjuvant Systemic Therapy. Annals of Surgical Oncology, 0, , . | 0.7 | 0 |
| 1358 | Melanoma of the Scalp and Neck: A Population-Based Analysis of Survival and Treatment Patterns. Cancers, 2022, 14, 6052. | 1.7 | 1 |
| 1359 | The number of metastatic lymph nodes optimizes staging in patients aged 55 years or older with papillary thyroid cancer. Frontiers in Endocrinology, $0, 13, .$ | 1.5 | 0 |
| 1360 | Changes in outcomes and factors associated with survival in melanoma patients with brain metastases. Neuro-Oncology, 2023, 25, 1310-1320. | 0.6 | 5 |
| 1361 | Preoperative assessment of cutaneous melanoma thickness by multispectral dermoscopy. Melanoma Research, 2023, 33, 84-86. | 0.6 | 0 |
| 1362 | The expression pattern of pyroptosis-related genes predicts the prognosis and drug response of melanoma. Scientific Reports, 2022, 12, . | 1.6 | 3 |
| 1363 | Serum Neu5Gc biomarkers are elevated in primary cutaneous melanoma. Biochemical and Biophysical Research Communications, 2023, 642, 162-166. | 1.0 | 3 |
| 1364 | The Utility of Pre-Treatment Inflammation Markers as Associative Factors to the Adverse Outcomes of Vulvar Cancer: A Study on Staging, Nodal Involvement, and Metastasis Models. Journal of Clinical Medicine, 2023, 12, 96. | 1.0 | 2 |
| 1365 | Evaluation of dynamic dermoscopic features of melanoma and benign naevi by sequential digital dermoscopic imaging and total body photography in a highâ€risk Australian cohort. Australasian Journal of Dermatology, 0, , . | 0.4 | 1 |
| 1366 | Melanoma Survival by Age Group: Population-Based Disparities for Adolescent and Young Adult Patients by Stage, Tumor Thickness, and Insurance Type. Journal of the American Academy of Dermatology, 2023, , . | 0.6 | 0 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1367 | Adjuvant BRAF-MEK Inhibitors versus Anti PD-1 Therapy in Stage III Melanoma: A Propensity-Matched Outcome Analysis. Cancers, 2023, 15, 409. | 1.7 | 3 |
| 1368 | Identification of high-risk patients with a seven-biomarker prognostic signature for adjuvant treatment trial recruitment in American Joint Committee on Cancer v8 stage l–IIA cutaneous melanoma. European Journal of Cancer, 2023, 182, 77-86. | 1.3 | 5 |
| 1369 | Phytochemical Constituents and Derivatives of Cannabis sativa; Bridging the Gap in Melanoma Treatment. International Journal of Molecular Sciences, 2023, 24, 859. | 1.8 | 8 |
| 1370 | Real-world treatment patterns and outcomes in patients with metastatic melanoma. Srpski Arhiv Za Celokupno Lekarstvo, 2023, , 6-6. | 0.1 | 0 |
| 1371 | Construction, validation and, visualization of a web-based nomogram to identify the best candidates for primary tumor resection in advanced cutaneous melanoma patients. Frontiers in Surgery, 0, 9, . | 0.6 | 0 |
| 1372 | Conditional survival in patients with stage IBâ€IIIA melanoma undergoing sentinel node biopsy in Queensland: A longitudinal study. Australasian Journal of Dermatology, 0, , . | 0.4 | 0 |
| 1373 | Tertiary lymphoid structures in desmoplastic melanoma have increased lymphocyte density, lymphocyte proliferation, and immune cross talk with tumor when compared to non-desmoplastic melanomas. Oncolmmunology, 2023, 12, . | 2.1 | 4 |
| 1374 | Predictive accuracy of elevated mitotic rate on lymph node positivity and recurrence in thin melanomas. Frontiers in Oncology, 0, 12, . | 1.3 | 1 |
| 1375 | Distant metastasis-free survival with adjuvant pembrolizumab for resected stage IIB or IIC melanoma – Authors' reply. Lancet Oncology, The, 2023, 24, e8. | 5.1 | 0 |
| 1376 | Outcomes of invasive melanoma of the head and neck treated with Mohs micrographic surgery – A multicenter study. Journal of the American Academy of Dermatology, 2023, 89, 544-550. | 0.6 | 5 |
| 1377 | Association of metformin use and survival in patients with cutaneous melanoma and diabetes. British Journal of Dermatology, 2023, 188, 32-40. | 1.4 | 4 |
| 1378 | Identification of stage I/II melanoma patients at high risk for recurrence using a model combining clinicopathologic factors with gene expression profiling (CP-GEP). European Journal of Cancer, 2023, 182, 155-162. | 1.3 | 9 |
| 1379 | Tumor Burden and Health-Related Quality of Life in Patients with Melanoma In-Transit Metastases. Cancers, 2023, 15, 161. | 1.7 | 1 |
| 1380 | Alternatives and reduced need for sentinel lymph node biopsy (SLNB) staging for melanoma. European Journal of Cancer, 2023, 182, 163-169. | 1.3 | 6 |
| 1381 | Establishment and validation of a nomogram for predicting immune-related prognostic features in trunk melanoma-specific death. Annals of Translational Medicine, 2022, 10, 1371-1371. | 0.7 | 0 |
| 1382 | Melanoma in pregnancy. Abdominal Radiology, 2023, 48, 1740-1751. | 1.0 | 1 |
| 1383 | C-Reactive Protein and Lymphocyte-to-Monocyte Ratio Predict Recurrence in Stage III Melanoma Patients with Microscopic Sentinel Lymph Node Metastasis. Cancers, 2023, 15, 702. | 1.7 | 1 |
| 1384 | Tumor immunology. , 2023, , 245-452. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1385 | A role for pelvic sentinel lymph nodes in lower extremity melanoma?. Scandinavian Journal of Surgery, 0, , 145749692211499. | 1.3 | 0 |
| 1386 | The 31-gene expression profile test informs sentinel lymph node biopsy decisions in patients with cutaneous melanoma: results of a prospective, multicenter study. Current Medical Research and Opinion, 2023, 39, 417-423. | 0.9 | 3 |
| 1387 | Skin cancer excisions and histopathology outcomes when following a contemporary populationâ€based cohort longitudinally with 3D totalâ€body photography. Skin Health and Disease, 2023, 3, . | 0.7 | 1 |
| 1388 | Conventional and three-dimensional photography as a tool to map distribution patterns of in-transit melanoma metastases on the lower extremity. Frontiers in Medicine, 0 , 10 , . | 1.2 | 0 |
| 1389 | Kutanöz Malign Melanom Nedeniyle Takip Ettiğimiz Hastaların Klinikopatolojik Özellikleri. Turkish Journal of Clinics and Laboratory, 0, , . | 0.2 | 0 |
| 1390 | Lyotropic Liquid Crystal Precursor as an Innovative Herpes Simplex Virus Vector for Melanoma Therapy. , 0, , . | | O |
| 1391 | The Evolution of the Sentinel Node Biopsy in Melanoma. Life, 2023, 13, 489. | 1.1 | 1 |
| 1392 | Whole-Exome Sequencing and cfDNA Analysis Uncover Genetic Determinants of Melanoma Therapy Response in a Real-World Setting. International Journal of Molecular Sciences, 2023, 24, 4302. | 1.8 | 0 |
| 1393 | Suitability of tumor-associated antibodies as predictive biomarker for response to immune checkpoint inhibitors in patients with melanoma: a short report., 2023, 11, e006467. | | 1 |
| 1394 | The molecular and functional landscape of resistance to immune checkpoint blockade in melanoma. Nature Communications, 2023, 14, . | 5.8 | 17 |
| 1395 | Checkpoint blockade and <scp>BRAF</scp> / <scp>MEK</scp> therapy in the therapeutic setting improved the overall survival after sentinel node biopsy: A retrospective study comparing patients with primary care between 1998â€2009 and 2010â€2017. International Journal of Cancer, 2023, 153, 380-388. | 2.3 | 0 |
| 1396 | Immune infiltration associated C1q acts as a novel prognostic biomarker of cutaneous melanoma. Medicine (United States), 2023, 102, e33088. | 0.4 | 0 |
| 1397 | Dermoscopic features associated with 3â€GEP PLA: LINCO0518, PRAME, and TERT expression in suspicious pigmented lesions. Skin Research and Technology, 2023, 29, . | 0.8 | 3 |
| 1398 | Adherence with surveillance schedule in patients with invasive melanoma. Surgical Oncology, 2023, 48, 101943. | 0.8 | O |
| 1399 | Response to checkpoint inhibition and targeted therapy in melanoma patients with concurrent haematological malignancies. European Journal of Cancer, 2023, 186, 27-37. | 1.3 | 1 |
| 1400 | No association between physical activity and primary melanoma thickness in a cohort of Norwegian women. British Journal of Dermatology, 2023, 188, 670-690. | 1.4 | 0 |
| 1401 | Melanome der Haut und Schleimhaut. , 2022, , 205-236. | | 0 |
| 1402 | A Rapidly Changing Skin Lesion in an 11-year-old Boy. Pediatrics in Review, 2023, 44, 96-99. | 0.2 | 1 |

| # | Article | IF | CITATIONS |
|------|--|-----|-----------|
| 1403 | Immunotherapy for Cutaneous Melanoma. , 2023, , 1-35. | | 0 |
| 1404 | Reducing workload in malignant melanoma sentinel node examination: a national study of pathology reports from 507 melanoma patients. Journal of Clinical Pathology, 0, , jcp-2022-208743. | 1.0 | 0 |
| 1405 | Earlier Recurrence Detection Using Routine FDG PET-CT Scans in Surveillance of Stage IIB to IIID Melanoma: A National Cohort Study of 1480 Patients. Annals of Surgical Oncology, 2023, 30, 2377-2388. | 0.7 | 2 |
| 1406 | Nanodelivery systems for cutaneous melanoma treatment. European Journal of Pharmaceutics and Biopharmaceutics, 2023, 184, 214-247. | 2.0 | 6 |
| 1407 | Long-Term Sequential Digital Dermoscopy of Low-Risk Patients May Not Improve Early Diagnosis of Melanoma Compared to Periodical Handheld Dermoscopy. Cancers, 2023, 15, 1129. | 1.7 | 0 |
| 1408 | Revisiting the Role of the CXCL13/CXCR5-Associated Immune Axis in Melanoma: Potential Implications for Anti-PD-1-Related Biomarker Research. Life, 2023, 13, 553. | 1.1 | 2 |
| 1409 | Impact of second histopathological review of melanocytic skin lesions at a melanoma reference center in Brazil. Italian Journal of Dermatology and Venereology, 2023, 158, . | 0.1 | 0 |
| 1410 | Advances in Intralesional Therapy for Locoregionally Advanced and Metastatic Melanoma: Five Years of Progress. Cancers, 2023, 15, 1404. | 1.7 | 0 |
| 1411 | BRAF V600E Immunohistochemistry Predicts Prognosis of Patients with Cutaneous Melanoma in Thai population. Plastic and Reconstructive Surgery - Global Open, 2022, 10, e4605. | 0.3 | 1 |
| 1412 | The effect of tumor mitotic rate on melanoma-specific survival: An analysis of 54,598 cases. Journal of the American Academy of Dermatology, 2023, , . | 0.6 | 0 |
| 1413 | Long-term outcomes of margin-controlled excision for eyelid melanoma. Eye, 2023, 37, 1009-1013. | 1.1 | 1 |
| 1414 | Adjuvant treatment of inâ€ŧransit melanoma: Narrowing the knowledge gap left by clinical trials. International Journal of Cancer, 0, , . | 2.3 | 0 |
| 1415 | Myeloid-Derived Suppressor Cells (MDSC) in Melanoma Patients Treated with Anti-PD-1 Immunotherapy. Cells, 2023, 12, 789. | 1.8 | 2 |
| 1416 | The influence of metastatic patterns and tumor load on therapeutic efficacy of immunotherapy in patients with metastatic melanoma as determined by quantitative PET-parameters using [18F]-fluorodeoxyglucose PET/computed tomography. Melanoma Research, 2023, 33, 199-207. | 0.6 | 0 |
| 1417 | Early inflammatory biomarkers and melanoma survival. International Journal of Dermatology, 0, , . | 0.5 | 3 |
| 1418 | The Importance of Immunohistochemistry in the Evaluation of Tumor Depth of Primary Cutaneous Melanoma. Diagnostics, 2023, 13, 1020. | 1.3 | 2 |
| 1420 | Cutaneous Melanoma and Glioblastoma Multiforme Associationâ€"Case Presentation and Literature Review. Diagnostics, 2023, 13, 1046. | 1.3 | 0 |
| 1421 | Melanoma of unknown primary origin with skeletal muscle metastasis: a case report. Journal of Medical Case Reports, 2023, 17, . | 0.4 | 0 |

| # | Article | IF | CITATIONS |
|------|---|--------------------|--------------------------|
| 1422 | Similar local recurrence and survival in patients with <scp>T1</scp> radial growth phase melanoma on head and neck treated with 5 or 10 mm margins: A retrospective study. Journal of the European Academy of Dermatology and Venereology, 2023, 37, 1318-1326. | 1.3 | 0 |
| 1423 | Trends and patterns of care of sentinel node biopsy in cutaneous melanoma: a <scp>populationâ€based </scp> study in <scp>Queensland </scp> . ANZ Journal of Surgery, 0, , . | 0.3 | 2 |
| 1424 | Oncological healthcare providers $\hat{a} \in \mathbb{N}$ perspectives on appropriate melanoma survivorship care: a qualitative focus group study. BMC Cancer, 2023, 23, . | 1.1 | 1 |
| 1425 | Long-term outcomes of stage IIB–IV melanoma patients: nationwide data from Norway. Future Oncology, 2023, 19, 205-215. | 1.1 | O |
| 1426 | Study protocol for a randomised controlled trial to evaluate the use of melanoma surveillance photography to the Improve early detection of MelanomA in ultra-hiGh and high-risk patiEnts (the) Tj ETQq0 0 0 | rg ®T7 /Ov€ | erlo e k 10 Tf 50 |
| 1427 | Adjuvant dabrafenib and trametinib for patients with resected BRAF-mutated melanoma: DESCRIBE-AD real-world retrospective observational study. Melanoma Research, 2023, 33, 388-397. | 0.6 | 2 |
| 1428 | Melanoma of eyelid and periocular skin. , 2023, , 245-251. | | 0 |
| 1429 | InterMEL: An international biorepository and clinical database to uncover predictors of survival in early-stage melanoma. PLoS ONE, 2023, 18, e0269324. | 1.1 | 3 |
| 1430 | Opportunities to inform German residents about the possibility of skin cancer screening and to inform stakeholders to take appropriate actions: A qualitative approach. Cancer Medicine, 0, , . | 1.3 | 1 |
| 1453 | Emerging Soft Computation Tools for Skin Cancer Diagnostics. EAI/Springer Innovations in Communication and Computing, 2023, , 265-283. | 0.9 | 0 |
| 1502 | Oncolytic intralesional therapy for metastatic melanoma. Clinical and Experimental Metastasis, 0, , . | 1.7 | 0 |
| 1545 | Sentinel Lymph Node Biopsy. , 2023, , 1455-1460. | | 0 |
| 1546 | Vulvar Diseases. , 2023, , 1091-1111. | | 0 |
| 1556 | Isolated hyperthermic perfusions for cutaneous melanoma in-transit metastasis of the limb and uveal melanoma metastasis to the liver. Clinical and Experimental Metastasis, 0, , . | 1.7 | 1 |
| 1562 | Automatic Detection of Melanoma in Human Skin Lesions. Communications in Computer and Information Science, 2023, , 220-234. | 0.4 | 0 |
| 1581 | Management of melanoma: can we use gene expression profiling to help guide treatment and surveillance?. Clinical and Experimental Metastasis, 0, , . | 1.7 | 0 |
| 1601 | Sentinel lymph nodes in melanoma: necessary as ever for optimal treatment. Clinical and Experimental Metastasis, 0, , . | 1.7 | 0 |
| 1616 | Prognostic Factors, Staging, and Reporting of Melanoma. , 2024, , 261-268. | | 0 |

ARTICLE IF CITATIONS

Melanoma Metastatic to the Skin. , 2024, , 251-260.