## CITATION REPORT List of articles citing

Dose-Response Association of CD8+ Tumor-Infiltrating Lymphocytes and Survival Time in High-Grade Serous Ovarian Cancer

DOI: 10.1001/jamaoncol.2017.3290 JAMA Oncology, 2017, 3, e173290.

Source: https://exaly.com/paper-pdf/66916674/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
216	Dynamics of the Intratumoral Immune Response during Progression of High-Grade Serous Ovarian Cancer. <b>2018</b> , 20, 280-288		17
215	MyD88 and TLR4 Expression in Epithelial Ovarian Cancer. <b>2018</b> , 93, 307-320		14
214	Design of Peptide-Based Nanovaccines Targeting Leading Antigens From Gynecological Cancers to Induce HLA-A2.1 Restricted CD8 T Cell Responses. <b>2018</b> , 9, 2968		14
213	Ovarian Cancer-Intrinsic Fatty Acid Synthase Prevents Anti-tumor Immunity by Disrupting Tumor-Infiltrating Dendritic Cells. <b>2018</b> , 9, 2927		45
212	Epithelial Tumors of the Ovary. <b>2018</b> , 1-128		
211	Utility of CD8 score by automated quantitative image analysis in head and neck squamous cell carcinoma. <b>2018</b> , 86, 278-287		23
210	Candidate biomarkers of PARP inhibitor sensitivity in ovarian cancer beyond the BRCA genes. <b>2018</b> , 119, 1401-1409		100
209	Emerging Role and Future Directions of Immunotherapy in Advanced Ovarian Cancer. 2018, 32, 1025-10	)39	9
208	The DNA damage response in immunotherapy and radiation. <b>2018</b> , 3, 527-533		18
207	Major clinical research advances in gynecologic cancer in 2017. <b>2018</b> , 29, e31		18
206	Regulation of Ovarian Cancer Prognosis by Immune Cells in the Tumor Microenvironment. <b>2018</b> , 10,		54
205	Adoptive cell transfer using autologous tumor infiltrating lymphocytes in gynecologic malignancies. <b>2018</b> , 150, 361-369		18
204	Potent immunogenicity in BRCA1-mutated patients with high-grade serous ovarian carcinoma. <b>2018</b> , 22, 3979		28
203	T-cell Responses to "Hotspot" Mutations and Unique Neoantigens Expressed by Human Ovarian Cancers. <b>2018</b> , 24, 5562-5573		76
202	Personalising Treatment for High-Grade Serous Ovarian Carcinoma. <b>2018</b> , 30, 515-524		10
201	Association of p16 expression with prognosis varies across ovarian carcinoma histotypes: an Ovarian Tumor Tissue Analysis consortium study. <b>2018</b> , 4, 250-261		38
200	Interfaces of Malignant and Immunologic Clonal Dynamics in Ovarian Cancer. <b>2018</b> , 173, 1755-1769.e22		159

199	Role of tumor microenvironment in the pathobiology of ovarian cancer: Insights and therapeutic opportunities. <b>2018</b> , 7, 5047-5056	26
198	Ovarian Cancers: Genetic Abnormalities, Tumor Heterogeneity and Progression, Clonal Evolution and Cancer Stem Cells. <b>2018</b> , 5,	80
197	The Role of Intra-Tumoral Heterogeneity and Its Clinical Relevance in Epithelial Ovarian Cancer Recurrence and Metastasis. <b>2019</b> , 11,	20
196	Epithelial Tumors of the Ovary. <b>2019</b> , 841-966	6
195	Immune Heterogeneity Between Primary Tumors and Corresponding Metastatic Lesions and Response to Platinum Therapy in Primary Ovarian Cancer. <b>2019</b> , 11,	11
194	Tumor infiltrating lymphocytes can help to identify CD8+ tumor infiltrating lymphocytes and histopathologic subtypes of ovarian carcinoma. <b>2019</b> , 1246, 012033	
193	Lymphocyte-specific kinase expression is a prognostic indicator in ovarian cancer and correlates with a prominent B cell transcriptional signature. <b>2019</b> , 68, 1515-1526	8
192	Patients with BRCA mutated ovarian cancer may have fewer circulating MDSC and more peripheral CD8 T cells compared with women with BRCA wild-type disease during the early disease course. <b>2019</b> , 18, 3914-3924	3
191	Efficacy and Safety of Avelumab for Patients With Recurrent or Refractory Ovarian Cancer: Phase 1b Results From the JAVELIN Solid Tumor Trial. <i>JAMA Oncology</i> , <b>2019</b> , 5, 393-401	178
190	A combination of the immunohistochemical markers CK7 and SATB2 is highly sensitive and specific for distinguishing primary ovarian mucinous tumors from colorectal and appendiceal metastases. <b>2019</b> , 32, 1834-1846	21
189	Effect of an Integrated Payment System on the Direct Economic Burden and Readmission of Rural Cerebral Infarction Inpatients: Evidence from Anhui, China. <b>2019</b> , 16,	2
188	An international, phase III randomized trial in patients with mucinous epithelial ovarian cancer (mEOC/GOG 0241) with long-term follow-up: and experience of conducting a clinical trial in a rare gynecological tumor. <b>2019</b> , 153, 541-548	37
187	The Tumor Immune Microenvironment Drives a Prognostic Relevance That Correlates with Bladder Cancer Subtypes. <b>2019</b> , 7, 923-938	69
186	Neoantigens retention in patient derived xenograft models mediates autologous T cells activation in ovarian cancer. <b>2019</b> , 8, e1586042	12
185	Tumour infiltrating lymphocytes and PD-L1 expression as potential predictors of outcome in patients with malignant pleural mesothelioma. <b>2019</b> , 46, 2713-2720	11
184	Prognostic relevance of programmed cell death-ligand 1 expression and CD8+ TILs in rectal cancer patients before and after neoadjuvant chemoradiotherapy. <b>2019</b> , 145, 1043-1053	27
183	Tumor infiltrating lymphocytes and homologous recombination deficiency are independently associated with improved survival in ovarian carcinoma. <b>2019</b> , 153, 217-222	13
182	Tumor core biopsies adequately represent immune microenvironment of high-grade serous carcinoma. <b>2019</b> , 9, 17589	7

181 In Silico Methods for Studying T Cell Biology. **2019**, 342, 265-304

180	Immunotherapies based on PD-1/PD-L1 pathway inhibitors in ovarian cancer treatment. <b>2019</b> , 195, 334-344	15
179	Genomic Applications in Ovarian Cancer. <b>2019</b> , 471-482	
178	Immune profiling and identification of prognostic immune-related risk factors in human ovarian cancer. <b>2019</b> , 8, e1535730	32
177	Development and validation of an immune prognostic signature for ovarian carcinoma. 2020, 3, e1166	3
176	Tumour immune cell infiltration and survival after platinum-based chemotherapy in high-grade serous ovarian cancer subtypes: A gene expression-based computational study. <b>2020</b> , 51, 102602	44
175	Tumor Infiltrating Lymphocytes and CD8+ T Cell Subsets as Prognostic Markers in Patients with Surgically Treated Laryngeal Squamous Cell Carcinoma. <b>2020</b> , 14, 689-700	12
174	The hallmarks of ovarian cancer: Focus on angiogenesis and micro-environment and new models for their characterisation. <b>2020</b> , 15, 49-55	4
173	Three Genes Predict Prognosis in Microenvironment of Ovarian Cancer. <b>2020</b> , 11, 990	2
172	Th17-inducing autologous dendritic cell vaccination promotes antigen-specific cellular and humoral immunity in ovarian cancer patients. <b>2020</b> , 11, 5173	8
171	MiRNA505/NET1 Axis Acts as a CD8 T-TIL Regulator in Non-Small Cell Lung Cancer. <b>2020</b> , 13, 9785-9795	1
170	Investigating Patterns of Immune Interaction in Ovarian Cancer: Probing the O-glycoproteome by the Macrophage Galactose-Like C-type Lectin (MGL). <b>2020</b> , 12,	1
169	Are antiangiogenics a good <b>Q</b> artner <b>Q</b> for immunotherapy in ovarian cancer?. <b>2020</b> , 23, 543-557	7
168	Integrated Analysis of Prognostic and Immune Associated Integrin Family in Ovarian Cancer. <b>2020</b> , 11, 705	8
167	Mutations in and differentially affect the tumor microenvironment and response to checkpoint blockade immunotherapy. <b>2021</b> , 1, 1188-1203	43
166	Immune Checkpoint Blockade in Gynecologic Cancers: State of Affairs. <b>2020</b> , 12,	6
165	MiRNA-340-5p mediates the functional and infiltrative promotion of tumor-infiltrating CD8 T lymphocytes in human diffuse large B cell lymphoma. <b>2020</b> , 39, 238	5
164	Prognostic impact of tumor-infiltrating lymphocytes in high grade serous ovarian cancer: a systematic review and meta-analysis. <b>2020</b> , 12, 1758835920967241	12

## (2020-2020)

163	PD-L1 Expression and CD8+ Tumor-infiltrating Lymphocytes in Different Types of Tubo-ovarian Carcinoma and Their Prognostic Value in High-grade Serous Carcinoma. <b>2020</b> , 44, 1050-1060	12
162	Morphological and molecular heterogeneity of epithelial ovarian cancer: Therapeutic implications. <b>2020</b> , 15, 1-15	7
161	A cell-of-origin epigenetic tracer reveals clinically distinct subtypes of high-grade serous ovarian cancer. <b>2020</b> , 12, 94	6
160	Identification of serum cytokine clusters associated with outcomes in ovarian clear cell carcinoma. <b>2020</b> , 10, 18503	1
159	Association between physical activity and kidney stones based on dose-response analyses using restricted cubic splines. <b>2020</b> , 30, 1206-1211	O
158	Challenges for immunotherapy for the treatment of platinum resistant ovarian cancer. <b>2021</b> , 77, 127-143	21
157	Epithelial Ovarian Cancer and the Immune System: Biology, Interactions, Challenges and Potential Advances for Immunotherapy. <b>2020</b> , 9,	8
156	Profound Functional Suppression of Tumor-Infiltrating T-Cells in Ovarian Cancer Patients Can Be Reversed Using PD-1-Blocking Antibodies or DARPin Proteins. <b>2020</b> , 2020, 7375947	2
155	Immunotherapy Advances for Epithelial Ovarian Cancer. <b>2020</b> , 12,	7
154	Hypoxia-Mediated Decrease of Ovarian Cancer Cells Reaction to Treatment: Significance for Chemo- and Immunotherapies. <b>2020</b> , 21,	7
153	Characterization of immunoreactivity with whole-slide imaging and digital analysis in high-grade serous ovarian cancer. <b>2020</b> , 42, 1010428320971404	3
152	Indoleamine 2, 3-Dioxygenase 1 and CD8 Expression Profiling Revealed an Immunological Subtype of Colon Cancer With a Poor Prognosis. <b>2020</b> , 10, 594098	2
151	Changes in the Tumor Immune Microenvironment during Disease Progression in Patients with Ovarian Cancer. <b>2020</b> , 12,	5
150	Comprehensive analysis of prognostic gene signatures based on immune infiltration of ovarian cancer. <b>2020</b> , 20, 1205	8
149	Integrated digital pathology and transcriptome analysis identifies molecular mediators of T-cell exclusion in ovarian cancer. <b>2020</b> , 11, 5583	25
148	Prognostic significance of baseline T cells, B cells and neutrophil-lymphocyte ratio (NLR) in recurrent ovarian cancer treated with chemotherapy. <b>2020</b> , 13, 59	3
147	Combined CCNE1 high-level amplification and overexpression is associated with unfavourable outcome in tubo-ovarian high-grade serous carcinoma. <b>2020</b> , 6, 252-262	16
146	Heterogeneity of immune microenvironment in ovarian cancer and its clinical significance: a retrospective study. <b>2020</b> , 9, 1760067	15

145	Prognostic gene expression signature for high-grade serous ovarian cancer. <b>2020</b> , 31, 1240-1250	37
144	Unraveling tumor-immune heterogeneity in advanced ovarian cancer uncovers immunogenic effect of chemotherapy. <b>2020</b> , 52, 582-593	64
143	The Prognostic Value of Neutrophil-to-lymphocyte Ratio and Monocyte-to-lymphocyte Ratio in Metastatic Gastric Cancer Treated with Systemic Chemotherapy. <b>2020</b> , 11, 4205-4212	11
142	Molecular Heterogeneity of Endometrioid Ovarian Carcinoma: An Analysis of 166 Cases Using the Endometrial Cancer Subrogate Molecular Classification. <b>2020</b> , 44, 982-990	16
141	Development and Validation of the Gene Expression Predictor of High-grade Serous Ovarian Carcinoma Molecular SubTYPE (PrOTYPE). <b>2020</b> , 26, 5411-5423	21
140	Clinical and pathological associations of PTEN expression in ovarian cancer: a multicentre study from the Ovarian Tumour Tissue Analysis Consortium. <b>2020</b> , 123, 793-802	16
139	Ovarian Cancer, Cancer Stem Cells and Current Treatment Strategies: A Potential Role of Magmas in the Current Treatment Methods. <b>2020</b> , 9,	20
138	Lauren classification identifies distinct prognostic value and functional status of intratumoral CD8 T cells in gastric cancer. <b>2020</b> , 69, 1327-1336	13
137	RNA Immune Signatures from Pan-Cancer Analysis Are Prognostic for High-Grade Serous Ovarian Cancer and Other Female Cancers. <b>2020</b> , 12,	9
136	Sustained response to pembrolizumab without prior chemotherapy in high-grade serous ovarian carcinoma with mutation. <b>2020</b> , 33, 100600	5
135	Prognostic value of VISTA in solid tumours: a systematic review and meta-analysis. <b>2020</b> , 10, 2662	9
134	Th17 Cells and IL-17 As Novel Immune Targets in Ovarian Cancer Therapy. <b>2020</b> , 2020, 8797683	12
133	Classification of primary liver cancer with immunosuppression mechanisms and correlation with genomic alterations. <b>2020</b> , 53, 102659	26
132	Favorable prognostic impact of Natural Killer cells and T cells in high-grade serous ovarian carcinoma. <b>2020</b> , 59, 652-659	13
131	RNA-Seq-Based TCR Profiling Reveals Persistently Increased Intratumoral Clonality in Responders to Anti-PD-1 Therapy. <b>2020</b> , 10, 385	4
130	Combining measures of immune infiltration shows additive effect on survival prediction in high-grade serous ovarian carcinoma. <b>2020</b> , 122, 1803-1810	11
129	Current Ovarian Cancer Maintenance Strategies and Promising New Developments. <b>2021</b> , 12, 38-53	12
128	Impact of tumor heterogeneity and microenvironment in identifying neoantigens in a patient with ovarian cancer. <b>2021</b> , 70, 1189-1202	2

127	Circulating CD14 HLA-DR monocytic cells as a biomarker for epithelial ovarian cancer progression. <b>2021</b> , 85, e13343	1
126	CXCL13 shapes immunoactive tumor microenvironment and enhances the efficacy of PD-1 checkpoint blockade in high-grade serous ovarian cancer. <b>2021</b> , 9,	24
125	Ovarian Cancer: Therapeutic Strategies to Overcome Immune Suppression. <b>2021</b> , 1330, 33-54	1
124	Indoleamine 2,3-dioxygenase upregulates PD-1 expression on ovarian tumor infiltrating CD8+ T cells via kynurenine activation of the aryl hydrocarbon receptor.	
123	Remission-Stage Ovarian Cancer Cell Vaccine with Cowpea Mosaic Virus Adjuvant Prevents Tumor Growth. <b>2021</b> , 13,	3
122	High-dimensional analysis of the adenosine pathway in high-grade serous ovarian cancer. <b>2021</b> , 9,	6
121	Releasing the brakes of tumor immunity with anti-PD-L1 and pushing its accelerator with L19-IL2 cures poorly immunogenic tumors when combined with radiotherapy. <b>2021</b> , 9,	6
120	PD-1 and PD-L1 expression on TILs in peritoneal metastases compared to ovarian tumor tissues and its associations with clinical outcome. <b>2021</b> , 11, 6400	1
119	The immune landscape during the tumorigenesis of cervical cancer. <b>2021</b> , 10, 2380-2395	2
118	Combination of Immune-Related Genomic Alterations Reveals Immune Characterization and Prediction of Different Prognostic Risks in Ovarian Cancer. <b>2021</b> , 9, 653357	
117	HE4 Overexpression by Ovarian Cancer Promotes a Suppressive Tumor Immune Microenvironment and Enhanced Tumor and Macrophage PD-L1 Expression. <b>2021</b> , 206, 2478-2488	1
116	IDO1 Expression in Ovarian Cancer Induces PD-1 in T Cells Aryl Hydrocarbon Receptor Activation. <b>2021</b> , 12, 678999	7
115	Somatic genomic rearrangements in human leucocyte antigens region in solid ovarian tumors. <b>2021</b> , 37, 105-116	
114	T-Cell Receptor Therapy in the Treatment of Ovarian Cancer: A Mini Review. <b>2021</b> , 12, 672502	1
113	Tumor genomic, transcriptomic, and immune profiling characterizes differential response to first-line platinum chemotherapy in high grade serous ovarian cancer. <b>2021</b> , 10, 3045-3058	6
112	Assessment of Immunological Features in Muscle-Invasive Bladder Cancer Prognosis Using Ensemble Learning. <b>2021</b> , 13,	5
111	Statistical framework for studying the spatial architecture of the tumor immune microenvironment.	2
110	A Keratin 7 and E-Cadherin Signature Is Highly Predictive of Tubo-Ovarian High-Grade Serous Carcinoma Prognosis. <b>2021</b> , 22,	2

109	Dual G9A and EZH2 inhibition stimulates an anti-tumour immune response in ovarian high-grade serous carcinoma.	
108	Identification of a Prognostic Signature for Ovarian Cancer Based on the Microenvironment Genes. <b>2021</b> , 12, 680413	6
107	Spatial cytotoxic and memory T cells in tumor predict superior survival outcomes in patients with high-grade serous ovarian cancer. <b>2021</b> , 10, 3905-3918	3
106	Molecular Analysis of an Abdominal Wall Cesarean Section Endometrioid Carcinoma. <b>2021</b> , 1066896921	018262
105	Quantitative Multiplex Immunofluorescence Evaluation of the Tumor Microenvironment in Pretreatment Tumors of Patients with Metastatic Breast Cancer and Serous Ovarian Carcinoma Treated with Liposomal Eribulin. <b>2021</b> , 39, 466-472	
104	Association of CLDN6 and CLDN10 With Immune Microenvironment in Ovarian Cancer: A Study of the Claudin Family. <b>2021</b> , 12, 595436	1
103	VISTA: A Promising Target for Cancer Immunotherapy?. <b>2021</b> , 10, 185-200	5
102	Immunotherapy in rare ovarian cancer. <b>2021</b> , 33, 447-456	2
101	Predicting Panel of Metabolism and Immune-Related Genes for the Prognosis of Human Ovarian Cancer. <b>2021</b> , 9, 690542	2
100	Cell-autonomous inflammation of BRCA1-deficient ovarian cancers drives both tumor-intrinsic immunoreactivity and immune resistance via STING. <b>2021</b> , 36, 109412	12
99	Programmed death ligand-1 and CD8 tumor-infiltrating lymphocytes (TILs) as prognostic predictors in ovarian high-grade serous carcinoma (HGSC). <b>2021</b> , 33, 16	0
98	Prognostic significance of T cells, PD-L1 immune checkpoint and tumour associated macrophages in clear cell carcinoma of the ovary. <b>2021</b> , 162, 421-430	1
97	Application of Immunoprofiling Using Multiplexed Immunofluorescence Staining Identifies the Prognosis of Patients with High-Grade Serous Ovarian Cancer. <b>2021</b> , 22,	0
96	SLFN11 captures cancer-immunity interactions associated with platinum sensitivity in high-grade serous ovarian cancer. <b>2021</b> , 6,	1
95	Personalized models of heterogeneous 3D epithelial tumor microenvironments: Ovarian cancer as a model. <b>2021</b> , 132, 401-420	1
94	Upregulated Expression of CYBRD1 Predicts Poor Prognosis of Patients with Ovarian Cancer. <b>2021</b> , 2021, 7548406	2
93	Prognostic and Immunological Significance of ARID1A Status in Endometriosis-Associated Ovarian Carcinoma.	1
92	Effect of MAP3K8 on Prognosis and Tumor-Related Inflammation in Renal Clear Cell Carcinoma. <b>2021</b> , 12, 674613	1

91	Unraveling Tumor-Immune Heterogeneity in Advanced Ovarian Cancer Uncovers Immunogenic Effect of Chemotherapy.	2
90	Prognostic significance of tumor genotypes and CD8+ infiltrates in stage I-III colorectal cancer. <b>2018</b> , 9, 35623-35638	12
89	Clonality and antigen-specific responses shape the prognostic effects of tumor-infiltrating T cells in ovarian cancer. <b>2020</b> , 11, 2669-2683	2
88	Current and future immunotherapy approaches in ovarian cancer. <b>2020</b> , 8, 1714	10
87	Poor Lymphocyte Infiltration to Primary Tumors in Acral Lentiginous Melanoma and Mucosal Melanoma Compared to Cutaneous Melanoma. <b>2020</b> , 10, 524700	6
86	A multiomics comparison between endometrial cancer and serous ovarian cancer. <b>2020</b> , 8, e8347	3
85	DNA Methylation Profiles of Ovarian Clear Cell Carcinoma. 2021,	2
84	Immunological configuration of ovarian carcinoma: features and impact on disease outcome. <b>2021</b> , 9,	4
83	Epithelial Tumors of the Ovary. <b>2018</b> , 1-128	
82	A cell-of-origin epigenetic tracer reveals clinically distinct subtypes of high grade serous ovarian cancer.	
81	A Single-Cell Immune Atlas of Triple Negative Breast Cancer Reveals Novel Immune Cell Subsets.	2
80	Identification of Immunological Features Enables Survival Prediction of Muscle-Invasive Bladder Cancer Patients Using Machine Learning.	1
79	SLFN11 captures cancer-immunity interactions associated with platinum sensitivity in ovarian cancer.	
78	CXCR6 by increasing retention of memory CD8 T cells in the ovarian tumor microenvironment promotes immunosurveillance and control of ovarian cancer.	
77	PD-L1 in Combination with CD8TIL and HIF-1 Pare Promising Prognosis Predictors of Head and Neck Squamous Cell Carcinoma. <b>2020</b> , 12, 13233-13239	2
76	Myeloid antigen-presenting cell niches sustain antitumor Tīcells and license PD-1 blockade via CD28 costimulation. <b>2021</b> ,	3
75	Identification of Immune-Related Key Genes in Ovarian Cancer Based on WGCNA. 2021, 12, 760225	3
74	Characterizing Endocrine Status, Tumor Hypoxia and Immunogenicity for Therapy Success in Epithelial Ovarian Cancer. <b>2021</b> , 12, 772349	O

73	Senescence induction dictates response to chemo- and immunotherapy in preclinical models of ovarian cancer <b>2022</b> , 119,	5
72	Safety and efficacy of dendritic cell-based immunotherapy DCVAC/OvCa added to first-line chemotherapy (carboplatin plus paclitaxel) for epithelial ovarian cancer: a phase 2, open-label, multicenter, randomized trial <b>2022</b> , 10,	1
71	The Evolution of Ovarian Carcinoma Subclassification 2022, 14,	5
70	Immune-related gene expression signatures: A step forward in the stratification of patients with ovarian clear cell carcinoma <b>2021</b> ,	
69	Integrated analysis of prognostic immune-related genes in the tumor microenvironment of ovarian cancer <b>2022</b> , 10, 91	O
68	Understanding the impact of chemotherapy on the immune landscape of high-grade serous ovarian cancer <b>2022</b> , 39, 100926	1
67	Computational image features of immune architecture is associated with clinical benefit and survival in gynecological cancers across treatment modalities <b>2022</b> , 10,	O
66	Clinical significance of CD8-positive lymphocytes on tumor cell clusters of ascites cell block in ovarian high-grade serous carcinoma 2022,	
65	Subtyping of high grade serous ovarian carcinoma: histopathological and immunohistochemical approach <b>2022</b> , 34, 6	
64	Dual G9A/EZH2 inhibition stimulates anti-tumour immune response in ovarian high grade serous carcinoma <b>2022</b> ,	1
63	Validated biomarker assays confirm ARID1A loss is confounded with MMR deficiency, CD8 TIL infiltration, and provides no independent prognostic value in endometriosis-associated ovarian carcinomas <b>2021</b> ,	3
62	A prognostic classification based on the International Association for the Study of Lung Cancer histologic grading and immunoscore in KRAS-mutant invasive non-mucinous adenocarcinoma <b>2022</b>	2
61	Tumor immune cell clustering and its association with survival in African American women with ovarian cancer <b>2022</b> , 18, e1009900	1
60	Adoptive cell therapy in gynecologic cancers: A systematic review and meta-analysis 2022,	O
59	Biological Role of Tumor/Stromal CXCR4-CXCL12-CXCR7 in MITO16A/MaNGO-OV2 Advanced Ovarian Cancer Patients <b>2022</b> , 14,	О
58	The STING pathway: Therapeutic vulnerabilities in ovarian cancer <b>2022</b> ,	O
57	Predicting Response to Anthracyclines in Ovarian Cancer <b>2022</b> , 19,	
56	Barriers to Immunotherapy in Ovarian Cancer: Metabolic, Genomic, and Immune Perturbations in the Tumour Microenvironment <b>2021</b> , 13,	1

55	Significance of CD47 and Its Association With Tumor Immune Microenvironment Heterogeneity in Ovarian Cancer <b>2021</b> , 12, 768115
54	Prognostic markers of inflammation in endometrioid and clear cell ovarian cancer 2022,
53	lmage_1.TIF. <b>2020</b> ,
52	Image_2.TIF. <b>2020</b> ,
51	Image_3.TIF. <b>2020</b> ,
50	Image_4.TIF. <b>2020</b> ,
49	Table_1.docx. <b>2020</b> ,
48	Table_2.docx. <b>2020</b> ,
47	Data_Sheet_1.docx. <b>2018</b> ,
46	DataSheet_1.pdf. <b>2020</b> ,
45	Image_1.pdf. <b>2020</b> ,
44	Table_1.pdf. <b>2020</b> ,
43	Image_1.jpeg. <b>2020</b> ,
42	Image_2.jpeg. <b>2020</b> ,
41	Tumor FAK orchestrates immunosuppression in ovarian cancer via the CD155/TIGIT axis <b>2022</b> , 119, e21170651 <u>1</u> 19
40	Racial differences in the tumor immune landscape and survival of women with high-grade serous ovarian carcinoma <b>2022</b> ,
39	High expression of RIPK2 is associated with Taxol resistance in serous ovarian cancer <b>2022</b> , 15, 48
38	A Preliminary Exploration Using Imaging Methods to Predict the Possibility of the Recurrence of Serous Ovarian Cancer in Patients Undergoing Total Resection <b>2022</b> , 12, 754067

37	Shifting the Soil: Metformin Treatment Decreases the Protumorigenic Tumor Microenvironment in Epithelial Ovarian Cancer <b>2022</b> , 14,	1
36	The Role of Cancer-Associated Fibroblasts in Ovarian Cancer. <b>2022</b> , 14, 2637	4
35	Identification of CD8+ T Cell Related Biomarkers in Ovarian Cancer. 13,	
34	The Association between Daily Dietary Intake of Riboflavin and Lung Function Impairment Related with Dibutyl Phthalate Exposure and the Possible Mechanism. <b>2022</b> , 14, 2282	O
33	Programmed Death Ligand 1 (PD-L1) Expression and CD8+ Tumor-infiltrating Lymphocyte-based Tumor Immune Microenvironment Classification in Gynecologic Carcinosarcoma: Prognostic Impact and Implications for Therapy. <b>16</b> , Publish Ahead of Print,	
32	Identification and Validation of the Diagnostic Characteristic Genes of Ovarian Cancer by Bioinformatics and Machine Learning. 13,	1
31	Association between childhood friendship and cognitive ageing trajectory in later life: evidence from the China Health and Retirement Longitudinal Study (CHARLS). <b>2022</b> , 22,	1
30	Development and Validation of a Hypoxia - Related Prognostic Model for Ovarian Cancer. <b>2022</b> , 17,	
29	Prognostic Characteristics of Immune-Related Genes and the Related Regulatory Axis in Patients With Stage N+M0 Breast Cancer. 12,	
28	KDM5A Inhibits Antitumor Immune Responses Through Downregulation of the Antigen-Presentation Pathway in Ovarian Cancer. OF1-OF11	
27	PTEN and BRCA1 tumor suppressor loss associated tumor immune microenvironment exhibits differential response to therapeutic STING pathway activation in a murine model of ovarian cancer.	0
26	Ovarialkarzinom: Immuntherapie, quo vadis?.	
25	The m6A-Related Long Noncoding RNA Signature Predicts Prognosis and Indicates Tumor Immune Infiltration in Ovarian Cancer. <b>2022</b> , 14, 4056	0
24	Phosphoserine phosphatase as an indicator for survival through potentially influencing the infiltration levels of immune cells in neuroblastoma. 10,	
23	Prognostic and Predictive Role of Tumor-Infiltrating Lymphocytes (TILs) in Ovarian Cancer. <b>2022</b> , 14, 4344	0
22	Immunobiology of high-grade serous ovarian cancer: lessons for clinical translation.	2
21	Loss of Major Histocompatibility Complex Class I, CD8+ Tumor-infiltrating Lymphocytes, and PD-L1 Expression in Ovarian Clear Cell Carcinoma. Publish Ahead of Print,	0
20	The genomic landscape of recurrent ovarian high grade serous carcinoma: the BriTROC-1 study.	O

19	Tumor-Infiltrating Lymphocytes (TILs) in Epithelial Ovarian Cancer: Heterogeneity, Prognostic Impact, and Relationship with Immune Checkpoints. <b>2022</b> , 14, 5332	1
18	Increased FOXJ1 protein expression is associated with improved overall survival in high-grade serous ovarian carcinoma: an Ovarian Tumor Tissue Analysis Consortium Study.	O
17	Integration of local and systemic immunity in ovarian cancer: Implications for immunotherapy. 13,	1
16	The prognostic significance of CXCR4 and SDF-1 in differentiated thyroid cancer depends on CD8+ density. <b>2022</b> , 22,	О
15	Dynamic Changes in the Extracellular Matrix in Primary, Metastatic, and Recurrent Ovarian Cancers. <b>2022</b> , 11, 3769	O
14	Multi-omics-based analysis of high grade serous ovarian cancer subtypes reveals distinct molecular processes linked to patient prognosis.	O
13	A novel defined risk signature of endoplasmic reticulum stress-related genes for predicting the prognosis and immune infiltration status of ovarian cancer. <b>2023</b> , 24, 64-77	0
12	Prognostic impact of tumor size on isolated hepatocellular carcinoma without vascular invasion may have age variance. 9,	O
11	BRCA1 expression, its correlation with clinicopathological features and response to neoadjuvant chemotherapy in high grade serous ovarian cancer from an Indian centre.	О
10	Multiparameter single-cell proteomic technologies give new insights into the biology of ovarian tumors.	O
9	Pan-cancer analyses reveal IGSF10 as an immunological and prognostic biomarker. 13,	O
8	Predictors of residual disease after debulking surgery in advanced stage ovarian cancer. 13,	O
7	Discordance of PD-L1 expression in primary and metastatic ovarian high-grade serous carcinoma and its correlation with CD8 + tumor-infiltrating lymphocytes and patient prognosis. <b>2023</b> , 482, 755-766	0
6	The Interaction between Intratumoral Microbiome and Immunity Is Related to the Prognosis of Ovarian Cancer. <b>2023</b> , 11,	O
5	Machine learning-based integration develops an immune-related risk model for predicting prognosis of high-grade serous ovarian cancer and providing therapeutic strategies. 14,	0
4	Deep Learning Provides a New Magnetic Resonance Imaging-Based Prognostic Biomarker for Recurrence Prediction in High-Grade Serous Ovarian Cancer. <b>2023</b> , 13, 748	O
3	Evaluation of multiple immune cells and patient outcomes in esophageal squamous cell carcinoma. 14,	О
2	p53 and ovarian carcinoma survival: an Ovarian Tumor Tissue Analysis consortium study. <b>2023</b> , 9, 208-222	O

Cancer cell genotype associated tumor immune microenvironment exhibits differential response to therapeutic STING pathway activation in high-grade serous ovarian cancer. **2023**, 11, e006170

О