

# CITATION REPORT

List of articles citing

Manipulation of ionized impurity scattering for achieving high thermoelectric performance in n-type MgSb-based materials

DOI: 10.1073/pnas.1711725114

Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 10548-10553.

**Source:** <https://exaly.com/paper-pdf/66999127/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
220	Large-Area and Broadband Thermoelectric Infrared Detection in a Carbon Nanotube Black-Body Absorber.		
219	Promising thermoelectric performance in van der Waals layered SnSe <sub>2</sub> . <b>2017</b> , 3, 127-136		63
218	Study on anisotropy of n-type Mg <sub>3</sub> Sb <sub>2</sub> -based thermoelectric materials. <b>2018</b> , 112, 092103		22
217	New Insight on Tuning Electrical Transport Properties via Chalcogen Doping in n-type Mg <sub>3</sub> Sb <sub>2</sub> -Based Thermoelectric Materials. <b>2018</b> , 8, 1702776		56
216	First-Principles Study of the Thermoelectric Properties of the Zintl Compound KSnSb. <b>2018</b> , 122, 4217-4223		16
215	Grain boundary dominated charge transport in Mg <sub>3</sub> Sb <sub>2</sub> -based compounds. <b>2018</b> , 11, 429-434		157
214	Improving the thermoelectric performance in Mg <sub>3+x</sub> Sb <sub>1.5</sub> Bi <sub>0.49</sub> Te <sub>0.01</sub> by reducing excess Mg. <b>2018</b> , 6, 016106		32
213	Enhancement of average thermoelectric figure of merit by increasing the grain-size of Mg <sub>3.2</sub> Sb <sub>1.5</sub> Bi <sub>0.49</sub> Te <sub>0.01</sub> . <b>2018</b> , 112, 033903		85
212	Significant Role of Mg Stoichiometry in Designing High Thermoelectric Performance for Mg(Sb,Bi)-Based n-Type Zintl. <b>2018</b> , 140, 1910-1915		82
211	Ultrahigh Power Factor in Thermoelectric System NbMFeSb (M = Hf, Zr, and Ti). <b>2018</b> , 5, 1800278		31
210	Magnetic-field enhanced high-thermoelectric performance in topological Dirac semimetal Cd <sub>3</sub> As <sub>2</sub> crystal. <b>2018</b> , 63, 411-418		40
209	Cost effective synthesis of p-type Zn-doped MgAgSb by planetary ball-milling with enhanced thermoelectric properties.. <b>2018</b> , 8, 35353-35359		9
208	A highly sensitive and selective fluorescent probe without quencher for detection of Pb ions based on aggregation-caused quenching phenomenon.. <b>2018</b> , 8, 38929-38934		7
207	Designing high-performance n-type Mg <sub>3</sub> Sb <sub>2</sub> -based thermoelectric materials through forming solid solutions and biaxial strain. <b>2018</b> , 6, 20454-20462		19
206	Experimental Identification of Critical Condition for Drastically Enhancing Thermoelectric Power Factor of Two-Dimensional Layered Materials. <b>2018</b> , 18, 7538-7545		50
205	Advances in thermoelectrics. <b>2018</b> , 67, 69-147		225
204	Growth and transport properties of Mg <sub>3</sub> X <sub>2</sub> (X = Sb, Bi) single crystals. <b>2018</b> , 7, 61-68		38

203	A suite-level review of the neutron powder diffraction instruments at Oak Ridge National Laboratory. <b>2018</b> , 89, 092701	55
202	High thermoelectric performance of single phase p-type cerium-filled skutterudites by dislocation engineering. <b>2018</b> , 6, 20128-20137	15
201	Understanding the Intrinsic P-Type Behavior and Phase Stability of Thermoelectric $\text{Mg}_3\text{Sb}_2$ . <b>2018</b> , 1, 6600-6608	17
200	Thermoelectric properties of $\text{Ag}_9\text{GaS}_6$ with ultralow lattice thermal conductivity. <b>2018</b> , 6, 60-67	28
199	Enhanced thermoelectric performance of p-type $\text{Mg}_3\text{Sb}_2$ by lithium doping and its tunability in an anionic framework. <b>2018</b> , 53, 16001-16009	20
198	Extraordinary Thermoelectric Performance Realized in Hierarchically Structured $\text{AgSbSe}$ with Ultralow Thermal Conductivity. <b>2018</b> , 10, 18685-18692	30
197	Influence of the phase transformation in $\text{Na}_x\text{CoO}_2$ ceramics on thermoelectric properties. <b>2018</b> , 44, 17251-17257	57
196	Investigation of n-type doping strategies for $\text{Mg}_3\text{Sb}_2$ . <b>2018</b> , 6, 13806-13815	54
195	Broadening the temperature range for high thermoelectric performance of bulk polycrystalline strontium titanate by controlling the electronic transport properties. <b>2018</b> , 6, 7594-7603	25
194	Extraordinary thermoelectric performance in n-type manganese doped $\text{Mg}_3\text{Sb}_2$ Zintl: High band degeneracy, tuned carrier scattering mechanism and hierarchical microstructure. <b>2018</b> , 52, 246-255	117
193	Flexible Thermoelectric Polymer Composites Based on a Carbon Nanotubes Forest. <b>2018</b> , 28, 1801246	33
192	Advances in Thermoelectric $\text{Mg}_3\text{Sb}_2$ and Its Derivatives. <b>2018</b> , 2, 1800022	34
191	Phase-transition temperature suppression to achieve cubic $\text{GeTe}$ and high thermoelectric performance by Bi and Mn codoping. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2018</b> , 115, 5332-5337	11.5 130
190	Scientists use neutrons to take a deeper look at record boost in thermoelectric efficiency. <b>2018</b> , 29, 17-18	
189	Enhanced thermoelectric performance in p-type $\text{Mg}_3\text{Sb}_2$ via lithium doping. <b>2018</b> , 27, 047212	14
188	Theoretical model for the Seebeck coefficient in superlattice materials with energy relaxation. <b>2019</b> , 126, 055105	9
187	Defect Chemistry for N-Type Doping of $\text{Mg}_3\text{Sb}_2$ -Based Thermoelectric Materials. <b>2019</b> , 123, 20781-20788	14
186	Fermi surface complexity, effective mass, and conduction band alignment in n-type thermoelectric $\text{Mg}_3\text{Sb}_2$ $\text{Bi}_x$ from first principles calculations. <b>2019</b> , 126, 085104	20

185	Insights into the design of thermoelectric Mg <sub>3</sub> Sb <sub>2</sub> and its analogs by combining theory and experiment. <b>2019</b> , 5,	52
184	High thermoelectric cooling performance of n-type MgBi-based materials. <b>2019</b> , 365, 495-498	240
183	Revelation of Inherently High Mobility Enables MgSb as a Sustainable Alternative to n-BiTe Thermoelectrics. <b>2019</b> , 6, 1802286	40
182	Promising materials for thermoelectric applications. <b>2019</b> , 806, 471-486	38
181	Multiscale Defects as Strong Phonon Scatters to Enhance Thermoelectric Performance in Mg <sub>2</sub> Sn <sub>1-x</sub> Sb <sub>x</sub> Solid Solutions. <b>2019</b> , 3, 1900412	6
180	Band structure and thermoelectric properties of Al-doped Mg <sub>3-x</sub> Al <sub>x</sub> Sb <sub>2</sub> compounds. <b>2019</b> , 30, 15206-15213	3
179	The manipulation of substitutional defects for realizing high thermoelectric performance in Mg <sub>3</sub> Sb <sub>2</sub> -based Zintl compounds. <b>2019</b> , 7, 19316-19323	26
178	Comprehensive study of the physical properties of Ba <sub>3</sub> Pn <sub>2</sub> (Pn=N, P, As, Sb and Bi) through first principles technique. <b>2019</b> , 6, 095902	1
177	Probing defect states in few-layer MoS <sub>2</sub> by conductance fluctuation spectroscopy. <b>2019</b> , 99,	7
176	High Thermoelectric Performance in PbSe <sub>1-x</sub> Sb <sub>x</sub> Alloys from Valence Band Convergence and Low Thermal Conductivity. <b>2019</b> , 9, 1901377	42
175	Improvement of Low-Temperature zT in a Mg Sb -Mg Bi Solid Solution via Mg-Vapor Annealing. <b>2019</b> , 31, e1902337	64
174	Extraordinary n-Type Mg SbBi Thermoelectrics Enabled by Yttrium Doping. <b>2019</b> , 31, e1903387	74
173	Effect of solder and barrier layer elements on the thermoelectric properties of Bi <sub>0.5</sub> Sb <sub>1.5</sub> Te <sub>3</sub> . <b>2019</b> , 6, 106310	3
172	n-Type TaCoSn-Based Half-Heuslers as Promising Thermoelectric Materials. <b>2019</b> , 11, 41321-41329	25
171	Efficient Sc-Doped Mg <sub>3.05-x</sub> Sc <sub>x</sub> SbBi Thermoelectrics Near Room Temperature. <b>2019</b> , 31, 8987-8994	30
170	Composite transport mechanism enhancing thermoelectric performance of Ag-doped Mg <sub>3</sub> Sb <sub>2</sub> . <b>2019</b> , 6, 115924	2
169	Thermoelectric properties improvement in quasi-one-dimensional organic crystals. <b>2019</b> , 126, 175501	2
168	Linear Registration of Brain MRI Using Knowledge-Based Multiple Intermediator Libraries. <b>2019</b> , 13, 909	3

167	High Thermoelectric Performance of BiSbTe-SnTe: Synergistic Modulation of Electrical and Thermal Transport by the Introduction of Thermoelectric Hetero Nano Region. <b>2019</b> , 11, 36658-36665	9
166	Synergistically Optimizing Carrier Concentration and Decreasing Sound Velocity in n-type AgInSe <sub>2</sub> Thermoelectrics. <b>2019</b> , 31, 8182-8190	13
165	Chemical Flexibility of Mg in Pnictide Materials: Structure and Properties Diversity. <b>2019</b> , 31, 8286-8300	9
164	Large reduction of thermal conductivity leading to enhanced thermoelectric performance in p-type Mg <sub>3</sub> Bi <sub>2</sub> TeMg <sub>2</sub> Bi <sub>2</sub> solid solutions. <b>2019</b> , 7, 434-440	20
163	Realizing high conversion efficiency of Mg <sub>3</sub> Sb <sub>2</sub> -based thermoelectric materials. <b>2019</b> , 414, 393-400	47
162	Enhanced thermoelectric properties in N-type MgSi SnSb synthesized by alkaline earth metal reduction.. <b>2019</b> , 9, 4008-4014	4
161	Recent Advances in Organic Thermoelectric Materials: Principle Mechanisms and Emerging Carbon-Based Green Energy Materials. <b>2019</b> , 11,	51
160	Flexible Organic Thermoelectric Materials and Devices for Wearable Green Energy Harvesting. <b>2019</b> , 11,	36
159	Decoupling thermal and electrical transport in $\delta$ MgAgSb with synergic pressure and doping strategy. <b>2019</b> , 125, 205105	4
158	Understanding the asymmetrical thermoelectric performance for discovering promising thermoelectric materials. <b>2019</b> , 5, eaav5813	27
157	Enhanced thermoelectric properties of YbZn <sub>2</sub> Sb <sub>2</sub> Bi <sub>x</sub> through a synergistic effect via Bi-doping. <b>2019</b> , 374, 589-595	17
156	Nanostructured SnSe integrated with Se quantum dots with ultrahigh power factor and thermoelectric performance from magnetic field-assisted hydrothermal synthesis. <b>2019</b> , 7, 15757-15765	24
155	Novel n-type thermoelectric material of ZnIn <sub>2</sub> Se <sub>4</sub> . <b>2019</b> , 797, 940-944	18
154	Significant enhancement in thermoelectric performance of Mg <sub>3</sub> Sb <sub>2</sub> from bulk to two-dimensional mono layer. <b>2019</b> , 62, 212-219	43
153	Mg Deficiency in Grain Boundaries of n-Type Mg <sub>3</sub> Sb <sub>2</sub> Identified by Atom Probe Tomography. <b>2019</b> , 6, 1900429	23
152	Manipulation of Ni Interstitials for Realizing Large Power Factor in TiNiSn-Based Materials. <b>2019</b> , 5, 1900166	23
151	Achieving band convergence by tuning the bonding ionicity in n-type Mg Sb. <b>2019</b> , 40, 1693-1700	41
150	Charge Transfer in Thermoelectric Nanocomposites: Power Factor Enhancements and Model Systems. <b>2019</b> , 1-34	1

149	Band engineering and crystal field screening in thermoelectric Mg <sub>3</sub> Sb <sub>2</sub> . <b>2019</b> , 7, 8922-8928	20
148	Enhanced thermoelectric performance in single-crystal-like semiconducting flexible GaAs films. <b>2019</b> , 7, 031104	2
147	Promoted high temperature carrier mobility and thermoelectric performance of InTe enabled by altering scattering mechanism. <b>2019</b> , 7, 11690-11698	16
146	Experimental revelation of multiband transport in heavily doped BaCd <sub>2</sub> Sb <sub>2</sub> with promising thermoelectric performance. <b>2019</b> , 8, 123-127	18
145	Extraordinary thermoelectric performance in MgAgSb alloy with ultralow thermal conductivity. <b>2019</b> , 59, 311-320	35
144	Enhanced Thermoelectric Properties of n-type Mg <sub>3</sub> Sb <sub>2</sub> by Excess Magnesium and Tellurium Doping. <b>2019</b> , 216, 1800811	16
143	Keynote Speech: Nanostructure thermoelectrics. <b>2019</b> ,	
142	Nanostructured potential well/barrier engineering for realizing unprecedentedly large thermoelectric power factors. <b>2019</b> , 11, 100159	12
141	Neutron Instruments for Research in Coordination Chemistry. <b>2019</b> , 2019, 1065-1089	18
140	Recent progresses on thermoelectric Zintl phases: Structures, materials and optimization. <b>2019</b> , 270, 252-264	38
139	Thermoelectric properties of silicon and recycled silicon sawing waste. <b>2019</b> , 5, 15-33	15
138	Discovery of TaFeSb-based half-Heuslers with high thermoelectric performance. <b>2019</b> , 10, 270	155
137	Joint effect of magnesium and yttrium on enhancing thermoelectric properties of n-type Zintl Mg <sub>3</sub> + $\gamma$ 0.02Sb1.5Bi0.5. <b>2019</b> , 8, 25-33	55
136	State-of-the-Art Reviews and Analyses of Emerging Research Findings and Achievements of Thermoelectric Materials over the Past Years. <b>2019</b> , 48, 745-777	25
135	Mg <sub>3</sub> + $\delta$ BixBi <sub>2</sub> $\gamma$ Family: A Promising Substitute for the State-of-the-Art n-Type Thermoelectric Materials near Room Temperature. <b>2019</b> , 29, 1807235	60
134	Thickness-Dependent In-Plane Thermal Conductivity and Enhanced Thermoelectric Performance in p-Type ZrTe <sub>5</sub> Nanoribbons. <b>2019</b> , 13, 1800529	11
133	Ternary thermoelectric AB <sub>2</sub> C <sub>2</sub> Zintl. <b>2020</b> , 821, 153497	11
132	Rapid One-Step Synthesis and Compaction of High-Performance n-Type Mg <sub>3</sub> Sb <sub>2</sub> Thermoelectrics. <b>2020</b> , 132, 4308-4312	2

131	High-Performance N-type Mg <sub>3</sub> Sb <sub>2</sub> towards Thermoelectric Application near Room Temperature. <b>2020</b> , 30, 1906143	33
130	Enhanced electrical transport performance through cation site doping in Y-doped Mg <sub>3.2</sub> Sb <sub>2</sub> . <b>2020</b> , 6, 216-223	7
129	Rapid One-Step Synthesis and Compaction of High-Performance n-Type Mg Sb Thermoelectrics. <b>2020</b> , 59, 4278-4282	17
128	Near-room-temperature thermoelectric materials and their application prospects in geothermal power generation. <b>2020</b> , 6, 1	14
127	A double four-point probe method for reliable measurement of energy conversion efficiency of thermoelectric materials. <b>2020</b> , 191, 116599	5
126	N-type Mg <sub>3</sub> Sb <sub>2</sub> -Bi with improved thermal stability for thermoelectric power generation. <b>2020</b> , 201, 572-579	14
125	Protecting hot carriers by tuning hybrid perovskite structures with alkali cations. <b>2020</b> , 6,	20
124	Probing Efficient N-Type Lanthanide Dopants for MgSb Thermoelectrics. <b>2020</b> , 7, 2002867	9
123	Composite films of poly(3,4-ethylenedioxythiophene) polystyrene sulfonate incorporated with carbon nanotube sheet for improved power factor in thermoelectric conversion. <b>2020</b> , 25, 101568	5
122	Improved thermoelectric performance in PbSeAgSbSe <sub>2</sub> by manipulating the spin-orbit coupling effects. <b>2020</b> , 78, 105232	9
121	Predicting the Potential Performance in P-Type SnS Crystals via Utilizing the Weighted Mobility and Quality Factor. <b>2020</b> , 37, 087104	12
120	Enhanced thermoelectric performance of P-type CaMg <sub>2</sub> Bi <sub>1.98</sub> and optimized CaAl <sub>2</sub> Si <sub>2</sub> -type Zintl phase module with equal cross-section area. <b>2020</b> , 15, 100270	11
119	Earth-Abundant Fe-Al-Si Thermoelectric (FAST) Materials: from Fundamental Materials Research to Module Development. <b>2020</b> , 12, 48804-48810	6
118	Transport properties of AgPb <sub>16</sub> SbTe <sub>18</sub> prepared by the inclusion of nano AgSbTe <sub>2</sub> into PbTe matrix. <b>2020</b> , 31, 17381-17385	
117	Thermoelectric Performance of the Half-Heusler Phases RNiSb (R=Sc,Dy,Er,Tm,Lu): High Mobility Ratio between Majority and Minority Charge Carriers. <b>2020</b> , 14,	8
116	Mg <sub>3</sub> (Bi,Sb) <sub>2</sub> single crystals towards high thermoelectric performance. <b>2020</b> , 13, 1717-1724	41
115	Ferroelectric Instability Induced Ultralow Thermal Conductivity and High Thermoelectric Performance in Rhombohedral -Type GeSe Crystal. <b>2020</b> , 142, 12237-12244	36
114	Charge compensation weakening ionized impurity scattering and assessing the minority carrier contribution to the Seebeck coefficient in Pb-doped MgSb compounds. <b>2020</b> , 22, 7012-7020	4

113	Inorganic thermoelectric materials: A review. <b>2020</b> , 44, 6170-6222	47
112	Realizing a High of 1.6 in N-Type MgSb-Based Zintl Compounds through Mn and Se Codoping. <b>2020</b> , 12, 21799-21807	7
111	Enhanced thermoelectric performance in polycrystalline N-type Pr-doped SnSe by hot forging. <b>2020</b> , 190, 1-7	13
110	Enhanced thermoelectric performance of ternary compound Cu <sub>3</sub> PS <sub>4</sub> by defect engineering. <b>2020</b> , 39, 1256-1261	10
109	Promoted application potential of p-type Mg <sub>3</sub> Sb <sub>1.5</sub> Bi <sub>0.5</sub> for the matched thermal expansion with its n-type counterpart. <b>2020</b> , 6, 729-735	6
108	Effects of isovalent doping on the thermoelectric properties of environmentally-friendly phosphide Ag <sub>6</sub> Ge <sub>10</sub> P <sub>12</sub> . <b>2020</b> , 59, 075508	1
107	Intermediate-level doping strategy to simultaneously optimize power factor and phonon thermal conductivity for improving thermoelectric figure of merit. <b>2020</b> , 15, 100250	14
106	Anion-site-modulated thermoelectric properties in Ge <sub>2</sub> Sb <sub>2</sub> Te <sub>5</sub> -based compounds. <b>2020</b> , 39, 1127-1133	3
105	Metallic n-Type Mg Sb Single Crystals Demonstrate the Absence of Ionized Impurity Scattering and Enhanced Thermoelectric Performance. <b>2020</b> , 32, e1908218	62
104	Defect Engineering for Realizing p-Type AgBiSe <sub>2</sub> with a Promising Thermoelectric Performance. <b>2020</b> , 32, 3528-3536	7
103	Understanding the thermally activated charge transport in NaPbmSbQ <sub>m+2</sub> (Q = S, Se, Te) thermoelectrics: weak dielectric screening leads to grain boundary dominated charge carrier scattering. <b>2020</b> , 13, 1509-1518	40
102	High thermoelectric figure of merit and thermopower of HfTe at room temperature. <b>2020</b> , 32, 345501	1
101	Anisotropic thermoelectric figure-of-merit in Mg <sub>3</sub> Sb <sub>2</sub> . <b>2020</b> , 13, 100217	22
100	Analysis of simple scattering models on the thermoelectric performance of analytical electron dispersions. <b>2020</b> , 127, 065105	4
99	Improved thermoelectric performance of n-type Mg <sub>3</sub> Sb <sub>2</sub> Mg <sub>3</sub> Bi <sub>2</sub> alloy with Co element doping. <b>2021</b> , 21, 25-30	3
98	Thermoelectric cooling materials. <b>2021</b> , 20, 454-461	97
97	Gate-Tunable Polar Optical Phonon to Piezoelectric Scattering in Few-Layer Bi O Se for High-Performance Thermoelectrics. <b>2021</b> , 33, e2004786	23
96	Scalable synthesis of n-type Mg <sub>3</sub> Sb <sub>2</sub> -xBi <sub>x</sub> for thermoelectric applications. <b>2021</b> , 17, 100336	12



95	Enhanced thermoelectric performance in $Mg_{3+x}Sb_{1.5}Bi_{0.49}Te_{0.01}$ via engineering microstructure through melt-centrifugation. <b>2021</b> , 9, 1733-1742	8
94	Strategies for improving efficiency of thermoelectric materials. <b>2021</b> , 117-138	
93	Excellent thermoelectric performance of boron-doped n-type $Mg_3Sb_2$ -based materials via the manipulation of grain boundary scattering and control of Mg content. <b>2021</b> , 64, 1761-1769	11
92	Development on two-dimensional covalent bond substructure Zintl phase thermoelectric materials. <b>2021</b> , 0-0	
91	Energy Harvesters for Wearable Electronics and Biomedical Devices. <b>2021</b> , 6, 2000771	14
90	Improved Thermoelectric Properties of N-Type $MgSb$ through Cation-Site Doping with Gd or Ho. <b>2021</b> , 13, 10964-10971	10
89	High thermoelectric performance at room temperature of n-type $Mg_3Bi_2$ -based materials by Se doping. <b>2021</b> ,	2
88	Realizing $zT$ Values of 2.0 in Cubic $GeTe$ . <b>2021</b> , 7, 476-482	16
87	Mobility Ratio as a Probe for Guiding Discovery of Thermoelectric Materials: The Case of Half-Heusler Phase $ScNiSb_{1-x}Tex$ . <b>2021</b> , 15,	3
86	Ferromagnetism in a Semiconductor with Mobile Carriers via Low-Level Nonmagnetic Doping. <b>2021</b> , 15,	0
85	Demonstration of ultrahigh thermoelectric efficiency of ~7.3% in $Mg_3Sb_2/MgAgSb$ module for low-temperature energy harvesting. <b>2021</b> , 5, 1196-1208	70
84	Nb-Mediated Grain Growth and Grain-Boundary Engineering in $Mg_3Sb_2$ -Based Thermoelectric Materials. <b>2021</b> , 31, 2100258	15
83	Review of Thermoelectric Generators at Low Operating Temperatures: Working Principles and Materials. <b>2021</b> , 12,	2
82	Restructured single parabolic band model for quick analysis in thermoelectricity. <b>2021</b> , 7,	11
81	Thermoelectrics by Computational Design: Progress and Opportunities. <b>2021</b> , 51, 565-590	3
80	High thermoelectric energy conversion efficiency of a uncouple of n-type $Mg_3Bi_2$ and p-type $Bi_2Te_3$ . <b>2021</b> , 19, 100413	20
79	Room-temperature thermoelectric materials: Challenges and a new paradigm. <b>2021</b> , 8, 427-427	2
78	Thermoelectric Performance Enhancement of Film by Pulse Electric Field and Multi-Nanocomposite Strategy. <b>2021</b> , 17, e2100554	1

77	Current State-of-the-Art in the Interface/Surface Modification of Thermoelectric Materials. <b>2021</b> , 11, 2101877	11
76	Thermal Management Systems and Waste Heat Recycling by Thermoelectric Generators An Overview. <b>2021</b> , 14, 5646	5
75	Nearly isotropic transport properties in anisotropically structured n-type single-crystalline Mg <sub>3</sub> Sb <sub>2</sub> . <b>2021</b> , 21, 100508	4
74	Depressed lattice oxygen and improved thermoelectric performance in N-type Mg <sub>3</sub> Bi <sub>2</sub> -Sb via La-doping. <b>2021</b> , 21, 100485	2
73	Thermoelectric materials and transport physics. <b>2021</b> , 21, 100519	22
72	Band convergence and thermoelectric performance enhancement of InSb via Bi doping. <b>2021</b> , 139, 107347	2
71	Novel sulphonic acid liquid crystal derivatives: experimental, computational and optoelectrical characterizations.. <b>2021</b> , 11, 27937-27949	4
70	Defect engineering in thermoelectric materials: what have we learned?. <b>2021</b> , 50, 9022-9054	45
69	Achieving N-Type Conduction in YbMg <sub>2</sub> Sb <sub>2</sub> -Based Compounds Through Defect Engineering and Doping.	
68	Enhancing the thermoelectric efficiency in p-type Mg <sub>3</sub> Sb <sub>2</sub> via Mg site co-doping. <b>2021</b> , 5, 4104-4114	4
67	Enhanced Thermoelectric Performance in N-Type Mg <sub>3.2</sub> Sb <sub>1.5</sub> Bi <sub>0.5</sub> by La or Ce Doping into Mg. <b>2020</b> , 6, 1901391	8
66	Discovery of ZrCoBi based half Heuslers with high thermoelectric conversion efficiency. <b>2018</b> , 9, 2497	154
65	Efficient ab initio calculations of electron-defect scattering and defect-limited carrier mobility. <b>2019</b> , 3,	14
64	N-Type MgSb Bi Alloys as Promising Thermoelectric Materials. <b>2020</b> , 2020, 1219461	10
63	The Electronic Transport Channel Protection and Tuning in Real Space to Boost the Thermoelectric Performance of Mg Sb Bi near Room Temperature. <b>2020</b> , 2020, 1672051	10
62	High-Performance MgSb Bi Thermoelectrics: Progress and Perspective. <b>2020</b> , 2020, 1934848	30
61	Manipulation of Band Degeneracy and Lattice Strain for Extraordinary PbTe Thermoelectrics. <b>2020</b> , 2020, 8151059	13
60	High-performance thermoelectrics and challenges for practical devices. <b>2021</b> ,	30

59	1-2-2 Layered Zintl-Phase Thermoelectric Materials. <b>2019</b> , 159-175	
58	Porous Thermoelectric Zintl: YbCd <sub>2</sub> Sb <sub>2</sub> . <b>2021</b> , 4, 913-920	3
57	Achieving n-type conduction in YbMg <sub>2</sub> Sb <sub>2</sub> -based compounds through defect engineering and doping. <b>2021</b> , 223, 117467	1
56	Limits of thermoelectric performance with a bounded transport distribution. <b>2021</b> , 104,	0
55	Comparative Study of Thermoelectric Properties of SbSiTe and BiSiTe.. <b>2022</b> ,	2
54	A general design strategy for thermoelectric interface materials in n-type Mg <sub>3</sub> Sb <sub>1.5</sub> Bi <sub>0.5</sub> single leg used in TEGs. <b>2022</b> , 226, 117616	5
53	Layered thermoelectric materials: Structure, bonding, and performance mechanisms. <b>2022</b> , 9, 011303	4
52	Carrier Grain Boundary Scattering in Thermoelectric Materials.	10
51	Enhanced Thermoelectric Performance of Indium-Doped n-type Mg <sub>3</sub> Sb <sub>2</sub> -Based Materials Synthesized by Rapid Induction Melting. <b>2022</b> , 51, 1591	0
50	Nanostructured Bulk Thermoelectric Materials for Energy Harvesting. <b>2022</b> , 199-231	1
49	Large improvement in thermoelectric performance of pressure-tuned MgSb.. <b>2021</b> , 12, 1149-1156	0
48	Next-generation thermoelectric cooling modules based on high-performance Mg <sub>3</sub> (Bi,Sb) <sub>2</sub> material. <b>2022</b> , 6, 193-204	14
47	Tuning the Carrier Scattering Mechanism by Rare-Earth Element Doping for High Average in MgSb-Based Compounds.. <b>2022</b> ,	0
46	Understanding the High Thermoelectric Performance of Mg <sub>3</sub> Sb <sub>2</sub> -Mg <sub>3</sub> Bi <sub>2</sub> Alloys. 2100208	2
45	Inferring the energy sensitivity and band gap of electronic transport in a network of carbon nanotubes.. <b>2022</b> , 12, 2060	0
44	High ZT in p-type thermoelectric (Bi,Sb) <sub>2</sub> Te <sub>3</sub> with built-in nanopores.	6
43	Band convergence boosted high thermoelectric performance of Zintl compound Mg <sub>3</sub> Sb <sub>2</sub> achieved by biaxial strains. <b>2022</b> ,	0
42	Upcycling Silicon Photovoltaic Waste into Thermoelectrics.. <b>2022</b> , e2110518	5

- 41 Organic/Inorganic Hybrid Design as a Route for Promoting the Bi<sub>0.5</sub>Sb<sub>1.5</sub>Te<sub>3</sub> for High-Performance Thermoelectric Power Generation. 2200307 3
- 40 Tuning the carrier scattering mechanism to improve the thermoelectric performance of p-type Mg<sub>3</sub>Sb<sub>1.5</sub>Bi<sub>0.5</sub>-based material by Ge doping. **2022**, 25, 100977
- 39 Enhanced Thermoelectric Properties of Cu<sub>x</sub>Se (1.75 ≤ x ≤ 1.0) during Phase Transitions. **2021**, 38, 117201 1
- 38 Electrical Properties in Ta<sub>2</sub>NiSe<sub>5</sub> Film and van der Waals Heterojunction. **2021**, 11, 1485
- 37 Theoretical Study on Thermoelectric Performance of N-Type Mg<sub>3</sub>(Sb,Bi)<sub>2</sub> Single Crystal for Cooling or Power Generation. 2200049 1
- 36 Robust thermoelectric module based on MgAgSb/Mg<sub>3</sub>(Sb,Bi)<sub>2</sub> with an 8.5% conversion efficiency and a 72 K maximum cooling. 4
- 35 Crystallographic design for half-Heuslers with low lattice thermal conductivity. **2022**, 25, 100704 1
- 34 Synergistic Effect of Band and Nanostructure Engineering on the Boosted Thermoelectric Performance of n-Type Mg<sub>3+δ</sub>(Sb, Bi)<sub>2</sub> Intls. 2201086 2
- 33 Approach to Determine the Density-of-States Effective Mass with Carrier Concentration-Dependent Seebeck Coefficient. 2203852 5
- 32 Suppression of Interfacial Diffusion in Mg<sub>3</sub>Sb<sub>2</sub> Thermoelectric Materials through an Mg<sub>4.3</sub>Sb<sub>3</sub>Ni/Mg<sub>3.2</sub>Sb<sub>2</sub>Y<sub>0.05</sub>/Mg<sub>4.3</sub>Sb<sub>3</sub>Ni-Graded Structure. 1
- 31 Solid-State Janus Nanoprecipitation Enables Amorphous-Like Heat Conduction in Crystalline Mg<sub>3</sub>Sb<sub>2</sub>-Based Thermoelectric Materials. 2202594 2
- 30 Regulating thermoelectric properties of Eu<sub>0.5</sub>Ca<sub>0.5</sub>Zn<sub>2</sub>Sb<sub>2</sub> through Mg dopant. **2022**, 28, 101071 2
- 29 Enhanced thermoelectric performance of n-type Mg<sub>3</sub>Bi<sub>2</sub>-based materials by Se doping and alloying engineering.
- 28 Combined Tactics for Elevating the Thermoelectric Performance of CaMg<sub>2</sub>Sb<sub>2</sub>-Based p-type Materials. 2200742
- 27 Chemical Stability and Degradation Mechanism of Mg<sub>3</sub>Sb<sub>2</sub>-Bi Thermoelectrics Towards Room-Temperature Applications. **2022**, 118301 0
- 26 Giant phonon anharmonicity driven by the asymmetric lone pairs in Mg<sub>3</sub>Bi<sub>2</sub>. **2022**, 27, 100791 0
- 25 Multiple effects result in significantly improved thermoelectric figure-of-merit of InSb semiconductors via embedding metastable Ag/Pt nano particles. **2022**, 27, 100818
- 24 Enhanced average thermoelectric properties of n-type Mg<sub>3</sub>Sb<sub>2</sub> based materials by mixed-valence Ni doping. **2022**, 924, 166598

23	Extraordinary thermoelectric performance, thermal stability and mechanical properties of n-type Mg <sub>3</sub> Sb <sub>1.5</sub> Bi <sub>0.5</sub> through multi-dopants at interstitial site. <b>2022</b> , 27, 100835	1
22	Solid-state cooling: thermoelectrics.	4
21	Research Progress on Crystal Growth and the Thermoelectric Properties of Zintl Phase Mg <sub>3</sub> X <sub>2</sub> (X= Sb, Bi) Based Materials. <b>2022</b> , 356	0
20	Understanding the influence of Bi/Sb substitution on carrier concentration in Mg <sub>3</sub> Sb <sub>2</sub> -based materials: Decreasing bandgap enhances the degree of impurity ionization.	0
19	Revealing the Defect-Dominated Electron Scattering in Mg <sub>3</sub> Sb <sub>2</sub> -Based Thermoelectric Materials. <b>2022</b> , 2022, 1-10	0
18	Physical-chemical properties of InSb+Mg <sub>3</sub> Sb <sub>2</sub> eutectic systems: synthesis, characterization, and applications. <b>2022</b> , 14, 187-190	0
17	Interface and Surface Engineering Realized High Efficiency of 13% and Improved Thermal Stability in Mg <sub>3</sub> Sb <sub>1.5</sub> Bi <sub>0.5</sub> -Based Thermoelectric Generation Devices. 2203039	0
16	Enhancing the thermal stability of n-type Mg <sub>3+x</sub> Sb <sub>1.5</sub> Bi <sub>0.49</sub> Te <sub>0.01</sub> by defect manipulation. <b>2023</b> , 106, 108036	0
15	Study of Bi <sub>2</sub> CaX <sub>2</sub> (X=Mg and Mn) compounds: A first-principle approach. <b>2023</b> , 34, e00770	0
14	Electrical property enhancement and lattice thermal conductivity reduction of n-type Mg <sub>3</sub> Sb <sub>1.5</sub> Bi <sub>0.5</sub> -based Zintl compound by In&Se co-doping. <b>2023</b> ,	0
13	First-principles analysis of intravalley and intervalley electron-phonon scattering in thermoelectric materials. <b>2023</b> , 107,	0
12	Recent progress in phosphide materials for thermoelectric conversion.	0
11	Research Progress of Interfacial Design between Thermoelectric Materials and Electrode Materials. <b>2023</b> , 15, 12611-12621	0
10	Improving thermal stability and revealing physical mechanism in n-type Mg <sub>3</sub> Sb <sub>2</sub> -Bi for practical applications. <b>2023</b> , 109, 108270	0
9	Influence of N-type doping sites on electronic transport properties of Mg <sub>3</sub> Sb <sub>1.5</sub> Bi <sub>0.5</sub> alloys. <b>2023</b> , 293, 116463	0
8	Intrinsic thermal stability enhancement in n-type Mg <sub>3</sub> Sb <sub>2</sub> thermoelectrics toward practical applications. <b>2023</b> , 247, 118752	0
7	First-principles study on the thermoelectric properties of Sr <sub>2</sub> Si and Sr <sub>2</sub> Ge. <b>2023</b> , 32, 101015	0
6	Rational Manipulation of Epitaxial Strains Enabled Valence Band Convergence and High Thermoelectric Performances in Mg <sub>3</sub> Sb <sub>2</sub> Films. 2300154	0

- 5 High-Performance Industrial-Grade p-Type (Bi,Sb)<sub>2</sub>Te<sub>3</sub> Thermoelectric Enabled by a Stepwise Optimization Strategy. ○
- 4 Thermoelectric optimization using first principles calculation and single parabolic band model: a case of the heavily doped oxide semiconductor. ○
- 3 Origin of improved average power factor and mechanical properties of SnTe with high-dose Bi<sub>2</sub>Te<sub>3</sub> alloying. **2023**, ○
- 2 Synthesis method of thermoelectrics. **2023**, 283-303 ○
- 1 Breaking the Minimum Limit of Thermal Conductivity of Mg<sub>3</sub>Sb<sub>2</sub> Thermoelectric Mediated by Chemical Alloying Induced Lattice Instability. ○