

CITATION REPORT

List of articles citing

Return to Work and Risk of Subsequent Detachment From Employment After Myocardial Infarction: Insights From Danish Nationwide Registries

DOI: 10.1161/jaha.117.006486

Journal of the American Heart Association, 2017, 6, .

Source: <https://exaly.com/paper-pdf/67390811/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
47	Pulmonary embolism in Europe - Burden of illness in relationship to healthcare resource utilization and return to work. <i>Thrombosis Research</i> , 2018 , 170, 181-191	8.2	16
46	Predicting return to work after acute myocardial infarction: Socio-occupational factors overcome clinical conditions. <i>PLoS ONE</i> , 2018 , 13, e0208842	3.7	11
45	Work and Cardiovascular Disease in China. <i>JAMA Network Open</i> , 2018 , 1, e184815	10.4	
44	Factors Associated With Return to Work After Acute Myocardial Infarction in China. <i>JAMA Network Open</i> , 2018 , 1, e184831	10.4	13
43	Adverse Change in Employment Status After Acute Myocardial Infarction: Analysis From the TRANSLATE-ACS Study. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2018 , 11, e004528	5.8	18
42	Effect of the patient education - Learning and Coping strategies - in cardiac rehabilitation on return to work at one year: a randomised controlled trial show (LC-REHAB). <i>BMC Cardiovascular Disorders</i> , 2018 , 18, 101	2.3	7
41	Patients' Expectations of returning to work, co-morbid disorders and work capacity at discharge from cardiac rehabilitation. <i>Vascular Health and Risk Management</i> , 2019 , 15, 301-308	4.4	4
40	Return to work and associations with psychosocial well-being and health-related quality of life in coronary heart disease patients: Results from EUROASPIRE IV. <i>European Journal of Preventive Cardiology</i> , 2019 , 26, 1386-1395	3.9	12
39	The importance of return to work: How to achieve optimal reintegration in ACS patients. <i>European Journal of Preventive Cardiology</i> , 2019 , 26, 1358-1369	3.9	15
38	Sociodemographic, labour market marginalisation and medical characteristics as risk factors for reinfarction and mortality within 1 year after a first acute myocardial infarction: a register-based cohort study of a working age population in Sweden. <i>BMJ Open</i> , 2019 , 9, e033616	3	0
37	Is It Ethical for For-profit Firms to Practice a Religion? A Rawlsian Thought Experiment. <i>Journal of Business Ethics</i> , 2020 , 166, 159-174	4.3	0
36	Factors associated with return to work among survivors of out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2020 , 146, 203-212	4	11
35	Effort-Reward Imbalance at Work and Overcommitment in Patients with Acute Myocardial Infarction (AMI): Associations with Return to Work 6 Months After AMI. <i>Journal of Occupational Rehabilitation</i> , 2021 , 31, 532-542	3.6	1
34	Validation of the Multidimensional Fatigue Inventory with Coronary Artery Disease Patients. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	4
33	Employment status three years after percutaneous coronary intervention and predictors for being employed: A nationwide prospective cohort study. <i>European Journal of Cardiovascular Nursing</i> , 2020 , 19, 433-439	3.3	1
32	Factors associated with return to work following myocardial infarction: A systematic review of observational studies. <i>Journal of Clinical Nursing</i> , 2021 , 30, 323-340	3.2	3
31	Diagnosis-specific cumulative incidence of return-to-work, resignation, and death among long-term sick-listed employees: Findings from the Japan Epidemiology Collaboration on Occupational Health Study. <i>Journal of Epidemiology</i> , 2021 ,	3.4	1

30	Cardiovascular disease subtypes, physical disability and workforce participation: A cross-sectional study of 163,562 middle-aged Australians. <i>PLoS ONE</i> , 2021 , 16, e0249738	3.7	1
29	The Use of SMS Text Messaging to Improve the Hospital-to-Community Transition in Patients With Acute Coronary Syndrome (Txt2Prevent): Results From a Pilot Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2021 , 9, e24530	5.5	1
28	Intensive group-based cognitive therapy in patients with cardiac disease and psychological distress-a randomized controlled trial protocol. <i>Trials</i> , 2021 , 22, 455	2.8	0
27	Long-term outcomes after out-of-hospital cardiac arrest in relation to socioeconomic status. <i>Resuscitation</i> , 2021 , 167, 336-344	4	1
26	Are patient-reported outcomes at discharge associated with employment status after cardiac hospitalization? Results from the national DenHeart study. <i>European Journal of Cardiovascular Nursing</i> , 2021 ,	3.3	
25	The Canadian Women's Heart Health Alliance Atlas on the Epidemiology, Diagnosis, and Management of Cardiovascular Disease in Women - Chapter 4: Sex- and Gender-Unique Disparities: CVD Across the Lifespan of a Woman.. <i>CJC Open</i> , 2022 , 4, 115-132	2	1
24	Patient-reported outcomes, clinical, and demographic variables as predictors of withdrawal from the workforce after hospitalization with heart failure: findings from the national DenHeart survey. <i>European Journal of Cardiovascular Nursing</i> , 2021 ,	3.3	
23	Effectiveness of technology-assisted cardiac rehabilitation: A systematic review and meta-analysis. <i>International Journal of Nursing Studies</i> , 2021 , 124, 104087	5.8	3
22	Factors associated with actively working in the very long-term following acute coronary syndrome. <i>Clinics</i> , 2021 , 76, e2553	2.3	
21	Behandlung. 2020 , 199-303		
20	Health-Related Quality of Life in Patients With Coronary Artery Disease Undergoing Percutaneous Coronary Intervention: A Cross-Sectional Study. <i>The Journal of Nursing Research: JNR</i> , 2021 ,	2.3	
19	Cardiopulmonary exercise testing for personalized job reintegration after acute cardiovascular attacks: a pilot cross-sectional study. <i>Medicina Del Lavoro</i> , 2020 , 111, 107-115	1.9	
18	Association Between Newly Diagnosed Atrial Fibrillation and Work Disability (from a Nationwide Danish Cohort Study).. <i>American Journal of Cardiology</i> , 2022 ,	3	0
17	The public economic burden of sub-optimal type-2 diabetes control on tax payors in Sweden: Looking beyond health costs.. <i>Diabetes, Obesity and Metabolism</i> , 2022 ,	6.7	0
16	Return to work after acute myocardial infarction with cardiogenic shock: a Danish nationwide cohort study.. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2022 ,	4.3	0
15	The Effectiveness of Case-management Rehabilitation Intervention in Facilitating Return to Work and Maintenance of Employment After Myocardial Infarction: Results of a Randomized Controlled Trial.. <i>Clinical Rehabilitation</i> , 2022 , 2692155221076826	3.3	
14	Why Do Patients With Ischaemic Heart Disease Drop Out From Cardiac Rehabilitation in Primary Health Settings. A Qualitative Audit of Patient Charts. <i>Frontiers in Rehabilitation Sciences</i> , 2022 , 3,		0
13	The impact of ill-health on social mobility: A qualitative study. <i>SSM Qualitative Research in Health</i> , 2022 , 100101		

12	Perceived return-to-work pressure following cardiovascular disease is associated with age, sex, and diagnosis: a nationwide combined survey- and register-based cohort study. <i>BMC Public Health</i> , 2022 , 22,	4.1	0
11	Workforce attachment after a congenital long QT syndrome diagnosis: a Danish nationwide study. <i>Open Heart</i> , 2022 , 9, e002056	3	1
10	Prevalence and determinants of return to work after various coronary events: meta-analysis of prospective studies. 2022 , 12,		0
9	Disability Retirement After First Admission with Acute Exacerbation of Chronic Obstructive Pulmonary Disease: A Danish Nationwide Registry Cohort Study Using a Retrospective Follow-Up Design. Volume 17, 2541-2551		0
8	Diagnostic group differences in return to work and subsequent detachment from employment following cardiovascular disease: a nationwide cohort study.		0
7	Treatment. 2022 , 219-334		0
6	Need for home care or nursing home admission after myocardial infarction complicated by cardiogenic shock and/or out-of-hospital cardiac arrest.		0
5	A qualitative enquiry regarding the factors influencing return to work after a cardiac incident in the Western Cape, South Africa. 2023 , 1-12		0
4	Cognitive-behavioural therapy reduces psychological distress in younger patients with cardiac disease: a randomized trial.		0
3	Barriers and facilitators to return to work following cardiovascular disease: a systematic review and meta-synthesis of qualitative research. 2023 , 13, e069091		0
2	Werk en gezondheid. 2022 , 65-78		0
1	Factors influencing return to work 3 months after percutaneous coronary intervention in young and middle-aged patients with coronary heart disease: A single-center, cross-sectional study. 2023 , 18, e0284100		0