Poor performance of quick-SOFA (qSOFA) score in pred
a prospective study of patients admitted with infection

Citation Report

#	Article	IF	Citations
1	Lactate â‰¥2 mmol/L plus qSOFA improves utility over qSOFA alone in emergency department patients presenting with suspected sepsis. EMA - Emergency Medicine Australasia, 2017, 29, 626-634.	1.1	44
2	SOFA criteria predict infection-related in-hospital mortality in ICU patients better than SIRS criteria and the qSOFA score. Evidence-Based Medicine, 2017, 22, 211-211.	0.6	8
3	qSOFA, SIRS and NEWS for predicting inhospital mortality and ICU admission in emergency admissions treated as sepsis. Emergency Medicine Journal, 2018, 35, 345-349.	1.0	188
4	Sepsis in Low- and Middle-Income Countries. , 2018, , 231-251.		0
5	Sepsis recognition tools in acute ambulatory care: associations with process of care and clinical outcomes in a service evaluation of an Emergency Multidisciplinary Unit in Oxfordshire. BMJ Open, 2018, 8, e020497.	1.9	11
6	A Comparison of the Quick-SOFA and Systemic Inflammatory Response Syndrome Criteria for the Diagnosis of Sepsis and Prediction of Mortality. Chest, 2018, 153, 646-655.	0.8	182
7	Accuracy of quick Sequential Organ Failure Assessment (qSOFA) score and systemic inflammatory response syndrome (SIRS) criteria for predicting mortality in hospitalized patients with suspected infection: a meta-analysis of observational studies. Clinical Microbiology and Infection, 2018, 24, 1123-1129.	6.0	83
8	Sepsis-3 in Community-acquired Pneumonia: How Reliable Is It?. American Journal of Respiratory and Critical Care Medicine, 2018, 197, 537-537.	5.6	1
9	Prediction of Bacteraemia and of 30-day Mortality Among Patients with Suspected Infection using a CPN Model of Systemic Inflammation. IFAC-PapersOnLine, 2018, 51, 116-121.	0.9	5
10	Comparison of Prognostic Accuracy of the quick Sepsis-Related Organ Failure Assessment between Short- & Long-term Mortality in Patients Presenting Outside of the Intensive Care Unit â€" A Systematic Review & Meta-analysis. Scientific Reports, 2018, 8, 16698.	3.3	17
11	Analysis of the 72-h Mortality of Emergency Room Septic Patients Based on a Deep Belief Network. IEEE Access, 2018, 6, 76820-76830.	4.2	6
12	Does level of training predetermine the success rate of prehospital sepsis assessment? A prospective survey on early recognition. Developments in Health Sciences, 2018, 1, 33-38.	0.2	0
13	Clinical characteristics, organ failure, inflammatory markers and prediction of mortality in patients with community acquired bloodstream infection. BMC Infectious Diseases, 2018, 18, 535.	2.9	20
14	A Comparison of the Quick Sequential (Sepsis-Related) Organ Failure Assessment Score and the National Early Warning Score in Non-ICU Patients With/Without Infection. Critical Care Medicine, 2018, 46, 1923-1933.	0.9	58
15	The qSOFA Score: A Simple and Accurate Predictor of Outcome in Patients with Glyphosate Herbicide Poisoning. Basic and Clinical Pharmacology and Toxicology, 2018, 123, 615-621.	2.5	4
17	Prevention and management of urosepsis triggered by ureteroscopy. Research and Reports in Urology, 2018, Volume 10, 43-49.	1.0	25
18	Challenges and Opportunities for Emergency Department Sepsis Screening at Triage. Scientific Reports, 2018, 8, 11059.	3.3	19
19	Prognostic Accuracy of the Quick Sequential Organ Failure Assessment for Mortality in Patients With Suspected Infection. Annals of Internal Medicine, 2018, 168, 266.	3.9	196

#	Article	IF	Citations
20	Using Statistical and Machine Learning Methods to Evaluate the Prognostic Accuracy of SIRS and qSOFA. Healthcare Informatics Research, 2018, 24, 139.	1.9	14
21	Head-to-head comparison of qSOFA and SIRS criteria in predicting the mortality of infected patients in the emergency department: a meta-analysis. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2018, 26, 56.	2.6	95
22	Closed Or Open after Source Control Laparotomy for Severe Complicated Intra-Abdominal Sepsis (the) Tj ETQq0 0 0 rgBT /Overlock 10 T 2018, 13, 26.	5.0	61
23	Getting the invite list right: a discussion of sepsis severity scoring systems in severe complicated intra-abdominal sepsis and randomized trial inclusion criteria. World Journal of Emergency Surgery, 2018, 13, 17.	5.0	34
24	Raising concerns about the Sepsis-3 definitions. World Journal of Emergency Surgery, 2018, 13, 6.	5.0	81
25	Performance of the quick Sequential (sepsis-related) Organ Failure Assessment score as a prognostic tool in infected patients outside the intensive care unit: a systematic review and meta-analysis. Critical Care, 2018, 22, 28.	5.8	152
26	Addition of lactic acid levels improves the accuracy of quick sequential organ failure assessment in predicting mortality in surgical patients with complicated intra-abdominal infections: a retrospective study. World Journal of Emergency Surgery, 2018, 13, 14.	5.0	17
27	qSOFA as predictor of mortality and prolonged ICU admission in Emergency Department patients with suspected infection. Journal of Critical Care, 2018, 48, 118-123.	2.2	21
28	Early variation of quick sequential organ failure assessment score to predict in-hospital mortality in emergency department patients with suspected infection. European Journal of Emergency Medicine, 2019, 26, 234-241.	1.1	11
29	Procalcitonin as a diagnostic marker for sepsis/septic shock in the emergency department; a study based on Sepsis-3 definition. American Journal of Emergency Medicine, 2019, 37, 272-276.	1.6	15
30	Precision medicine for the treatment of sepsis: recent advances and future prospects. Expert Review of Precision Medicine and Drug Development, 2019, 4, 205-213.	0.7	3
31	Quick Sequential Organ Failure Assessment Is Not Good for Ruling Sepsis In or Out. Chest, 2019, 156, 197-199.	0.8	11
32	Recognition, response and outcomes of sepsis: A dual site retrospective observational study. International Emergency Nursing, 2019, 46, 100782.	1.5	1
33	NEWS2 is Superior to qSOFA in Detecting Sepsis with Organ Dysfunction in the Emergency Department. Journal of Clinical Medicine, 2019, 8, 1128.	2.4	62
34	A Data-Driven Approach to Predicting Septic Shock in the Intensive Care Unit. Biomedical Informatics Insights, 2019, 11, 117822261988514.	4.6	20
35	Prognostic accuracy of qSOFA in predicting 28-day mortality among infected patients in an emergency department: a prospective validation study. Emergency Medicine Journal, 2019, 36, emermed-2019-208456.	1.0	20
36	Mortality Prediction of Septic Patients in the Emergency Department Based on Machine Learning. Journal of Clinical Medicine, 2019, 8, 1906.	2.4	43
37	The impact of the Sepsis-3 definition on ICU admission of patients with infection. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2019, 27, 98.	2.6	6

#	Article	IF	Citations
38	qSOFA is a Poor Predictor of Short-Term Mortality in All Patients: A Systematic Review of 410,000 Patients. Journal of Clinical Medicine, 2019, 8, 61.	2.4	34
39	Predicting mortality in patients with suspected sepsis at the Emergency Department; A retrospective cohort study comparing qSOFA, SIRS and National Early Warning Score. PLoS ONE, 2019, 14, e0211133.	2.5	98
40	Serum albumin is a strong predictor of sepsis outcome in elderly patients. European Journal of Clinical Microbiology and Infectious Diseases, 2019, 38, 743-746.	2.9	59
41	Use of prehospital qSOFA in predicting in-hospital mortality in patients with suspected infection: A retrospective cohort study. PLoS ONE, 2019, 14, e0216560.	2.5	18
42	Prognostic accuracy of the serum lactate level, the SOFA score and the qSOFA score for mortality among adults with Sepsis. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2019, 27, 51.	2.6	155
43	Application of The Sepsis-3 Consensus Criteria in a Geriatric Acute Care Unit: A Prospective Study. Journal of Clinical Medicine, 2019, 8, 359.	2.4	18
44	Pharmacological management of sepsis in adults with a focus on the current gold standard treatments and promising adjunctive strategies: evidence from the last five years. Expert Opinion on Pharmacotherapy, 2019, 20, 991-1007.	1.8	5
45	Challenging the One-hour Sepsis Bundle. Western Journal of Emergency Medicine, 2019, 20, 185-190.	1.1	23
46	Quick Sequential (Sepsis related) Organ Failure Assessment: A high performance rapid prognostication tool in patients having acute pyelonephritis with upper urinary tract calculi. Investigative and Clinical Urology, 2019, 60, 120.	2.0	8
47	Could hypoglycemia and hypoalbuminemia allow the identification of septic patients at high mortality risk in addition of clinical scores?. Internal and Emergency Medicine, 2019, 14, 499-501.	2.0	0
48	Quick Sequential Organ Failure Assessment as a prognostic factor for infected patients outside the intensive care unit: a systematic review and meta-analysis. Internal and Emergency Medicine, 2019, 14, 603-615.	2.0	38
49	Clinical Scores and Formal Triage for Screening of Sepsis and Adverse Outcomes on Arrival in an Emergency Department All-Comer Cohort. Journal of Emergency Medicine, 2019, 57, 453-460.e2.	0.7	26
50	The prognostic value of red blood cell distribution width in patients with suspected infection in the emergency department. BMC Emergency Medicine, 2019, 19, 76.	1.9	27
51	Superior performance of National Early Warning Score compared with quick Sepsis-related Organ Failure Assessment Score in predicting adverse outcomes: a retrospective observational study of patients in the prehospital setting. European Journal of Emergency Medicine, 2019, 26, 433-439.	1.1	33
52	Accuracy of Quick Sequential Organ Failure Assessment Score to Predict Sepsis Mortality in 121 Studies Including 1,716,017 Individuals. , 2019, 1, e0043.		32
53	Derivation of a screen to identify severe sepsis and septic shock in the ED-BOMBARD vs. SIRS and qSOFA. American Journal of Emergency Medicine, 2019, 37, 1260-1267.	1.6	2
54	Comparison of SIRS, qSOFA, and NEWS for the early identification of sepsis in the Emergency Department. American Journal of Emergency Medicine, 2019, 37, 1490-1497.	1.6	167
55	SIRS or qSOFA? Is that the question? Clinical and methodological observations from a meta-analysis and critical review on the prognostication of patients with suspected sepsis outside the ICU. Internal and Emergency Medicine, 2019, 14, 593-602.	2.0	22

#	ARTICLE	IF	CITATIONS
56	qSOFA is a useful prognostic factor for 30-day mortality in infected patients fulfilling the SIRS criteria for sepsis. American Journal of Emergency Medicine, 2020, 38, 512-516.	1.6	11
57	Impact of a qSOFA-based triage procedure on antibiotic timing in ED patients with sepsis: A prospective interventional study. American Journal of Emergency Medicine, 2020, 38, 477-484.	1.6	7
58	Classification versus Prediction of Mortality Risk using the SIRS and qSOFA Scores in Patients with Infection Transported by Paramedics. Prehospital Emergency Care, 2020, 24, 282-289.	1.8	9
59	A combination of C-reactive protein and quick sequential organ failure assessment (qSOFA) score has better prognostic accuracy than qSOFA alone in patients with complicated intra-abdominal infections. Acta Chirurgica Belgica, 2020, 120, 396-400.	0.4	6
60	Validation of prognostic accuracy of the SOFA score, SIRS criteria, and qSOFA score for in-hospital mortality among cardiac-, thoracic-, and vascular-surgery patients admitted to a cardiothoracic intensive care unit. Journal of Cardiac Surgery, 2020, 35, 118-127.	0.7	16
61	Perforated and bleeding peptic ulcer: WSES guidelines. World Journal of Emergency Surgery, 2020, 15, 3.	5.0	157
62	Prehospital shock index to assess 28-day mortality for septic shock. American Journal of Emergency Medicine, 2020, 38, 1352-1356.	1.6	20
63	Time to Recognition of Sepsis in the Emergency Department Using Electronic Health Record Data: A Comparative Analysis of Systemic Inflammatory Response Syndrome, Sequential Organ Failure Assessment, and Quick Sequential Organ Failure Assessment. Critical Care Medicine, 2020, 48, 200-209.	0.9	24
64	Persistently elevated early warning scores and lactate identifies patients at high risk of mortality in suspected sepsis. European Journal of Emergency Medicine, 2020, 27, 125-131.	1.1	17
65	Prehospital lactate clearance is associated with reduced mortality in patients with septic shock. American Journal of Emergency Medicine, 2020, 46, 367-373.	1.6	12
66	Pre-Hospital Lactatemia Predicts 30-Day Mortality in Patients with Septic Shock—Preliminary Results from the LAPHSUS Study. Journal of Clinical Medicine, 2020, 9, 3290.	2.4	7
67	Systemic Inflammatory Response Syndrome Combined with Pre- and Postoperative White Blood Cell Ratio Is a Better Criterion to Identify Septic Shock Patients After Flexible Ureteroscopic Lithotripsy. Journal of Endourology, 2021, 35, 973-978.	2.1	4
68	Role of qSOFA and SOFA Scoring Systems for Predicting In-Hospital Risk of Deterioration in the Emergency Department. International Journal of Environmental Research and Public Health, 2020, 17, 8367.	2.6	7
69	SOFA and qSOFA usefulness for in-hospital death prediction of elderly patients admitted for suspected infection in internal medicine. Infection, 2020, 48, 879-887.	4.7	12
70	Machine learning for early detection of sepsis: an internal and temporal validation study. JAMIA Open, 2020, 3, 252-260.	2.0	56
71	How well are sepsis and a sense of urgency documented throughout the acute care chain in the Netherlands? A prospective, observational study. BMJ Open, 2020, 10, e036276.	1.9	4
72	Lactate-enhanced-qSOFA (LqSOFA) score is superior to the other four rapid scoring tools in predicting in-hospital mortality rate of the sepsis patients. Annals of Translational Medicine, 2020, 8, 1013-1013.	1.7	8
73	Rapid Systematic Review: The Appropriate Use of Quick Sequential Organ Failure Assessment (qSOFA) in the Emergency Department. Journal of Emergency Medicine, 2020, 59, 977-983.	0.7	8

#	ARTICLE	IF	CITATIONS
74	Pre-hospital triage performance and emergency medical services nurse's field assessment in an unselected patient population attended to by the emergency medical services: a prospective observational study. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2020, 28, 81.	2.6	20
76	NEWS and qSIRS superior to qSOFA in the prediction of 30-day mortality in emergency department patients in Hong Kong. Annals of Medicine, 2020, 52, 403-412.	3.8	12
77	Development and Validation of a Quick Sepsis-Related Organ Failure Assessment-Based Machine-Learning Model for Mortality Prediction in Patients with Suspected Infection in the Emergency Department. Journal of Clinical Medicine, 2020, 9, 875.	2.4	18
78	The challenge of recognising sepsis: Future nanotechnology solutions. Journal of the Intensive Care Society, 2020, 21, 241-246.	2.2	10
79	Scores for sepsis detection and risk stratification – construction of a novel score using a statistical approach and validation of RETTS. PLoS ONE, 2020, 15, e0229210.	2.5	12
80	Prospective evaluation of the quickSOFA score as a screening for sepsis in the emergency department. Internal and Emergency Medicine, 2020, 15, 685-693.	2.0	12
81	The initial resuscitation of septic shock. Journal of Critical Care, 2020, 57, 108-117.	2.2	27
82	On classifying sepsis heterogeneity in the ICU: insight using machine learning. Journal of the American Medical Informatics Association: JAMIA, 2020, 27, 437-443.	4.4	36
83	Factors associated with the development of septic shock in patients with candidemia: a post hoc analysis from two prospective cohorts. Critical Care, 2020, 24, 117.	5.8	19
84	Performance of SOFA, qSOFA and SIRS to predict septic shock after percutaneous nephrolithotomy. World Journal of Urology, 2021, 39, 501-510.	2.2	15
85	Prehospital Shock Precautions on Triage (PSPoT) score to assess in-hospital mortality for septic shock. American Journal of Emergency Medicine, 2021, 44, 230-234.	1.6	1
86	Interventions for rapid recognition and treatment of sepsis in the emergency department: a narrative review. Clinical Microbiology and Infection, 2021, 27, 192-203.	6.0	27
87	The prehospital SIGARC score to assess septic shock in-hospital, 30-day and 90-day mortality. American Journal of Emergency Medicine, 2021, 46, 355-360.	1.6	1
88	Predicting in-hospital mortality for sepsis: a comparison between qSOFA and modified qSOFA in a 2-year single-centre retrospective analysis. European Journal of Clinical Microbiology and Infectious Diseases, 2021, 40, 825-831.	2.9	8
89	The use of soluble urokinase plasminogen activator receptor (suPAR) as a marker of sepsis in the emergency department setting. A current review. Acta Clinica Belgica, 2021, 76, 79-84.	1.2	10
90	A Prospective Cohort Study of the Quick Sequential Organ Failure Assessment (qSOFA) Score versus Systemic Inflammatory Response Syndrome (SIRS) Criteria in the Determination and Prognostication of Sepsis in a Philippine Tertiary Hospital. Acta Medica Philippina, 0, , .	0.1	0
91	Pre‐hospital antibiotic therapy preceded by blood cultures in a physician‐manned mobile emergency care unit. Acta Anaesthesiologica Scandinavica, 2021, 65, 540-548.	1.6	2
92	Relationship between the prehospital quick Sequential Organ Failure Assessment and prognosis in patients with sepsis or suspected sepsis: a population‐based ORION registry. Acute Medicine & Surgery, 2021, 8, e675.	1.2	4

#	Article	IF	Citations
93	Performance of scores in the prediction of clinical outcomes in patients admitted from the emergency service. Revista Latino-Americana De Enfermagem, 2021, 29, e3479.	1.0	1
94	Clinical and microbiological characterization of sepsis and evaluation of sepsis scores. PLoS ONE, 2021, 16, e0247646.	2.5	9
95	Quick sequential organ failure assessment versus systemic inflammatory response syndrome criteria for emergency department patients with suspected infection. Scientific Reports, 2021, 11, 5347.	3.3	6
96	Retrospective study on the possible existence of a treatment paradox in sepsis scores in the emergency department. BMJ Open, 2021, 11, e046518.	1.9	2
97	Current Utility of Sequential Organ Failure Assessment Score: A Literature Review and Future Directions. Open Respiratory Medicine Journal, 2021, 15, 1-6.	0.4	11
98	Two-stage prediction model for in-hospital mortality of patients with influenza infection. BMC Infectious Diseases, 2021, 21, 451.	2.9	4
99	Comparison of SIRS criteria and qSOFA score for identifying culture-positive sepsis in the emergency department: a prospective cross-sectional multicentre study. BMJ Open, 2021, 11, e041024.	1.9	8
100	Monocyte Distribution Width, Neutrophil-to-Lymphocyte Ratio, and Platelet-to-Lymphocyte Ratio Improves Early Prediction for Sepsis at the Emergency. Journal of Personalized Medicine, 2021, 11, 732.	2.5	18
101	Prognostic Accuracy of SOFA, qSOFA, and SIRS for Mortality Among Emergency Department Patients with Infections. Infection and Drug Resistance, 2021, Volume 14, 2763-2775.	2.7	20
102	Identifying the Sickest During Triage: Using Point‐of‐Care Severity Scores to Predict Prognosis in Emergency Department Patients With Suspected Sepsis. Journal of Hospital Medicine, 2021, 16, 453-461.	1.4	8
103	Activación del Código Sepsis en urgencias: rendimiento de la escala q-SOFA respecto los criterios SIRS. Medicina Clínica, 2022, 158, 260-264.	0.6	3
104	The role of sepsis screening, SIRS and qSOFA in head and neck infections: An audit of 104 patients. Clinical Otolaryngology, 2021, 46, 1273-1277.	1.2	2
105	The Importance of Early Management of Severe Biliary Infection: Current Concepts. International Surgery, 2021, 105, 667-678.	0.1	2
106	Diagnostic Performance of Procalcitonin for the Early Identification of Sepsis in Patients with Elevated qSOFA Score at Emergency Admission. Journal of Clinical Medicine, 2021, 10, 3869.	2.4	4
107	Role of international normalized ratio in nonpulmonary sepsis screening: An observational study. World Journal of Clinical Cases, 2021, 9, 7405-7416.	0.8	9
108	Risk factors of sepsis among patients with qSOFA<2 in the emergency department. American Journal of Emergency Medicine, 2021, 50, 699-706.	1.6	7
109	Comparison of qSOFA, SIRS, and NEWS scoring systems for diagnosis, mortality, and morbidity of sepsis in emergency department. American Journal of Emergency Medicine, 2021, 48, 54-59.	1.6	26
110	Quick Sequential Organ Failure Assessment Versus Systemic Inflammatory Response System in Early Detection of Sepsis in Emergency Department. The Egyptian Journal of Hospital Medicine, 2021, 82, 761-767.	0.1	0

#	ARTICLE	IF	CITATIONS
111	The ability of an improved qSOFA score to predict acute sepsis severity and prognosis among adult patients. Medicine (United States), 2020, 99, e18942.	1.0	19
112	Risk factors for bloodstream infections in gynecological cancer. International Journal of Gynecological Cancer, 2020, 30, 245-251.	2.5	4
113	qSOFA score for prediction of sepsis outcome in emergency department. Pakistan Journal of Medical Sciences, 2020, 36, 668-672.	0.6	9
114	Utility of quick sepsis-related organ failure assessment (qSOFA) to predict outcome in patients with pneumonia. PLoS ONE, 2017, 12, e0188913.	2.5	22
115	Monocyte distribution width (MDW) as a screening tool for sepsis in the Emergency Department. Clinical Chemistry and Laboratory Medicine, 2020, 58, 1951-1957.	2.3	45
116	Cellular Stress and General Pathological Processes. Current Pharmaceutical Design, 2019, 25, 251-297.	1.9	27
117	Real-World Integration of a Sepsis Deep Learning Technology Into Routine Clinical Care: Implementation Study. JMIR Medical Informatics, 2020, 8, e15182.	2.6	86
118	The Prevalence and Outcomes of Sepsis in Adult Patients in Two Hospitals in Malawi. American Journal of Tropical Medicine and Hygiene, 2020, 102, 896-901.	1.4	8
119	Comparison of Diagnostic Accuracies of qSOFA, NEWS, and MEWS to Identify Sepsis in Older Inpatients With Suspected Infection. Journal of the American Medical Directors Association, 2022, 23, 865-871.e2.	2.5	10
120	Delirium screening with 4AT in patients aged 65Âyears and older admitted to the Emergency Department with suspected sepsis: a prospective cohort study. European Geriatric Medicine, 2022, 13, 155-162.	2.8	4
121	Trend and Predictors of Short-term Mortality of Adult Bacteremia at Emergency Departments: A 14-Year Cohort Study of 14 625 Patients. Open Forum Infectious Diseases, 2021, 8, ofab485.	0.9	5
122	Characteristics and Factors Associated With the Mortality of Hypotensive Patients Attending the Emergency Department. Journal of Clinical Medicine Research, 2018, 10, 576-581.	1.2	3
124	SYSTEMIC INFLAMMATORY RESPONSE ON THE CONDITION OF CHRONIC CRITICAL ISCHEMIA OF LOWER PATIENTS AND HIGH RISK OF DEVELOPMENT OF REPERFUSIVE SYNDROME. Clinical Anatomy and Operative Surgery, 2019, 18, 16-20.	0.1	0
126	Sepsis-3: renewed determinations, potential problems and further practical foot steps. Klinichna Khirurhiia, 2019, 86, 60-72.	0.2	0
127	Biomarkers in Shock Patients and Their Value as A Prognostic Tool; A Prospective Multi-Center Cohort Study. Bulletin of Emergency and Trauma, 2019, 7, 232-239.	0.0	2
128	Paciente grave com sepse: concepÃ§Ãµes e atitudes de enfermeiros intensivistas. Enfermagem Brasil, 2019, 18, 650.	0.1	2
129	The use of the shock index to predict hemodynamic collapse in hypotensive sepsis patients: A cross-sectional analysis. Saudi Journal of Anaesthesia, 2020, 14, 192.	0.7	5
130	Effect of age and comorbidity on the ability of quickâ€Sequential Organ Failure Assessment score to predict outcome in emergency department patients with suspected infection. EMA - Emergency Medicine Australasia, 2021, 33, 679-684.	1.1	3

#	ARTICLE	IF	CITATIONS
131	Comparison of QSOFA and sirs scores for the prediction of adverse outcomes of secondary peritonitis among patients admitted on the adult surgical ward in a tertiary teaching hospital in Uganda: a prospective cohort study. BMC Emergency Medicine, 2021, 21, 128.	1.9	3
132	Validity of Sequential Organ Failure Assessment and Quick Sequential Organ Failure Assessment in Assessing Mortality Rate in the Intensive Care Unit With or Without Sepsis. Cureus, 2020, 12, e11071.	0.5	0
133	The timing of use of risk stratification tools affects their ability to predict mortality from sepsis. A meta-regression analysis.. Wellcome Open Research, 0, 6, 328.	1.8	0
134	Comparison of different versions of the quick sequential organ failure assessment for predicting in-hospital mortality of sepsis patients: A retrospective observational study. World Journal of Emergency Medicine, 2022, 13, 114.	1.0	6
135	Early warning model for death of sepsis via length insensitive temporal convolutional network. Medical and Biological Engineering and Computing, 2022, 60, 875-885.	2.8	2
136	The Use of qSOFA, SOFA, and Ramathibodi Early Warning Score (REWS) to Predict Severe Complications in Hematologic Malignancy Patients. Open Access Emergency Medicine, 2022, Volume 14, 51-61.	1.3	0
137	Prognostic scores and early management of septic patients in the emergency department of a secondary hospital: results of a retrospective study. BMC Emergency Medicine, 2021, 21, 152.	1.9	4
138	A 2-year retrospective analysis of the prognostic value of MqSOFA compared to lactate, NEWS and qSOFA in patients with sepsis. Infection, 2022, 50, 941-948.	4.7	9
139	Sepsis Code in emergency department: Performance of q-SOFA score compared to SIRS score. Medicina Clínica (English Edition), 2022, , .	0.2	0
140	A Prospective Cohort Study of the Clinical Predictors of Bacteremia in Under-Five Children With Acute Undifferentiated Fever Attending a Secondary Health Facility in Northwestern Nigeria. Frontiers in Pediatrics, 2021, 9, 730082.	1.9	0
141	Early Rooming Triage: Accuracy and Demographic Factors Associated with Clinical Acuity. Western Journal of Emergency Medicine, 2022, 23, 145-151.	1.1	2
142	Prognostic Accuracy of the qSOFA Score for In-Hospital Mortality in Elderly Patients with Obstructive Acute Pyelonephritis: A Multi-Institutional Study. Diagnostics, 2021, 11, 2277.	2.6	0
144	A Novel Risk-Prediction Scoring System for Sepsis among Patients with Acute Pancreatitis: A Retrospective Analysis of a Large Clinical Database. International Journal of Clinical Practice, 2022, 2022, 1-11.	1.7	5
145	SOFA Score Plus Impedance Ratio Predicts Mortality in Critically Ill Patients Admitted to the Emergency Department: Retrospective Observational Study. Healthcare (Switzerland), 2022, 10, 810.	2.0	0
146	Prognostic Accuracy of qSOFA and SIRS for Mortality in the Emergency Department: A Meta-Analysis and Systematic Review of Prospective Studies. Emergency Medicine International, 2022, 2022, 1-11.	0.8	6
147	Association between prehospital shock index variation and 28-day mortality among patients with septic shock. BMC Emergency Medicine, 2022, 22, 87.	1.9	3
148	Accuracy of Quick Sequential Organ Failure Assessment Score & Systemic Inflammatory Response Syndrome Criteria in Predicting Adverse Outcomes in Emergency Surgical Patients With Suspected Sepsis: A Prospective Observational Study. Cureus, 2022, , .	0.5	0
149	Performance of quick sequential organ failure assessment (qSOFA) and modified age disease adjusted qadSOFA for the prediction of outcomes in emergency general surgery patients. Journal of Trauma and Acute Care Surgery, 0, Publish Ahead of Print, .	2.1	1

#	ARTICLE	IF	CITATIONS
150	Initial venous lactate levels as a predictor of mortality in severe sepsis: a single-center retrospective cohort study. World Journal of Emergency Medicine, 2022, 13, .	1.0	1
151	Heparin-binding protein-enhanced quick SOFA score improves mortality prediction in sepsis patients. Frontiers in Medicine, 0, 9, .	2.6	1
152	Does lactate enhance the prognostic accuracy of the quick Sequential Organ Failure Assessment for adult patients with sepsis? A systematic review. BMJ Open, 2022, 12, e060455.	1.9	1
153	Sepsis Team Organizational Model to Decrease Mortality for Intra-Abdominal Infections: Is Antibiotic Stewardship Enough?. Antibiotics, 2022, 11, 1460.	3.7	2
154	AI and ICU Monitoring on the Wake of the COVID-19 Pandemic. , 2022, , 169-174.		0
155	Monocyte Distribution Width as a predictor of community acquired sepsis in patients prospectively enrolled at the Emergency Department. BMC Infectious Diseases, 2022, 22, .	2.9	1
156	Assessing organ-level immunoreactivity in a rat model of sepsis using TSPO PET imaging. Frontiers in Immunology, 0, 13, .	4.8	0
157	Comparison of the systematic Inflammatory response syndrome and the quick sequential organ failure assessment for prognostic accuracy in detecting sepsis in the emergency department: A systematic review. International Emergency Nursing, 2023, 66, 101242.	1.5	1
158	Early Warning Models for Predicting Severity in Febrile and Nonfebrile Stages of Hemorrhagic Fever with Renal Syndrome. Japanese Journal of Infectious Diseases, 2023, 76, 120-125.	1.2	1
160	Development and Validation of the Prediction Model of Sepsis in Patients After Percutaneous Nephrolithotomy and Sepsis Progresses to Septic Shock. Journal of Endourology, 2023, 37, 377-386.	2.1	0
162	Performance of point‐of‐care severity scores to predict prognosis in patients admitted through the emergency department with COVID‐19. Journal of Hospital Medicine, 2023, 18, 413-423.	1.4	2
163	Machine Learning for Early Outcome Prediction in Septic Patients in the Emergency Department. Algorithms, 2023, 16, 76.	2.1	2
164	The Role of Biomarkers and Scores in Describing Urosepsis. Medicina (Lithuania), 2023, 59, 597.	2.0	1
165	Performance of qSOFA score as a screening tool for sepsis in the emergency department. Journal of Emergencies, Trauma and Shock, 2023, 16, 3.	0.7	0
166	Systemic Inflammatory Response Syndrome and Serum Procalcitonin in Odontogenic Maxillofacial Infection. I P Pavlov Russian Medical Biological Herald, 2023, 31, 119-125.	0.5	1
167	Development and validation of the UCSS score, a novel method to predict septic shock after PCNL. World Journal of Urology, 2023, 41, 1921-1927.	2.2	1
168	Quick Sequential Organ Failure Assessment Score Is a Better Predictor of Septic Shock After Percutaneous Nephrolithotomy: A Secondary Analysis of Two Multicenter Prospective Trials. Journal of Endourology, 2023, 37, 863-867.	2.1	0
169	Prediction of unfavorable outcomes in community-acquired bacteremia by SIRS, SOFA and qSOFA scores. Minerva Anestesiologica, 2023, 89, .	1.0	1

#	ARTICLE	IF	CITATIONS
171	SIRS, SOFA, qSOFA, and NEWS in the diagnosis of sepsis and prediction of adverse outcomes: a systematic review and meta-analysis. Expert Review of Anti-Infective Therapy, 2023, 21, 891-900.	4.4	7
172	Early Management of Severe Biliary Infection in the Era of the Tokyo Guidelines. Journal of Clinical Medicine, 2023, 12, 4711.	2.4	3
173	Biomarker-Based Assessment Model for Detecting Sepsis: A Retrospective Cohort Study. Journal of Personalized Medicine, 2023, 13, 1195.	2.5	1
174	Prehospital pulse pressure and mortality of septic shock patients cared for by a mobile intensive care unit. BMC Emergency Medicine, 2023, 23, .	1.9	1
175	Construction and validation of machine learning models for sepsis prediction in patients with acute pancreatitis. BMC Surgery, 2023, 23, .	1.3	1
176	Predictors of In-Hospital Mortality in Older Inpatients with Suspected Infection. Journal of the American Medical Directors Association, 2023, , .	2.5	0
177	RELATIONSHIP BETWEEN SHOCK INDEX, MODIFIED SHOCK INDEX, AND AGE SHOCK INDEX AND 28-DAY MORTALITY AMONG PATIENTS WITH PREHOSPITAL SEPTIC SHOCK. Journal of Emergency Medicine, 2024, 66, 144-153.	0.7	0
178	Nursesâ€™ and Physiciansâ€™ Experiences After Implementation of a Quality Improvement Project to Improve Sepsis Awareness in Hospitals. Journal of Multidisciplinary Healthcare, 0, Volume 17, 29-41.	2.7	1
179	The prehospital NEW score to assess septic shock in-hospital, 30-day and 90-day mortality. BMC Infectious Diseases, 2024, 24, .	2.9	0
180	A cross-sectional study on serum uric acid as an early marker in predicting the mortality and morbidity in patients with sepsis. F1000Research, 0, 13, 182.	1.6	0