Lightweight conductive graphene/thermoplastic polyur
compressibility for piezoresistive sensing

Journal of Materials Chemistry C

5, 73-83

DOI: 10.1039/c6tc03713e

Citation Report

#	Article	IF	Citations
2	Microstructural evolution and mechanical properties of ZrB 2 /6061Al nanocomposites processed by multi-pass friction stir processing. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2017, 689, 411-418.	2.6	42
3	Effect of degree of crosslinking and polymerization of 3D printable polymer/ionic liquid composites on performance of stretchable piezoresistive sensors. Smart Materials and Structures, 2017, 26, 035043.	1.8	37
4	Fabrication of highly reinforced and compressible graphene/carbon nanotube hybrid foams via a facile self-assembly process for application as strain sensors and beyond. Journal of Materials Chemistry C, 2017, 5, 2723-2730.	2.7	42
5	Challenges and issues facing lithium metal for solid-state rechargeable batteries. Journal of Power Sources, 2017, 353, 333-342.	4.0	273
6	Polypyrrole-interface-functionalized nano-magnetite epoxy nanocomposites as electromagnetic wave absorbers with enhanced flame retardancy. Journal of Materials Chemistry C, 2017, 5, 5334-5344.	2.7	242
7	ZIF-derived nitrogen-doped porous carbons as highly efficient adsorbents for removal of organic compounds from wastewater. Chemical Engineering Journal, 2017, 323, 502-511.	6.6	140
8	Self-healing strain sensors based on nanostructured supramolecular conductive elastomers. Journal of Materials Chemistry A, 2017, 5, 9824-9832.	5.2	176
9	Fabrication of urchin-like ZnO-MXene nanocomposites for high-performance electromagnetic absorption. Ceramics International, 2017, 43, 10757-10762.	2.3	173
10	Inorganic nanomaterials for printed electronics: a review. Nanoscale, 2017, 9, 7342-7372.	2.8	423
11	Importance of zwitterionic incorporation into polymethacrylate-based hydrogels for simultaneously improving optical transparency, oxygen permeability, and antifouling properties. Journal of Materials Chemistry B, 2017, 5, 4595-4606.	2.9	34
12	Negative permittivity adjusted by SiO2-coated metallic particles in percolative composites. Journal of Alloys and Compounds, 2017, 725, 1259-1263.	2.8	64
13	Significantly improved dielectric performances of sandwich-structured polymer composites induced by alternating positive-k and negative-k layers. Journal of Materials Chemistry A, 2017, 5, 14575-14582.	5.2	121
14	Enhanced electrical conductivity and piezoresistive sensing in multi-wall carbon nanotubes/polydimethylsiloxane nanocomposites via the construction of a self-segregated structure. Nanoscale, 2017, 9, 11017-11026.	2.8	179
15	Experimental and simulation-based understanding of morphology controlled barium titanate nanoparticles under co-adsorption of surfactants. CrystEngComm, 2017, 19, 3288-3298.	1.3	190
16	Developing heat conduction pathways through short polymer chains in a hydrogen bonded polymer system. Composites Science and Technology, 2017, 148, 97-105.	3.8	49
17	Coating formed by SiBCN single source precursor via UV-photopolymerization. Materials Letters, 2017, 206, 121-123.	1.3	10
18	Fabrication of a graphene/C60 nanohybrid via Î³-cyclodextrin hostâ€"guest chemistry for photodynamic and photothermal therapy. Nanoscale, 2017, 9, 8825-8833.	2.8	85
19	In situ grown cobalt selenide/graphene nanocomposite counter electrodes for enhanced dye-sensitized solar cell performance. Journal of Materials Chemistry A, 2017, 5, 14583-14594.	5.2	84

#	Article	IF	Citations
20	Synergistic Effects of Carbon Nanotubes on Negative Dielectric Properties of Graphene-Phenolic Resin Composites. Journal of Physical Chemistry C, 2017, 121, 12037-12045.	1.5	33
21	Fast-responding bio-based shape memory thermoplastic polyurethanes. Polymer, 2017, 121, 26-37.	1.8	53
22	A glassy carbon electrode modified with Î³-Ce₂S₃-decorated CNT nanocomposites for uric acid sensor development: a real sample analysis. RSC Advances, 2017, 7, 14649-14659.	1.7	51
23	Radio frequency negative permittivity in random carbon nanotubes/alumina nanocomposites. Nanoscale, 2017, 9, 5779-5787.	2.8	157
24	Organic Microporous Nanofillers with Unique Alcohol Affinity for Superior Ethanol Recovery toward Sustainable Biofuels. ChemSusChem, 2017, 10, 1887-1891.	3.6	27
25	Octadecyltrichlorosilane Deposition on Mica Surfaces: Insights into the Interface Interaction Mechanism. Journal of Physical Chemistry B, 2017, 121, 3151-3161.	1.2	25
26	Prediction of modulus at various strain rates from dynamic mechanical analysis data for polymer matrix composites. Composites Part B: Engineering, 2017, 120, 27-34.	5.9	73
27	Balance the electrical properties and mechanical properties of carbon black filled immiscible polymer blends with a double percolation structure. Composites Science and Technology, 2017, 140, 99-105.	3.8	121
28	Recent Progress of Selfâ€Powered Sensing Systems for Wearable Electronics. Small, 2017, 13, 1701791.	5.2	223
29	Regulation mechanism of negative permittivity in percolating composites via building blocks. Applied Physics Letters, 2017, 111, .	1.5	72
30	Electrically Insulated Epoxy Nanocomposites Reinforced with Synergistic Coreâ€"Shell SiO₂@MWCNTs and Montmorillonite Bifillers. Macromolecular Chemistry and Physics, 2017, 218, 1700357.	1.1	161
31	Enhanced Hydrophilic and Antipollution Properties of PES Membrane by Anchoring SiO₂/HPAN Nanomaterial. ACS Sustainable Chemistry and Engineering, 2017, 5, 7812-7823.	3.2	32
32	Steam-chest molding of expanded thermoplastic polyurethane bead foams and their mechanical properties. Chemical Engineering Science, 2017, 174, 337-346.	1.9	61
33	Preparation of Graphene Sheets by Electrochemical Exfoliation of Graphite in Confined Space and Their Application in Transparent Conductive Films. ACS Applied Materials & Interfaces, 2017, 9, 34456-34466.	4.0	79
34	Flexible and reversibly deformable radio-frequency antenna based on stretchable SWCNTs/PANI/Lycra conductive fabric. Smart Materials and Structures, 2017, 26, 105036.	1.8	25
35	Reparation of recycled acrylonitrile- butadiene-styrene by pyromellitic dianhydride: Reparation performance evaluation and property analysis. Polymer, 2017, 124, 41-47.	1.8	114
36	Large Scaled Synthesis of Heterostructured Electrospun TiO₂/SnO₂Nanofibers with an Enhanced Photocatalytic Activity. Journal of the Electrochemical Society, 2017, 164, H651-H656.	1.3	266
37	The energy dissipation and Mullins effect of tough polymer/graphene oxide hybrid nanocomposite hydrogels. Polymer Chemistry, 2017, 8, 4659-4672.	1.9	52

#	Article	IF	Citations
38	Positive Temperature Coefficient (PTC) Evolution of Segregated Structural Conductive Polypropylene Nanocomposites with Visually Traceable Carbon Black Conductive Network. Advanced Materials Interfaces, 2017, 4, 1700265.	1.9	30
39	Highly compressible graphene/polyurethane sponge with linear and dynamic piezoresistive behavior. RSC Advances, 2017, 7, 34939-34944.	1.7	24
40	Selective Laser Sintering 3D Printing: A Way to Construct 3D Electrically Conductive Segregated Network in Polymer Matrix. Macromolecular Materials and Engineering, 2017, 302, 1700211.	1.7	67
41	Investigation of the effect of carbonaceous supports on the activity and stability of supported palladium catalysts for methanol electro-oxidation reaction. International Journal of Hydrogen Energy, 2017, 42, 23070-23084.	3.8	24
42	Low percolation threshold in flexible graphene/acrylic polyurethane composites with tunable negative permittivity. Composites Science and Technology, 2017, 151, 79-84.	3.8	47
43	In-situ modification of carbon fibers with hyperbranched polyglycerol via anionic ring-opening polymerization for use in high-performance composites. Carbon, 2017, 123, 548-557.	5.4	83
44	Carbon nanofibers/polypyrrole nano metacomposites. Journal of Polymer Science, Part B: Polymer Physics, 2017, 55, 1724-1729.	2.4	11
45	A strong and tough polymerâ€"carbon nanotube film for flexible and efficient electromagnetic interference shielding. Journal of Materials Chemistry C, 2017, 5, 8944-8951.	2.7	112
46	Facile Fabrication of Porous Conductive Thermoplastic Polyurethane Nanocomposite Films via Solution Casting. Scientific Reports, 2017, 7, 17470.	1.6	33
47	Flexible and Lightweight Pressure Sensor Based on Carbon Nanotube/Thermoplastic Polyurethane-Aligned Conductive Foam with Superior Compressibility and Stability. ACS Applied Materials & Interfaces, 2017, 9, 42266-42277.	4.0	225
48	Electrically conductive palm oil-based coating with UV curing ability. Progress in Organic Coatings, 2017, 112, 9-17.	1.9	20
49	Tunable electromagnetic shielding properties of conductive poly(vinylidene fluoride)/Ni chain composite films with negative permittivity. Journal of Materials Chemistry C, 2017, 5, 6954-6961.	2.7	139
50	Multi-crosslinkable self-healing polysilsesquioxanes for the smart recovery of anti-scratch properties. Polymer, 2017, 124, 78-87.	1.8	13
51	A flexible and self-formed sandwich structure strain sensor based on AgNW decorated electrospun fibrous mats with excellent sensing capability and good oxidation inhibition properties. Journal of Materials Chemistry C, 2017, 5, 7035-7042.	2.7	100
52	Highly stretchable strain sensor based on SWCNTs/CB synergistic conductive network for wearable human-activity monitoring and recognition. Smart Materials and Structures, 2017, 26, 095017.	1.8	110
53	Materials and structure engineering in wearable monitor: Highly stretchable strain sensor developed by structured SWCNTs/CB networks. , 2017, , .		0
54	Differential Scanning Calorimetry in Nanoscience and Nanotechnology. , 2017, , 109-122.		9
55	Synthesis and Characterization of Cellulose Nanofibril-Reinforced Polyurethane Foam. Polymers, 2017, 9, 597.	2.0	39

#	Article	IF	Citations
56	Simple and High Yield Synthesis of Metal-Polymer Nanocomposites: The Role of Theta-Centrifugation as an Essential Purification Step. Polymers, 2017, 9, 659.	2.0	8
57	A Stretchable Pressure-Sensitive Array Based on Polymer Matrix. Sensors, 2017, 17, 1571.	2.1	18
58	A facile approach towards fabrication of lightweight biodegradable poly (butylene succinate)/carbon fiber composite foams with high electrical conductivity and strength. Composites Science and Technology, 2018, 159, 171-179.	3.8	74
59	Preparation of graphene-glass fiber-resin composites and its electromagnetic shielding performance. Composite Interfaces, 2018, 25, 883-900.	1.3	30
60	Model and prediction of stress relaxation of polyurethane fiber. Materials Research Express, 2018, 5, 035308.	0.8	3
61	Lightweight, compressible and electrically conductive polyurethane sponges coated with synergistic multiwalled carbon nanotubes and graphene for piezoresistive sensors. Nanoscale, 2018, 10, 7116-7126.	2.8	243
62	Ultrafast hydrothermal assembly of nanocarbon microfibers in near-critical water for 3D microsupercapacitors. Carbon, 2018, 132, 698-708.	5.4	26
63	CNT and polyaniline based sensors for the detection of acid penetration in polymer composite. Composites Science and Technology, 2018, 159, 111-118.	3.8	41
64	Evaluation of rheological and thermal properties of polyvinylidene fluoride (PVDF)/graphene nanoplatelets (GNP) composites. Polymer Testing, 2018, 67, 122-135.	2.3	34
65	Highly enhanced visible-light photocatalytic NO x purification and conversion pathway on self-structurally modified g-C 3 N 4 nanosheets. Science Bulletin, 2018, 63, 609-620.	4.3	72
66	Facile Preparation of Highâ€Performance Stretchable Fiberâ€Like Electrodes and Supercapacitors. ChemistrySelect, 2018, 3, 4179-4184.	0.7	16
67	A flexible pressure sensor based on rGO/polyaniline wrapped sponge with tunable sensitivity for human motion detection. Nanoscale, 2018, 10, 10033-10040.	2.8	255
68	NiO nanodisks: Highly efficient visible-light driven photocatalyst, potential scaffold for seed germination of Vigna Radiata and antibacterial properties. Journal of Cleaner Production, 2018, 190, 563-576.	4.6	62
69	In situ polymerized poly(acrylic acid)/alumina nanocomposites for Pb²⁺ adsorption. Advances in Polymer Technology, 2018, 37, 2981-2996.	0.8	58
70	Piezoresistivity, Strain, and Damage Selfâ€Sensing of Polymer Composites Filled with Carbon Nanostructures. Advanced Engineering Materials, 2018, 20, 1701159.	1.6	107
71	Dramatically enhanced strain- and moisture-sensitivity of bioinspired fragmentized carbon architectures regulated by cellulose nanocrystals. Chemical Engineering Journal, 2018, 345, 452-461.	6.6	42
72	Flexible and Compressible PEDOT:PSS@Melamine Conductive Sponge Prepared via One-Step Dip Coating as Piezoresistive Pressure Sensor for Human Motion Detection. ACS Applied Materials & Interfaces, 2018, 10, 16077-16086.	4.0	217
73	Three-Dimensional Graphene Structure for Healable Flexible Electronics Based on Dielsâ€"Alder Chemistry. ACS Applied Materials & Interfaces, 2018, 10, 9727-9735.	4.0	44

#	Article	IF	Citations
74	Enhanced mechanical properties of silica nanoparticle-covered cross-linking graphene oxide filled thermoplastic polyurethane composite. New Journal of Chemistry, 2018, 42, 3069-3077.	1.4	29
75	Simultaneous enhancements in electrical conductivity and toughness of selectively foamed polycarbonate/polystyrene/carbon nanotube microcellular foams. Composites Part B: Engineering, 2018, 143, 161-167.	5.9	52
76	Conductive Nb25O62 and Nb12O29 anode materials for use in high-performance lithium-ion storage. Electrochimica Acta, 2018, 266, 202-211.	2.6	39
77	Reinforced carbon fiber laminates with oriented carbon nanotube epoxy nanocomposites: Magnetic field assisted alignment and cryogenic temperature mechanical properties. Journal of Colloid and Interface Science, 2018, 517, 40-51.	5.0	266
78	Recent progress of flexible and wearable strain sensors for human-motion monitoring. Journal of Semiconductors, 2018, 39, 011012.	2.0	93
79	Preparation and Characterization of Novel Poly(Urethane-Imide) Nanocomposite Based on Graphene, Graphene Oxide and Reduced Graphene Oxide. Polymer-Plastics Technology and Engineering, 2018, 57, 1845-1857.	1.9	8
80	Enhanced Piezocapacitive Effect in CaCu₃Ti₄O₁₂â€“Polydimethylsiloxane Composited Sponge for Ultrasensitive Flexible Capacitive Sensor. ACS Applied Nano Materials, 2018, 1, 274-283.	2.4	54
81	Recent Developments in Grapheneâ€Based Tactile Sensors and Eâ€Skins. Advanced Materials Technologies, 2018, 3, 1700248.	3.0	153
82	Different approaches for creating nanocellular TPU foams by supercritical CO2 foaming. Journal of Polymer Research, 2018, 25, 1.	1.2	31
83	Simultaneously improved electromagnetic interference shielding andÂmechanical performance of segregated carbon nanotube/polypropylene composite via solid phase molding. Composites Science and Technology, 2018, 156, 87-94.	3.8	221
84	Facile synthesis of three-dimensional lightweight nitrogen-doped graphene aerogel with excellent electromagnetic wave absorption properties. Journal of Materials Science, 2018, 53, 4067-4077.	1.7	62
85	2D end-to-end carbon nanotube conductive networks in polymer nanocomposites: a conceptual design to dramatically enhance the sensitivities of strain sensors. Nanoscale, 2018, 10, 2191-2198.	2.8	83
86	Electrical conductivity transformation mechanism of <scp>GNP</scp>s/<scp>CB</scp>/<scp>SR</scp> nanocomposite foams. Journal of Applied Polymer Science, 2018, 135, 45996.	1.3	9
87	Anisotropy of graphene scaffolds assembled by three-dimensional printing. Carbon, 2018, 130, 1-10.	5.4	59
88	Electromagnetically Responsive Soft-Flexible Robots and Sensors for Biomedical Applications and Impending Challenges. Series in Bioengineering, 2018, , 43-72.	0.3	11
89	Electrical percolation in grapheneâ€“polymer composites. 2D Materials, 2018, 5, 032003.	2.0	266
90	Adsorption of methylene blue from aqueous solution onto porous cellulose-derived carbon/montmorillonite nanocomposites. Applied Clay Science, 2018, 161, 256-264.	2.6	158
91	Octahedron shaped lead sulfide nanocrystals as counter electrodes for quantum dot sensitized solar cells. Functional Materials Letters, 2018, 11, 1850025.	0.7	7

#	Article	IF	Citations
92	Functionalization of MWCNTs with Ag-AuNPs by a green method and their catalytic properties. Diamond and Related Materials, 2018, 84, 26-31.	1.8	12
93	Multi-layer graphene reinforced nano-laminated WC-Co composites. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2018, 723, 1-7.	2.6	45
94	Usnic acid-loaded polyaniline/polyurethane foam wound dressing: preparation and bactericidal activity. Materials Science and Engineering C, 2018, 89, 33-40.	3.8	40
95	Simultaneously improving the fire safety and mechanical properties of epoxy resin with Fe-CNTs via large-scale preparation. Journal of Materials Chemistry A, 2018, 6, 6376-6386.	5.2	183
96	Human motion monitoring in sports using wearable graphene-coated fiber sensors. Sensors and Actuators A: Physical, 2018, 274, 132-140.	2.0	73
97	Tune the phase morphology to design conductive polymer composites: A review. Polymer Composites, 2018, 39, 2985-2996.	2.3	52
98	Polyurethane Composite Foams in High-Performance Applications: A Review. Polymer-Plastics Technology and Engineering, 2018, 57, 346-369.	1.9	185
99	Flameâ€retardant rigid polyurethane foam with a phosphorusâ€nitrogen single intumescent flame retardant. Polymers for Advanced Technologies, 2018, 29, 668-676.	1.6	208
100	Magnetic negative permittivity with dielectric resonance in random Fe3O4@graphene-phenolic resin composites. Advanced Composites and Hybrid Materials, 2018, 1, 168-176.	9.9	72
101	Carbon nanotubes, graphene, and their derivatives for heavy metal removal. Advanced Composites and Hybrid Materials, 2018, 1, 56-78.	9.9	157
102	Flexible electrically resistive-type strain sensors based on reduced graphene oxide-decorated electrospun polymer fibrous mats for human motion monitoring. Carbon, 2018, 126, 360-371.	5.4	367
103	High conductivity electrospun carbon/graphene composite nanofiber yarns. Polymer Engineering and Science, 2018, 58, 903-912.	1.5	7
104	Preparation of antistatic highâ€density polyethylene composites based on synergistic effect of graphene nanoplatelets and multiâ€walled carbon nanotubes. Polymers for Advanced Technologies, 2018, 29, 407-416.	1.6	32
105	Continuously prepared highly conductive and stretchable SWNT/MWNT synergistically composited electrospun thermoplastic polyurethane yarns for wearable sensing. Journal of Materials Chemistry C, 2018, 6, 2258-2269.	2.7	376
106	Effect of phase transitions on the electrical properties of polymer/carbon nanotube and polymer/graphene nanoplatelet composites with different conductive network structures. Polymer International, 2018, 67, 227-235.	1.6	35
107	Graphene metal nanocomposites â€" Recent progress in electrochemical biosensing applications. Journal of Industrial and Engineering Chemistry, 2018, 59, 425-439.	2.9	51
108	Segregated conductive polymer composite with synergistically electrical and mechanical properties. Composites Part A: Applied Science and Manufacturing, 2018, 105, 68-77.	3.8	55
109	An overview of lead-free piezoelectric materials and devices. Journal of Materials Chemistry C, 2018, 6, 12446-12467.	2.7	256

#	Article	IF	Citations
110	In situ grown nickel selenide on graphene nanohybrid electrodes for high energy density asymmetric supercapacitors. Nanoscale, 2018, 10, 20414-20425.	2.8	332
111	Electrically conductive polymer composites for smart flexible strain sensors: a critical review. Journal of Materials Chemistry C, 2018, 6, 12121-12141.	2.7	522
112	Influence of atmospheric species on the electrical properties of functionalized graphene sheets. RSC Advances, 2018, 8, 42073-42079.	1.7	2
113	Temperature Effect on the Mechanical Properties of Electrospun PU Nanofibers. Nanoscale Research Letters, 2018, 13, 384.	3.1	21
114	Fabrication of super-stretchable and electrical conductive membrane of spandex/multi-wall carbon nanotube/reduced graphene oxide composite. Journal of Polymer Research, 2018, 25, 1.	1.2	12
115	Lightweight, mechanical robust foam with a herringbone-like porous structure for oil/water separation and filtering. Polymer Testing, 2018, 72, 86-93.	2.3	14
116	Thermoplastic Elastomer Systems Containing Carbon Nanofibers as Soft Piezoresistive Sensors. ACS Omega, 2018, 3, 12648-12657.	1.6	22
117	The role of g-C3N4 as nanofiller in improvement of mechanical, thermal, and X-band wave absorption properties of epoxy vinyl ester coating. Progress in Organic Coatings, 2018, 125, 472-480.	1.9	24
118	Ultralight Cellulose Porous Composites with Manipulated Porous Structure and Carbon Nanotube Distribution for Promising Electromagnetic Interference Shielding. ACS Applied Materials & Interfaces, 2018, 10, 40156-40167.	4.0	108
119	Thermoplastic polyurethane-carbon black nanocomposite coating: Fabrication and solid particle erosion resistance. Polymer, 2018, 158, 381-390.	1.8	175
120	Facile Thermally Impacted Waterâ€Induced Phase Separation Approach for the Fabrication of Skinâ€Free Thermoplastic Polyurethane Foam and Its Recyclable Counterpart for Oilâ€“Water Separation. Macromolecular Rapid Communications, 2018, 39, e1800635.	2.0	90
121	A Flexible Wearable Pressure Sensor with Bioinspired Microcrack and Interlocking for Fullâ€Range Humanâ€“Machine Interfacing. Small, 2018, 14, e1803018.	5.2	156
122	Piezoresistive nanocomposite films for foot strike data monitoring. Sensors and Actuators A: Physical, 2018, 284, 76-84.	2.0	10
123	Quick Heat Dissipation in Absorption-Dominated Microwave Shielding Properties of Flexible Poly(vinylidene fluoride)/Carbon Nanotube/Co Composite Films with Anisotropy-Shaped Co (Flowers) Tj ETQq1 1 0.784314 rgBT /Overlo	4.8	93
124	Tunable wrinkled graphene foams for highly reliable piezoresistive sensor. Sensors and Actuators A: Physical, 2018, 281, 141-149.	2.0	17
125	Green and eco-friendly route for the synthesis of Ag@Vitamin B9-LDH hybrid and its chitosan nanocomposites: Characterization and antibacterial activity. Polymer, 2018, 154, 188-199.	1.8	32
126	Fabrication of Novel Open-Cell Foams of Poly(Îµ-caprolactone)/Poly(lactic acid) Blends for Tissue-Engineering Scaffolds. Industrial & Engineering Chemistry Research, 2018, 57, 12951-12958.	1.8	23
127	Anticorrosive durability of zinc-based waterborne coatings enhanced by highly dispersed and conductive polyaniline/graphene oxide composite. Progress in Organic Coatings, 2018, 125, 79-88.	1.9	43

#	Article	IF	Citations
128	Highly sensitive, stretchable and wearable strain sensors using fragmented conductive cotton fabric. Journal of Materials Chemistry C, 2018, 6, 10524-10531.	2.7	80
129	Mixed mode Ð†/Ð†Ð† fracture prediction of blunt V-notched nanocomposite specimens with nonlinear behavior by means of the Equivalent Material Concept. Composites Part B: Engineering, 2018, 154, 363-373.	5.9	15
130	Ultrastretchable Multilayered Fiber with a Hollow-Monolith Structure for High-Performance Strain Sensor. ACS Applied Materials & Interfaces, 2018, 10, 34592-34603.	4.0	81
131	Ultralight MXene-Coated, Interconnected SiCnws Three-Dimensional Lamellar Foams for Efficient Microwave Absorption in the X-Band. ACS Applied Materials & Interfaces, 2018, 10, 34524-34533.	4.0	172
132	Strategy to Enhance Conductivity of Polystyrene/Graphene Composite Foams via Supercritical Carbon Dioxide Foaming Process. Journal of Supercritical Fluids, 2018, 142, 52-63.	1.6	34
133	Flexible, conductive, and highly pressure-sensitive graphene-polyimide foam for pressure sensor application. Composites Science and Technology, 2018, 164, 187-194.	3.8	129
134	Improved dielectric permittivity and retained low loss in layer-structured films via controlling interfaces. Advanced Composites and Hybrid Materials, 2018, 1, 548-557.	9.9	30
135	Effect of ionic liquid functionalized carbon nanotubes on mechanical, thermal and electrical properties of carbon nanotubes-reduced graphene oxide/PMMA nanocomposites. Chemical Physics Letters, 2018, 706, 76-81.	1.2	11
136	Aligned flexible conductive fibrous networks for highly sensitive, ultrastretchable and wearable strain sensors. Journal of Materials Chemistry C, 2018, 6, 6575-6583.	2.7	77
137	Hexavalent chromium removal over magnetic carbon nanoadsorbents: synergistic effect of fluorine and nitrogen co-doping. Journal of Materials Chemistry A, 2018, 6, 13062-13074.	5.2	145
138	Room-temperature fully recyclable carbon fibre reinforced phenolic composites through dynamic covalent boronic ester bonds. Journal of Materials Chemistry A, 2018, 6, 10868-10878.	5.2	122
139	Hexa-[4-(glycidyloxycarbonyl) phenoxy]cyclotriphosphazene chain extender for preparing high-performance flame retardant polyamide 6 composites. Polymer, 2018, 146, 63-72.	1.8	68
140	Multi-dimensional strain sensor based on carbon nanotube film with aligned conductive networks. Composites Science and Technology, 2018, 165, 190-197.	3.8	72
141	Carbon Nanomaterials in Direct Liquid Fuel Cells. Chemical Record, 2018, 18, 1365-1372.	2.9	104
142	Robust carbon nanotube foam for efficient electromagnetic interference shielding and microwave absorption. Journal of Colloid and Interface Science, 2018, 530, 113-119.	5.0	86
143	Poly(urethane)s. , 2018, , 71-138.		4
144	Electrically Conductive Thermally Insulating Biâ€"Si Nanocomposites by Interface Design for Thermal Management. ACS Applied Nano Materials, 2018, 1, 3355-3363.	2.4	21
145	6.11 Conductive Nanocomposites for Multifunctional Sensing Applications. , 2018, , 315-351.		4

#	Article	IF	Citations
146	Improved thermal conductivity of polydimethylsiloxane/short carbon fiber composites prepared by spatial confining forced network assembly. Journal of Materials Science, 2018, 53, 14299-14310.	1.7	38
147	Piezoresistive characteristics of CNT fiber-incorporated GFRP composites prepared with diversified fabrication schemes. Composite Structures, 2018, 203, 835-843.	3.1	12
148	Two-Dimensional High-k Nanosheets for Dielectric Polymer Nanocomposites with Ultrahigh Discharged Energy Density. Journal of Physical Chemistry C, 2018, 122, 18282-18293.	1.5	81
149	Polystyrene Foam with High Cell Density and Small Cell Size by Compressionâ€Injection Molding and Core Back Foaming Technique: Evolution of Cells in Cavity. Macromolecular Materials and Engineering, 2018, 303, 1800110.	1.7	24
150	A porous graphene/polydimethylsiloxane composite by chemical foaming for simultaneous tensile and compressive strain sensing. FlatChem, 2018, 10, 1-7.	2.8	29
151	Hydrothermal Synthesized and Alkaline Activated Carbons Prepared from Glucose and Fructoseâ€"Detailed Characterization and Testing in Heavy Metals and Methylene Blue Removal. Minerals (Basel, Switzerland), 2018, 8, 246.	0.8	10
152	Mechanical Measurement System and Precision Analysis for Tactile Property Evaluation of Porous Polymeric Materials. Polymers, 2018, 10, 373.	2.0	5
153	Microwave Attenuation of Graphene Modified Thermoplastic Poly(Butylene adipate-co-terephthalate) Nanocomposites. Polymers, 2018, 10, 582.	2.0	23
154	Effect of the Polyketone Aromatic Pendent Groups on the Electrical Conductivity of the Derived MWCNTs-Based Nanocomposites. Polymers, 2018, 10, 618.	2.0	14
155	Lightweight and conductive carbon black/chlorinated poly(propylene carbonate) foams with a remarkable negative temperature coefficient effect of resistance for temperature sensor applications. Journal of Materials Chemistry C, 2018, 6, 9354-9362.	2.7	52
156	A facile approach to fabricating silver-coated cotton fiber non-woven fabrics for ultrahigh electromagnetic interference shielding. Applied Surface Science, 2018, 458, 236-244.	3.1	155
157	Preparation of polystyrene-b-poly(ethylene/propylene)-b-polystyrene grafted glycidyl methacrylate and its compatibility with recycled polypropylene/recycled high impact polystyrene blends. Polymer, 2018, 145, 232-241.	1.8	62
158	Nanocomposite Au NP/TiO2 thin film in the efficient remediation of aqueous solutions contaminated with emerging micro-pollutants. Environmental Science and Pollution Research, 2018, 25, 20125-20140.	2.7	16
159	Functional Polymers and Nanocomposites for 3D Printing of Smart Structures and Devices. ACS Applied Materials & Interfaces, 2018, 10, 17489-17507.	4.0	171
160	Ultralight, highly compressible and fire-retardant graphene aerogel with self-adjustable electromagnetic wave absorption. Carbon, 2018, 139, 1126-1135.	5.4	340
161	Effect of the elongational flow on morphology and properties of polypropylene/graphene nanoplatelets nanocomposites. Polymer Testing, 2018, 71, 10-17.	2.3	18
162	Preparation of Fluorinated Graphene Oxide/Polyimide Composites with Low Dielectric Constant and Moisture Resistance. Nano, 2018, 13, 1850098.	0.5	8
163	Overview of the Experimental Trends in Waterâ€Assisted Injection Molding. Macromolecular Materials and Engineering, 2018, 303, 1800035.	1.7	26

#	Article	IF	Citations
164	Continuously fabricated transparent conductive polycarbonate/carbon nanotube nanocomposite films for switchable thermochromic applications. Journal of Materials Chemistry C, 2018, 6, 8360-8371.	2.7	79
165	Negative permittivity behavior of titanium nitride/polyphenylene sulfide â€œmetacompositesâ€• under radio frequency. Journal of Materials Science: Materials in Electronics, 2018, 29, 12144-12151.	1.1	9
166	Bio-gel derived nickel/carbon nanocomposites with enhanced microwave absorption. Journal of Materials Chemistry C, 2018, 6, 8812-8822.	2.7	301
167	Tunnel magnetoresistance in polyaniline. Synthetic Metals, 2018, 243, 90-96.	2.1	3
168	3-D magnetic graphene oxide-magnetite poly(vinyl alcohol) nanocomposite substrates for immobilizing enzyme. Polymer, 2018, 149, 13-22.	1.8	157
169	Highly stretchable and ultrathin nanopaper composites for epidermal strain sensors. Nanotechnology, 2018, 29, 355304.	1.3	56
170	A mathematical model for predicting conductivity of polymer composites with a forced assembly network obtained by SCFNA method. Polymer Composites, 2019, 40, 1819-1827.	2.3	23
171	Material models and finite analysis of additively printed polymer composites. Journal of Composite Materials, 2019, 53, 361-371.	1.2	10
173	Effects of flameâ€•retardant ramie fiber on enhancing performance of the rigid polyurethane foams. Polymers for Advanced Technologies, 2019, 30, 3091-3098.	1.6	10
174	Highly Sensitive Soft Foam Sensors to Empower Robotic Systems. Advanced Materials Technologies, 2019, 4, 1900423.	3.0	26
175	Effect of graphene liquid crystal on dielectric properties of polydimethylsiloxane nanocomposites. Composites Part B: Engineering, 2019, 176, 107338.	5.9	71
176	Enhancing morphology and compression properties of halloysite reinforced polyurethane nanocomposites using injection-moulding technique. Results in Physics, 2019, 14, 102507.	2.0	6
177	A Review on Graphene Polymer Nanocomposites in Harsh Operating Conditions. Industrial & Engineering Chemistry Research, 2019, 58, 17106-17129.	1.8	31
178	An implantable and versatile piezoresistive sensor for the monitoring of humanâ€“machine interface interactions and the dynamical process of nerve repair. Nanoscale, 2019, 11, 21103-21118.	2.8	44
179	A Simple Two-Step Process for Producing Strong and Aligned Carbon Nanotube-Polymer Composites. Journal of Carbon Research, 2019, 5, 35.	1.4	3
180	Polyaniline Nanofiber Wrapped Fabric for High Performance Flexible Pressure Sensors. Polymers, 2019, 11, 1120.	2.0	39
181	Electromagnetic and solar energy conversion and storage based on Fe3O4-functionalised graphene/phase change material nanocomposites. Energy Conversion and Management, 2019, 196, 1299-1305.	4.4	90
182	High-performance electromagnetic wave absorption by designing the multilayer graphene/thermoplastic polyurethane porous composites with gradient foam ratio structure. Composites Part A: Applied Science and Manufacturing, 2019, 125, 105522.	3.8	70

#	Article	IF	Citations
183	Flexible and highly sensitive pressure sensors based on microcrack arrays inspired by scorpions. RSC Advances, 2019, 9, 22740-22748.	1.7	16
185	Friction and Wear of MoO₃/Graphene Oxide Modified Glass Fiber Reinforced Epoxy Nanocomposites. Macromolecular Materials and Engineering, 2019, 304, 1900166.	1.7	87
186	High-performance strain sensor based on a 3D conductive structure for wearable electronics. Journal Physics D: Applied Physics, 2019, 52, 395401.	1.3	16
187	Novel Ultrathin Layered Double Hydroxide Nanosheets with In Situ Formed Oxidized Phosphorus as Anions for Simultaneous Fire Resistance and Mechanical Enhancement of Thermoplastic Polyurethane. ACS Applied Polymer Materials, 2019, 1, 1979-1990.	2.0	24
188	Highly Compressible and Robust Polyimide/Carbon Nanotube Composite Aerogel for High-Performance Wearable Pressure Sensor. ACS Applied Materials & Interfaces, 2019, 11, 42594-42606.	4.0	255
189	Printed soft angular/torque sensors using carbon black-silicone composite. Sensor Review, 2019, 39, 598-603.	1.0	4
190	Flexible tactile sensor array for distributed tactile sensing and slip detection in robotic hand grasping. Sensors and Actuators A: Physical, 2019, 297, 111512.	2.0	78
191	Carbon nanotube reinforced nanocomposites for energy conversion and storage. Journal of Power Sources, 2019, 443, 227277.	4.0	12
192	A simple and cost-effective method for improving the sensitivity of flexible strain sensors based on conductive polymer composites. Sensors and Actuators A: Physical, 2019, 298, 111608.	2.0	23
193	Generation of nanocellular TPU/reduced graphene oxide nanocomposite foams with high cell density by manipulating viscoelasticity. Polymer, 2019, 183, 121879.	1.8	16
194	Cellular Graphene: Fabrication, Mechanical Properties, and Strain-Sensing Applications. Matter, 2019, 1, 1148-1202.	5.0	46
195	A Paper-Based Disposable Strain Sensor by Direct Laser Printing. , 2019, , .		0
196	Carbon Black from Diesel Soot for Highâ€Performance Wearable Pressure Sensors. Advanced Materials Technologies, 2019, 4, 1900475.	3.0	28
197	Design Strategy for Porous Composites Aimed at Pressure Sensor Application. Small, 2019, 15, e1903487.	5.2	99
198	Hollow-structured MXene-PDMS composites as flexible, wearable and highly bendable sensors with wide working range. Journal of Colloid and Interface Science, 2019, 555, 751-758.	5.0	99
199	Reactivity of Isocyanate-Functionalized Lignins: A Key Factor for the Preparation of Lignin-Based Polyurethanes. Frontiers in Chemistry, 2019, 7, 562.	1.8	24
200	Ultralightweight and 3D Squeezable Graphene-Polydimethylsiloxane Composite Foams as Piezoresistive Sensors. ACS Applied Materials & Interfaces, 2019, 11, 35201-35211.	4.0	96
201	High-Tactile Sensitivity of Piezoresistive Sensors With a Micro-Crack Structure Induced by Thin Film Tension. IEEE Electron Device Letters, 2019, 40, 1519-1521.	2.2	18

#	Article	IF	Citations
202	Bio-templated 3D porous graphitic carbon nitride hybrid aerogel with enhanced charge carrier separation for efficient removal of hazardous organic pollutants. Journal of Colloid and Interface Science, 2019, 556, 366-375.	5.0	42
203	A highly stretchable and transparent silver nanowire/thermoplastic polyurethane film strain sensor for human motion monitoring. Inorganic Chemistry Frontiers, 2019, 6, 3119-3124.	3.0	55
204	An overview of stretchable strain sensors from conductive polymer nanocomposites. Journal of Materials Chemistry C, 2019, 7, 11710-11730.	2.7	315
205	Highly sensitive capacitive pressure sensors based on elastomer composites with carbon filler hybrids. Composites Part A: Applied Science and Manufacturing, 2019, 126, 105614.	3.8	59
206	Ultra-robust wide-range pressure sensor with fast response based on polyurethane foam doubly coated with conformal silicone rubber and CNT/TPU nanocomposites islands. Composites Part B: Engineering, 2019, 177, 107364.	5.9	82
207	Negative liquid sensing effect and tunable piezoresistive sensitivity in polydimethylsiloxane/carbon nanotubes/water-absorbing-expansion particles nanocomposites. Composites Part A: Applied Science and Manufacturing, 2019, 126, 105608.	3.8	11
208	Stretchable conductive nonwoven fabrics with self-cleaning capability for tunable wearable strain sensor. Nano Energy, 2019, 66, 104143.	8.2	249
209	The critical role of hydroxyl groups in water vapor sensing of graphene oxide. Nanoscale Advances, 2019, 1, 1319-1330.	2.2	34
210	Blast furnace slag or fly ash filled rigid polyurethane composite foams: A comprehensive investigation. Journal of Applied Polymer Science, 2019, 136, 47433.	1.3	27
211	Smart strain sensing organicâ€“inorganic hybrid hydrogels with nano barium ferrite as the cross-linker. Journal of Materials Chemistry C, 2019, 7, 2353-2360.	2.7	142
212	A scalable strategy for constructing three-dimensional segregated graphene network in polymer via hydrothermal self-assembly. Chemical Engineering Journal, 2019, 363, 300-308.	6.6	42
213	Recent Advances in Flexible and Wearable Pressure Sensors Based on Piezoresistive 3D Monolithic Conductive Sponges. ACS Applied Materials & Interfaces, 2019, 11, 6685-6704.	4.0	261
214	Highly sensitive, reliable and flexible piezoresistive pressure sensors featuring polyurethane sponge coated with MXene sheets. Journal of Colloid and Interface Science, 2019, 542, 54-62.	5.0	248
215	Structural characterization and thermal degradation of poly(methylmethacrylate)/zinc oxide nanocomposites. Journal of Macromolecular Science - Pure and Applied Chemistry, 2019, 56, 189-196.	1.2	12
217	An Injectable Selfâ€Healing Multifluorescent Hydrogel Formed by Engineered Coiledâ€Coil Polypeptide and Quantum Dots. Macromolecular Materials and Engineering, 2019, 304, 1800658.	1.7	2
218	An extensive study on the synthesis of iron based magnetic aluminium oxide nanocomposites by solution combustion method. Journal of Materials Research and Technology, 2019, 8, 1746-1760.	2.6	9
219	A Wearable Transient Pressure Sensor Made with MXene Nanosheets for Sensitive Broad-Range Humanâ€“Machine Interfacing. Nano Letters, 2019, 19, 1143-1150.	4.5	538
220	Study of chromatographic fractions from carbon dots isolated by column chromatography and a binary gradient elution via RP-HPLC. Analytical Methods, 2019, 11, 760-766.	1.3	14

#	Article	IF	Citations
221	Superhydrophobic Electrically Conductive Paper for Ultrasensitive Strain Sensor with Excellent Anticorrosion and Self-Cleaning Property. ACS Applied Materials & Interfaces, 2019, 11, 21904-21914.	4.0	228
222	Highly transparent, stretchable, and rapid self-healing polyvinyl alcohol/cellulose nanofibril hydrogel sensors for sensitive pressure sensing and human motion detection. Sensors and Actuators B: Chemical, 2019, 295, 159-167.	4.0	199
223	Real-time strain monitoring performance of flexible Nylon/Ag conductive fiber. Sensors and Actuators A: Physical, 2019, 295, 612-622.	2.0	17
224	Ultra-low percolation threshold POSS-PCL/graphene electrically conductive polymer: Neural tissue engineering nanocomposites for neurosurgery. Materials Science and Engineering C, 2019, 104, 109915.	3.8	35
225	Fabrication of graphene-magnetite multi-granule nanocluster composites for microwave absorption application. Journal of Composite Materials, 2019, 53, 4097-4103.	1.2	8
226	Functionalization of graphene oxide with poly(Îµ-caprolactone) for enhanced interfacial adhesion in polyamide 6 nanocomposites. Composites Part B: Engineering, 2019, 174, 107019.	5.9	17
227	Piezoresistive performance of polymer-based materials as a function of the matrix and nanofiller content to walking detection application. Composites Science and Technology, 2019, 181, 107678.	3.8	43
228	Highly Sensitive and Stretchable Polyurethane Fiber Strain Sensors with Embedded Silver Nanowires. ACS Applied Materials & Interfaces, 2019, 11, 23649-23658.	4.0	122
229	Polydopamine-graphene/Agâ€“Pd nanocomposite as sustainable catalyst for reduction of nitrophenol compounds and dyes in environment. Materials Chemistry and Physics, 2019, 234, 38-47.	2.0	28
230	Space resolution improvement for pressure measurement by using a single conductive polymer composite sheet in area array. Sensors and Actuators A: Physical, 2019, 295, 324-335.	2.0	3
231	Highly Uniform and Low Hysteresis Piezoresistive Pressure Sensors Based on Chemical Grafting of Polypyrrole on Elastomer Template with Uniform Pore Size. Small, 2019, 15, e1901744.	5.2	82
232	Micropatterned flexible strain gauge sensor based on wet electrospun polyurethane/PEDOT: PSS nanofibers. Smart Materials and Structures, 2019, 28, 075029.	1.8	48
233	Sensitive conductive polymer nanocomposites from multiwalled carbon nanotube coated with polypyrrole and hydroxyl-terminated poly(butadiene-co-acrylonitile) polyurethane for detection of chloroform vapor. Composites Part B: Engineering, 2019, 173, 106894.	5.9	12
234	Preparation of Thermoplastic Polyurethane (TPU) Perforated Membrane via CO2 Foaming and Its Particle Separation Performance. Polymers, 2019, 11, 847.	2.0	21
235	Flexible electrically conductive biomass-based aerogels for piezoresistive pressure/strain sensors. Chemical Engineering Journal, 2019, 373, 1357-1366.	6.6	157
236	Ultrawide Sensing Range and Highly Sensitive Flexible Pressure Sensor Based on a Percolative Thin Film with a Knoll-like Microstructured Surface. ACS Applied Materials & Interfaces, 2019, 11, 20500-20508.	4.0	45
237	Ultrastretchable Conductive Polymer Complex as a Strain Sensor with a Repeatable Autonomous Self-Healing Ability. ACS Applied Materials & Interfaces, 2019, 11, 20453-20464.	4.0	98
238	A 3D-printed stretchable strain sensor for wind sensing. Smart Materials and Structures, 2019, 28, 084001.	1.8	37

#	Article	IF	Citations
239	Synergistically Toughening Polyoxymethylene by Methyl Methacrylateâ€"Butadieneâ€"Styrene Copolymer and Thermoplastic Polyurethane. Macromolecular Chemistry and Physics, 2019, 220, 1800567.	1.1	67
240	Piezoresistive Carbon Foams in Sensing Applications. Frontiers in Materials, 2019, 6, .	1.2	24
241	Wetâ€spinning and carbonization of graphene/PANâ€based fibers: Toward improving the properties of carbon fibers. Journal of Applied Polymer Science, 2019, 136, 47932.	1.3	13
242	Improvement of piezoresistive sensing behavior of graphene sponge by polyaniline nanoarrays. Journal of Materials Chemistry C, 2019, 7, 7386-7394.	2.7	34
243	Optimized silk fibroin piezoresistive nanocomposites for pressure sensing applications based on natural polymers. Nanoscale Advances, 2019, 1, 2284-2292.	2.2	29
244	Achieving highly electrical conductivity and piezoresistive sensitivity in polydimethylsiloxane/multi-walled carbon nanotube composites via the incorporation of silicon dioxide micro-particles. Composites Science and Technology, 2019, 177, 41-48.	3.8	68
245	Fabrication of 1D Zn2SnO4 nanowire and 2D ZnO nanosheet hybrid hierarchical structures for use in triethylamine gas sensors. Sensors and Actuators B: Chemical, 2019, 291, 155-163.	4.0	91
246	Multifunctional flexible carbon black/polydimethylsiloxane piezoresistive sensor with ultrahigh linear range, excellent durability and oil/water separation capability. Chemical Engineering Journal, 2019, 372, 373-382.	6.6	146
247	Multifunctional sensing platform with pulsed-laser-deposited silver nanoporous structures. Sensors and Actuators A: Physical, 2019, 293, 136-144.	2.0	6
249	Carbon nanomaterials based films for strain sensing applicationâ€"A review. Nano Structures Nano Objects, 2019, 18, 100312.	1.9	59
250	Flexible Sandwich Structural Strain Sensor Based on Silver Nanowires Decorated with Selfâ€Healing Substrate. Macromolecular Materials and Engineering, 2019, 304, 1900074.	1.7	187
251	Functionalized Grapheneâ€"Reinforced Foams Based on Polymer Matrices. , 2019, , 121-155.		7
252	Ionic liquid enabled electrical-strain tuning capability of carbon black based conductive polymer composites for small-strain sensors and stretchable conductors. Composites Science and Technology, 2019, 174, 202-211.	3.8	41
253	Enhanced Solid Particle Erosion Properties of Thermoplastic Polyurethaneâ€Carbon Nanotube Nanocomposites. Macromolecular Materials and Engineering, 2019, 304, 1900010.	1.7	53
254	Tuning sound absorbing properties of open cell polyurethane foam by impregnating graphene oxide. Applied Acoustics, 2019, 151, 10-21.	1.7	58
255	Investigation of electrical, mechanical, and thermal properties of functionalized multiwalled carbon nanotubesâ€reduced graphene Oxide/PMMA hybrid nanocomposites. Polymer Engineering and Science, 2019, 59, 1075-1083.	1.5	14
256	Catâ€Tailâ€Like Mesostructured Silica Fibers Decorated with Gold Nanowires: Synthesis, Characterization, and Application as Stretchable Sensors. ChemPlusChem, 2019, 84, 1031-1038.	1.3	6
257	Effect of carbon nanotube morphology on properties in thermoplastic elastomer composites for strain sensors. Composites Part A: Applied Science and Manufacturing, 2019, 121, 207-212.	3.8	76

#	Article	IF	Citations
258	Highly Sensitive, Ultrastretchable Strain Sensors Prepared by Pumping Hybrid Fillers of Carbon Nanotubes/Cellulose Nanocrystal into Electrospun Polyurethane Membranes. ACS Applied Materials & Interfaces, 2019, 11, 12968-12977.	4.0	122
259	Highly stretchable multi-walled carbon nanotube/thermoplastic polyurethane composite fibers for ultrasensitive, wearable strain sensors. Nanoscale, 2019, 11, 5884-5890.	2.8	162
260	Structure-Property Relationships in Graphene-Based Strain and Pressure Sensors for Potential Artificial Intelligence Applications. Sensors, 2019, 19, 1250.	2.1	64
261	Mechanically Robust Hybrid POSS Thermoplastic Polyurethanes with Enhanced Surface Hydrophobicity. Polymers, 2019, 11, 373.	2.0	24
262	Highly Stretchable, Adaptable, and Durable Strain Sensing Based on a Bioinspired Dynamically Crossâ€Linked Graphene/Polymer Composite. Small, 2019, 15, e1900848.	5.2	58
263	Selective Laser Sintering Fabricated Thermoplastic Polyurethane/Graphene Cellular Structures with Tailorable Properties and High Strain Sensitivity. Applied Sciences (Switzerland), 2019, 9, 864.	1.3	45
264	Structure-tunable thermoplastic polyurethane foams fabricated by supercritical carbon dioxide foaming and their compressive mechanical properties. Journal of Supercritical Fluids, 2019, 149, 127-137.	1.6	73
265	Recent developments in grapheneâ€based polymer composite membranes: Preparation, mass transfer mechanism, and applications. Journal of Applied Polymer Science, 2019, 136, 47761.	1.3	31
266	High performance linear low density polyethylene nanocomposites reinforced by two-dimensional layered nanomaterials. Polymer, 2019, 172, 142-151.	1.8	14
267	Asymmetric deformation in poly(ethylene-co-1-octene)/multi-walled carbon nanotube composites with glass micro-beads for highly piezoresistive sensitivity. Chemical Engineering Journal, 2019, 370, 176-184.	6.6	34
268	High piezo-resistive performances of anisotropic composites realized by embedding rGO-based chitosan aerogels into open cell polyurethane foams. Nanoscale, 2019, 11, 8835-8844.	2.8	33
269	MgO-ZrO2 mixed nanocomposites: fabrication methods and applications. Materials Today Sustainability, 2019, 3-4, 100007.	1.9	19
270	Ultrasensitive and Highly Compressible Piezoresistive Sensor Based on Polyurethane Sponge Coated with a Cracked Cellulose Nanofibril/Silver Nanowire Layer. ACS Applied Materials & Interfaces, 2019, 11, 10922-10932.	4.0	331
271	Potential of graphene for shape-directing agent free growth of highly oriented silver particles and their application in surface enhanced Raman scattering. Journal of Alloys and Compounds, 2019, 787, 893-902.	2.8	3
272	Investigation on mechanical properties of polyurethane hybrid nanocomposite foams reinforced with roselle fibers and silica nanoparticles. Nanocomposites, 2019, 5, 1-12.	2.2	31
273	Highly Sensitive Piezoresistive Graphene-Based Stretchable Composites for Sensing Applications. ACS Applied Materials & Interfaces, 2019, 11, 46286-46295.	4.0	50
274	Stretchable Graphene Thin Film Enabled Yarn Sensors with Tunable Piezoresistivity for Human Motion Monitoring. Scientific Reports, 2019, 9, 18644.	1.6	17
275	Graphene Nanosheets (GNs) Addition on the Palm Oil Fuel Ash (POFA) Based Geopolymer with KOH Activator. Journal of Physics: Conference Series, 2019, 1351, 012101.	0.3	3

#	Article	IF	Citations
276	Broadband dielectric behavior of the multiwall carbon nanotube-bismuth silicate glass-nanocomposites. Journal of Alloys and Compounds, 2019, 772, 218-229.	2.8	13
277	Mechanical performance of polystyrene foam (EPS): Experimental and numerical analysis. Polymer Testing, 2019, 73, 359-365.	2.3	37
278	Photo-oxidation of polypropylene/graphene nanoplatelets composites. Polymer Degradation and Stability, 2019, 160, 35-43.	2.7	35
279	Ballistic performance of Kevlar fabric impregnated with nanosilica/PEG shear thickening fluid. Composites Part B: Engineering, 2019, 162, 643-652.	5.9	117
280	A green and simple process to develop conductive polyurethane foams for biomedical applications. International Journal of Polymeric Materials and Polymeric Biomaterials, 2019, 68, 126-133.	1.8	6
281	A Novel Method for Compensating Temperature Measurement Error Caused by Dust Using Infrared Thermal Imager. IEEE Sensors Journal, 2019, 19, 1730-1739.	2.4	11
282	Nanocomposite polymeric materials with 3D graphene-based architectures: from design strategies to tailored properties and potential applications. Progress in Polymer Science, 2019, 89, 213-249.	11.8	82
283	Fabrication and linearisation of conformable POMANI-Mn3O4 nanocomposite based thermistor for temperature monitoring applications in prosthetic gloves. Sensors and Actuators A: Physical, 2019, 285, 588-598.	2.0	8
284	Synthesis and characterization of nanohybrid materials based on the sulfonated graphene oxide decorated by silver nanoparticles. Materials Research Express, 2019, 6, 025610.	0.8	3
285	Nonstop Monomer-to-Aramid Nanofiber Synthesis with Remarkable Reinforcement Ability. Macromolecules, 2019, 52, 923-934.	2.2	49
286	Layer-layer assembly of water-based graphene for facile fabrication of sensitive strain gauges on paper. Cellulose, 2019, 26, 1417-1429.	2.4	9
287	Sulphur Source-Inspired Self-Grown 3D Ni_xS_y Nanostructures and Their Electrochemical Supercapacitors. ACS Applied Materials & Interfaces, 2019, 11, 4551-4559.	4.0	60
288	B4C nanoskeleton enabled, flexible lithium-sulfur batteries. Nano Energy, 2019, 58, 30-39.	8.2	82
289	Colorimetric chemosensor for Ni²⁺ based on alizarin complexone and a cationic polyelectrolyte in aqueous solution. Journal of Applied Polymer Science, 2019, 136, 47496.	1.3	10
290	Resistance gradient polymeric electromagnetic shielding composites: Preparation and Characterization. Polymer Composites, 2019, 40, 1842-1849.	2.3	5
291	Effect of graphene and fabrication technique on the release kinetics of carvacrol from polylactic acid. Composites Science and Technology, 2019, 169, 60-69.	3.8	46
292	Three-dimensional printing of a tunable graphene-based elastomer for strain sensors with ultrahigh sensitivity. Carbon, 2019, 143, 63-72.	5.4	99
293	Trace electrosprayed nanopolystyrene facilitated dispersion of multiwalled carbon nanotubes: Simultaneously strengthening and toughening epoxy. Carbon, 2019, 142, 131-140.	5.4	150

#	Article	IF	Citations
294	Graphene loaded with nano-Cu as a highly efficient foam interface material with excellent properties of thermal-electronic conduction, anti-permeation and electromagnetic interference shielding. Chemical Engineering Journal, 2019, 361, 1110-1120.	6.6	20
295	Tunable temperature-resistivity behaviors of carbon black/polyamide 6 /high-density polyethylene composites with conductive electrospun PA6 fibrous network. Journal of Composite Materials, 2019, 53, 1897-1906.	1.2	8
296	Highly stretchable and durable strain sensor based on carbon nanotubes decorated thermoplastic polyurethane fibrous network with aligned wave-like structure. Chemical Engineering Journal, 2019, 360, 762-777.	6.6	190
297	Improvement of conductivity of graphene-silver nanowire hybrid through nitrogen doping using low power plasma treatment. Journal of Alloys and Compounds, 2019, 773, 1009-1017.	2.8	19
298	Self-polarized electrospun polyvinylidene fluoride (PVDF) nanofiber for sensing applications. Composites Part B: Engineering, 2019, 160, 1-9.	5.9	43
299	Origin of n-type conductivity in ZnO crystal and formation of Zn and ZnO nanoparticles by laser radiation. Optics and Laser Technology, 2019, 111, 121-128.	2.2	19
300	Interfacially reinforced carbon fiber/epoxy composite laminates via in-situ synthesized graphitic carbon nitride (g-C3N4). Composites Part B: Engineering, 2019, 158, 259-268.	5.9	117
301	Magnetically actuated graphene coated polyurethane foam as potential sorbent for oils and organics. Arabian Journal of Chemistry, 2020, 13, 1752-1762.	2.3	30
302	Integrated Sensors in Advanced Composites: A Critical Review. Critical Reviews in Solid State and Materials Sciences, 2020, 45, 187-238.	6.8	27
303	Efficient H2 gas sensor based on 2D SnO2 disks: Experimental and theoretical studies. International Journal of Hydrogen Energy, 2020, 45, 26388-26401.	3.8	57
304	Stretchable strain sensors based on polyaniline/thermoplastic polyurethane blends. Polymer Bulletin, 2020, 77, 1081-1093.	1.7	37
305	Carbon nanotubes reinforced hydrogel as flexible strain sensor with high stretchability and mechanically toughness. Chemical Engineering Journal, 2020, 382, 122832.	6.6	328
306	Flexible and wearable carbon black/thermoplastic polyurethane foam with a pinnate-veined aligned porous structure for multifunctional piezoresistive sensors. Chemical Engineering Journal, 2020, 382, 122985.	6.6	153
307	Enhanced dielectric and energy storage properties of BaTiO3 nanofiber/polyimide composites by controlling surface defects of BaTiO3 nanofibers. Applied Surface Science, 2020, 501, 144243.	3.1	49
308	Review of photoreduction and synchronous patterning of graphene oxide toward advanced applications. Journal of Materials Science, 2020, 55, 480-497.	1.7	16
309	Highly sensitive and stretchable strain sensors based on chopped carbon fibers sandwiched between silicone rubber layers for human motion detections. Journal of Composite Materials, 2020, 54, 423-434.	1.2	19
310	Eco-friendly castor oil-based UV-curable urethane acrylate zinc oxide nanocomposites: Synthesis and viscoelastic behavior. Journal of Composite Materials, 2020, 54, 101-110.	1.2	11
311	Rapid production of few layer graphene for energy storage via dry exfoliation of expansible graphite. Composites Science and Technology, 2020, 185, 107895.	3.8	16

#	Article	IF	Citations
312	Hybrid systems of threeâ€dimensional carbon nanostructures with low dimensional fillers for piezoresistive sensors. Polymer Composites, 2020, 41, 468-477.	2.3	24
313	Sugar-templated conductive polyurethane-polypyrrole sponges for wide-range force sensing. Chemical Engineering Journal, 2020, 383, 123103.	6.6	41
314	Graphene-based wearable piezoresistive physical sensors. Materials Today, 2020, 36, 158-179.	8.3	262
315	Enhanced piezoresistive performance of conductive WPU/CNT composite foam through incorporating brittle cellulose nanocrystal. Chemical Engineering Journal, 2020, 387, 124045.	6.6	118
316	Fabrication of lightweight and flexible silicon rubber foams with ultra-efficient electromagnetic interference shielding and adjustable low reflectivity. Journal of Materials Chemistry C, 2020, 8, 147-157.	2.7	60
317	Strain-rate independent small-strain-sensor: Enhanced responsiveness of carbon black filled conductive rubber composites at slow deformation by using an ionic liquid. Composites Science and Technology, 2020, 188, 107972.	3.8	24
318	Comparative study of polymer-based nanocomposites microwave absorption performance in Xâ€“band. Materials Research Express, 2020, 7, 015324.	0.8	9
319	Self-healing, sensitive and antifreezing biomass nanocomposite hydrogels based on hydroxypropyl guar gum and application in flexible sensors. International Journal of Biological Macromolecules, 2020, 155, 1569-1577.	3.6	60
320	Recent advances in soft functional materials: preparation, functions and applications. Nanoscale, 2020, 12, 1281-1306.	2.8	56
321	Effects of carbonization temperature and substrate concentration on the sensing performance of flexible pressure sensor. Applied Physics A: Materials Science and Processing, 2020, 126, 1.	1.1	8
322	Enhanced Strain Sensing Performance of Polymer/Carbon Nanotubeâ€Coated Spandex Fibers via Noncovalent Interactions. Macromolecular Materials and Engineering, 2020, 305, 1900525.	1.7	23
323	Self-standing Substrates. Engineering Materials, 2020, , .	0.3	2
324	High-performance epidermal strain sensor based on macro-defect graphene foams. Sensors and Actuators A: Physical, 2020, 303, 111721.	2.0	10
325	Self-templating graphene network composites by flame carbonization for excellent electromagnetic interference shielding. Composites Part B: Engineering, 2020, 182, 107615.	5.9	39
326	Facile Fabrication of 3D Porous Sponges Coated with Synergistic Carbon Black/Multiwalled Carbon Nanotubes for Tactile Sensing Applications. Nanomaterials, 2020, 10, 1941.	1.9	22
327	Thermoplastic polyurethane conjugated antimony doped tin oxide nanocomposite for enhanced electrical and thermal conductivity. Synthetic Metals, 2020, 269, 116570.	2.1	3
328	A breathable, sensitive and wearable piezoresistive sensor based on hierarchical micro-porous PU@CNT films for long-term health monitoring. Composites Science and Technology, 2020, 200, 108419.	3.8	45
329	Polypyrrole (PPy) attached on porous conductive sponge derived from carbonized graphene oxide coated polyurethane (PU) and its application in pressure sensor. Composites Communications, 2020, 22, 100426.	3.3	54

#	Article	IF	Citations
330	Amyloid Fibrilâ€Templated Highâ€Performance Conductive Aerogels with Sensing Properties. Small, 2020, 16, e2004932.	5.2	19
331	Stretchable Strain Sensor for Human Motion Monitoring Based on an Intertwined-Coil Configuration. Nanomaterials, 2020, 10, 1980.	1.9	13
332	Ultra-low permittivity porous silica-cellulose nanocomposite substrates for 6G telecommunication. Nanotechnology, 2020, 31, 435203.	1.3	17
333	3D sprayed polyurethane functionalized graphene / carbon nanotubes hybrid architectures to enhance the piezo-resistive response of quantum resistive pressure sensors. Carbon, 2020, 168, 564-579.	5.4	28
334	CB Nanoparticles Optimized 3D Wearable Graphene Multifunctional Piezoresistive Sensor Framed by Loofah Sponge. ACS Applied Materials & Interfaces, 2020, 12, 36540-36547.	4.0	47
335	A Comprehensive Review on Carbon-Based Polymer Nanocomposite Foams as Electromagnetic Interference Shields and Piezoresistive Sensors. ACS Applied Electronic Materials, 2020, 2, 2318-2350.	2.0	82
336	Highly Compressible, Thermally Stable, Light-Weight, and Robust Aramid Nanofibers/Ti₃AlC₂ MXene Composite Aerogel for Sensitive Pressure Sensor. ACS Nano, 2020, 14, 10633-10647.	7.3	261
337	Simple water tunable polyurethane microsphere for super-hydrophobic dip-coating and oil-water separation. Polymer, 2020, 204, 122833.	1.8	35
338	Graphene/high-oriented polypyrrole foam enables new-type ultrasensitive micro-distance detection. Chemical Engineering Journal, 2020, 402, 126236.	6.6	12
339	Flexible EcoflexÂ®/Graphene Nanoplatelet Foams for Highly Sensitive Low-Pressure Sensors. Sensors, 2020, 20, 4406.	2.1	22
340	High-strength, flexible and cycling-stable piezo-resistive polymeric foams derived from thermoplastic polyurethane and multi-wall carbon nanotubes. Composites Part B: Engineering, 2020, 199, 108279.	5.9	68
341	Scalable fabrication of flexible piezoresistive pressure sensors based on occluded microstructures for subtle pressure and force waveform detection. Journal of Materials Chemistry C, 2020, 8, 16774-16783.	2.7	32
342	An Experimental Investigation on Acoustical Properties of Organic PU Foam Reinforced with Nanoparticles Fabricated by Hydrothermal Reduction Technique to Emerging Applications. Journal of the Institution of Engineers (India): Series D, 2020, 101, 271-284.	0.6	13
343	Integrated Computational and Experimental Design of Ductile, Abrasion-Resistant Thermoplastic Polyurethane/Graphene Oxide Nanocomposites. ACS Applied Nano Materials, 2020, 3, 9694-9705.	2.4	7
344	Flexible conductive MXene/cellulose nanocrystal coated nonwoven fabrics for tunable wearable strain/pressure sensors. Journal of Materials Chemistry A, 2020, 8, 21131-21141.	5.2	176
345	Enhanced permittivity of negative permittivity middle-layer sandwich polymer matrix composites through conductive filling with flake MAX phase ceramics. RSC Advances, 2020, 10, 27025-27032.	1.7	12
346	On the Synergistic Effect of Multi-Walled Carbon Nanotubes and Graphene Nanoplatelets to Enhance the Functional Properties of SLS 3D-Printed Elastomeric Structures. Polymers, 2020, 12, 1841.	2.0	21
347	A grapheneâ€"PDMS hybrid overcoating enhanced fiber plasmonic temperature sensor with high sensitivity and fast response. Journal of Materials Chemistry C, 2020, 8, 12893-12901.	2.7	31

#	Article	IF	Citations
348	Highly Sensitive Flexible Poly(dimethylsiloxane) Composite Sensors Based on Flame-Synthesized Carbon Foam Made of Vertical Carbon Nanosheet Arrays. ACS Sustainable Chemistry and Engineering, 2020, 8, 14091-14100.	3.2	5
349	Thermoplastic polyurethaneâ€"graphene nanoplatelets microcellular foams for electromagnetic interference shielding. Graphene Technology, 2020, 5, 33-39.	1.9	8
350	Biocompatible, Flexible Strain Sensor Fabricated with Polydopamine-Coated Nanocomposites of Nitrile Rubber and Carbon Black. ACS Applied Materials & Interfaces, 2020, 12, 42140-42152.	4.0	78
351	A Solvent System Involved Fabricating Electrospun Polyurethane Nanofibers for Biomedical Applications. Polymers, 2020, 12, 3038.	2.0	14
352	Utilization of Graphite Rods from Waste Batteries to Produce Graphene Solvent for Augmented Mechanical Strength of Papers and Boards. Materials Science Forum, 2020, 1005, 131-138.	0.3	2
353	Single and bundled carbon nanofibers as ultralightweight and flexible piezoresistive sensors. Npj Flexible Electronics, 2020, 4, .	5.1	30
354	Highly electrically conductive polymer composite with a novel fiber-based segregated structure. Journal of Materials Science, 2020, 55, 11727-11738.	1.7	17
355	3D-printed highly stable flexible strain sensor based on silver-coated-glass fiber-filled conductive silicon rubber. Materials and Design, 2020, 193, 108788.	3.3	34
356	Taking advantage of the functional synergism between carbon nanotubes and graphene nanoplatelets to obtain polypropylene-based nanocomposites with enhanced oxidative resistance. European Polymer Journal, 2020, 133, 109796.	2.6	13
357	Holey, anti-impact and resilient thermoplastic urethane/carbon nanotubes fabricated by a low-cost â€œvapor induced phase separationâ€•strategy for the detection of human motions. Composites Part A: Applied Science and Manufacturing, 2020, 136, 105974.	3.8	12
358	Hybrid Structures Made of Polyurethane/Graphene Nanocomposite Foams Embedded within Aluminum Open-Cell Foam. Metals, 2020, 10, 768.	1.0	22
359	Polymer-derived SiBCN ceramic pressure sensor with excellent sensing performance. Journal of Advanced Ceramics, 2020, 9, 374-379.	8.9	62
360	Microwave-assisted selective heating to rapidly construct a nano-cracked hollow sponge for stretch sensing. Journal of Materials Chemistry C, 2020, 8, 9391-9400.	2.7	19
361	Selective Microwave Sintering to Prepare Multifunctional Poly(ether imide) Bead Foams Based on Segregated Carbon Nanotube Conductive Network. Industrial & Engineering Chemistry Research, 2020, 59, 5838-5847.	1.8	30
362	Superhydrophobic and superelastic thermoplastic polyurethane/multiwalled carbon nanotubes porous monolith for durable oil/water separation. Composites Communications, 2020, 21, 100378.	3.3	62
363	Hydrophobic, superabsorbing materials from reduced graphene oxide/MoS2 polyurethane foam as a promising sorbent for oil and organic solvents. Polymer Testing, 2020, 87, 106429.	2.3	33
364	Flexible conductive Ag nanowire/cellulose nanofibril hybrid nanopaper for strain and temperature sensing applications. Science Bulletin, 2020, 65, 899-908.	4.3	219
365	Ultralight Programmable Bioinspired Aerogels with an Integrated Multifunctional Surface for Self-Cleaning, Oil Absorption, and Thermal Insulation via Coassembly. ACS Applied Materials & Interfaces, 2020, 12, 11273-11286.	4.0	46

#	Article	IF	Citations
366	Facile Fabrication of Multifunctional Poly(ethylene-co-octene)/Carbon Nanotube Foams Based on Tunable Conductive Network. Industrial & Engineering Chemistry Research, 2020, 59, 1934-1943.	1.8	33
367	Enhancing thermal conductivity via conductive network conversion from high to low thermal dissipation in polydimethylsiloxane composites. Journal of Materials Chemistry C, 2020, 8, 3463-3475.	2.7	85
368	A biomimeticâ€structured woodâ€derived carbon sponge with highly compressible and biocompatible properties for humanâ€motion detection. InformaÄ›Ã-MateriÃ¡ly, 2020, 2, 1225-1235.	8.5	34
369	Electromechanical Behaviors of Graphene Reinforced Polymer Composites: A Review. Materials, 2020, 13, 528.	1.3	11
370	Reviewâ€"Recent Progress in Flexible and Stretchable Piezoresistive Sensors and Their Applications. Journal of the Electrochemical Society, 2020, 167, 037561.	1.3	105
371	Flexible PEDOT:PSS/polyimide aerogels with linearly responsive and stable properties for piezoresistive sensor applications. Chemical Engineering Journal, 2020, 395, 125115.	6.6	87
372	Manufacturing High Sensitive Strain Sensor of Polyurethane Nanofiber Mat/AgNWs by Simple Dip-dry Method. Fibers and Polymers, 2020, 21, 359-365.	1.1	8
373	Multifunctional polydimethylsiloxane foam with multi-walled carbon nanotube and thermo-expandable microsphere for temperature sensing, microwave shielding and piezoresistive sensor. Chemical Engineering Journal, 2020, 393, 124805.	6.6	151
374	Structuring the reduced graphene oxide/polyHIPE foam for piezoresistive sensing via emulsion-templated polymerization. Composites Part A: Applied Science and Manufacturing, 2020, 134, 105898.	3.8	30
375	Scalable Alignment and Selective Deposition of Nanoparticles for Multifunctional Sensor Applications. Nano Letters, 2020, 20, 3199-3206.	4.5	25
376	Solvent crystallization-induced porous polyurethane/graphene composite foams for pressure sensing. Composites Part B: Engineering, 2020, 194, 108065.	5.9	67
377	Graphite-Filled Polyethylene/Epoxy Blend for High-Conductivity Applications: The Immiscibility Edge. Polymer-Plastics Technology and Materials, 2021, 60, 105-116.	0.6	3
378	Fabrication and evaluation of structural, thermal, mechanical and optical behavior of epoxyâ€"TEOS/MWCNTs composites for solar cell covering. Polymer Bulletin, 2021, 78, 3995-4017.	1.7	23
379	Wearable piezoresistive pressure sensors based on 3D graphene. Chemical Engineering Journal, 2021, 406, 126777.	6.6	191
380	Bromo-substituted blocked hexamethylene diisocyanate adduct: synthesis, characterization and application toward polyurethane coating. Journal of Macromolecular Science - Pure and Applied Chemistry, 2021, 58, 298-308.	1.2	4
381	Boosting electrical and piezoresistive properties of polymer nanocomposites via hybrid carbon fillers: A review. Carbon, 2021, 173, 1020-1040.	5.4	71
382	Structural Engineering for Highâ€Performance Flexible and Stretchable Strain Sensors. Advanced Intelligent Systems, 2021, 3, 2000194.	3.3	22
383	Bio-based rigid polyurethane foam from castor oil with excellent flame retardancy and high insulation capacity via cooperation with carbon-based materials. Journal of Materials Science, 2021, 56, 2684-2701.	1.7	44

#	Article	IF	Citations
384	Lotus leaf inspired superhydrophobic rubber composites for temperature stable piezoresistive sensors with ultrahigh compressibility and linear working range. Chemical Engineering Journal, 2021, 405, 127025.	6.6	85
385	An Ultrasensitive, Durable and Stretchable Strain Sensor with Crack-wrinkle Structure for Human Motion Monitoring. Chinese Journal of Polymer Science (English Edition), 2021, 39, 316-326.	2.0	26
386	Netâ€C18: A Predicted Twoâ€Dimensional Planar Carbon Allotrope and Potential for an Anode in Lithiumâ€Ion Battery. Energy and Environmental Materials, 2021, 4, 458-464.	7.3	11
387	Electrically conductive NBR/CB flexible composite film for ultrastretchable strain sensors: fabrication and modeling. Applied Nanoscience (Switzerland), 2021, 11, 429-439.	1.6	15
389	Lightweight, Superelastic, and Hydrophobic Polyimide Nanofiber /MXene Composite Aerogel for Wearable Piezoresistive Sensor and Oil/Water Separation Applications. Advanced Functional Materials, 2021, 31, 2008006.	7.8	340
390	Highly Sensitive Piezoresistive Sensors Based on a Voltage Divider Circuit With TFTs for Ultra-Low Pressure Detection. IEEE Journal of the Electron Devices Society, 2021, 9, 623-627.	1.2	2
391	An Investigation of EMI Shielding Effectiveness of Organic Polyurethane Composite Reinforced with MWCNT-CuO-Bamboo Charcoal Nanoparticles. Journal of Electronic Materials, 2021, 50, 1282-1291.	1.0	28
392	Communicationâ€"Synthesis of Highly-Branched Silver Nanocrystals for EMI Shielding Applications. Journal of the Electrochemical Society, 2021, 168, 012505.	1.3	3
393	A remarkably ultra-sensitive large area matrix of MXene based multifunctional physical sensors (pressure, strain, and temperature) for mimicking human skin. Journal of Materials Chemistry B, 2021, 9, 4523-4534.	2.9	48
394	A highly sensitive, foldable and wearable pressure sensor based on MXene-coated airlaid paper for electronic skin. Journal of Materials Chemistry C, 2021, 9, 12642-12649.	2.7	35
395	Synthesis of 2D Ti₃C₂T_x MXene and MXene-based composites for flexible strain and pressure sensors. Nanoscale Horizons, 2021, 6, 893-906.	4.1	26
396	A low-cost piezoresistive pressure sensor with a wide strain range â€" featuring polyurethane sponge@poly(vinyl alcohol)/sulfuric gel electrolyte. Journal of Materials Chemistry C, 2021, 9, 1014-1024.	2.7	44
397	Tunable magnetoresistance of core-shell structured polyaniline nanocomposites with 0-, 1-, and 2-dimensional nanocarbons. Advanced Composites and Hybrid Materials, 2021, 4, 51-64.	9.9	87
398	High dielectric constant, flexible and easy-processable calcium copper titanate/thermoplastic polyurethane (CCTO/TPU) composites through simple casting method. Journal of Materials Science: Materials in Electronics, 2021, 32, 5908-5919.	1.1	9
399	Surface modification of bamboo fibers by diammonium phosphate and their applications in flame retardant thermoplastic polyurethane. Journal of Applied Polymer Science, 2021, 138, 50606.	1.3	6
401	A review on physical foaming of thermoplastic and vulcanized elastomers. Polymer Reviews, 2022, 62, 95-141.	5.3	66
402	Recent progress in self-healing conductive materials and flexible sensors with desired functional repairability. Multifunctional Materials, 2021, 4, 012002.	2.4	2
403	A Short Review on Selfâ€Healing Thermoplastic Polyurethanes. Macromolecular Chemistry and Physics, 2021, 222, 2100002.	1.1	54

#	Article	IF	Citations
404	An experimental study on ballistic impact response of jute reinforced polyethylene glycol and nano silica based shear thickening fluid composite. Defence Technology, 2022, 18, 401-409.	2.1	36
405	Ultrahigh sensitivity and wide strain range of porous pressure sensor based on binary conductive fillers by in-situ polymerization. Journal of Polymer Research, 2021, 28, 1.	1.2	10
406	Superparamagnetic ZnFe2O4 Nanoparticles-Reduced Graphene Oxide-Polyurethane Resin Based Nanocomposites for Electromagnetic Interference Shielding Application. Nanomaterials, 2021, 11, 1112.	1.9	11
407	Nanocomposite Piezoresistive Pressure Sensor in Gait Monitoring for Arthritis Patient. IETE Journal of Research, 2023, 69, 2743-2751.	1.8	1
408	A novel UV-curable molecular-modified graphene oxide for high-resolution printed electronics. Carbon, 2021, 176, 470-479.	5.4	11
409	Preparation and performance of melamine-formaldehyde rigid foams with high closed cell content. Frontiers in Forests and Global Change, 2021, 40, 183-197.	0.6	4
410	Wideâ€Range and Highâ€Stability Flexible Conductive Graphene/Thermoplastic Polyurethane Foam for Piezoresistive Sensor Applications. Advanced Materials Technologies, 2021, 6, 2100248.	3.0	52
411	Eco-friendly water-based graphene/sodium silicate dispersion for electrically conductive screen-printing technique and theoretical studies. Carbon, 2021, 178, 26-36.	5.4	9
412	High-Performance Foam-Shaped Strain Sensor Based on Carbon Nanotubes and Ti₃C₂T_x MXene for the Monitoring of Human Activities. ACS Nano, 2021, 15, 9690-9700.	7.3	191
413	Flexible and robust porous thermoplastic polyurethane/reduced graphene oxide monolith with special wettability for continuous oil/water separation in harsh environment. Separation and Purification Technology, 2021, 266, 118553.	3.9	25
414	A Highly Sensitive Graphene Aerogel Pressure Sensor Inspired by Fluffy Spider Leg. Advanced Materials Interfaces, 2021, 8, 2100511.	1.9	18
415	3D printed graphene/polyurethane wearable pressure sensor for motion fitness monitoring. Nanotechnology, 2021, 32, 395503.	1.3	27
416	Fatigue Testing of Wearable Sensing Technologies: Issues and Opportunities. Materials, 2021, 14, 4070.	1.3	10
417	Anisotropic Carbon Aerogel from Cellulose Nanofibers Featuring Highly Effective Compression Stress Transfer and Pressure Sensing. ACS Sustainable Chemistry and Engineering, 2021, 9, 9761-9769.	3.2	36
418	Highly stretchable and sensitive strain sensor based on Ti₃C₂-coated electrospinning TPU film for human motion detection. Smart Materials and Structures, 2021, 30, 095003.	1.8	13
419	Electromechanical properties of carbon-nanostructured elastomeric composites measured by digital image correlation. Composites Part C: Open Access, 2021, 5, 100161.	1.5	3
420	Synergic effect of graphene nanoplatelets and carbon nanotubes on the electrical resistivity and percolation threshold of polymer hybrid nanocomposites. European Physical Journal Plus, 2021, 136, 1.	1.2	13
421	Hierarchically Architected Polyvinylidene Fluoride Piezoelectric Foam for Boosted Mechanical Energy Harvesting and Self-Powered Sensor. ACS Applied Materials & Interfaces, 2021, 13, 37252-37261.	4.0	30

#	Article	IF	Citations
422	Superhydrophobic and elastic 3D conductive sponge made from electrospun nanofibers and reduced graphene oxide for sweatproof wearable tactile pressure sensor. Polymer, 2021, 230, 124025.	1.8	11
423	Thermal insulating, light-weight and conductive cellulose/aramid nanofibers composite aerogel for pressure sensing. Carbohydrate Polymers, 2021, 270, 118414.	5.1	41
424	Activation of percolation network in structural-strengthened polymer-derived ceramic for minor deformation detection. Carbon, 2021, 183, 368-379.	5.4	16
425	Bulk-scale synthesis of randomly stacked graphene with high crystallinity. Carbon, 2021, 185, 368-375.	5.4	7
426	An ultra-compressible piezoresistive strain and pressure sensor based on RGO-CNT-Melamine foam composite for biomedical sensing. Sensors and Actuators A: Physical, 2021, 331, 112875.	2.0	25
427	Multifunctional conductive hydrogels and their applications as smart wearable devices. Journal of Materials Chemistry B, 2021, 9, 2561-2583.	2.9	166
428	Resistive tactile sensors. , 2021, , 13-30.		2
429	Flexible pressure sensors with high pressure sensitivity and low detection limit using a unique honeycomb-designed polyimide/reduced graphene oxide composite aerogel. RSC Advances, 2021, 11, 11760-11770.	1.7	35
430	Processing and characterization of organic PU foam reinforced with nano particles. Materials Today: Proceedings, 2021, 46, 1077-1084.	0.9	13
431	Conductive polyaniline nanorods enhanced methane production from anaerobic wastewater treatment. Polymer, 2017, 120, 236-243.	1.8	82
432	An ultrasensitive and highly compressive piezoresistive sensor based on a biopolyol-reinforced polyurethane sponge coated with silver nanoparticles and carbon nanotubes/cellulose nanocrystals. Journal of Materials Chemistry C, 2020, 8, 16603-16614.	2.7	20
433	Modulating the percolation network of polymer nanocomposites for flexible sensors. Journal of Applied Physics, 2020, 128, 220901.	1.1	18
434	Recent Trends, Construction, and Applications of Smart Textiles and Clothing for Monitoring of Health Activity: A Comprehensive Multidisciplinary Review. IEEE Reviews in Biomedical Engineering, 2022, 15, 36-60.	13.1	21
435	Polyolefinic nanocomposite foams: Review of microstructure-property relationships, applications, and processing considerations. Journal of Cellular Plastics, 2022, 58, 59-102.	1.2	10
436	A conductive polyacrylamide hydrogel enabled by dispersion-enhanced MXene@chitosan assembly for highly stretchable and sensitive wearable skin. Journal of Materials Chemistry B, 2021, 9, 8862-8870.	2.9	25
437	Flexible Waterborne Polyurethane/Cellulose Nanocrystal Composite Aerogels by Integrating Graphene and Carbon Nanotubes for a Highly Sensitive Pressure Sensor. ACS Sustainable Chemistry and Engineering, 2021, 9, 14029-14039.	3.2	60
438	Multifunctional, flexible and mechanically resilient porous polyurea/graphene composite film. Journal of Industrial and Engineering Chemistry, 2022, 105, 549-562.	2.9	4
439	Electrospun bundled carbon nanofibers for skin-inspired tactile sensing, proprioception and gesture tracking applications. Npj Flexible Electronics, 2021, 5, .	5.1	37

#	Article	IF	Citations
440	High-Performance, Lightweight, and Flexible Thermoplastic Polyurethane Nanocomposites with Zn²⁺-Substituted CoFe₂O₄ Nanoparticles and Reduced Graphene Oxide as Shielding Materials against Electromagnetic Pollution. ACS Omega, 2021, 6, 28098-28118.	1.6	22
441	Polyurethane Foams Reinforced with Biobased Materials: Properties and Applications. Current Applied Polymer Science, 2019, 3, 14-29.	0.2	0
442	Self-supported Materials for Flexible/Stretchable Sensors. Engineering Materials, 2020, , 269-296.	0.3	0
443	Recent Advances of Flexible Strain Sensors Based on Conductive Fillers and Thermoplastic Polyurethane Matrixes. ACS Applied Polymer Materials, 2021, 3, 5317-5338.	2.0	33
444	Enhanced hydrophobicity of polyurethane with the self-assembly of perfluoropolyether-based triblock copolymers. Progress in Organic Coatings, 2022, 162, 106561.	1.9	6
445	Giant piezoresistive gauge factor in vein-membrane/graphene sensors with a wide linear working range. Journal of Materials Chemistry C, 2020, 8, 16957-16966.	2.7	8
446	A Highly Elastic Conductive Film Prepared by Bidirectional AS-LBL Method. European Polymer Journal, 2021, 162, 110868.	2.6	0
447	Scalably Nanomanufactured Atomically Thin Materialsâ€Based Wearable Health Sensors. Small Structures, 2022, 3, 2100120.	6.9	16
448	Monte Carlo analytical-geometrical simulation of piezoresistivity and electrical conductivity of polymeric nanocomposites filled with hybrid carbon nanotubes/graphene nanoplatelets. Composites Part A: Applied Science and Manufacturing, 2022, 152, 106716.	3.8	24
449	Nano-foam architectures of polymer and graphene. , 2022, , 67-90.		0
450	Ultra-sensitive, lightweight, and flexible composite sponges for stress sensors based combining of â€œthrough-holeâ€•polyimide sponge and â€œpleated stackedâ€•reduced graphene oxide. Composites Science and Technology, 2022, 218, 109179.	3.8	20
451	Electrospun fiber-based high-performance flexible multi-level micro-structured pressure sensor: Design, development and modelling. Chemical Engineering Journal, 2022, 431, 133700.	6.6	25
452	Simulation of piezoresistance and deformation behavior of a flexible 3D printed sensor considering the nonlinear mechanical behavior of materials. Sensors and Actuators A: Physical, 2021, 332, 113214.	2.0	10
453	Highly stretchable and conformal electromagnetic interference shielding armor with strain sensing ability. Chemical Engineering Journal, 2022, 431, 133908.	6.6	15
454	A bioinspired porous-designed hydrogel@polyurethane sponge piezoresistive sensor for humanâ€“machine interfacing. Nanoscale, 2021, 13, 19155-19164.	2.8	27
455	A wirelessly multi stimuli-responsive ultra-sensitive and self-healable wearable strain sensor based on silver quantum dots of 3D organo-hydrogel nanocomposites. Journal of Materials Chemistry C, 2021, 9, 17291-17306.	2.7	8
456	Engineering 3Dâ€Architected Gyroid MXene Scaffolds for Ultrasensitive Micromechanical Sensing. Advanced Engineering Materials, 2022, 24, .	1.6	8
457	Mechanical sensors based on two-dimensional materials: Sensing mechanisms, structural designs and wearable applications. IScience, 2022, 25, 103728.	1.9	11

#	Article	IF	Citations
458	Facile fabrication of silicone rubber composite foam with dual conductive networks and tunable porosity for intelligent sensing. European Polymer Journal, 2022, 164, 110980.	2.6	15
459	Microwave absorption analysis of graphene-based hybrid nanocomposites: experimental, numerical and component level testing studies. Plastics, Rubber and Composites, 2023, 52, 129-144.	0.9	0
460	Fabrication and Properties of Thermoplastic Polyurethane/Silver Parts via Fused Deposition Modeling for Electromagnetic Interference Shielding and Wearable Sensors. Advanced Engineering Materials, 2022, 24, .	1.6	11
461	A New Class of Electronic Devices Based on Flexible Porous Substrates. Advanced Science, 2022, 9, e2105084.	5.6	40
462	Magnetoresistive and piezoresistive polyaniline nanoarrays in-situ polymerized surrounding magnetic graphene aerogel. Advanced Composites and Hybrid Materials, 2022, 5, 1003-1016.	9.9	72
463	Performance evaluation on particleâ€reinforced rigid/flexible composites via fused deposition modeling<scp>3D</scp>printing. Journal of Applied Polymer Science, 2022, 139, .	1.3	7
464	Piezoresistive 3D grapheneâ€"PDMS spongy pressure sensors for IoT enabled wearables and smart products. Flexible and Printed Electronics, 2022, 7, 015004.	1.5	11
465	Prediction of piezoresistive sensitivity and percolation probability of synergetic CNT-GNP conductive network composite. Sensors and Actuators A: Physical, 2022, 336, 113414.	2.0	10
466	3D biocompatible bone engineering foams with tunable mechanical properties and porous structures. Journal of Applied Polymer Science, 0, , 52228.	1.3	0
467	Ice-Crystal Templated â€œAccordion-Likeâ€•Biodegradable Cellulose Nanofiber / Mxene Composite Aerogels for Sensitive Wearable Pressure Sensors. SSRN Electronic Journal, 0, , .	0.4	0
468	Direct Ink Writing of Graphene/Cnt/Silicone Composite Strain Sensor with Near-Zero Temperature Coefficient of Resistance. SSRN Electronic Journal, 0, , .	0.4	1
469	Soft Liquid Metal Infused Conductive Sponges. Advanced Materials Technologies, 2022, 7, .	3.0	24
470	Polyhydroxylated Nanosized Graphite as Multifunctional Building Block for Polyurethanes. Polymers, 2022, 14, 1159.	2.0	1
471	Self-Reinforced Thermoplastic Polyurethane Wrinkled Foams with High Energy Absorption Realized by Gas Cooling Assisted Supercritical CO₂ Foaming. Industrial & Engineering Chemistry Research, 2022, 61, 4832-4841.	1.8	3
472	â€œToolboxâ€•for the Processing of Functional Polymer Composites. Nano-Micro Letters, 2022, 14, 35.	14.4	30
473	Multifunctional, Lightâ€Weight Wearable Sensor Based on 3D Porous Polyurethane Sponge Coated with MXene and Carbon Nanotubes Composites. Advanced Materials Interfaces, 2022, 9, .	1.9	12
474	Degradable Cross-Linked Collagen Fiber/MXene Composite Aerogels as a High-Performing Sensitive Pressure Sensor. ACS Sustainable Chemistry and Engineering, 2022, 10, 1408-1418.	3.2	38
475	Development of piezoresistive PDMS/MWCNT foam nanocomposite sensor with ultrahigh flexibility and compressibility. Journal of Intelligent Material Systems and Structures, 2022, 33, 1751-1761.	1.4	4

#	Article	IF	Citations
476	Large-area flexible MWCNT/PDMS pressure sensor for ergonomic design with aid of deep learning. Nanotechnology, 2022, 33, 345502.	1.3	4
478	Direct ink writing of a graphene/CNT/silicone composite strain sensor with a near-zero temperature coefficient of resistance. Journal of Materials Chemistry C, 2022, 10, 8226-8233.	2.7	28
479	In-situ sugar-templated porous elastomer sensor with high sensitivity for wearables. Frontiers of Materials Science, 2022, 16, .	1.1	2
480	High strength and antiâ€freezing piezoresistive pressure sensor based on a composite gel. Polymers for Advanced Technologies, 2022, 33, 2448-2458.	1.6	3
481	A Review on Printing of Responsive Smart and 4D Structures Using 2D Materials. Advanced Materials Technologies, 2022, 7, .	3.0	11
482	Facile Fabrication of Highly Sensitive Thermoplastic Polyurethane Sensors with Surface- and Interface-Impregnated 3D Conductive Networks. ACS Applied Materials & Interfaces, 2022, 14, 22615-22625.	4.0	21
483	Modeling the synergistic electrical percolation effect of carbon nanotube/graphene/polymer composites. Composites Science and Technology, 2022, 225, 109496.	3.8	14
484	Polymer/graphene nanofoam nanocomposites: Properties and potential. Journal of Plastic Film and Sheeting, 2022, 38, 542-561.	1.3	3
485	Sustainableâ€Macromoleculeâ€Assisted Preparation of Crossâ€linked, Ultralight, Flexible Graphene Aerogel Sensors toward Lowâ€Frequency Strain/Pressure to Highâ€Frequency Vibration Sensing. Small, 2022, 18, e2202047.	5.2	20
486	Xylem-Inspired Polyimide/MXene Aerogels with Radial Lamellar Architectures for Highly Sensitive Strain Detection and Efficient Solar Steam Generation. Nano Letters, 2022, 22, 4560-4568.	4.5	40
487	Self-Powered Tactile Sensor for Gesture Recognition Using Deep Learning Algorithms. ACS Applied Materials & Interfaces, 2022, 14, 25629-25637.	4.0	34
488	Flexible Strain Sensors with Enhanced Sensing Performance Prepared from Biaxially Stretched Carbon Nanotube/Thermoplastic Polyurethane Nanocomposites. ACS Applied Electronic Materials, 2022, 4, 3071-3079.	2.0	17
489	Ultrasensitive and wide-range reduced graphene oxide/natural rubber foam sensors for multifunctional self-powered wireless wearable applications. Composites Science and Technology, 2022, 226, 109560.	3.8	17
490	Highly Stretchable and Transparent Conductive Electrodes for Resistive Strain Sensors. Macromolecular Symposia, 2022, 403, 2100292.	0.4	0
491	Sponge-Hosting Polyaniline Array Microstructures for Piezoresistive Sensors with a Wide Detection Range and High Sensitivity. ACS Applied Materials & Interfaces, 2022, 14, 30228-30235.	4.0	21
492	Synthesis and acoustic properties study of castorâ€oilâ€based polyurethane foams with the addition of grapheneâ€oxideâ€modified straw fibers. Polymer International, 2022, 71, 1308-1319.	1.6	1
493	Superhydrophobic, biocompatible and durable nanofiber composite with an asymmetric structure for anisotropic strain sensing and body motion detection. Chemical Engineering Journal, 2022, 450, 137899.	6.6	13
494	Advanced functional carbon nanotube fibers from preparation to application. Cell Reports Physical Science, 2022, 3, 100989.	2.8	17

#	Article	IF	Citations
495	Integrated Polypyrrole-Based Smart Clothing with Photothermal Conversion and Thermosensing Functions for Wearable Applications. Langmuir, 2022, 38, 9967-9973.	1.6	4
496	Fabrication and Modification Strategies of Metal Halide Perovskite Absorbers. Journal of Renewable Materials, 2023, 11, 61-77.	1.1	1
498	Electromechanical Performance of Strain Sensors Based on Viscoelastic Conductive Composite Polymer Fibers. ACS Applied Materials & Interfaces, 2022, 14, 44832-44840.	4.0	23
499	Frontal ring-opening metathesis polymerized polydicyclopentadiene carbon nanotube/graphene aerogel composites with enhanced electromagnetic interference shielding. Advanced Composites and Hybrid Materials, 2022, 5, 2066-2077.	9.9	42
500	Novel Method for Producing Oleophilic Polyurethane Foam to Remove Oil from Open Water. Journal of Polymers and the Environment, 2022, 30, 5012-5023.	2.4	2
501	Spray deposition of sustainable plant based graphene in thermosetting carbon fiber laminates for mechanical, thermal, and electrical properties. Polymer Composites, 2022, 43, 8696-8714.	2.3	4
503	Comprehensive analysis of mechanical properties of microcellular polypropylene: Experiment and simulation. Polymer Testing, 2022, 116, 107812.	2.3	5
504	Study on mechanical and electrical properties of the copolymer of bismaleimide and hyperbranched polyimide. Journal of Materials Science: Materials in Electronics, 2022, 33, 25371-25382.	1.1	4
505	3D Printing Technology for Smart Clothing: A Topic Review. Materials, 2022, 15, 7391.	1.3	7
506	Passive Daytime Radiative Cooling by Thermoplastic Polyurethane Wrapping Films with Controlled Hierarchical Porous Structures. ChemSusChem, 2022, 15, .	3.6	12
507	Stacking order reduction in multilayer graphene by inserting nanospacers. Journal of Applied Physics, 2022, 132, 174305.	1.1	2
508	Ambilateral convergent directional freeze casting meta-structured foams with a negative Poissonâ€™s ratio for high-performance piezoresistive sensors. Chemical Engineering Journal, 2023, 454, 140436.	6.6	12
509	Design strategies and applications of wearable piezoresistive strain sensors with dimensionality-based conductive network structures. Chemical Engineering Journal, 2023, 454, 140467.	6.6	16
510	Multifunctional polyether block amides/carbon nanostructures piezoresistive foams with largely linear range, enhanced and humidity-regulated microwave shielding. Chemical Engineering Journal, 2023, 455, 140860.	6.6	21
511	Highly Sensitive Flexible Strain Sensor Based on a Double-percolation Structured Elastic Fiber of Carbon Nanotube (CNT)/Styrene Butadiene Styrene (SBS) @ Thermoplastic Polyurethane (TPU) for Human Motion and Tactile Recognition. Applied Composite Materials, 2023, 30, 307-322.	1.3	6
512	Electrospun Micro/Nanofiber with Various Structures and Functions for Wearable Physical Sensors. Polymer Reviews, 2023, 63, 715-762.	5.3	17
513	Bioâ€based polyurethaneâ€graphene composites for adhesive application. SPE Polymers, 2023, 4, 41-48.	1.4	10
514	Mechanical characterization of multifunctional highly porous carbon nanotubeâ€reinforced foams. Polymer Composites, 2023, 44, 2093-2101.	2.3	3

#	Article	IF	Citations
515	Multifunctional and Washable Carbon Nanotube-Wrapped Textile Yarns for Wearable E-Textiles. ACS Applied Materials & Interfaces, 2023, 15, 3365-3376.	4.0	10
516	Multilayered graphene oxide impregnated polyurethane foam for ultimate sound absorbing performance: Algorithmic approach and experimental validation. Applied Acoustics, 2023, 203, 109194.	1.7	2
517	Functional Piezoresistive Polymer Composites Based on CO2 Laser-Irradiated Graphene Oxide-Loaded Polyurethane: Morphology, Structure, Electrical and Piezoresistive Properties. Nanomaterials, 2023, 13, 168.	1.9	1
518	Intercalation Engineering of 2D Materials at Macroscale for Smart Humanâ€"Machine Interface and Doubleâ€Layer to Faradaic Charge Storage for Ions Separation. Advanced Materials Interfaces, 2023, 10, .	1.9	4
519	Amine-impregnated porous carbonâ€"silica sheets derived from vermiculite with superior adsorption capability and cyclic stability for CO2 capture. Chemical Engineering Journal, 2023, 464, 142662.	6.6	11
520	Numerical simulation and mathematical models of ash deposition behavior considering particle properties and operating conditions. Fuel Processing Technology, 2023, 245, 107743.	3.7	1
521	Superâ€Stretchable Hybrid Aerogels by Selfâ€Templating Strategy for Crossâ€Media Thermal Management. Macromolecular Rapid Communications, 2023, 44, .	2.0	4
522	Flexible Energy Harvesting Device Based on Porous Piezoelectric Sponge. Korean Journal of Materials Research, 2022, 32, 508-514.	0.1	0
523	Progress in Microtopography Optimization of Polymers-Based Pressure/Strain Sensors. Polymers, 2023, 15, 764.	2.0	6
524	Design strategy for hierarchical structure of carbon black on microporous elastomer surface toward stretchable and compressive strain sensors. Carbon, 2023, 206, 53-61.	5.4	18
525	Mechanical and thermal properties of carbon fiber epoxy composite with interlaminar graphene at elevated temperature. Composites Part B: Engineering, 2023, 255, 110609.	5.9	9
526	Highly Stretchable Electronicâ€Skin Sensors with Porous Microstructure for Efficient Multimodal Sensing with Wearable Comfort. Advanced Materials Interfaces, 2023, 10, .	1.9	6
527	Ice-Crystal-Templated â€œAccordion-Likeâ€•Cellulose Nanofiber/MXene Composite Aerogels for Sensitive Wearable Pressure Sensors. ACS Sustainable Chemistry and Engineering, 2023, 11, 3208-3218.	3.2	7
528	High-Sensitivity Composite Dual-Network Hydrogel Strain Sensor and Its Application in Intelligent Recognition and Motion Monitoring. ACS Applied Polymer Materials, 2023, 5, 2628-2638.	2.0	6
529	Cicada-Wing-Inspired Highly Sensitive Tactile Sensors Based on Elastic Carbon Foam with Nanotextured Surfaces. ACS Applied Materials & Interfaces, 2023, 15, 15976-15985.	4.0	5
530	Facile fabrication of flexible <scp>TPU</scp>â€based microcellular nanocomposite piezoresistive sensors with tunable piezoresistivity via modulating cell structure. Polymer Engineering and Science, 2023, 63, 1678-1690.	1.5	3
531	A unified model of slagging particle deposition behavior with thermophoresis and dynamic mesh based on OpenFOAM. Fuel, 2023, 347, 128360.	3.4	1
548	3D Graphene for Flexible Electronics. Carbon Nanostructures, 2023, , 375-388.	0.1	0

#	Article	IF	Citations
552	Highly Compressible and Stretchable Piezoresistive Sensor Based 3D Graphene-Melamine Composite Foam for Gait Motion Detection. Lecture Notes in Computer Science, 2023, , 310-318.	1.0	0
556	Structure driven piezoresistive performance design for rubbery composites-based sensors and application prospect: a review. Acta Mechanica Sinica/Lixue Xuebao, 2024, 40, .	1.5	1
561	Wearable flexible pressure sensors: an intriguing design towards microstructural functionalization. Journal of Materials Chemistry A, 0, , .	5.2	0