

# CITATION REPORT

List of articles citing

Environmentally-friendly conductive cotton fabric as flexible strain sensor based on hot press reduced graphene oxide

DOI: 10.1016/j.carbon.2016.10.045  
Carbon, 2017, 111, 622-630.

**Source:** <https://exaly.com/paper-pdf/67685655/citation-report.pdf>

**Version:** 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| #   | Paper  | IF   | Citations |
|-----|--|------|-----------|
| 278 | Healable Cotton-Graphene Nanocomposite Conductor for Wearable Electronics. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 13825-13830                  | 9.5  | 62        |
| 277 | Graphene for flexible and wearable device applications. <i>Carbon</i> , <b>2017</b> , 120, 244-257   | 10.4 | 113       |
| 276 | Flexible and wearable strain sensing fabrics. <i>Chemical Engineering Journal</i> , <b>2017</b> , 325, 396-403   | 14.7 | 131       |
| 275 | Fully inkjet-printed two-dimensional material field-effect heterojunctions for wearable and textile electronics. <b>2017</b> , 8, 1202                                   |      | 230       |
| 274 | All inkjet-printed graphene-based conductive patterns for wearable e-textile applications. <i>Journal of Materials Chemistry C</i> , <b>2017</b> , 5, 11640-11648        | 7.1  | 150       |
| 273 | Flexible Graphene-Based Wearable Gas and Chemical Sensors. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 34544-34586                                  | 9.5  | 437       |
| 272 | Fire-resistant and highly electrically conductive silk fabrics fabricated with reduced graphene oxide via dry-coating. <b>2017</b> , 133, 528-535                        |      | 34        |
| 271 | Scalable Production of Graphene-Based Wearable E-Textiles. <b>2017</b> , 11, 12266-12275   |      | 196       |
| 270 | Design of electrically conductive superhydrophobic antibacterial cotton fabric through hierarchical architecture using bimetallic deposition. <b>2017</b> , 724, 240-248 |      | 22        |
| 269 | Microwave-assisted synthesis of silver/reduced graphene oxide on cotton fabric. <b>2017</b> , 24, 4045-4055  |      | 30        |
| 268 | Highly stretchable strain sensor based on SWCNTs/CB synergistic conductive network for wearable human-activity monitoring and recognition. <b>2017</b> , 26, 095017      |      | 78        |
| 267 | Fabrication of Photovoltaic Textiles. <b>2017</b> , 7, 63  |      | 25        |
| 266 | Natural printed silk substrate circuit fabricated via surface modification using one step thermal transfer and reduction graphene oxide. <b>2018</b> , 440, 177-185      |      | 9         |
| 265 | Effect of composite structure on capacity instability of SnO <sub>2</sub> -Coated multiwalled carbon nanotube composite anode. <b>2018</b> , 742, 542-548                |      | 9         |
| 264 | Carbon/graphene composite nanofiber yarns for highly sensitive strain sensors. <b>2018</b> , 143, 214-223  |      | 95        |
| 263 | Flexible fiber-shaped energy storage devices: principles, progress, applications and challenges. <b>2018</b> , 3, 013001   |      | 24        |
| 262 | Highly conductive and flexible silk fabric via electrostatic self assemble between reduced graphene oxide and polyaniline. <b>2018</b> , 55, 26-34                       |      | 29        |

|     |   |      |     |
|-----|---|------|-----|
| 261 | Flexible Strain Sensor Based on Layer-by-Layer Self-Assembled Graphene/Polymer Nanocomposite Membrane and Its Sensing Properties. <b>2018</b> , 47, 2263-2270   |      | 12  |
| 260 | Fast and facile graphene oxide grafting on hydrophobic polyamide fabric via electrophoretic deposition route. <b>2018</b> , 53, 9504-9520   |      | 25  |
| 259 | Polypyrrole coated knitted fabric for robust wearable sensor and heater. <b>2018</b> , 29, 9218-9226  |      | 39  |
| 258 | The synergy effect in tribological performance of paper-based composites by MWCNT and GNPs. <b>2018</b> , 123, 200-208  |      | 24  |
| 257 | Carbons for wearable devices - Commentary and introduction to the virtual special issue. <i>Carbon</i> , <b>2018</b> , 126, 621-623   | 10.4 | 4   |
| 256 | Facile Fabrication of Electrically Conductive Low-Density Polyethylene/Carbon Fiber Tubes for Novel Smart Materials via Multiaxial Orientation. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 1005-1016 | 9.5  | 27  |
| 255 | Recent Progress of Textile-Based Wearable Electronics: A Comprehensive Review of Materials, Devices, and Applications. <b>2018</b> , 14, 1703034  |      | 318 |
| 254 | Conductive Cotton by In Situ Laccase-Polymerization of Aniline. <i>Polymers</i> , <b>2018</b> , 10,   | 4.5  | 12  |
| 253 | Flexible and conductive graphene-based fibers fabricated from pigment and TiO <sub>2</sub> PU dual coatings as a colored insulative shell structure. <i>Journal of Materials Chemistry C</i> , <b>2018</b> , 6, 13261-13268 | 7.1  | 6   |
| 252 | . <b>2018</b> ,   |      | 2   |
| 251 | Flexible strain sensors fabricated using carbon-based nanomaterials: A review. <b>2018</b> , 22, 213-228  |      | 84  |
| 250 | Wearable sensors developed using a novel plastic metal material. <b>2018</b> , 124, 1   |      | 4   |
| 249 | Graphene, related two-dimensional crystals and hybrid systems for printed and wearable electronics. <b>2018</b> , 23, 73-96   |      | 71  |
| 248 | Highly conductive and ultra-durable electronic textiles via covalent immobilization of carbon nanomaterials on cotton fabric. <i>Journal of Materials Chemistry C</i> , <b>2018</b> , 6, 12273-12282                        | 7.1  | 31  |
| 247 | Evaluation of Laundering Durability of Electro-conductive Textile Dip-coated on Para Aramid Knit with Graphene/Waterborne Polyurethane Composite. <i>Fibers and Polymers</i> , <b>2018</b> , 19, 2351-2358                  | 2    | 13  |
| 246 | Effect of Hot Pressing on the Electrochemical Performance of Multilayer Holey Graphene Materials in Li-ion Batteries. <b>2018</b> , 255, 1800202  |      | 5   |
| 245 | A hierarchical structure of l-cysteine/Ag NPs/hydrogel for conductive cotton fabrics with high stability against mechanical deformation. <b>2018</b> , 25, 7355-7367  |      | 13  |
| 244 | Human Motion Recognition by Textile Sensors Based on Machine Learning Algorithms. <b>2018</b> , 18,   |      | 22  |

|     |   |      |     |
|-----|---|------|-----|
| 243 | Printing 2D Materials. <b>2018</b> , 131-205  |      | 4   |
| 242 | Highly responsive flexible strain sensor using polystyrene nanoparticle doped reduced graphene oxide for human health monitoring. <i>Carbon</i> , <b>2018</b> , 140, 286-295  | 10.4 | 48  |
| 241 | Large-Scale Production of Highly Stretchable CNT/Cotton/Spandex Composite Yarn for Wearable Applications. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 32726-32735   | 9.5  | 68  |
| 240 | Conductive and superhydrophobic cotton fabric through pentaerythritol tetrakis(3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate) assisted thermal reduction of graphene oxide and modification with methyltrichlorosilane. <b>2018</b> , 25, 5377-5388 |      | 9   |
| 239 | Spray-Coating Thin Films on Three-Dimensional Surfaces for a Semitransparent Capacitive-Touch Device. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 19948-19956   | 9.5  | 31  |
| 238 | Wearable rGO-Ag NW@cotton fiber piezoresistive sensor based on the fast charge transport channel provided by Ag nanowire. <i>Nano Energy</i> , <b>2018</b> , 50, 528-535  | 17.1 | 57  |
| 237 | Multifunctional wearable smart device based on conductive reduced graphene oxide/polyester fabric. <b>2018</b> , 454, 218-226   |      | 76  |
| 236 | Stretchable and compressible strain sensor based on carbon nanotube foam/polymer nanocomposites with three-dimensional networks. <i>Composites Science and Technology</i> , <b>2018</b> , 163, 162-170  | 8.6  | 49  |
| 235 | A highly sensitive strain sensor based on a carbonized polyacrylonitrile nanofiber woven fabric. <b>2018</b> , 53, 11917-11931  |      | 24  |
| 234 | Graphene-Based Portable, Flexible, and Wearable Sensing Platforms: An Emerging Trend for Health Care and Biomedical Surveillance. <b>2018</b> , 307-338   |      | 6   |
| 233 | New Perspectives on Graphene/Polymer Fibers and Fabrics for Smart Textiles: The Relevance of the Polymer/Graphene Interphase. <b>2018</b> , 5,  |      | 13  |
| 232 | Polydimethylsiloxane (PDMS)-Based Flexible Resistive Strain Sensors for Wearable Applications. <b>2018</b> , 8, 345   |      | 87  |
| 231 | Conductive Cotton Fabrics for Motion Sensing and Heating Applications. <i>Polymers</i> , <b>2018</b> , 10,  | 4.5  | 53  |
| 230 | Recent Advances in Soft E-Textiles. <b>2018</b> , 3, 23   |      | 9   |
| 229 | Conductive and durable CNT-cotton ring spun yarns. <b>2018</b> , 25, 4239-4249  |      | 22  |
| 228 | Robust and flexible strain sensors based on dual physically cross-linked double network hydrogels for monitoring human-motion. <i>Chemical Engineering Journal</i> , <b>2018</b> , 354, 817-824   | 14.7 | 125 |
| 227 | A highly electro-conductive and flexible fabric functionalized with bovine serum albumin for a wearable electronic device. <b>2018</b> , 29, 14927-14934  |      | 6   |
| 226 | Graphene Nanoplatelets-Based Advanced Materials and Recent Progress in Sustainable Applications. <b>2018</b> , 8, 1438  |      | 108 |

|     |   |      |     |
|-----|---|------|-----|
| 225 | Textile-Based, Interdigital, Capacitive, Soft-Strain Sensor for Wearable Applications. <i>Materials</i> , <b>2018</b> , 11,   | 3.5  | 51  |
| 224 | Ultrasensitive and highly repeatable pen ink decorated cuprammonium rayon (cupra) fabrics for multifunctional sensors. <b>2018</b> , 6, 16556-16565   |      | 19  |
| 223 | Traditional weaving craft for one-piece self-charging power textile for wearable electronics. <i>Nano Energy</i> , <b>2018</b> , 50, 536-543  | 17.1 | 102 |
| 222 | Stretchable strain sensors based on PDMS composites with cellulose sponges containing one- and two-dimensional nanocarbons. <b>2018</b> , 279, 90-100   |      | 45  |
| 221 | High-Performance Strain Sensors Based on Spirally Structured Composites with Carbon Black, Chitin Nanocrystals, and Natural Rubber. <b>2018</b> , 6, 10595-10605  |      | 28  |
| 220 | Optimising composite viscosity leads to high sensitivity electromechanical sensors. <b>2018</b> , 5, 035042   |      | 11  |
| 219 | Graphene oxide/waterborne polyurethane composites for fine pattern fabrication and ultrastrong ultraviolet protection cotton fabric via screen printing. <b>2019</b> , 463, 403-411                             |      | 25  |
| 218 | Layered cotton/rGO/NiWP fabric prepared by electroless plating for excellent electromagnetic shielding performance. <b>2019</b> , 26, 8209-8223   |      | 20  |
| 217 | Large-scale waterproof and stretchable textile-integrated laser- printed graphene energy storages. <b>2019</b> , 9, 11822   |      | 31  |
| 216 | Robust sandwich micro-structure coating layer for wear-resistant conductive polyester fabrics. <b>2019</b> , 494, 969-976   |      | 15  |
| 215 | Paper-Based, Hand-Painted Strain Sensor Based on ITO Nanoparticle Channels for Human Motion Monitoring. <b>2019</b> , 7, 77200-77207  |      | 12  |
| 214 | Van der Pauw Method for Measuring the Electrical Conductivity of Smart Textiles. <b>2019</b> , 51, 139-146  |      | 1   |
| 213 | A Flexible and Multipurpose Piezoresistive Strain Sensor Based on Carbonized Phenol Formaldehyde Foam for Human Motion Monitoring. <i>Macromolecular Materials and Engineering</i> , <b>2019</b> , 304, 1900492 | 3.9  | 11  |
| 212 | Fabrics and Garments as Sensors: A Research Update. <b>2019</b> , 19,   |      | 21  |
| 211 | Wearable gas/strain sensors based on reduced graphene oxide/linen fabrics. <b>2019</b> , 13, 305-313  |      | 14  |
| 210 | Ultra-robust wide-range pressure sensor with fast response based on polyurethane foam doubly coated with conformal silicone rubber and CNT/TPU nanocomposites islands. <b>2019</b> , 177, 107364                |      | 45  |
| 209 | Stretchable and Highly Sensitive Braided Composite Yarn@Polydopamine@Polypyrrole for Wearable Applications. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 7338-7348                         | 9.5  | 61  |
| 208 | Textile strain sensors: a review of the fabrication technologies, performance evaluation and applications. <b>2019</b> , 6, 219-249   |      | 193 |

|     |   |      |     |
|-----|---|------|-----|
| 207 | Highly Sensitive, Rugged, and Wearable Fabric Strain Sensor Based on Graphene Clad Polyester Knitted Elastic Band for Human Motion Monitoring. <b>2019</b> , 6, 1900409                                     |      | 37  |
| 206 | Electrically Conductive Coatings for Fiber-Based E-Textiles. <b>2019</b> , 7, 51  |      | 35  |
| 205 | Time-Resolved and Self-Adjusting Hybrid Functional Fabric Sensor for Decoupling Multiple Stimuli from Bending. <b>2019</b> , 4, 1900290   |      | 5   |
| 204 | Wearable solid-state capacitors based on two-dimensional material all-textile heterostructures. <i>Nanoscale</i> , <b>2019</b> , 11, 9912-9919  | 7.7  | 24  |
| 203 | Flexible Sensors—from Materials to Applications. <b>2019</b> , 7, 35  |      | 78  |
| 202 | Eco-friendly flame retardant and electromagnetic interference shielding cotton fabrics with multi-layered coatings. <i>Chemical Engineering Journal</i> , <b>2019</b> , 372, 1077-1090                      | 14.7 | 141 |
| 201 | Water-Resistant and Skin-Adhesive Wearable Electronics Using Graphene Fabric Sensor with Octopus-Inspired Microsuckers. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 16951-16957       | 9.5  | 37  |
| 200 | Self-assembled free-standing graphene oxide hybrid films modified by silane functionalized TiO <sub>2</sub> nanotubes to increase their final Young's modulus. <b>2019</b> , 231, 114-120                   |      | 2   |
| 199 | Nanofibers. <b>2019</b> , 161-171   |      |     |
| 198 | Flexible Molybdenum Disulfide (MoS <sub>2</sub> ) Atomic Layers for Wearable Electronics and Optoelectronics. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 11061-11105                 | 9.5  | 146 |
| 197 | Environmentally Friendly Flexible Strain Sensor from Waste Cotton Fabrics and Natural Rubber Latex. <i>Polymers</i> , <b>2019</b> , 11,   | 4.5  | 22  |
| 196 | Carbon-based electronic textiles: materials, fabrication processes and applications. <b>2019</b> , 54, 10079-10101  |      | 23  |
| 195 | Graphene trapped silk scaffolds integrate high conductivity and stability. <i>Carbon</i> , <b>2019</b> , 148, 16-27   | 10.4 | 27  |
| 194 | Screen Printing of Graphene Oxide Patterns onto Viscose Nonwovens with Tunable Penetration Depth and Electrical Conductivity. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 14944-14951 | 9.5  | 35  |
| 193 | Cross-Linking Stabilizes Electrical Resistance of Reduced Graphene Oxide in Humid Environments. <i>Langmuir</i> , <b>2019</b> , 35, 5427-5434   | 4    | 2   |
| 192 | Superior Stretchable Conductors by Electroless Plating of Copper on Knitted Fabrics. <b>2019</b> , 1, 397-406   |      | 23  |
| 191 | Electrical Heating Performance of Electro-Conductive Para-aramid Knit Manufactured by Dip-Coating in a Graphene/Waterborne Polyurethane Composite. <b>2019</b> , 9, 1511                                    |      | 21  |
| 190 | Piezoresistive Fabric Produced Through PVDF-Graphene Nanocomposite Film Incorporation in Textile Via Screen Printing Technique. <b>2019</b> ,   |      | 0   |

|     |  |      |                 |
|-----|--|------|-----------------|
| 189 | Large area flexible pressure/strain sensors and arrays using nanomaterials and printing techniques. <b>2019</b> , 6, 28  |      | 25              |
| 188 | The assembly of silk fibroin and graphene-based nanomaterials with enhanced mechanical/conductive properties and their biomedical applications. <b>2019</b> , 7, 6890-6913                                       |      | 18              |
| 187 | Durable Antimicrobial Behaviour from Silver-Graphene Coated Medical Textile Composites. <i>Polymers</i> , <b>2019</b> , 11,  | 4.5  | 21              |
| 186 | Multifunctional and Water-Resistant MXene-Decorated Polyester Textiles with Outstanding Electromagnetic Interference Shielding and Joule Heating Performances. <b>2019</b> , 29, 1806819                         |      | 35 <sup>o</sup> |
| 185 | A stretchable and hydrophobic polypyrrole/knitted cotton fabric electrode for all-solid-state supercapacitor with excellent strain capacitance. <b>2019</b> , 297, 794-804                                       |      | 23              |
| 184 | Significant improvement in reversibility of MWCNT-Sn compound composite electrode: Nanostructure effect of MWCNT-Sn compound composite on high initial reversible capacity. <b>2019</b> , 777, 1098-1107         |      | 3               |
| 183 | Thermoelectric effect induced electricity in stretchable graphene-polymer nanocomposites for ultrasensitive self-powered strain sensor system. <i>Nano Energy</i> , <b>2019</b> , 56, 25-32                      | 17.1 | 73              |
| 182 | Conductive cotton fabric through thermal reduction of graphene oxide enhanced by commercial antioxidants used in the plastics industry. <b>2019</b> , 26, 2191-2199  |      | 10              |
| 181 | Strain sensing fabric integrated with carbon nanotube yarn for wearable applications. <b>2019</b> , 89, 3048-3055  |      | 4               |
| 180 | Electronic textiles based on aligned electrospun belt-like cellulose acetate nanofibers and graphene sheets: portable, scalable and eco-friendly strain sensor. <i>Nanotechnology</i> , <b>2019</b> , 30, 045602 | 3.4  | 26              |
| 179 | Non-invasive textile based colorimetric sensor for the simultaneous detection of sweat pH and lactate. <b>2019</b> , 192, 424-430  |      | 84              |
| 178 | Rational design and preparation of flame retardant silk fabrics coated with reduced graphene oxide. <b>2019</b> , 474, 203-210   |      | 26              |
| 177 | Graphene and graphene oxide-coated polyamide monofilament yarns for fiber-shaped flexible electrodes. <b>2019</b> , 110, 67-73   |      | 15              |
| 176 | Immobilizing reduced graphene oxide on polydopamine-templated PET fabrics for UV protection, electrical conduction and application as wearable sensors. <b>2020</b> , 241, 122371                                |      | 16              |
| 175 | Advanced materials of printed wearables for physiological parameter monitoring. <b>2020</b> , 32, 147-177  |      | 59              |
| 174 | Carbon nanotube film based flexible bi-directional strain sensor for large deformation. <b>2020</b> , 260, 126959  |      | 15              |
| 173 | Textile-Based Strain Sensor for Human Motion Detection. <b>2020</b> , 3, 80-100  |      | 49              |
| 172 | Morphologically modulated laser-patterned reduced graphene oxide strain sensors for human fatigue recognition. <b>2020</b> , 29, 015009  |      | 3               |

|     |   |     |       |
|-----|---|-----|-------|
| 171 | Environmentally-Friendly and Multifunctional Graphene-Silk Fabric Strain Sensor for Human-Motion Detection. <b>2020</b> , 7, 1901507  |     | 36    |
| 170 | Highly stretchable, breathable and negative resistance variation textile strain sensor with excellent mechanical stability for wearable electronics. <b>2020</b> , 55, 2439-2453                    |     | 16    |
| 169 | Mechanical, electromagnetic shielding and gas sensing properties of flexible cotton fiber/polyaniline composites. <i>Composites Science and Technology</i> , <b>2020</b> , 188, 107966              | 8.6 | 16    |
| 168 | Recent progress on flexible and stretchable piezoresistive strain sensors: From design to application. <b>2020</b> , 114, 100617  |     | 95    |
| 167 | High-Performance Wearable Strain Sensor Based on Graphene/Cotton Fabric with High Durability and Low Detection Limit. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 1474-1485   | 9.5 | 61    |
| 166 | Highly sensitive and durable wearable strain sensors from a core-sheath nanocomposite yarn. <b>2020</b> , 183, 107683   |     | 16    |
| 165 | Washable, durable and flame retardant conductive textiles based on reduced graphene oxide modification. <b>2020</b> , 27, 1763-1771   |     | 28    |
| 164 | Chitosan/graphene oxide composite as an effective removal of Ni, Cu, As, Cd and Pb from wastewater. <b>2020</b> , 1189, 112980  |     | 31    |
| 163 | A graphene-based electro-thermochromic textile display. <i>Journal of Materials Chemistry C</i> , <b>2020</b> , 8, 15788-15794  |     | 15794 |
| 162 | Encapsulation of Electrically Conductive Apparel Fabrics: Effects on Performance. <b>2020</b> , 20,   |     | 0     |
| 161 | Graphene-Incorporated Natural Fiber Polymer Composites: A First Overview. <i>Polymers</i> , <b>2020</b> , 12,   | 4.5 | 33    |
| 160 | The effect of ink drop spreading and coalescing on the image quality of printed cotton fabric. <b>2020</b> , 27, 9725-9736  |     | 9     |
| 159 | A wearable fabric strain sensor assembled by graphene with dual sensing performance approach to practice application assisted by wireless Bluetooth. <b>2020</b> , 27, 8923-8935                    |     | 5     |
| 158 | Flexible Strain Sensor with Tunable Sensitivity via Microscale Electrical Breakdown in Graphene/Polyimide Thin Films. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 58317-58325 | 9.5 | 8     |
| 157 | Cotton Science and Processing Technology. <b>2020</b> ,   |     | 5     |
| 156 | Flexible strain sensor based on biomass-derived material. <b>2020</b> , 41, 3459-3467   |     | 4     |
| 155 | Smart sensing of bacterial contamination on fluorescent cotton fabrics (FCF) by nontoxic Eu <sup>3+</sup> -induced polyelectrolyte nano-aggregates (EIPAs). <b>2020</b> , 181, 108536               |     | 2     |
| 154 | A Wearable and Highly Sensitive Textile-based Pressure Sensor with Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> Nanosheets. <b>2020</b> , 311, 112081  |     | 13    |

|     |   |      |     |
|-----|---|------|-----|
| 153 | Fully-Textile Seam-Line Sensors for Facile Textile Integration and Tunable Multi-Modal Sensing of Pressure, Humidity, and Wetness. <b>2020</b> , 5, 2000155                                       |      | 7   |
| 152 | Scalable graphene-based nanocomposite coatings for flexible and washable conductive textiles. <i>Carbon</i> , <b>2020</b> , 167, 495-503  | 10.4 | 10  |
| 151 | Graphene: Fabrication Methods, Properties, and Applications in Modern Industries. <b>2020</b> ,   |      | 3   |
| 150 | Wearable and Stretchable Strain Sensors: Materials, Sensing Mechanisms, and Applications. <b>2020</b> , 2, 2000039  |      | 120 |
| 149 | Assembly of graphene oxide on cotton fiber through dyeing and their properties.. <b>2020</b> , 10, 11982-11989  |      | 8   |
| 148 | Electric Spark Induced Instantaneous and Selective Reduction of Graphene Oxide on Textile for Wearable Electronics. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 15527-15537 | 9.5  | 11  |
| 147 | A highly sensitive piezoresistive sensor with interlocked graphene microarrays for meticulous monitoring of human motions. <i>Journal of Materials Chemistry C</i> , <b>2020</b> , 8, 11525-11531 | 7.1  | 30  |
| 146 | Review Wearable Graphene Devices for Sensing. <b>2020</b> , 167, 037541   |      | 24  |
| 145 | Effects of three fabric weave textures on the electrochemical and electrical properties of reduced graphene/textile flexible electrodes.. <b>2020</b> , 10, 6249-6258                             |      | 8   |
| 144 | Moisture-Resilient Graphene-Dyed Wool Fabric for Strain Sensing. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 13265-13274  | 9.5  | 33  |
| 143 | Functionalization of Fiber Materials for Washable Smart Wearable Textiles. <b>2020</b> , 183-212  |      |     |
| 142 | Review on exploration of graphene in diverse applications and its future horizon. <b>2020</b> , 27, 824-828   |      | 21  |
| 141 | Facile Fabrication of High-Performance Pen Ink-Decorated Textile Strain Sensors for Human Motion Detection. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 19874-19881         | 9.5  | 38  |
| 140 | The Electrical-Triggered High Contrast and Reversible Color-Changing Janus Fabric Based on Double Side Coating. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 21854-21862     | 9.5  | 9   |
| 139 | Preparation of highly conductive polyurethane/polypyrrole composite film for flexible electric heater. <b>2021</b> , 53, 97-109   |      | 1   |
| 138 | Green Strategies to Printed Sensors for Healthcare Applications. <b>2021</b> , 61, 116-156  |      | 12  |
| 137 | Superhydrophobic and breathable smart MXene-based textile for multifunctional wearable sensing electronics. <i>Chemical Engineering Journal</i> , <b>2021</b> , 406, 126898                       | 14.7 | 124 |
| 136 | Eco-friendly Strategies for the Material and Fabrication of Wearable Sensors. <b>2021</b> , 8, 1323-1346  |      | 9   |

|     |  |      |    |
|-----|--|------|----|
| 135 | Review of flexible strain sensors based on cellulose composites for multi-faceted applications. <b>2021</b> , 28, 615-645  |      | 15 |
| 134 | Multifunctional sodium alginate fabric based on reduced graphene oxide and polypyrrole for wearable closed-loop point-of-care application. <i>Chemical Engineering Journal</i> , <b>2021</b> , 406, 126778                               | 14.7 | 12 |
| 133 | Facile fabrication of highly conductive, waterproof, and washable e-textiles for wearable applications. <b>2021</b> , 14, 1043-1052  |      | 18 |
| 132 | The solar reduction of graphene oxide on a large scale for high density electrochemical energy storage. <b>2021</b> , 5, 2724-2733   |      | 2  |
| 131 | Highly Stretchable Carbon Nanotubes/Polymer Thermoelectric Fibers. <b>2021</b> , 21, 1047-1055   |      | 18 |
| 130 | Polymer-based electro-active smart composites as stretchable strain sensors. <b>2021</b> , 291-320   |      |    |
| 129 | Fibre electronics: towards scaled-up manufacturing of integrated e-textile systems. <i>Nanoscale</i> , <b>2021</b> , 13, 12818-12847   | 7.7  | 9  |
| 128 | Washability of e-textiles: current testing practices and the need for standardization. 004051752199672   |      | 20 |
| 127 | Comprehensive performance characterization of conductive fabric made of reduced graphene oxide (rGO). <i>Journal of Applied Polymer Science</i> , <b>2021</b> , 138, 50524   | 2.9  | 2  |
| 126 | High sensitivity and flexible fabric strain sensor based on electrochemical graphene. <b>2021</b> , 60, SCCD04   |      | 2  |
| 125 | Multifunctional RGO/Ti3C2Tx MXene fabrics for electrochemical energy storage, electromagnetic interference shielding, electrothermal and human motion detection. <b>2021</b> , 200, 109442   |      | 31 |
| 124 | Reliable sensors based on graphene textile with negative resistance variation in three dimensions. <b>2021</b> , 14, 2810-2818   |      | 2  |
| 123 | Flexible textile ion sensors based on reduced graphene oxide/fullerene and their potential applications of sweat characterization. <b>2021</b> , 28, 3123-3133   |      | 6  |
| 122 | Wearable Carbon-Based Resistive Sensors for Strain Detection: A Review. <b>2021</b> , 21, 4030-4043  |      | 9  |
| 121 | Functionalized Reduced Graphene Oxide Thin Films for Ultrahigh CO Gas Sensing Performance at Room Temperature. <i>Nanomaterials</i> , <b>2021</b> , 11,  | 5.4  | 7  |
| 120 | Influence of the Thermomechanical Characteristics of Low-Density Polyethylene Substrates on the Thermoresistive Properties of Graphite Nanoplatelet Coatings. <b>2021</b> , 11, 332  |      | 2  |
| 119 | Facile thermoplastic polyurethane-based multi-walled carbon nanotube ink for fabrication of screen-printed fabric electrodes of wearable e-textiles with high adhesion and resistance stability under large deformation. 004051752110086 |      | 2  |
| 118 | Facile and Large-scale Fabrication of Self-crimping Elastic Fibers for Large Strain Sensors. <b>2021</b> , 39, 914   |      | 1  |

|     |  |      |    |
|-----|--|------|----|
| 117 | Electrical Properties of Textiles Treated with Graphene Oxide Suspension. <i>Materials</i> , <b>2021</b> , 14,   | 3.5  | 0  |
| 116 | Printable G-Putty for Frequency- and Rate-Independent, High-Performance Strain Sensors. <b>2021</b> , 17, e2006542   |      | 7  |
| 115 | Wearable Strain Sensor Based on Double-Layer Graphene Fabrics for Real-Time, Continuous Acquisition of Human Pulse Signal in Daily Activities. <b>2021</b> , 6, 2001071        |      | 8  |
| 114 | Electronic Textiles Fabricated with Graphene Oxide-Coated Commercial Textiles. <b>2021</b> , 11, 489   |      | 3  |
| 113 | Highly sensitive, flexible, green synthesized graphene/biomass aerogels for pressure sensing application. <i>Composites Science and Technology</i> , <b>2021</b> , 207, 108730 | 8.6  | 27 |
| 112 | A novel UV-curable molecular-modified graphene oxide for high-resolution printed electronics. <i>Carbon</i> , <b>2021</b> , 176, 470-479                                       | 10.4 | 5  |
| 111 | Materials, Electrical Performance, Mechanisms, Applications, and Manufacturing Approaches for Flexible Strain Sensors. <i>Nanomaterials</i> , <b>2021</b> , 11,                | 5.4  | 15 |
| 110 | Conducting materials as building blocks for electronic textiles. <b>2021</b> , 46, 491-501   |      | 6  |
| 109 | Graphene-based pressure sensor and strain sensor for detecting human activities.   |      | 4  |
| 108 | Graphene oxide incorporated waste wool/PAN hybrid fibres. <b>2021</b> , 11, 12068  |      | 7  |
| 107 | Dynamic Mechanical Behavior of Graphene Oxide Functionalized Curaua Fiber-Reinforced Epoxy Composites: A Brief Report. <i>Polymers</i> , <b>2021</b> , 13,                     | 4.5  | 4  |
| 106 | Functional textiles and composite based wearable thermal devices for Joule heating: progress and perspectives. <b>2021</b> , 23, 101025  |      | 21 |
| 105 | Graphene oxide-coated amino-modified polyacrylonitrile to fabricate highly conductive fabrics. 004051752110205   |      |    |
| 104 | Bio-inspired flexible electronics for smart E-skin. <b>2021</b> ,  |      | 5  |
| 103 | A Review on the Applications of Graphene in Mechanical Transduction. <b>2021</b> , e2101326  |      | 9  |
| 102 | Fatigue Testing of Wearable Sensing Technologies: Issues and Opportunities. <i>Materials</i> , <b>2021</b> , 14,   | 3.5  | 2  |
| 101 | Highly conductive polyester fabrics fabricated by graphene oxide printing and hot-pressing. 1-8  |      | 0  |
| 100 | Smart fabric strain sensor comprising reduced graphene oxide with structure-based negative piezoresistivity. <b>2021</b> , 56, 16946-16962                                     |      | 5  |

|    |  |      |    |
|----|--|------|----|
| 99 | Flexible all-textile dual tactile-tension sensors for monitoring athletic motion during taekwondo. <i>Nano Energy</i> , <b>2021</b> , 85, 105941   | 17.1 | 26 |
| 98 | Flexible cotton fabric with stable conductive coatings for piezoresistive sensors. <b>2021</b> , 28, 10025-10038   |      | 0  |
| 97 | Fiber Surface/Interfacial Engineering on Wearable Electronics. <b>2021</b> , e2102903  |      | 6  |
| 96 | Cotton Fabrics Decorated with Conductive Graphene Nanosheet Inks for Flexible Wearable Heaters and Strain Sensors. <i>ACS Applied Nano Materials</i> , <b>2021</b> , 4, 9709-9720  | 5.6  | 8  |
| 95 | Mapping the Progress in Flexible Electrodes for Wearable Electronic Textiles: Materials, Durability, and Applications. 2100578   |      | 8  |
| 94 | Towards the Functional Ageing of Electrically Conductive and Sensing Textiles: A Review. <b>2021</b> , 21,   |      | 2  |
| 93 | A Facile Approach of Fabricating Electrically Conductive Knitted Fabrics Using Graphene Oxide and Textile-Based Waste Material. <i>Polymers</i> , <b>2021</b> , 13,  | 4.5  | 2  |
| 92 | HotDog structured protective nanocoating for multifunctional cotton fabrics through spray-assisted layer-by-layer assembly. <b>2021</b> , 28, 10637  |      | 1  |
| 91 | Flexible cotton-AuNP thread electrode for non-enzymatic sensor of uric acid in urine. <b>2021</b> , 28, 10501  |      | 1  |
| 90 | Near-Instantaneously Self-Healing Coating toward Stable and Durable Electromagnetic Interference Shielding. <i>Nano-Micro Letters</i> , <b>2021</b> , 13, 190  | 19.5 | 7  |
| 89 | Chinese ink coated melamine foam with Joule heating and photothermal effect for strain sensor and seawater desalination. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2021</b> , 149, 106535   | 8.4  | 3  |
| 88 | Constructing polyaniline nanowire arrays as efficient traps on graphene sheets to promote compound synergetic effect in the assembled coating for multifunctional protective cotton fabrics. <i>Chemical Engineering Journal</i> , <b>2021</b> , 426, 130819 | 14.7 | 6  |
| 87 | The fabrication of a graphene and conductive polymer nanocomposite-coated highly flexible and washable woven thermoelectric nanogenerator. <i>Materials Advances</i> , <b>2021</b> , 2, 3695-3704  | 3.3  | 6  |
| 86 | MWCNT enabled smart textiles based flexible and wearable sensor for human motion and humidity monitoring. <b>2021</b> , 28, 2505-2520  |      | 5  |
| 85 | Review of Graphene-Based Textile Strain Sensors, with Emphasis on Structure Activity Relationship. <i>Polymers</i> , <b>2021</b> , 13,   | 4.5  | 17 |
| 84 | Magnetic field-induced self-assembly of chemically modified graphene oxide on cellulose fabrics for the fabrication of flexible conductive devices. <b>2021</b> , 28, 2303-2314  |      |    |
| 83 | All-fabric-based multifunctional textile sensor for detection and discrimination of humidity, temperature, and strain stimuli. <i>Journal of Materials Chemistry C</i> ,   | 7.1  | 8  |
| 82 | Durability of smart electronic textiles. <b>2021</b> , 27-53   |      | 3  |

|    |  |      |    |
|----|--|------|----|
| 81 | Functional Finishing of Cotton Textiles Using Nanomaterials. <b>2020</b> , 43-56   |      | 4  |
| 80 | Preparation and properties of composite materials containing graphene structures and their applicability in personal protective equipment: A Review. <b>2020</b> , 59, 215-242   |      | 22 |
| 79 | Chemically modified carbon nanostructures and 2D nanomaterials for fabrics performing under operational tension and extreme environmental conditions. <b>2021</b> , 8, 3187-3200   |      | 0  |
| 78 | Prototype Haptic Feedback Device for Robot-Assisted Minimally Invasive Surgery. <b>2021</b> ,  |      |    |
| 77 | Reduction, structures, and electrical properties of multi-layer reduced graphene oxide papers by natural sedimentation. <i>Chemical Physics Letters</i> , <b>2021</b> , 785, 139141  | 2.5  |    |
| 76 | Advanced Chemical Applications of Modified Cotton. <b>2020</b> , 501-527   |      | 1  |
| 75 | İdirgenmi Grafen Oksit ile Kaplanan Pamuk Kumada Elektriksel İletkenlik ve Hasil Özelliklerinin İncelenmesi. <i>International Journal of Advances in Engineering and Pure Sciences</i> ,   | 1    |    |
| 74 | Low cost, green and effective preparation of multifunctional flexible silk fabric electrode with ultra-high capacitance retention. <i>Carbon</i> , <b>2022</b> , 188, 197-208  | 10.4 | 0  |
| 73 | Microwave thermally expanded graphene/polyaniline conductive paste for elaborate conductive pattern and conductive polyester fabric fabrication via screen printing. 1   |      |    |
| 72 | Superelastic and Fire-Retardant Nano-/Microfibrous Sponges for High-Efficiency Warmth Retention. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 58027-58035   | 9.5  | 1  |
| 71 | Constructing segregated thermoset composite via Pickering emulsion and dynamic polythiourethanes. <i>Composites Science and Technology</i> , <b>2022</b> , 218, 109215   | 8.6  | 0  |
| 70 | Facile fabrication of silicone rubber composite foam with dual conductive networks and tunable porosity for intelligent sensing. <i>European Polymer Journal</i> , <b>2022</b> , 164, 110980                                       | 5.2  | 2  |
| 69 | Thermoelectrical properties of graphene knife-coated cellulosic fabrics for defect monitoring in Joule-heated textiles. <i>Journal of Industrial Textiles</i> , 152808372110569  | 1.6  | 0  |
| 68 | Quantifying the Piezoresistive Mechanism in High-Performance Printed Graphene Strain Sensors.. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2022</b> , 14, 7141-7151   | 9.5  | 2  |
| 67 | Lipase induced highly hydrophobic nanofibrillated cellulose film for strain sensor application.. <i>Carbohydrate Polymers</i> , <b>2022</b> , 284, 119193  | 10.3 | 2  |
| 66 | Acoustic Green Synthesis of Graphene-Gallium Nanoparticles and PEDOT:PSS Hybrid Coating for Textile To Mitigate Electromagnetic Radiation Pollution. <i>ACS Applied Nano Materials</i> , <b>2022</b> , 5, 1644-1655 <sup>5.6</sup> |      | 8  |
| 65 | Synthesis and Application of Tackifying Dispersant Poly (Vinyl Alcohol-Acrylic Acid-Triallyl Cyanate).. <i>Polymers</i> , <b>2022</b> , 14,  | 4.5  | 0  |
| 64 | Graphene as a Piezoresistive Material in Strain Sensing Applications.. <i>Micromachines</i> , <b>2022</b> , 13,  | 3.3  | 3  |

|    |  |      |    |
|----|--|------|----|
| 63 | Intelligent and highly sensitive strain sensor based on indium tin oxide micromesh with a high crack density.. <i>Nanoscale</i> , <b>2022</b> ,  | 7.7  | 1  |
| 62 | Integration of Laser-Induced Graphene (LIG)-Based Pressure Sensor and Triboelectric Nanogenerator Towards High-Performance Self-Powered Measurement-Control Combined System. <i>SSRN Electronic Journal</i> ,                                  | 1    |    |
| 61 | Construction of an Electrical Conductor, Strain Sensor, Electrical Connection and Cycle Switch Using Conductive Graphite Cotton Fabrics. <i>SSRN Electronic Journal</i> ,  | 1    |    |
| 60 | Cellulose Based Flexible and Wearable Sensors for Health Monitoring. <i>Materials Advances</i> ,   | 3.3  | 0  |
| 59 | MXene Wearables: Properties, Fabrication Strategies, Sensing Mechanism and Applications. <i>Materials Advances</i> ,   | 3.3  | 4  |
| 58 | Functionalized Fiber-Based Strain Sensors: Pathway to Next-Generation Wearable Electronics.. <i>Nano-Micro Letters</i> , <b>2022</b> , 14, 61  | 19.5 | 9  |
| 57 | Smart Clothing Framework for Health Monitoring Applications. <i>Signals</i> , <b>2022</b> , 3, 113-145   | 1.2  | 3  |
| 56 | Motion Detecting, Temperature Alarming, and Wireless Wearable Bioelectronics Based on Intrinsically Antibacterial Conductive Hydrogels.. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2022</b> ,   | 9.5  | 0  |
| 55 | Conductive properties of flexible polymer composites with different carbon-based fillers. <i>Journal of Physics: Conference Series</i> , <b>2022</b> , 2227, 012022  | 0.3  | 1  |
| 54 | Barium titanate-enhanced hexagonal boron nitride inks for printable high-performance dielectrics.. <i>Nanotechnology</i> , <b>2022</b> ,   | 3.4  | 0  |
| 53 | Nanolignin filled conductive hydrogel with improved mechanical, anti-freezing, UV-shielding and transparent properties for strain sensing application.. <i>International Journal of Biological Macromolecules</i> , <b>2022</b> , 205, 442-451 | 7.9  | 4  |
| 52 | Laser-induced graphene (LIG)-based pressure sensor and triboelectric nanogenerator towards high-performance self-powered measurement-control combined system. <i>Nano Energy</i> , <b>2022</b> , 96, 107099 <sup>17.1</sup>                    | 17.1 | 13 |
| 51 | Multifunctional MXene/CNTs based flexible electronic textile with excellent strain sensing, electromagnetic interference shielding and Joule heating performances. <i>Chemical Engineering Journal</i> , <b>2022</b> , 438, 135587             | 14.7 | 13 |
| 50 | Melt-Extruded Sensory Fibers for Electronic Textiles. <i>Macromolecular Materials and Engineering</i> , <b>2022</b> , 307, 2100737   | 3.9  |    |
| 49 | Advances in Medical Wearable Biosensors: Design, Fabrication and Materials Strategies in Healthcare Monitoring.. <i>Molecules</i> , <b>2021</b> , 27,  | 4.8  | 4  |
| 48 | Graphene coated cotton nonwoven for electroconductive and UV protection applications. <i>Journal of Industrial Textiles</i> , 152808372110592  | 1.6  | 0  |
| 47 | A Stretchable Strain Sensor Based on CNTs/GR for Human Motion Monitoring. <i>Nano</i> , <b>2021</b> , 16,  | 1.1  |    |
| 46 | Charge transport mechanisms in inkjet-printed thin-film transistors based on two-dimensional materials. <i>Nature Electronics</i> , <b>2021</b> , 4, 893-905   | 28.4 | 13 |

|    |  |     |   |
|----|--|-----|---|
| 45 | Controlling the Spreading of Nanoliter-Scale Droplets on the Fibers of Fabrics for Enhancing Image Quality and Ink Utilization. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> ,                                      | 9.5 | 2 |
| 44 | Flexible Cotton Fiber-Based Composite Films with Excellent Bending Stability and Conductivity at Cryogenic Temperature.. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2022</b> ,   | 9.5 | 0 |
| 43 | Polydopamine Treated and PEDOT:PSS Coated Wash Durable Conductive Textiles for Wearable Applications. <i>Fibers and Polymers</i> , <b>2022</b> , 23, 914-924   | 2   | 0 |
| 42 | Strain Sensor Survey for Parachute Canopy Load Measurements. <b>2022</b> ,   |     |   |
| 41 | Carbon-based polymer nanocomposites for electronic textiles (e-textiles). <b>2022</b> , 443-482  |     | 0 |
| 40 | Fabrication of highly conductive graphene/textile hybrid electrodes via hot pressing and their application as piezoresistive pressure sensors. <i>Journal of Materials Chemistry C</i> , <b>2022</b> , 10, 9364-9376               | 7.1 | 0 |
| 39 | Multifunctional and stretchable graphene/textile composite sensor for human motion monitoring. <i>Journal of Applied Polymer Science</i> ,   | 2.9 | 2 |
| 38 | Porous polyvinyl alcohol/graphene oxide composite film for strain sensing and energy storage applications. <i>Nanotechnology</i> ,   | 3.4 | 0 |
| 37 | Joule-Heating Effect of Thin Films with Carbon-Based Nanomaterials. <i>Materials</i> , <b>2022</b> , 15, 4323  | 3.5 | 0 |
| 36 | Advances in the Robustness of Wearable Electronic Textiles: Strategies, Stability, Washability and Perspective. <i>Nanomaterials</i> , <b>2022</b> , 12, 2039  | 5.4 | 2 |
| 35 | Orderly Self-Stacking a High-Stability coating of MXene@Polydopamine hybrid onto textiles for multifunctional personal thermal management. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2022</b> , 160, 107038 | 8.4 | 1 |
| 34 | Improved Dispersibility of Graphene in an Aqueous Solution by Reduced Graphene Oxide Surfactant: Experimental Verification and Density Functional Theory Calculation. <i>Langmuir</i> , <b>2022</b> , 38, 8222-8231                | 4   | 2 |
| 33 | Preparation of lamellar structure MoS <sub>2</sub> @rGO/S and its energy storage performance. <i>Ionics</i> ,  | 2.7 |   |
| 32 | Unencapsulated and washable two-dimensional material electronic-textile for NO <sub>2</sub> sensing in ambient air. <b>2022</b> , 12,  |     | 1 |
| 31 | Surface carboxylation of hydrophobic synthetic fibers for enhancing deposition of reduced graphene oxide to create highly conductive and bactericidal textiles. 1-11   |     |   |
| 30 | Graphene-Based Textiles for Thermal Management and Flame Retardancy. 2205934   |     | 0 |
| 29 | Functionality of Flexible Pressure Sensors in Cardiovascular Health Monitoring: A Review. <b>2022</b> , 7, 2495-2520   |     | 2 |
| 28 | Reduced graphene oxide coated cotton e-textile for wearable chemical warfare agent sensors. 1-10   |     | 0 |

|    |  |   |
|----|--|---|
| 27 | Preparation of Graphene Conductive Fabrics and the Study of Their Degradation Behavior. <b>2022</b> , 12, 1432   | 0 |
| 26 | Electrospinning Silk Fibroin/Graphene Nanofiber Membrane Used for 3D Wearable Pressure Sensor. <b>2022</b> , 14, 3875  | 0 |
| 25 | Eco-friendly fire-retardant finishing of Cotton fabric with mixture of Ammonium Sulfamate and Sodium Stannate.   | 0 |
| 24 | Development of Online Tool Wear-Out Detection System Using Silver Polyester Thick Film Sensor for Low-Duty Cycle Machining Operations. <b>2022</b> , 22, 8200  | 1 |
| 23 | Recent Advances in Artificial Intelligence and Wearable Sensors in Healthcare Delivery. <b>2022</b> , 12, 10271  | 2 |
| 22 | Highly Scalable, Sensitive and Ultraflexible Graphene-Based Wearable E-Textiles Sensor for Bio-Signal Detection.   | 0 |
| 21 | Adhesive, multifunctional, and wearable electronics based on MXene-coated textile for personal heating systems, electromagnetic interference shielding, and pressure sensing. <b>2023</b> , 630, 23-33 | 1 |
| 20 | Construction of an Electrical Conductor, Strain Sensor, Electrical Connection and Cycle Switch Using Conductive Graphite Cotton Fabrics. <b>2022</b> , 14, 4767  | 1 |
| 19 | Carbonization fabrication of a piezoresistive sensor with improved sensitivity via Ni decoration of carbonized cotton fibers. <b>2022</b> , 65, 3000-3009  | 0 |
| 18 | Carboxyl Graphene Oxide Functionalized Cotton Textile with Superwetttable Patterns for Humidity Sensing.   | 0 |
| 17 | Reactive P/S/N-containing synergistic flame retardant towards eco-friendly durable flame-retardant cotton fabric: Flame-retardant property, durability and mechanism. <b>2022</b> , 107918             | 0 |
| 16 | Fabrication of Conductive Fabrics Based on SWCNTs, MWCNTs and Graphene and Their Applications: A Review. <b>2022</b> , 14, 5376  | 2 |
| 15 | Reduced graphene oxide/polyurethane coatings for wash-durable wearable piezoresistive sensors.   | 2 |
| 14 | Polymer-based wearable nano-composite sensors: a review. <b>2023</b> , 28, 156-191   | 0 |
| 13 | Enhancement of Electromagnetic Wave Shielding Effectiveness by the Incorporation of Carbon Nanofibers/Carbon Microcoils Hybrid into Commercial Carbon Paste for Heating Films. <b>2023</b> , 28, 870   | 0 |
| 12 | Multifunctional Superamphiphobic Cotton Fabrics with Highly Efficient Flame Retardancy, Self-Cleaning, and Electromagnetic Interference Shielding. <b>2023</b> , 15, 3395-3408                         | 0 |
| 11 | Highly Washable and Conductive Cotton E-textiles Based on Electrochemically Exfoliated Graphene. <b>2023</b> , 16, 958   | 1 |
| 10 | Highly conductive fiber with design of dual conductive Ag/CB layers for ultrasensitive and wide-range strain sensing.  | 1 |

- 9 Light-driven textile sensors with potential application of UV detection. **2023**, 13, 5266-5272 ○
- 8 One Stone Three Birds—A multifunctional cotton fabric with favorable self-cleaning, photothermal effect and Joule heating properties. **2023**, 623, 156961 ○
- 7 Stretchable Sensors for Soft Robotic Grippers in Edge-Intelligent IoT Applications. **2023**, 23, 4039 ○
- 6 Graphene in wearable textile sensor devices for healthcare. **2022**, 54, 201-245 ○
- 5 A Review of Flexible Strain Sensors Based on Natural Fiber Materials. **2023**, 8, ○
- 4 Development of Conductive Polymers as Potential Sensor Material for Wearable Electronics. **2023**, 650-657 ○
- 3 Generation of Flexible Multifunctional Electronic Textile Displaying Appropriate Fastness Properties Utilizing Single-Stage Inkjet Printing onto Cotton Fabric Pre-treated with PVC. **2023**, 24, 555-573 ○
- 2 PET/Graphene Nanocomposite Fibers Obtained by Dry-Jet Wet-Spinning for Conductive Textiles. **2023**, 15, 1245 ○
- 1 Perspective on Biomass-Based Cotton-Derived Nanocarbon for Multifunctional Energy Storage and Harvesting Applications. ○