

The pathogens profile in children with otitis media with

PLoS ONE

12, e0171049

DOI: [10.1371/journal.pone.0171049](https://doi.org/10.1371/journal.pone.0171049)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Adenoidectomy in Children: What Is the Evidence and What Is its Role?. <i>Current Otorhinolaryngology Reports</i> , 2018, 6, 64-73. | 0.2 | 31 |
| 2 | Increased anti- EBV VCA IgG antibody levels are associated with need for surgery in patients developing upper respiratory tract complications. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2018, 111, 84-88. | 0.4 | 0 |
| 3 | The bacteriome of otitis media with effusion: Does it originate from the adenoid?. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2019, 126, 109624. | 0.4 | 21 |
| 4 | Translating Recent Microbiome Insights in Otitis Media into Probiotic Strategies. <i>Clinical Microbiology Reviews</i> , 2019, 32, . | 5.7 | 23 |
| 5 | Bacteriology and resistance patterns of otitis media with effusion. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2019, 127, 109652. | 0.4 | 9 |
| 6 | Compare two surgical interventions for otitis media with effusion in young children. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019, 276, 2125-2131. | 0.8 | 15 |
| 7 | Effect of vascular endothelial growth factor and its receptors in adult otitis media with effusion. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019, 276, 1889-1895. | 0.8 | 3 |
| 8 | The Adenoids but Not the Palatine Tonsils Serve as a Reservoir for Bacteria Associated with Secretory Otitis Media in Small Children. <i>MSystems</i> , 2019, 4, . | 1.7 | 21 |
| 9 | Human adenovirus replication and persistence in hypertrophic adenoids and palatine tonsils in children. <i>Journal of Medical Virology</i> , 2019, 91, 1250-1262. | 2.5 | 30 |
| 10 | Prevention of Recurrent Acute Otitis Media in Children Through the Use of <i>Lactobacillus salivarius</i> PS7, a Target-Specific Probiotic Strain. <i>Nutrients</i> , 2019, 11, 376. | 1.7 | 26 |
| 11 | Differential IL-17A response to <i>S. pneumoniae</i> in adenoid tissue of children with sleep disordered breathing and otitis media with effusion. <i>Scientific Reports</i> , 2019, 9, 19839. | 1.6 | 5 |
| 12 | Epigenetics and the dynamics of chromatin during adenovirus infections. <i>FEBS Letters</i> , 2019, 593, 3551-3570. | 1.3 | 25 |
| 13 | Panel 7 “ Pathogenesis of otitis media “ a review of the literature between 2015 and 2019. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2020, 130, 109838. | 0.4 | 12 |
| 14 | Neurotology: definitions and evidence-based therapies “ Results of the I Brazilian Forum of Neurotology. <i>Brazilian Journal of Otorhinolaryngology</i> , 2020, 86, 139-148. | 0.4 | 2 |
| 15 | Panel 4: Recent advances in understanding the natural history of the otitis media microbiome and its response to environmental pressures. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2020, 130, 109836. | 0.4 | 16 |
| 16 | Adenovirus Infections in Immunocompetent Children. <i>Current Infectious Disease Reports</i> , 2020, 22, 1. | 1.3 | 2 |
| 17 | The microbiomes of adenoid and middle ear in children with otitis media with effusion and hypertrophy from a tertiary hospital in China. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2020, 134, 110058. | 0.4 | 12 |
| 18 | Clinical evidence based review and recommendations of aerosol generating medical procedures in otolaryngology “ head and neck surgery during the COVID-19 pandemic. <i>Journal of Otolaryngology - Head and Neck Surgery</i> , 2020, 49, 28. | 0.9 | 103 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Guidance for otolaryngology health care workers performing aerosol generating medical procedures during the COVID-19 pandemic. <i>Journal of Otolaryngology - Head and Neck Surgery</i> , 2020, 49, 36. | 0.9 | 69 |
| 20 | Bacterial aetiology of chronic otitis media with effusion in children - risk factors. <i>Journal of Otolaryngology - Head and Neck Surgery</i> , 2020, 49, 24. | 0.9 | 12 |
| 21 | An update on COVID-19 for the otorhinolaryngologist – a Brazilian Association of Otolaryngology and Cervicofacial Surgery (ABORL-CCF) Position Statement. <i>Brazilian Journal of Otorhinolaryngology</i> , 2020, 86, 273-280. | 0.4 | 29 |
| 22 | An Experience of Otorhinolaryngologists as Frontline Worker with Novel Coronavirus: A Qualitative Analysis. <i>Indian Journal of Otolaryngology and Head and Neck Surgery</i> , 2022, 74, 2832-2839. | 0.3 | 3 |
| 23 | Impact of COVID-19 Pandemic and Pattern of Patient Care in Otorhinolaryngology Practice in a Tertiary Referral Centre. <i>Indian Journal of Otolaryngology and Head and Neck Surgery</i> , 2022, 74, 2814-2821. | 0.3 | 2 |
| 24 | IL-32 exacerbates adenoid hypertrophy via activating NLRP3-mediated cell pyroptosis, which promotes inflammation. <i>Molecular Medicine Reports</i> , 2021, 23, . | 1.1 | 11 |
| 25 | Droplet and bone dust contamination from high-speed drilling during mastoidectomy. <i>Clinical Otolaryngology</i> , 2021, 46, 614-618. | 0.6 | 3 |
| 26 | The expression of VEGF and VEGFR in endotoxin induced otitis media with effusion in rats. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2021, 144, 110669. | 0.4 | 3 |
| 27 | Pain Relief by Analgesic Eardrops: Paradigm Shift in the Treatment of Acute Otitis Media?. <i>Drug Research</i> , 2021, 71, 363-371. | 0.7 | 2 |
| 28 | Detection of respiratory viruses in primary cholesteatoma tissues. <i>Journal of Medical Virology</i> , 2021, 93, 6132-6139. | 2.5 | 2 |
| 29 | Assessment of sleep-disordered breathing in pediatric otitis media with effusion. <i>Pediatrics and Neonatology</i> , 2021, , . | 0.3 | 3 |
| 30 | Respiratory viruses in the healthy middle ear and middle ear with otitis media with effusion. <i>Journal of Medical Virology</i> , 2021, 93, 6140-6147. | 2.5 | 7 |
| 31 | Tissue microbiota in nasopharyngeal adenoid and its association with pneumococcal carriage. <i>Microbial Pathogenesis</i> , 2021, 157, 104999. | 1.3 | 4 |
| 32 | Exudative otitis media in children: the main causes. Part I. <i>Rossiyskiy Vestnik Perinatologii i Pediatrii</i> , 2021, 66, 32-38. | 0.1 | 3 |
| 33 | Effects of COVID-19 Lockdown on Otitis Media With Effusion in Children: Future Therapeutic Implications. <i>Otolaryngology - Head and Neck Surgery</i> , 2021, 165, 710-715. | 1.1 | 40 |
| 34 | Middle Ear Viral Load Considerations in the COVID-19 Era: A Systematic Review. <i>Otology and Neurotology</i> , 2021, 42, 217-226. | 0.7 | 12 |
| 35 | Microbial otitis media: recent advancements in treatment, current challenges and opportunities. <i>Journal of Medical Microbiology</i> , 2018, 67, 1417-1425. | 0.7 | 21 |
| 36 | Microbiological Results From Middle Ear Effusion in Pediatric Patients Receiving Ventilation Tube Insertion: Multicenter Registry Study on the Effectiveness of Ventilation Tube Insertion in Pediatric Patients With Chronic Otitis Media With Effusion: Part I. <i>Clinical and Experimental Otorhinolaryngology</i> , 2018, 11, 181-185. | 1.1 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Characterization of Tonsil Microbiota and Their Effect on Adenovirus Reactivation in Tonsillectomy Samples. <i>Microbiology Spectrum</i> , 2021, 9, e0124621. | 1.2 | 3 |
| 39 | The Relation between Tympanostomy Tube Otorrhea and Types of Immune Cells in Middle Ear Effusion in Children with Otitis Media with Effusion. <i>Korean Journal of Otorhinolaryngology-Head and Neck Surgery</i> , 2018, 61, 133-138. | 0.0 | 0 |
| 40 | THE PREVALENCE OF HERPES VIRUS INFECTIONS IN CHILDREN WITH HYPERTROPHY OF THE GLUTAL MINDALINE. <i>Rossiyskiy Vestnik Perinatologii I Pediatrii</i> , 2018, 63, 162-166. | 0.1 | 0 |
| 42 | The effects of adenoidectomy of serum insulin-like growth factor-1 (IGF-1) and ghrelin in hypertrophied adenoids in children with otitis media with effusion. <i>Otolaryngologia Polska</i> , 2020, 74, 13-17. | 0.2 | 0 |
| 43 | Identification and Detection of Pathogenic Bacteria in Adenoid Tissue of Adenoidectomized Children: Emergence of <i>Staphylococcus aureus</i> as the Most Prevalent Pathogen. <i>Jundishapur Journal of Microbiology</i> , 2020, 13, . | 0.2 | 0 |
| 44 | Proposed clinical and radiological grading system in pediatric adenoid hypertrophy. <i>Journal of the Pediatrics Association of India</i> , 2020, 9, 146. | 0.0 | 0 |
| 45 | Impact of COVID-19 on nationwide pediatric otolaryngology: Otitis media and myringotomy tube trends. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2022, 43, 103369. | 0.6 | 8 |
| 46 | Adenoid Size in Children with Otitis Media with Effusion. <i>Acta Clinica Croatica</i> , 2021, 60, 532-539. | 0.1 | 5 |
| 47 | Predominant Bacterial and Viral Otopathogens Identified Within the Respiratory Tract and Middle Ear of Urban Australian Children Experiencing Otitis Media Are Diversely Distributed. <i>Frontiers in Cellular and Infection Microbiology</i> , 2022, 12, 775535. | 1.8 | 7 |
| 48 | Mycobiome in the Middle Ear Cavity with and Without Otitis Media with Effusion. <i>Turkish Archives of Otorhinolaryngology</i> , 2021, 59, 261-270. | 0.2 | 1 |
| 50 | Isolation and Identification of Pathogenic Bacteria Causing Otitis Media in Misan Governorate. <i>Journal of Pure and Applied Microbiology</i> , 0, , . | 0.3 | 2 |
| 51 | LONG-TERM functional results and effectiveness of tympanostomy tubes in pediatric chronic otitis media with effusion. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2022, 161, 111255. | 0.4 | 0 |
| 52 | Risk factors and antibiotic sensitivity of aerobic bacteria in Chinese children with adenoid hypertrophy. <i>BMC Pediatrics</i> , 2022, 22, . | 0.7 | 3 |
| 53 | Factors affecting the occurrence of otitis media with effusion in preschool and elementary school children: a comparative cross-sectional study. <i>BMJ Open</i> , 2022, 12, e065291. | 0.8 | 5 |
| 54 | CCL20/CCR6 Mediated Macrophage Activation and Polarization Can Promote Adenoid Epithelial Inflammation in Adenoid Hypertrophy. <i>Journal of Inflammation Research</i> , 0, Volume 15, 6843-6855. | 1.6 | 2 |
| 56 | Analysis of factors that influence the occurrence of otitis media with effusion in pediatric patients with adenoid hypertrophy. <i>Frontiers in Pediatrics</i> , 0, 11, . | 0.9 | 2 |
| 57 | Biofilm-Forming Bacteria Implicated in Complex Otitis Media in Children in the Post-Heptavalent Pneumococcal Conjugate Vaccine (PCV7) Era. <i>Microorganisms</i> , 2023, 11, 545. | 1.6 | 1 |
| 59 | The Link Between Adenoids and Nasopharyngeal Carcinoma. , 0, , . | | 0 |

| # | ARTICLE | IF | CITATIONS |
|---|---------|----|-----------|
|---|---------|----|-----------|