

Analysis of data from pumping tests in leaky aquifers

Transactions, American Geophysical Union

37, 702-714

DOI: [10.1029/tr037i006p00702](https://doi.org/10.1029/tr037i006p00702)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Discussion of Paper by J. D. Isherwood and A. F. Pillsbury, "Shallow ground water and tile drainage in the Oxnard Plain", Journal of Geophysical Research, 1959, 64, 857-858.	3.3	1
2	Nonsteady flow to flowing wells in leaky aquifers. Journal of Geophysical Research, 1959, 64, 1043-1052.	3.3	74
3	Author's reply to the preceding discussion [on "Analysis of data from pumping wells near a river"]. Journal of Geophysical Research, 1960, 65, 1627-1629.	3.3	1
4	Modification of the theory of leaky aquifers. Journal of Geophysical Research, 1960, 65, 3713-3725.	3.3	383
5	On the theory of leaky aquifers. Journal of Geophysical Research, 1961, 66, 4257-4262.	3.3	7
6	Leaky Artesian Aquifer Conditions in Illinois. Soil Science, 1961, 91, 76.	0.9	22
7	Flow of ground water in sands of nonuniform thickness: 3. Flow to wells. Journal of Geophysical Research, 1962, 67, 1527-1534.	3.3	28
8	Studies of salt and water movement in the Bol Guini Polder, Chad Republic. Journal of Hydrology, 1963, 1, 311-343.	5.4	6
9	Hydraulics of Wells. Advances in Hydrosience, 1964, , 281-432.	0.7	395
10	Drawdown around Wells of variable discharge. Journal of Geophysical Research, 1964, 69, 4221-4235.	3.3	34
11	Ground-Water Resources of Dupage County, Illinois. Soil Science, 1964, 97, 143.	0.9	3
12	A comparative study on the hydraulic conductivity of unconsolidated sediments. Journal of Hydrology, 1965, 3, 180-206.	5.4	9
13	Wells in homogeneous anisotropic aquifers. Water Resources Research, 1966, 2, 273-279.	4.2	38
14	Analysis of data from pumping tests in anisotropic aquifers. Journal of Geophysical Research, 1966, 71, 421-426.	3.3	58
15	Analysis of pumping test data from a well in the Indo-Gangetic alluvium of India and its bearing on the aquifer characteristics. Journal of Hydrology, 1966, 4, 121-140.	5.4	1
16	Flow to wells in aquifers separated by a semipervious layer. Journal of Geophysical Research, 1967, 72, 1709-1720.	3.3	74
17	Flow of groundwater in relatively thick leaky aquifers. Water Resources Research, 1967, 3, 583-590.	4.2	42
18	Safe Yield of a Well Field in a Leaky-Artesian Strip Aquifera. Ground Water, 1968, 6, 30-36.	1.3	2

#	ARTICLE	IF	CITATIONS
19	RATIO METHOD FOR DETERMINING CHARACTERISTICS OF IDEAL, LEAKY AND BOUNDED AQUIFERS. International Association of Scientific Hydrology Bulletin, 1968, 13, 70-83.	0.2	4
20	Applicability of Current Theories of Flow in Leaky Aquifers. Water Resources Research, 1969, 5, 817-829.	4.2	177
21	Some approximate solutions of radial flow problems. Journal of Hydrology, 1969, 7, 158-166.	5.4	13
22	Field and laboratory determination of the hydraulic diffusivity of a confining bed. Water Resources Research, 1970, 6, 194-203.	4.2	33
23	Reduction of ground water level in covering stratum of two-layer bed resulting from pumping from lower-lying confined horizon. Fluid Dynamics, 1971, 2, 128-130.	0.9	0
24	Use of naturally occurring phenomena to study hydraulic diffusivities of aquitards. Water Resources Research, 1972, 8, 500-507.	4.2	10
25	Determination of the hydraulic diffusivity of a heterogeneous confining bed. Water Resources Research, 1972, 8, 1051-1058.	4.2	8
26	Field determination of the hydraulic properties of leaky multiple aquifer systems. Water Resources Research, 1972, 8, 1284-1298.	4.2	129
27	Drawdown distribution around wells partially penetrating thick leaky artesian aquifers. Water Resources Research, 1972, 8, 1332-1337.	4.2	2
28	SELECTED METHODS OF AQUIFER TEST ANALYSIS. Journal of the American Water Resources Association, 1972, 8, 175-187.	2.4	2
29	Integrodifferential equations for systems of leaky aquifers and applications: 1. The nature of approximate theories. Water Resources Research, 1973, 9, 995-1005.	4.2	53
30	Equation for one-dimensional vertical flow of groundwater: 1. The Rigorous Theory. Water Resources Research, 1973, 9, 1022-1028.	4.2	44
31	On the leakage assumption applied to equations of groundwater flow. Journal of Hydrology, 1973, 20, 237-253.	5.4	3
32	Critical analysis of the alternating direction implicit method of aquifer analysis. Journal of Hydrology, 1974, 21, 153-172.	5.4	13
33	Second-order theory of flow in three-dimensional deforming media. Water Resources Research, 1974, 10, 1217-1228.	4.2	50
34	Modeling Techniques for Groundwater Evaluation. Advances in Hydroscience, 1975, 10, 1-143.	0.7	28
35	The Transition Form of Step-drawdown-test Curve. (Continuation). The Journal of the Japanese Association of Groundwater Hydrology, 1976, 18, 20-27.	0.0	0
36	Note on a series representation of the leaky aquifer well function. Journal of Hydrology, 1977, 32, 393-397.	5.4	9

#	ARTICLE	IF	CITATIONS
37	Computer modelling of regional groundwater systems in the confined-unconfined flow regime. Journal of Hydrology, 1977, 34, 97-127.	5.4	7
38	Calculation of the leaky aquifer function. Journal of Hydrology, 1977, 33, 179-183.	5.4	26
39	Utilizing a Digital Model to Determine the Hydraulic Properties of a Layered Aquifer. Ground Water, 1977, 15, 153-159.	1.3	10
40	Transient Spherical Flow to a Cavity Well of Finite Diameter. Ground Water, 1977, 15, 372-376.	1.3	3
41	The computation of leaky aquifer functions. Journal of Hydrology, 1978, 36, 173-178.	5.4	12
43	Review of Leaky Artesian Aquifer Test Evaluation Methods. Ground Water, 1979, 17, 270-283.	1.3	8
44	Programmable Hand Calculator Programs for Pumping and Injection Wells: II - Constant Pumping (Injection) Rate, Single Fully Penetrating Well, Semiconfined Aquifer. Ground Water, 1980, 18, 126-133.	1.3	6
45	Aquifer Response in the Ultramafic Field Area of Sukhinda Valley - Orissa (India). Ground Water, 1980, 18, 479-485.	1.3	2
47	Estimation of the transmissivity of thin leaky-confined aquifers from single-well pumping tests. Journal of Hydrology, 1981, 49, 19-30.	5.4	3
48	A review of the hydrogeology of British onshore non-carbonate mudrocks. Quarterly Journal of Engineering Geology and Hydrogeology, 1981, 14, 347-355.	1.4	12
49	Chapter 12 Groundwater Exploration. Developments in Water Science, 1982, , 401-453.	0.1	0
50	FACTORS INVOLVED IN EVALUATING GROUND WATER IMPACTS OF DEEP COAL MINE DRAINAGE. Journal of the American Water Resources Association, 1982, 18, 841-848.	2.4	1
51	The Noordbergum Effect and Characterization of Aquitards at the Rio Maior Mining Project. Ground Water, 1983, 21, 200-207.	1.3	42
52	Vertical recharge to a confined limestone in northwest Sri Lanka. Journal of Hydrology, 1983, 63, 287-297.	5.4	9
53	Observed Drawdown Pattern Around a Well Partially Penetrating a Vertically Extensive Water-Table Aquifer. Ground Water, 1984, 22, 148-153.	1.3	3
54	Cokriging of aquifer transmissivities from field measurements of transmissivity and specific capacity. Journal of the International Association for Mathematical Geology, 1984, 16, 19-35.	0.8	66
56	Analysis of Steady-State Flow in Semiconfined Aquifers: A New Approach. Ground Water, 1985, 23, 227-232.	1.3	2
57	Control of Ground Water Contamination at an Active Uranium Mill. Ground Water Monitoring and Remediation, 1985, 5, 75-82.	0.8	0

#	ARTICLE	IF	CITATIONS
58	Aquifer transmissivity of porous media from resistivity data. Journal of Hydrology, 1985, 82, 143-153.	5.4	105
59	Transient well flow in leaky multiple-aquifer systems. Journal of Hydrology, 1985, 81, 111-126.	5.4	30
60	Groundwater Flow in Low-Permeability Environments. Water Resources Research, 1986, 22, 1163-1195.	4.2	323
62	Determination of Aquifer Parameters by the Slope-Matching Method. Ground Water, 1986, 24, 217-223.	1.3	46
63	AUTOMATED COMPUTATION OF PARAMETERS FOR LEAKY CONFINED AQUIFERSa. Ground Water, 1988, 26, 500-504.	1.3	3
64	Analytical solution incorporating nonlinear radial flow in confined aquifers. Water Resources Research, 1988, 24, 601-606.	4.2	39
65	Chapter 2 Simulations. Developments in Water Science, 1988, , 125-157.	0.1	0
66	An application of the dual integral equations for the flow through fissured rocks. Mechanics Research Communications, 1989, 16, 191-197.	1.8	0
67	Numerical Identification of Parameters in Leaky Aquifers. Ground Water, 1989, 27, 655-663.	1.3	12
68	Improved Methods for the Modeling and Conduct of Vertical Interference Tests Across a Tight Zone. , 1989, , .		1
69	GROUND WATER HYDRAULICS CONSIDERATIONS REGARDING LANDFILLS. Journal of the American Water Resources Association, 1991, 27, 791-796.	2.4	2
70	A Method to Determine the Formation Constants of Leaky Aquifers, and Its Application to Pumping Test Data. Ground Water, 1991, 29, 425-429.	1.3	3
71	New approaches to pumping test interpretation for dug wells constructed on hard rock aquifers. Geological Society Special Publication, 1992, 66, 221-242.	1.3	3
72	Analytical solutions for steady state gas flow to a soil vapor extraction well. Water Resources Research, 1992, 28, 1105-1120.	4.2	104
73	Hydraulic parameters of a multilayered aquifer system in Kuwait City. Journal of Hydrology, 1992, 130, 49-70.	5.4	13
74	A Neural-Network Approach to the Determination of Aquifer Parameters. Ground Water, 1992, 30, 164-166.	1.3	87
75	Using Cooper-Jacob Approximation to Take Account of Pumping Well Pipe Storage Effects in Early Drawdown Data of a Confined Aquifer. Ground Water, 1992, 30, 331-337.	1.3	19
76	VES Design: Using Simple or Sophisticated Design Methods. Ground Water Monitoring and Remediation, 1994, 14, 101-104.	0.8	1

#	ARTICLE	IF	CITATIONS
77	Lab and Field Measurements of the Hydraulic Conductivity of Clayey Silts. <i>Ground Water</i> , 1995, 33, 884-891.	1.3	8
78	Dual-Porosity Fractal Models for Transient Flow Analysis in Fissured Rocks. <i>Water Resources Research</i> , 1996, 32, 2733-2745.	4.2	58
79	NEURAL NETWORK APPROACH TO EVALUATE DRAWDOWN CURVES FROM PUMPING TEST. <i>Doboku Gakkai Ronbunshu</i> , 1996, 1996, 67-74.	0.2	0
80	Type-Curve Matching Using a Computer Spreadsheet. <i>Ground Water</i> , 1996, 34, 554-562.	1.3	2
81	Venting Test Analysis Using Jacob's Approximation. <i>Journal of Environmental Engineering, ASCE</i> , 1996, 122, 232-234.	1.4	2
82	Volumetric Leaky-Aquifer Theory and Type Straight Lines. <i>Journal of Hydraulic Engineering</i> , 1996, 122, 272-280.	1.5	4
83	New approach to calculation of the leaky aquifer function. <i>International Journal of Quantum Chemistry</i> , 1997, 63, 913-916.	2.0	19
84	Absolute Hydraulic Conductivity Estimates from Aquifer Pumping and Tracer Tests in a Stratified Aquifer. <i>Ground Water</i> , 1998, 36, 87-97.	1.3	11
85	Determining Vertical Anisotropy Ratio Using a Graphical, Iterative Procedure Based on the Hantush Equation. <i>Ground Water</i> , 1998, 36, 293-304.	1.3	4
86	Practical Approximations of the Well Function. <i>Ground Water</i> , 1998, 36, 844-848.	1.3	17
87	A New Analytical Treatment of Airflow to Inlet Wells in Soil Vapor Extraction Systems. <i>Ground Water Monitoring and Remediation</i> , 1998, 18, 133-136.	0.8	2
88	More about the leaky aquifer function. <i>International Journal of Quantum Chemistry</i> , 1998, 70, 623-626.	2.0	18
89	Variations in hydraulic conductivity with scale of measurement during aquifer tests in heterogeneous, porous carbonate rocks. <i>Hydrogeology Journal</i> , 1998, 6, 204-215.	2.1	78
90	Positive and negative impacts of longwall mine subsidence on a sandstone aquifer. <i>Environmental Geology</i> , 1998, 34, 223-233.	1.2	37
91	Evolution of analytical models of pumping tests and their interpretation methods. , 1999, , 55-115.		0
92	Analysis of Pumping Test Data by Type Curve Matching using Artificial Neural Networks. <i>Journal of Groundwater Hydrology</i> , 1999, 41, 73-86.	0.1	0
93	Explicit expression for the leaky aquifer function. <i>International Journal of Quantum Chemistry</i> , 2000, 78, 303-305.	2.0	8
94	Reply [to "Comment on "An analytical solution of groundwater response to tidal fluctuation in a leaky confined aquifer" by Jiu Jimmy Jiao and Zhonghua Tang]. <i>Water Resources Research</i> , 2001, 37, 187-188.	4.2	18

#	ARTICLE	IF	CITATIONS
95	Analytical studies of groundwater-head fluctuation in a coastal confined aquifer overlain by a semi-permeable layer with storage. <i>Advances in Water Resources</i> , 2001, 24, 565-573.	3.8	88
96	Monitoring of drawdown pattern during pumping in an unconfined physical aquifer model. <i>Hydrological Processes</i> , 2001, 15, 479-492.	2.6	4
97	Application of Leaky Aquifer Type Curves for Coalbed Methane Characterization. , 2002, , .		3
98	Use of abstraction regime and knowledge of hydrogeological conditions to control high-fluoride concentration in abstracted groundwater: San Luis Potosí basin, Mexico. <i>Journal of Hydrology</i> , 2002, 261, 24-47.	5.4	145
99	Using groundwater levels to estimate recharge. <i>Hydrogeology Journal</i> , 2002, 10, 91-109.	2.1	898
100	Evaluation of Air Injection and Extraction Tests at a Petroleum Contaminated Site, Korea. <i>Water, Air, and Soil Pollution</i> , 2002, 135, 65-91.	2.4	13
101	Use of time-“subsidence data during pumping to characterize specific storage and hydraulic conductivity of semi-confining units. <i>Journal of Hydrology</i> , 2003, 281, 3-22.	5.4	39
102	Well testing in fractured media: flow dimensions and diagnostic plots. <i>Journal of Hydraulic Research/De Recherches Hydrauliques</i> , 2004, 42, 69-76.	1.7	29
103	Simple Expert System for Evaluation of Nutrient Pollution Potential in Groundwater from Manure Application. <i>International Journal of Geomechanics</i> , 2004, 4, 285-295.	2.7	2
104	Hydrogeology: A Short History, Part 2. <i>Ground Water</i> , 2004, 42, 949-953.	1.3	16
105	WTFM, software for well test analysis in fractured media combining fractional flow with double porosity and leakance approaches. <i>Computers and Geosciences</i> , 2004, 30, 937-947.	4.2	27
106	Chemical response to groundwater extraction southeast of Mexico City. <i>Hydrogeology Journal</i> , 2004, 12, 436.	2.1	28
107	Calculation of the generalized leaky aquifer integral. <i>Computer Physics Communications</i> , 2005, 173, 1-8.	7.5	6
108	Analysis of groundwater contamination using concentration-“time series recorded during an integral pumping test: Bias introduced by strong concentration gradients within the plume. <i>Journal of Contaminant Hydrology</i> , 2005, 81, 106-124.	3.3	16
109	Determination of the rate and volume of leakage using the slopes of time-drawdown data. <i>Environmental Geology</i> , 2005, 47, 558-564.	1.2	1
110	Determination of aquifer parameters using radial basis function network approach. <i>Journal of the Chinese Institute of Engineers, Transactions of the Chinese Institute of Engineers, Series A/Chung-kuo Kung Ch'eng Hsueh K'an</i> , 2005, 28, 241-249.	1.1	9
111	An improved neural network approach to the determination of aquifer parameters. <i>Journal of Hydrology</i> , 2006, 316, 281-289.	5.4	42
112	Numerical evaluation of Theis and Hantush-Jacob well functions. <i>Journal of Hydrology</i> , 2006, 318, 173-183.	5.4	18

#	ARTICLE	IF	CITATIONS
113	Groundwater recharge in a hard rock aquifer: A conceptual model including surface-loading effects. Journal of Hydrology, 2006, 330, 389-401.	5.4	25
114	Geological Occurrence of Groundwater. , 2006, , 2-1-2-59.		0
115	Small scale study of groundwater flow in a fractured carbonate-rock aquifer at the St-Eustache quarry, Québec, Canada. Hydrogeology Journal, 2006, 14, 603-612.	2.1	24
116	Methods for Characterizing the Hydrologie and Hydraulic Conditions. , 2007, , 567-748.		0
117	Prediction of future drawdown of water levels of the Pleistocene aquifer system of Wadi El-Assiuti Area, Eastern Desert, Egypt, as a criterion for management and conservation. Resources, Conservation and Recycling, 2008, 52, 1006-1014.	10.8	8
118	Modeling Time Series of Ground Water Head Fluctuations Subjected to Multiple Stresses. Ground Water, 2008, 46, 30-40.	1.3	76
119	A New Method for the Interpretation of Pumping Tests in Leaky Aquifers. Ground Water, 2008, 46, 133-143.	1.3	27
120	Friction loss correction in flowing well discharge tests. Water Resources Research, 2008, 44, .	4.2	7
121	Zhang Hongren and the Introduction of Transient Flow Theory to China. Ground Water, 2008, 46, 341-343.	1.3	1
122	Influence of heterogeneity on the interpretation of pumping test data in leaky aquifers. Water Resources Research, 2008, 44, .	4.2	11
123	Approximation of Well Function and Identification of Leaky Aquifer Parameters. Journal of Irrigation and Drainage Engineering - ASCE, 2008, 134, 864-871.	1.0	7
124	Compreensão de gráficos diagnósticos para interpretação de ensaios de caudal em furos. Hydrogeology Journal, 2009, 17, 589-600.	2.1	128
125	Theoretical and methodological problems of experimental determination of the initial gradient. Water Resources, 2010, 37, 446-454.	0.9	0
126	Method to characterize aquitards above leaky aquifers with water supply wells. Hydrogeology Journal, 2010, 18, 595-605.	2.1	5
127	Estimation of effective aquifer hydraulic properties from an aquifer test with multi-well observations (Taiwan). Hydrogeology Journal, 2010, 18, 1143-1155.	2.1	39
128	Hantush Well Function revisited. Journal of Hydrology, 2010, 393, 381-388.	5.4	20
130	Diagnostic Curves for Identifying Leaky Aquifer Parameters with or without Aquitard Storage. Journal of Irrigation and Drainage Engineering - ASCE, 2010, 136, 47-57.	1.0	4
131	Simple Method for Quick Estimation of Leaky-Aquifer Parameters. Journal of Irrigation and Drainage Engineering - ASCE, 2010, 136, 149-153.	1.0	9

#	ARTICLE	IF	CITATIONS
132	Inferring spatial distribution of the radially integrated transmissivity from pumping tests in heterogeneous confined aquifers. <i>Water Resources Research</i> , 2011, 47, .	4.2	26
133	Impact of rainfall infiltration on groundwater recharge of a deep quaternary aquifer. <i>Geologia Croatica</i> , 2011, 64, 17-30.	0.8	3
134	Sources of water, travel times and protection areas for wells in semi-confined aquifers. <i>Hydrogeology Journal</i> , 2011, 19, 1285-1291.	2.1	10
135	Straight-Line Method Generalization for Aquifer Parameter Estimations. <i>Journal of Irrigation and Drainage Engineering - ASCE</i> , 2012, 138, 1082-1087.	1.0	3
136	Groundwater Risk Management Assessment in Arid Regions. <i>Water Resources Management</i> , 2012, 26, 4509-4524.	3.9	4
137	A geoelectrical and hydrogeological study for the assessment of groundwater resources in Wadi Al Bih, UAE. <i>Environmental Earth Sciences</i> , 2012, 67, 845-857.	2.7	28
138	Software for hydrogeologic time series analysis, interfacing data with physical insight. <i>Environmental Modelling and Software</i> , 2012, 38, 178-190.	4.5	33
139	Aquifer Concepts in Arid Lands. <i>Environmental Science and Engineering</i> , 2012, , 95-115.	0.2	0
140	A new method for aquifer system identification and parameter estimation. <i>Hydrological Processes</i> , 2013, 27, 2485-2497.	2.6	12
141	Redistribution of groundwater evapotranspiration and water table around a well field in an unconfined aquifer: A simplified analytical model. <i>Journal of Hydrology</i> , 2013, 495, 162-174.	5.4	6
142	Can electrical conductivity data from a single pumping test provide information about the location of a neighboring mixing zone between two aquifers? An example from Aix-les-Bains/Marlioz (Savoie, France). <i>Journal of Hydrology</i> , 2013, 495, 175-184.	2.7	1
143	Hydromechanical characterization of CO ₂ injection sites. <i>International Journal of Greenhouse Gas Control</i> , 2013, 19, 665-677.	4.6	56
144	Borehole water level response to barometric pressure as an indicator of aquifer vulnerability. <i>Water Resources Research</i> , 2013, 49, 7102-7119.	4.2	31
145	Stability and Convergence of a Time-Fractional Variable Order Hantush Equation for a Deformable Aquifer. <i>Abstract and Applied Analysis</i> , 2013, 2013, 1-8.	0.7	12
146	Statistical Evaluation of Parameters in Heterogeneous Aquifers. <i>Journal of Hydrologic Engineering - ASCE</i> , 2013, 18, 576-581.	1.9	3
147	Dimensionless straight line fitting method for hydrogeological parameter determination. <i>Arabian Journal of Geosciences</i> , 2014, 7, 819-825.	1.3	1
148	Comparison of three methods of hydrogeological parameter estimation in leaky aquifers using transient flow pumping tests. <i>Hydrological Processes</i> , 2014, 28, 2293-2301.	2.6	23
149	Evaluating groundwater resource of an urban alluvial area through the development of a numerical model. <i>Environmental Earth Sciences</i> , 2014, 72, 2279-2299.	2.7	6

#	ARTICLE	IF	CITATIONS
150	Decomposing groundwater head variations into meteorological and pumping components: a synthetic study. <i>Hydrogeology Journal</i> , 2015, 23, 1431-1448.	2.1	19
151	A New Model to Determine Leakage Factor for a Finite Aquifer Using Pressure Fall off Test in CBM Reservoir. , 2015, , .		1
152	Low velocity non-Darcian flow to a well fully penetrating a confined aquifer in the first kind of leaky aquifer system. <i>Journal of Hydrology</i> , 2015, 530, 533-553.	5.4	11
153	Detecting the vulnerability of groundwater in semi-confined aquifers using barometric response functions. <i>Journal of Hydrology</i> , 2015, 520, 143-156.	5.4	18
154	Evaluation of methods for estimating aquifer hydraulic parameters. <i>Applied Soft Computing Journal</i> , 2015, 28, 541-549.	7.2	21
155	A Conceptual Numerical Model to Simulate Aquifer Parameters. <i>Water Resources Management</i> , 2015, 29, 771-784.	3.9	19
156	Groundwater Hydraulics and Confined Aquifers. , 2015, , 99-208.		3
157	Borehole Geology and Well Logging. <i>Springer Hydrogeology</i> , 2016, , 135-158.	0.3	0
158	Well Hydraulics and Aquifer Tests. , 2016, , 797-820.		0
159	Hydrogeological assessment of non-linear underground enclosures. <i>Engineering Geology</i> , 2016, 207, 91-102.	6.3	53
161	A new parameter estimation procedure for pumping test analysis using a radial basis function collocation method. <i>Environmental Earth Sciences</i> , 2016, 75, 1.	2.7	12
162	Groundwater Flow Within a Fracture, Matrix Rock and Leaky Aquifers: Fractal Geometry. , 2018, , 263-297.		0
163	Oscillatory Pumping Test to Estimate Aquifer Hydraulic Parameters in a Bayesian Geostatistical Framework. <i>Mathematical Geosciences</i> , 2018, 50, 169-186.	2.4	14
164	Dispersion of traffic derived air pollutants into urban parks. <i>Science of the Total Environment</i> , 2018, 622-623, 576-583.	8.0	37
165	A practical assessment of aquifer discharge for regional groundwater demand by characterizing leaky confined aquifer overlain on a Mesozoic granitic gneiss basement. <i>Journal of Hydrology</i> , 2018, 559, 995-1001.	5.4	4
166	Insights on pumping well interpretation from flow dimension analysis: The learnings of a multi-context field database. <i>Journal of Hydrology</i> , 2018, 556, 449-474.	5.4	13
167	Hydraulic Properties of Soils. , 2018, , 459-495.		0
168	Derivation of a groundwater flow model within leaky and self-similar aquifers: Beyond Hantush model. <i>Chaos, Solitons and Fractals</i> , 2018, 116, 414-423.	5.1	10

#	ARTICLE	IF	CITATIONS
170	Time-lapse Mise-À-la-Masse measurements and modeling for tracer test monitoring in a shallow aquifer. <i>Journal of Hydrology</i> , 2018, 561, 461-477.	5.4	22
171	The impact of rock fracturing and pump intake location on the thermal recovery of a standing column well: model development, experimental validation, and numerical analysis. <i>Science and Technology for the Built Environment</i> , 2019, 25, 1052-1068.	1.7	16
172	Analytical Solutions of the Groundwater Flow Equation. <i>Springer Tracts in Civil Engineering</i> , 2019, , 33-53.	0.5	2
173	Induced seismicity in geologic carbon storage. <i>Solid Earth</i> , 2019, 10, 871-892.	2.8	74
174	Estimation of the Variation in Specific Discharge Over Large Depth Using Distributed Temperature Sensing (DTS) Measurements of the Heat Pulse Response. <i>Water Resources Research</i> , 2019, 55, 811-826.	4.2	25
175	Accuracy of Hydrogeological Calculations and Forecasts. , 0, , .		1
176	Optimization calculation of well function $W(u, r/B)$ based on BP neural network. <i>E3S Web of Conferences</i> , 2019, 136, 04031.	0.5	1
177	Combined recharge: A method to prevent ground settlement induced by redevelopment of recharge wells. <i>Journal of Hydrology</i> , 2019, 568, 1-11.	5.4	76
178	Hard-rock aquifer response to pumping and sustainable yield of wells in some areas of Mediterranean Region. <i>Geological Society Special Publication</i> , 2019, 479, 147-160.	1.3	2
179	Hydrogeology. <i>Advances in Science, Technology and Innovation</i> , 2020, , 89-114.	0.4	0
180	Spatial variation of groundwater response to multiple drivers in a depleting alluvial aquifer system, northwestern India. <i>Progress in Physical Geography</i> , 2020, 44, 94-119.	3.2	28
181	A review of specific storage in aquifers. <i>Journal of Hydrology</i> , 2020, 581, 124383.	5.4	48
182	Groundwater flow characterization of an ophiolitic hard-rock aquifer from cross-borehole multi-level hydraulic experiments. <i>Journal of Hydrology</i> , 2020, 589, 125152.	5.4	21
183	Basic Properties of Incomplete Macdonald Function with Applications. <i>Journal of Function Spaces</i> , 2020, 2020, 1-8.	0.9	0
184	Distribution of aquifer characteristics in different geomorphologic units in a granitic terrain. <i>Applied Water Science</i> , 2020, 10, 1.	5.6	2
185	Constant Rate Pumping Test in a Leaky Aquifer with Water Release from Storage in the Aquitard. <i>Ground Water</i> , 2020, 58, 487-491.	1.3	2
186	Revision of archive recovery tests using analytical and numerical methods on thermal water wells in sandstone and fractured carbonate aquifers in the vicinity of Budapest, Hungary. <i>Environmental Earth Sciences</i> , 2020, 79, 1.	2.7	4
187	Method for calculation of ground temperature in scenario involving multiple ground heat exchangers considering groundwater advection. <i>Energy and Buildings</i> , 2020, 220, 110000.	6.7	9

#	ARTICLE	IF	CITATIONS
188	Numerical and Experimental Validation of the Applicability of Activeâ€œDTS Experiments to Estimate Thermal Conductivity and Groundwater Flux in Porous Media. Water Resources Research, 2021, 57, .	4.2	27
189	Determination of hydraulic conductivity and its spatial variability in the Jiangnan Plain using a multi-format, multi-method approach. Journal of Hydrology, 2021, 594, 125917.	5.4	6
190	Review: â€œJacobâ€™s Zooâ€œ”how using Jacobâ€™s method for aquifer testing leads to more intuitive understanding of aquifer characteristics. Hydrogeology Journal, 2021, 29, 2001-2015.	2.1	3
191	Groundwater Hydrograph Decomposition With the HydroSight Model. Frontiers in Environmental Science, 2021, 9, .	3.3	5
192	INSIDE-T: A Groundwater Contamination Transport Model for Sustainability Assessment in Remediation Practice. Sustainability, 2021, 13, 7596.	3.2	9
193	PyTheisâ€œ”A Python Tool for Analyzing Pump Test Data. Water (Switzerland), 2021, 13, 2180.	2.7	3
194	Well Hydraulics in Heterogeneous Porous Media. , 1984, , 315-346.		1
195	Aquifer Parameters, Pumping Test and the Yield. Springer Hydrogeology, 2016, , 159-181.	0.3	2
196	Well Hydraulics in Heterogeneous Aquifer Formations. Advances in Hydrosience, 1978, 11, 357-423.	0.7	43
197	New analytical solution for sizing vertical borehole ground heat exchangers in environments with significant groundwater flow: Parameter estimation from thermal response test data. HVAC and R Research, 2011, 17, 1000-1011.	0.6	12
198	Hydrogeological characteristics of artesian boreholes in the Chalk of Hampshire. Quarterly Journal of Engineering Geology and Hydrogeology, 1978, 11, 139-144.	1.4	17
199	New analysis of pump tests in fractured aquifers. , 2007, , 451-462.		1
200	Stability analysis of epidemic models of Ebola hemorrhagic fever with non-linear transmission. Journal of Nonlinear Science and Applications, 2016, 09, 4191-4205.	1.0	18
202	Simulation of Potential Groundwater Recharge from the Jaffna Peninsula of Sri Lanka using HYDRUS-1D Model. OUSL Journal, 2015, 7, 43.	0.1	5
203	Groundwater Investigation. , 2000, , 141-161.		0
204	A Brief Review of the In Situ Permeability Tests: Part 2. Journal of the Japan Society of Engineering Geology, 2001, 42, 52-59.	0.2	2
207	Methods and Procedures for Defining Aquifer Parameters. , 2005, , 913-958.		0
209	Well Hydraulics and Aquifer Tests. , 2006, , 10-1-10-35.		0

#	ARTICLE	IF	CITATIONS
210	Groundwater Recharge and Evaluation. , 2008, , 175-241.		0
211	Groundwater flow system response in thick aquifer units: theory and practice in Mexico. , 2008, , 37-58.		2
212	Modelo de flujo de diferencia finita de ejes simétricos para simular caídas de presión dentro y alrededor de un pozo fluyendo. Ingeniería Y Región, 0, 5, 125-131.	0.0	0
215	Agronomic performance of black oat (<i>Avena strigosa</i> Schreb.), cultivated in constructed wetlands. Revista Ambiente & Agua, 2010, 5, 68-78.	0.3	0
223	A SHORT HISTORY OF GROUNDWATER HYDROLOGY IN JAPAN. Chirigaku Hyoron, 1978, 51, 517-527.	0.0	0
224	Pumping Tests. , 1981, , 140-165.		0
226	Evaluation of alluvial aquifers for small-scale irrigation in part of the southern Sahel, West Africa. Quarterly Journal of Engineering Geology and Hydrogeology, 1995, 28, S75-S90.	1.4	4
227	Pumpversuche. , 1998, , 431-459.		1
229	METHODS OF THE DETERMINATION OF THE HYDROGEOLOGICAL PARAMETERS ON THE RESULTS OF THE EXPERIMENTAL CONSTANT-RATE PUMPING TESTS FROM THE LAYERED AQUIFERS WITH OVERFLOW. Izvestiya Vysshikh Uchebnykh Zavedenii Geologiya I Razvedka, 2018, , 50-58.	0.2	0
230	On the restoration of the level of underground water after withdrawal from the layered aquifers with overflow. Izvestiya Vysshikh Uchebnykh Zavedenii Geologiya I Razvedka, 2019, , 51-63.	0.2	0
232	A Field Comparison of Air and Water Flow Through Silt. Soils and Foundations, 1973, 13, 29-43.	3.1	0
233	Determination of Aquifer Thickness by Partially Penetrating Well. Soils and Foundations, 1984, 24, 41-51.	3.1	4
234	Improving hydrogeological understanding through well-test interpretation by diagnostic plot and modelling: a case study in an alluvial aquifer in France. Hydrogeology Journal, 2022, 30, 283-302.	2.1	4
235	DynSus: Dynamic sustainability assessment in groundwater remediation practice. Science of the Total Environment, 2022, 832, 154992.	8.0	7
236	Influence of groundwater extraction on rock filtration properties in the territory of the Latitudinal Ob region. Oil and Gas Studies, 2022, , 36-45.	0.1	0
237	A literature review on pumping test analysis (2000–2022). Environmental Science and Pollution Research, 2023, 30, 9184-9206.	5.3	8
238	Estimation of Groundwater Flow Rate by an Actively Heated Fiber Optics Based Thermal Response Test in a Grouted Borehole. Water Resources Research, 2023, 59, .	4.2	5
239	Clogging detection and productive layers identification along boreholes using Active Distributed Temperature Sensing. Journal of Hydrology, 2023, 617, 129113.	5.4	5

#	ARTICLE	IF	CITATIONS
240	Asymptotic Expansions for Moench's Integral Transform of Hydrology. Mathematics, 2023, 11, 3053.	2.2	0
241	Hydrologic changes in the Brazos River Basin and implications for Great Plains fishes. Journal of Hydrology, 2024, 629, 130351.	5.4	0
242	Effect of leakage on confined non-darcian aquifer considering storage in semipervious layers. Advances in Water Resources, 2023, 182, 104565.	3.8	0