

# CITATION REPORT

List of articles citing

Validation of the Baveno VI and the expanded Baveno VI criteria to identify patients who could avoid screening endoscopy

DOI: 10.1111/liv.13732  
Liver International, 2018, 38, 1442-1448.

**Source:** <https://exaly.com/paper-pdf/68830071/citation-report.pdf>

**Version:** 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
60	UEG Week 2018 Oral Presentations. <i>United European Gastroenterology Journal</i> , <b>2018</b> , 6, A1	5.3	2
59	Non-invasive Fibrosis Testing in Patients with Chronic Hepatitis B. <i>Current Hepatology Reports</i> , <b>2018</b> , 17, 492-501	1	1
58	Non-invasive prediction of oesophageal varices in patients with cirrhosis secondary to non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , <b>2018</b> , 69, 1202-1203	13.4	2
57	How to clarify the Baveno VI criteria for ruling out varices needing treatment by noninvasive tests. <i>Liver International</i> , <b>2019</b> , 39, 49-53	7.9	12
56	Beyond Baveno VI: How far are we?. <i>Digestive and Liver Disease</i> , <b>2019</b> , 51, 1141-1143	3.3	2
55	Performance of Baveno VI and Expanded Baveno VI Criteria for Excluding High-Risk Varices in Patients With Chronic Liver Diseases: A Systematic Review and Meta-analysis. <i>Clinical Gastroenterology and Hepatology</i> , <b>2019</b> , 17, 1744-1755.e11	6.9	49
54	Baveno Criteria Safely Identify Patients With Compensated Advanced Chronic Liver Disease Who Can Avoid Variceal Screening Endoscopy: A Diagnostic Test Accuracy Meta-Analysis. <i>Frontiers in Physiology</i> , <b>2019</b> , 10, 1028	4.6	14
53	Evaluation of three "beyond Baveno VI" criteria to safely spare endoscopies in compensated advanced chronic liver disease. <i>Digestive and Liver Disease</i> , <b>2019</b> , 51, 1135-1140	3.3	16
52	Non-invasive Measurement of Portal Pressure. <i>Current Hepatology Reports</i> , <b>2019</b> , 18, 20-27	1	3
51	Noninvasive Predictors of High-Risk Varices in Patients with Non-Cirrhotic Portal Hypertension. <i>Canadian Journal of Gastroenterology and Hepatology</i> , <b>2019</b> , 2019, 1808797	2.8	4
50	The Changing Scenario of Screening and Surveillance of Esophageal Varices. <i>Gastroenterology</i> , <b>2019</b> , 156, 864-866	13.3	3
49	External validation of Liaoning score for predicting esophageal varices in liver cirrhosis: a Chinese multicenter cross-sectional study. <i>Annals of Translational Medicine</i> , <b>2019</b> , 7, 755	3.2	6
48	Contrast-Enhanced CT May Be a Diagnostic Alternative for Gastroesophageal Varices in Cirrhosis with and without Previous Endoscopic Variceal Therapy. <i>Gastroenterology Research and Practice</i> , <b>2019</b> , 2019, 6704673	2	4
47	Prediction of the varices needing treatment with non-invasive tests in patients with compensated advanced chronic liver disease. <i>Liver International</i> , <b>2019</b> , 39, 1071-1079	7.9	22
46	"Are the Expanded Baveno VI Criteria really safe to screen compensated cirrhotic patients for high-risk varices?". <i>Digestive and Liver Disease</i> , <b>2019</b> , 51, 456-457	3.3	6
45	Validation of original, expanded Baveno VI, and stepwise & platelet-MELD criteria to rule out varices needing treatment in compensated cirrhosis from various etiologies. <i>Annals of Hepatology</i> , <b>2020</b> , 19, 209-213	3.1	5
44	A novel spleen-dedicated stiffness measurement by FibroScan <sup>®</sup> improves the screening of high-risk oesophageal varices. <i>Liver International</i> , <b>2020</b> , 40, 175-185	7.9	26

43	Baveno VI and Expanded Baveno VI criteria successfully predicts the absence of high-risk gastro-oesophageal varices in a Chilean cohort. <i>Liver International</i> , <b>2020</b> , 40, 1427-1434	7.9	8
42	Deciding Among Noninvasive Tools for Predicting Varices Needing Treatment in Chronic Liver Disease: An Analysis of Asian Cohort. <i>American Journal of Gastroenterology</i> , <b>2020</b> , 115, 1650-1656	0.7	6
41	Validation of Revised Baveno VI Criteria for Screening of Varices Needing Treatment in Children with Cirrhosis. <i>Clinical and Experimental Gastroenterology</i> , <b>2020</b> , 13, 503-509	3.1	
40	Validation and Refinement of the Baveno VI Criteria for Ruling Out High-Risk Varices. <i>Gastroenterology Research and Practice</i> , <b>2020</b> , 2020, 4217512	2	1
39	Assessing Baveno VI criteria with liver stiffness measured using a new point-shear wave elastography technique (BAVElastPQ study). <i>Liver International</i> , <b>2020</b> , 40, 1952-1960	7.9	1
38	Course of oesophageal varices and performance of noninvasive predictors following Hepatitis C Virus clearance in compensated advanced chronic liver disease. <i>European Journal of Clinical Investigation</i> , <b>2020</b> , 50, e13231	4.6	5
37	Validating the BAVENO VI criteria to identify low risk biliary atresia patients without endoscopy for esophageal varix. <i>Clinics and Research in Hepatology and Gastroenterology</i> , <b>2021</b> , 45, 101437	2.4	0
36	Liver Stiffness-Based Strategies Predict Absence of Variceal Bleeding in Cirrhotic Hepatitis C Virus-Infected Patients With and Without Human Immunodeficiency Virus Coinfection After Sustained Virological Response. <i>Clinical Infectious Diseases</i> , <b>2021</b> , 72, e96-e102	11.6	2
35	Screening varices in patients with HBV-related cirrhosis on antiviral therapy: Platelet alone or together with LSM. <i>Liver International</i> , <b>2021</b> , 41, 369-377	7.9	3
34	Validation and comparison of non-invasive prediction models based on liver stiffness measurement to identify patients who could avoid gastroscopy. <i>Scientific Reports</i> , <b>2021</b> , 11, 150	4.9	2
33	Can routine blood tests be modelled to detect advanced liver disease in the community: model derivation and validation using UK primary and secondary care data. <i>BMJ Open</i> , <b>2021</b> , 11, e044952	3	1
32	Approaches to the Diagnosis of Portal Hypertension: Non-Invasive or Invasive Tests?. <i>Hepatic Medicine: Evidence and Research</i> , <b>2021</b> , 13, 25-36	3.4	0
31	Noninvasive Detection of Clinically Significant Portal Hypertension in Compensated Advanced Chronic Liver Disease. <i>Clinics in Liver Disease</i> , <b>2021</b> , 25, 253-289	4.6	3
30	Baveno criteria perform better than expanded Baveno and Rete Sicilia Selezione Terapia-Hepatitis C virus criteria for predicting varices needing treatment. <i>Indian Journal of Gastroenterology</i> , <b>2021</b> , 1	1.9	0
29	Development of a machine learning model to predict bleed in esophageal varices in compensated advanced chronic liver disease: A proof of concept. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2021</b> , 36, 2935-2942	4	1
28	NON-INVASIVE DIAGNOSIS AND FOLLOW-UP OF PORTAL HYPERTENSION. <i>Clinics and Research in Hepatology and Gastroenterology</i> , <b>2021</b> , 101767	2.4	
27	Transient splenic elastography predicts high-risk esophageal varices in patients with non-cirrhotic portal hypertension. <i>Scandinavian Journal of Gastroenterology</i> , <b>2021</b> , 56, 1462-1466	2.4	0
26	Baveno VI criteria as a prognostic factor for clinical complications in patients with compensated cirrhosis. <i>Digestive and Liver Disease</i> , <b>2021</b> ,	3.3	0

25	Plasma YAP1 predicts esophageal varices and the risk of variceal bleeding in liver cirrhosis. <i>Biomarkers in Medicine</i> , <b>2021</b> , 15, 1411-1422	2.3	0
24	Novel albumin, bilirubin and platelet criteria for the exclusion of high-risk varices in compensated advanced chronic liver disease: A validation study. <i>Clinics and Research in Hepatology and Gastroenterology</i> , <b>2021</b> , 45, 101598	2.4	2
23	Validation of the Expanded Baveno-VI Criteria for Screening Gastroscopy in Asian Patients with Compensated Advanced Chronic Liver Disease. <i>Digestive Diseases and Sciences</i> , <b>2021</b> , 66, 1343-1348	4	3
22	Validating and expanding the Baveno VI criteria for esophageal varices in patients with advanced liver disease: a multicenter study. <i>Annals of Gastroenterology</i> , <b>2020</b> , 33, 87-94	2.2	11
21	Application of Baveno Criteria and Modified Baveno Criteria with Shear-wave Elastography in Compensated Advanced Chronic Liver Disease. <i>Journal of Korean Medical Science</i> , <b>2020</b> , 35, e249	4.7	3
20	Liver and Spleen Stiffness to Predict Portal Hypertension and Its Complications. <b>2020</b> , 325-359		
19	Noninvasive scores for the prediction of esophageal varices and risk stratification in patients with cirrhosis. <i>World Journal of Hepatology</i> , <b>2020</b> , 12, 908-918	3.4	1
18	Diagnosis and Surveillance of Esophageal Varices in Liver Cirrhosis. <b>2021</b> , 33-39		0
17	Unlocking the benefits of the Baveno VI guidance when screening for varices: an audit of clinical practice across London.. <i>Future Healthcare Journal</i> , <b>2022</b> , 9, 41-44	0.9	
16	A Novel Model for the Screening of Varices in Patients With Compensated Cirrhosis: An International Multicenter Study. <i>SSRN Electronic Journal</i> ,	1	
15	Validation of the E-endo score for the prediction of varices in cirrhotic patients.. <i>Saudi Journal of Gastroenterology</i> , <b>2022</b> ,	3	
14	Screening and surveillance of oesophageal varices in patients with HCV-positive liver cirrhosis successfully treated by direct-acting antiviral agents.. <i>Liver International</i> , <b>2022</b> ,	7.9	0
13	Noninvasive assessment oesophageal varices. <i>Current Opinion in Gastroenterology</i> , <b>2022</b> , Publish Ahead of Print,	3	0
12	CHESS-ALARM score to stratify decompensation risk in compensated advanced chronic liver disease patients: an international multicentre study.. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2022</b> ,	4	4
11	Elastography for the Evaluation of Portal Hypertension.		
10	Ultrasonic spleen thickness-based indexes surpass Baveno VI criteria in high-risk gastroesophageal varices detection.. <i>Hepatology International</i> , <b>2022</b> , 1	8.8	
9	Table_1.docx. <b>2019</b> ,		
8	Table_2.docx. <b>2019</b> ,		

7 Table\_3.docx. 2019,

6 Table\_4.docx. 2019,

5 Egyptian revalidation of non-invasive parameters for predicting esophageal varices in cirrhotic patients: A retrospective study.. *Arab Journal of Gastroenterology*, 2022, 1.7 04 Quality standards for the management of non-alcoholic fatty liver disease (NAFLD): consensus recommendations from the British Association for the Study of the Liver and British Society of Gastroenterology NAFLD Special Interest Group.. *The Lancet Gastroenterology and Hepatology*, 2022, 18.8 13 Use of biochemical parameters for non-invasive screening of oesophageal varices in comparison to elastography-based approach in patients with compensated advanced chronic liver disease. *Biochimica Medica*, 2022, 32, 280-290 2.5

2 VariScreen secures the screening of high-risk varices in patients with hepatitis B virus-related cirrhosis beyond Baveno VI criteria. 13, 0

1 Varices and Screening Endoscopy. 2022, 93-107 0