

Do sulphonylureas still have a place in clinical practice?

Lancet Diabetes and Endocrinology, the
6, 821-832

DOI: [10.1016/s2213-8587\(18\)30025-1](https://doi.org/10.1016/s2213-8587(18)30025-1)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Is Atorvastatin Associated with New Onset Diabetes or Deterioration of Glycemic Control? Systematic Review Using Data from 1.9 Million Patients. <i>International Journal of Endocrinology</i> , 2018, 2018, 1-17.	0.6	20
2	Management of hyperglycaemia in type 2 diabetes, 2018. A consensus report by the American Diabetes Association (ADA) and the European Association for the Study of Diabetes (EASD). <i>Diabetologia</i> , 2018, 61, 2461-2498.	2.9	1,002
3	Management of Hyperglycemia in Type 2 Diabetes, 2018. A Consensus Report by the American Diabetes Association (ADA) and the European Association for the Study of Diabetes (EASD). <i>Diabetes Care</i> , 2018, 41, 2669-2701.	4.3	2,190
4	Glucose lowering strategies and cardiovascular disease in type 2 diabetes – teachings from the TOSCA.IT study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2018, 28, 722-726.	1.1	3
5	Cardiovascular safety of DPP-4 inhibitors compared with sulphonylureas: Results of randomized controlled trials and observational studies. <i>Diabetes and Metabolism</i> , 2018, 44, 386-392.	1.4	25
6	Sugar-Lowering Drugs for Type 2 Diabetes Mellitus and Metabolic Syndrome – Review of Classical and New Compounds: Part-I. <i>Pharmaceuticals</i> , 2019, 12, 152.	1.7	95
7	Treatment strategies against diabetes: Success so far and challenges ahead. <i>European Journal of Pharmacology</i> , 2019, 862, 172625.	1.7	106
8	The right place for Sulphonylureas today: Part of – Review the Series: Implications of recent CVOTs in Type 2 diabetes mellitus –™. <i>Diabetes Research and Clinical Practice</i> , 2019, 157, 107836.	1.1	23
9	Management of diabetes mellitus in patients undergoing liver transplantation. <i>Pharmacological Research</i> , 2019, 141, 556-573.	3.1	23
10	A safety and tolerability profile comparison between dipeptidyl peptidase-4 inhibitors and sulfonylureas in diabetic patients: A systematic review and meta-analysis. <i>Diabetes Research and Clinical Practice</i> , 2019, 149, 47-63.	1.1	13
11	Ten things you should know about type 2 diabetes – Part 1. <i>Independent Nurse</i> , 2019, 2019, 23-25.	0.0	1
12	Triple therapy with low-dose dapagliflozin plus saxagliptin versus dual therapy with each monocomponent, all added to metformin, in uncontrolled type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 2152-2162.	2.2	15
13	Insulin resistance: Impact on therapeutic developments in diabetes. <i>Diabetes and Vascular Disease Research</i> , 2019, 16, 128-132.	0.9	7
14	Sodium glucose cotransporter (SGLT) –2 inhibitors: Do we need them for glucose-lowering, for cardiorenal protection or both?. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 24-33.	2.2	17
15	Incidence and severity of hypoglycaemia in type 2 diabetes by treatment regimen: A UK multisite 12-month prospective observational study. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 1585-1595.	2.2	19
16	Coagulatory Defects in Type-1 and Type-2 Diabetes. <i>International Journal of Molecular Sciences</i> , 2019, 20, 6345.	1.8	48
17	Diabetes pharmacotherapy and effects on the musculoskeletal system. <i>Diabetes/Metabolism Research and Reviews</i> , 2019, 35, e3100.	1.7	58
18	Reflections on the sulphonylurea story: A drug class at risk of extinction or a drug class worth reviving?. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 761-771.	2.2	11

#	ARTICLE	IF	CITATIONS
19	Comparative effect of saxagliptin and glimepiride with a composite endpoint of adequate glycaemic control without hypoglycaemia and without weight gain in patients uncontrolled with metformin therapy: Results from the SPECIFY study, a 48-week, multi-centre, randomized, controlled trial. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 939-948.	2.2	3
20	Management of Type 2 Diabetes in Developing Countries: Balancing Optimal Glycaemic Control and Outcomes with Affordability and Accessibility to Treatment. <i>Diabetes Therapy</i> , 2020, 11, 15-35.	1.2	39
21	Associations of fear of hypoglycemia with second-line use of insulin secretagogues or insulin and subsequent glycemic control in patients with type 2 diabetes: An analysis using data from the DISCOVER study. <i>International Journal of Clinical Practice</i> , 2020, 74, e13485.	0.8	7
22	ZG02 Improved Hepatic Glucose Metabolism and Insulin Sensitivity via Activation of AMPK/Sirt1 Signaling Pathways in a High-fat Diet/Streptozotocin-induced Type 2 Diabetes Model. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2020, Volume 13, 4333-4339.	1.1	3
23	Where Does Metformin Stand in Modern Day Management of Type 2 Diabetes?. <i>Pharmaceuticals</i> , 2020, 13, 427.	1.7	14
24	Comparative effectiveness of gliclazide modified release versus sitagliptin as second-line treatment after metformin monotherapy in patients with uncontrolled type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 2417-2426.	2.2	13
25	“Resistance is futile” paradoxical inhibitory effects of K ATP channel closure in glucagon-secreting β cells. <i>Journal of Physiology</i> , 2020, 598, 4765-4780.	1.3	16
26	Prescription of Sulphonylureas among Patients with Type 2 Diabetes Mellitus in Italy: Results from the Retrospective, Observational Multicentre Cross-Sectional SUSCIPE (Sulphonyl_UreaS_Correct_Internal_Prescription_Evaluation) Study. <i>Diabetes Therapy</i> , 2020, 11, 2105-2119.	1.2	5
27	Ramadan and Diabetes: A Narrative Review and Practice Update. <i>Diabetes Therapy</i> , 2020, 11, 2477-2520.	1.2	31
28	Recommendations for management of diabetes during Ramadan: update 2020, applying the principles of the ADA/EASD consensus. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001248.	1.2	65
29	Positioning sulphonylureas in a modern treatment algorithm for patients with type 2 diabetes: Expert opinion from a European consensus panel. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 1705-1713.	2.2	17
30	Cardiovascular outcome trials of glucose-lowering therapies. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2020, 20, 237-249.	0.7	5
31	Clinical and genetic predictors of secondary sulfonylurea failure in Type 2 diabetes patients: the SUCLINGEN study. <i>Pharmacogenomics</i> , 2020, 21, 587-600.	0.6	6
32	Regulation of Glycemia in the Recovery Phase After Stroke Counteracts the Detrimental Effect of Obesity-Induced Type 2 Diabetes on Neurological Recovery. <i>Diabetes</i> , 2020, 69, 1961-1973.	0.3	16
33	Toxicity of Metformin and Hypoglycemic Therapies. <i>Advances in Chronic Kidney Disease</i> , 2020, 27, 18-30.	0.6	16
34	Dipeptidyl peptidase-4 inhibitors and sulfonylureas prevent the progressive impairment of the nigrostriatal dopaminergic system induced by diabetes during aging. <i>Neurobiology of Aging</i> , 2020, 89, 12-23.	1.5	13
35	Impact of preexisting type 2 diabetes mellitus and antidiabetic drugs on all-cause and cause-specific mortality among Medicaid-insured women diagnosed with breast cancer. <i>Cancer Epidemiology</i> , 2020, 66, 101710.	0.8	7
36	Existe-t-il encore une place pour les sulfamides hypoglycémisants dans le traitement du diabète de type 2? <i>Medicine Des Maladies Metaboliques</i> , 2021, 15, 45-52.	0.1	0

#	ARTICLE	IF	CITATIONS
37	Pharmacological management of South Asians with type 2 diabetes: Consensus recommendations from the South Asian Health Foundation. <i>Diabetic Medicine</i> , 2021, 38, e14497.	1.2	13
38	Essential diabetes medicines and health outcomes in 127 countries. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 1121-1128.	2.2	2
39	Changing the approach to type 2 diabetes treatment: A comparison of glucagon-like peptide-1 receptor agonists and sulphonylureas across the continuum of care. <i>Diabetes/Metabolism Research and Reviews</i> , 2021, 37, e3434.	1.7	5
40	Hypoglycemia in Older People With Type 2 Diabetes: Prevention and Treatment Strategies for Outpatient and Long-Term Care Facility Settings. , 2021, 36, 112-123.		4
41	New-Onset Diabetes after Kidney Transplantation. <i>Medicina (Lithuania)</i> , 2021, 57, 250.	0.8	32
42	A High-Fat Diet Increases Activation of the Glucagon-Like Peptide-1-Producing Neurons in the Nucleus Tractus Solitarius: an Effect that is Partially Reversed by Drugs Normalizing Glycemia. <i>Cellular and Molecular Neurobiology</i> , 2022, 42, 1995-2002.	1.7	2
43	Interaction between Omeprazole and Gliclazide in Relation to CYP2C19 Phenotype. <i>Journal of Personalized Medicine</i> , 2021, 11, 367.	1.1	6
44	Pharmacological treatment of type 2 diabetes in Saudi Arabia: A consensus statement from the Saudi Society of Endocrinology and Metabolism (SSEM). <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2021, 15, 891-899.	1.8	2
45	Sulphonylureas in the Current Practice of Type 2 Diabetes Management: Are They All the Same? Consensus from the Gulf Cooperation Council (GCC) Countries Advisory Board on Sulphonylureas. <i>Diabetes Therapy</i> , 2021, 12, 2115-2132.	1.2	4
46	Protocol for an observational cohort study investigating personalised medicine for intensification of treatment in people with type 2 diabetes mellitus: the PERMIT study. <i>BMJ Open</i> , 2021, 11, e046912.	0.8	1
47	Sulphonylureas in the management of type 2 diabetes: To be or not to be?. <i>Diabetes Epidemiology and Management</i> , 2021, 1, 100002.	0.4	5
48	Comparison of 3 Medicine Groups Used to Control Glycemic and Glycated Hemoglobin Levels in Newly Diagnosed Type 2 Diabetes Patients. <i>Open Access Macedonian Journal of Medical Sciences</i> , 2020, 9, 101-106.	0.1	1
49	Role of Gliclazide MR in the Management of Type 2 Diabetes: Report of a Symposium on Real-World Evidence and New Perspectives. <i>Diabetes Therapy</i> , 2020, 11, 33-48.	1.2	17
50	Sulphonylureas may be useful for glycemic management in patients with diabetes and liver cirrhosis. <i>PLoS ONE</i> , 2020, 15, e0243783.	1.1	10
51	Fighting Diabetes Mellitus: Pharmacological and Non-pharmacological Approaches. <i>Current Pharmaceutical Design</i> , 2020, 26, 4992-5001.	0.9	11
52	A Systematic Review on Synthetic Drugs and Phytopharmaceuticals Used to Manage Diabetes. <i>Current Diabetes Reviews</i> , 2020, 16, 340-356.	0.6	16
53	Pharmacogenetics of sulphonylurea-induced hypoglycemia in Type 2 diabetes patients: the SUCLINGEN study. <i>Pharmacogenomics</i> , 2021, 22, 1057-1068.	0.6	1
54	<i>CYP2C19</i> Loss-of-function Polymorphisms are Associated with Reduced Risk of Sulphonylurea Treatment Failure in Chinese Patients with Type 2 Diabetes. <i>Clinical Pharmacology and Therapeutics</i> , 2022, 111, 461-469.	2.3	5

#	ARTICLE	IF	CITATIONS
55	Current data on the effectiveness of gliclazide and molecular mechanisms of action of the drug. <i>Diabetes Mellitus</i> , 2020, 23, 357-367.	0.5	2
56	Sulfonylurea derivatives and risk of hypoglycaemia in type 2 diabetic patients. <i>Vnitri Lekarstvi</i> , 2020, 66, e35-e42.	0.1	1
57	The role of sulfonylureas in the treatment of type 2 diabetes. <i>Expert Opinion on Pharmacotherapy</i> , 2022, 23, 387-403.	0.9	14
58	Drug Therapies Affecting Renal Function: An Overview. <i>Cureus</i> , 2021, 13, e19924.	0.2	3
59	Novel Approaches to Restore Pancreatic Beta-Cell Mass and Function. <i>Handbook of Experimental Pharmacology</i> , 2021, , 439-465.	0.9	1
61	Association Between Specificity of Sulfonylureas to Cardiac Mitochondrial KATP Channels and the Risk of Major Adverse Cardiovascular Events in Type 2 Diabetes. <i>Diabetes Care</i> , 2022, 45, 1276-1287.	4.3	7
62	Type 2 diabetes mellitus-associated cognitive dysfunction: Advances in potential mechanisms and therapies. <i>Neuroscience and Biobehavioral Reviews</i> , 2022, 137, 104642.	2.9	27
63	The Determinants of Liver Fibrosis in Patients with Nonalcoholic Fatty Liver Disease and Type 2 Diabetes Mellitus. <i>Biomedicines</i> , 2022, 10, 1487.	1.4	9
65	Management of hyperglycaemia in type 2 diabetes, 2022. A consensus report by the American Diabetes Association (ADA) and the European Association for the Study of Diabetes (EASD). <i>Diabetologia</i> , 2022, 65, 1925-1966.	2.9	273
66	Management of Hyperglycemia in Type 2 Diabetes, 2022. A Consensus Report by the American Diabetes Association (ADA) and the European Association for the Study of Diabetes (EASD). <i>Diabetes Care</i> , 2022, 45, 2753-2786.	4.3	435
67	Evaluating gliclazide for the treatment of type 2 diabetes mellitus. <i>Expert Opinion on Pharmacotherapy</i> , 2022, 23, 1869-1877.	0.9	2
68	Sulfonylurea Use in Patients with Type 2 Diabetes and COPD: A Nationwide Population-Based Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 15013.	1.2	2
69	Clinical pharmacology of antidiabetic drugs: What can be expected of their use?. <i>Presse Medicale</i> , 2023, 52, 104158.	0.8	6
70	Incident and recurrent hypoglycaemia with linagliptin and glimepiride over a median of 6 years in the CAROLINA cardiovascular outcome trial. <i>Diabetes, Obesity and Metabolism</i> , 0, .	2.2	1
71	Cyb5r3-based mechanism and reversal of secondary failure to sulfonylurea in diabetes. <i>Science Translational Medicine</i> , 2023, 15, .	5.8	4
72	Venom Peptides, Polyphenols and Alkaloids: Are They the Next Antidiabetics That Will Preserve β -Cell Mass and Function in Type 2 Diabetes?. <i>Cells</i> , 2023, 12, 940.	1.8	2
73	Cardiovascular Safety in Type 2 Diabetes With Sulfonylureas as Second-line Drugs: A Nationwide Population-Based Comparative Safety Study. <i>Diabetes Care</i> , 2023, 46, 967-977.	4.3	6
74	Avoiding and managing the side effects of type 2 diabetes treatments. <i>Journal of Prescribing Practice</i> , 2023, 5, 158-165.	0.1	0

#	ARTICLE	IF	CITATIONS
75	The "Old" Oral Antidiabetics. , 2023, , 551-563.		0
79	Management of Type 2 Diabetes Mellitus. , 0, , .		0