CITATION REPORT List of articles citing



DOI: 10.1016/j.nic.2018.01.010 Neuroimaging Clinics of North America, 2018, 28, 245-254.

Source: https://exaly.com/paper-pdf/68913826/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
90	Imaging of Posttreatment Salivary Gland Tumors. <i>Neuroimaging Clinics of North America</i> , 2018 , 28, 199	-298	20
89	Characterization of salivary gland tumours with diffusion tensor imaging. <i>Dentomaxillofacial Radiology</i> , 2018 , 47, 20170343	3.9	44
88	Effect of glycated hemoglobin index and mean arterial pressure on acute ischemic stroke prognosis after intravenous thrombolysis with recombinant tissue plasminogen activator. <i>Medicine (United States)</i> , 2018 , 97, e13216	1.8	6
87	Accurate hybrid template-based and MR-based attenuation correction using UTE images for simultaneous PET/MR brain imaging applications. <i>BMC Medical Imaging</i> , 2018 , 18, 41	2.9	15
86	Diagnostic efficacy of multiple MRI parameters in differentiating benign vs. malignant thyroid nodules. <i>BMC Medical Imaging</i> , 2018 , 18, 50	2.9	8
85	Apparent diffusion coefficient as an effective index for the therapeutic efficiency of brain chemoradiotherapy for brain metastases from lung cancer. <i>BMC Medical Imaging</i> , 2018 , 18, 30	2.9	6
84	Multi-parametric MR imaging using apparent diffusion coefficient and fat fraction in quantification of bone marrow in pediatrics with Gaucher disease. <i>Clinical Imaging</i> , 2018 , 51, 318-322	2.7	10
83	Diffusion tensor imaging of the optic disc in idiopathic intracranial hypertension. <i>Neuroradiology</i> , 2018 , 60, 1159-1166	3.2	29
82	Diffusion tensor imaging in differentiation of residual head and neck squamous cell carcinoma from post-radiation changes. <i>Magnetic Resonance Imaging</i> , 2018 , 54, 84-89	3.3	50
81	Multi-parametric MR imaging using pseudo-continuous arterial-spin labeling and diffusion-weighted MR imaging in differentiating subtypes of parotid tumors. <i>Magnetic Resonance Imaging</i> , 2019 , 63, 55-59	3.3	39
80	The routes of infection spread in central skull-base osteomyelitis and the diagnostic role of CT and MRI scans. <i>BMC Medical Imaging</i> , 2019 , 19, 60	2.9	14
79	Magnetic resonance imaging findings of styloglossus and hyoglossus muscle invasion: Relationship to depth of invasion and clinical significance as a predictor of advisability of elective neck dissection in node negative oral tongue cancer. <i>European Journal of Radiology</i> , 2019 , 118, 19-24	4.7	9
78	Diagnostic accuracy of diffusion tensor imaging in differentiating malignant from benign compressed vertebrae. <i>Neuroradiology</i> , 2019 , 61, 1291-1296	3.2	25
77	Utility of diffusion-weighted and contrast-enhanced magnetic resonance imaging in diagnosing and differentiating between high- and low-grade uterine endometrial stromal sarcoma. <i>Cancer Imaging</i> , 2019 , 19, 63	5.6	11
76	Differentiation of sublingual thyroglossal duct cyst from midline dermoid cyst with diffusion weighted imaging. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2019 , 126, 109623	1.7	3
75	Computed tomographic features of adenoid cystic carcinoma in the palate. <i>Cancer Imaging</i> , 2019 , 19, 3	5.6	4
74	Multimodal imaging of fibrosing mesenteric tuberculosis. <i>Radiology Case Reports</i> , 2019 , 14, 920-925	1	4

(2020-2019)

73	The incidence of unexpected poor ovarian response in Chinese young women. <i>Medicine (United States)</i> , 2019 , 98, e14379	1.8	3
72	Correlation of apparent diffusion coefficient with histopathological parameters of salivary gland cancer. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2019 , 48, 995-1000	2.9	20
71	Assessment of lacrimal glands in thyroid eye disease with diffusion-weighted magnetic resonance imaging. <i>Polish Journal of Radiology</i> , 2019 , 84, e142-e146	1.6	11
70	Differentiation malignant from benign pericardial effusion with diffusion-weighted MRI. <i>Clinical Radiology</i> , 2019 , 74, 325.e19-325.e24	2.9	9
69	Comparative analysis of the value of diffusion kurtosis imaging and diffusion-weighted imaging in evaluating the histological features of endometrial cancer. <i>Cancer Imaging</i> , 2019 , 19, 9	5.6	14
68	Characterizing MRI features of rectal cancers with different KRAS status. <i>BMC Cancer</i> , 2019 , 19, 1111	4.8	16
67	Assessment of Liver and Spleen in Children With Gaucher Disease Type 1 With Chemical Shift Imaging. <i>Journal of Computer Assisted Tomography</i> , 2019 , 43, 183-186	2.2	3
66	Apparent Diffusion Coefficient of the Placenta and Fetal Organs in Intrauterine Growth Restriction. Journal of Computer Assisted Tomography, 2019 , 43, 507-512	2.2	4
65	Diffusion Tensor Imaging of the Lateral Rectus Muscle in Duane Retraction Syndrome. <i>Journal of Computer Assisted Tomography</i> , 2019 , 43, 467-471	2.2	2
64	Clinical Applications of Arterial Spin Labeling in Brain Tumors. <i>Journal of Computer Assisted Tomography</i> , 2019 , 43, 525-532	2.2	71
63	Application of whole-lesion intravoxel incoherent motion analysis using iZOOM DWI to differentiate malignant from benign thyroid nodules. <i>Acta Radiologica</i> , 2019 , 60, 1127-1134	2	4
62	Differentiation of Primary Central Nervous System Lymphoma From Glioblastoma: Quantitative Analysis Using Arterial Spin Labeling and Diffusion Tensor Imaging. <i>World Neurosurgery</i> , 2019 , 123, e303	3 ² e ¹ 309	32
61	Effect of laterality, gender, age and body mass index on the fat fraction of salivary glands in healthy volunteers: assessed using iterative decomposition of water and fat with echo asymmetry and least-squares estimation method. <i>Dentomaxillofacial Radiology</i> , 2019 , 48, 20180263	3.9	5
60	Accuracy of diffusion-weighted imaging-magnetic resonance in differentiating functional from non-functional pituitary macro-adenoma and classification of tumor consistency. <i>Neuroradiology Journal</i> , 2019 , 32, 74-85	2	10
59	Nodal staging in the rectal cancer follow-up MRI after chemoradiotherapy: use of morphology, size, and diffusion criteria. <i>Clinical Radiology</i> , 2020 , 75, 100-107	2.9	3
58	Influence of blade width and magnetic field strength on the ADC on PROPELLER DWI in head and neck. <i>Neuroradiology Journal</i> , 2020 , 33, 39-47	2	1
57	The role of MRI-derived depth of invasion in staging oral tongue squamous cell carcinoma: inter-reader and radiological-pathological agreement. <i>Acta Radiologica</i> , 2020 , 61, 344-352	2	11
56	Positron emission computed tomography and magnetic resonance imaging features of sinonasal small round blue cell tumors. <i>Neuroradiology Journal</i> , 2020 , 33, 48-56	2	5

55	Multi-parametric arterial spin labeling and diffusion-weighted imaging in differentiation of metastatic from reactive lymph nodes in head and neck squamous cell carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 278, 2529-2535	3.5	6
54	MRI prediction of pathological response in locally advanced rectal cancer: when apparent diffusion coefficient radiomics meets conventional volumetry. <i>Clinical Radiology</i> , 2020 , 75, 798.e1-798.e11	2.9	6
53	Neck Imaging Reporting and Data System: What Does Radiologist Want to Know?. <i>Journal of Computer Assisted Tomography</i> , 2020 , 44, 527-532	2.2	11
52	Assessment of Tamoxifen-Related Endometrial Changes in Premenopausal Female Patients With Diffusion-Weighted Magnetic Resonance Imaging. <i>Journal of Computer Assisted Tomography</i> , 2020 , 44, 485-489	2.2	О
51	Diffusion-Weighted Imaging (DWI) derived from PET/MRI for lymph node assessment in patients with Head and Neck Squamous Cell Carcinoma (HNSCC). <i>Cancer Imaging</i> , 2020 , 20, 56	5.6	6
50	Radiation-induced occult insufficiency fracture or bone metastasis after radiotherapy for cervical cancer? The nomogram based on quantitative apparent diffusion coefficients for discrimination. <i>Cancer Imaging</i> , 2020 , 20, 76	5.6	
49	Differentiation malignant from benign parotid tumors in children with diffusion-weighted MR imaging. <i>Oral Radiology</i> , 2021 , 37, 463-468	2.5	1
48	Interstitial Lung Fibrosis Imaging Reporting and Data System: What Radiologist Wants to Know?. <i>Journal of Computer Assisted Tomography</i> , 2020 , 44, 656-666	2.2	19
47	Diffusion Tensor Imaging of Microstructural Changes in the Gray and White Matter in Patients With Crigler-Najjar Syndrome Type I. <i>Journal of Computer Assisted Tomography</i> , 2020 , 44, 393-398	2.2	9
46	Liver Imaging Reporting and Data System Version 2018: What Radiologists Need to Know. <i>Journal of Computer Assisted Tomography</i> , 2020 , 44, 168-177	2.2	29
45	Imaging of Fulminant Demyelinating Disorders of the Central Nervous System. <i>Journal of Computer Assisted Tomography</i> , 2020 , 44, 248-254	2.2	4
44	The old CEACAMs find their new role in tumor immunotherapy. <i>Investigational New Drugs</i> , 2020 , 38, 1	888-389	9813
43	Diffusion tensor imaging and electrophysiology as robust assays to evaluate the severity of acute spinal cord injury in rats. <i>BMC Neurology</i> , 2020 , 20, 236	3.1	5
42	Applying Amide Proton Transfer-Weighted Imaging (APTWI) to Distinguish Papillary Thyroid Carcinomas and Predominantly Solid Adenomatous Nodules: Comparison With Diffusion-Weighted Imaging. <i>Frontiers in Oncology</i> , 2020 , 10, 918	5.3	
41	Prediction of skull base osteomyelitis in necrotising otitis externa with diffusion-weighted imaging. Journal of Laryngology and Otology, 2020 , 134, 404-408	1.8	7
40	Imaging of Neuronal and Mixed Glioneuronal Tumors. <i>Journal of Computer Assisted Tomography</i> , 2020 , 44, 356-369	2.2	7
39	Interobserver Agreement of Magnetic Resonance Imaging of Liver Imaging Reporting and Data System Version 2018. <i>Journal of Computer Assisted Tomography</i> , 2020 , 44, 118-123	2.2	21
38	Intravoxel incoherent motion and ADC measurements for differentiating benign from malignant thyroid nodules: utilizing the most repeatable region of interest delineation at 3.0 T. <i>Cancer Imaging</i> , 2020 , 20, 9	5.6	11

(2021-2020)

37	The value of DWI in predicting the response to synchronous radiochemotherapy for advanced cervical carcinoma: comparison among three mathematical models. <i>Cancer Imaging</i> , 2020 , 20, 8	5.6	4
36	Predictive quantitative ultrasound radiomic markers associated with treatment response in head and neck cancer. <i>Future Science OA</i> , 2019 , 6, FSO433	2.7	10
35	Role of susceptibility-weighted imaging in patients with idiopathic intracranial hypertension. <i>Japanese Journal of Radiology</i> , 2020 , 38, 740-745	2.9	1
34	Diffusion-weighted magnetic resonance imaging of primary cervical cancer in the detection of sub-centimetre metastatic lymph nodes. <i>Cancer Imaging</i> , 2020 , 20, 27	5.6	1
33	Histogram Analysis of Diffusion-Weighted MR Imaging as a Biomarker to Predict Survival of Surgically Treated Colorectal Cancer Patients. <i>Digestive Diseases and Sciences</i> , 2021 , 66, 1227-1232	4	3
32	MR and CT imaging features of sino-nasal organized hematomas. <i>Oral Radiology</i> , 2021 , 37, 297-304	2.5	3
31	Value of MRI-based radiomics analysis for differentiation of benign and malignant epithelial neoplasms in the lacrimal gland: a retrospective study. <i>Acta Radiologica</i> , 2021 , 62, 743-751	2	О
30	Role of diffusion-weighted imaging in prediction of nipple-areolar complex invasion by breast cancer. <i>Clinical Imaging</i> , 2021 , 69, 45-49	2.7	
29	Classification of parotid gland tumors by using multimodal MRI and deep learning. <i>NMR in Biomedicine</i> , 2021 , 34, e4408	4.4	6
28	The utility of diffusion-weighted imaging and ADC values in the characterization of mumps orchitis and seminoma. <i>Acta Radiologica</i> , 2021 , 284185121991980	2	Ο
27	Bone-related disorders of the jaw: A clinico-radiological diagnostic algorithm. <i>Neuroradiology Journal</i> , 2021 , 34, 289-299	2	
26	Diagnosis of hilar cholangiocarcinoma using intravoxel incoherent motion diffusion-weighted magnetic resonance imaging. <i>Abdominal Radiology</i> , 2021 , 46, 3159-3167	3	Ο
25	Diffusion-weighted imaging with histogram analysis of the apparent diffusion coefficient maps in the diagnosis of parotid tumours. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2021 ,	2.9	3
24	Diffusion tensor imaging of the spleen in prediction and grading of esophageal varices in cirrhotic children with portal hypertension. <i>Japanese Journal of Radiology</i> , 2021 , 39, 907-913	2.9	1
23	Comparison of Diffusion Kurtosis Imaging and Amide Proton Transfer Imaging in the Diagnosis and Risk Assessment of Prostate Cancer. <i>Frontiers in Oncology</i> , 2021 , 11, 640906	5.3	3
22	The Value of MR-DWI and T1 Mapping in Indicating Radiation-Induced Soft Tissue Injury. <i>Frontiers in Oncology</i> , 2021 , 11, 651637	5.3	O
21	Imaging of vascular cognitive impairment. Clinical Imaging, 2021, 74, 45-54	2.7	10
20	Diffusion tensor imaging of renal cortex in lupus nephritis. <i>Japanese Journal of Radiology</i> , 2021 , 39, 1069 <u>2</u> 1,076		

19	Influence of post-label delay time on the performance of 3D pseudo-continuous arterial spin labeling magnetic resonance imaging in the characterization of parotid gland tumors. <i>European Radiology</i> , 2021 , 1	8	0
18	The radiologic (CT/MRI)-pathological correlations of the salivary duct carcinoma (SDC) with hyaline degeneration and peripheral nerve invasion. <i>Dentomaxillofacial Radiology</i> , 2021 , 50, 20200603	3.9	
17	Prostate Imaging Reporting and Data System (PI-RADS): What the radiologists need to know?. <i>Clinical Imaging</i> , 2021 , 79, 183-200	2.7	1
16	Head and Neck. 2021 , 715-775		1
15	Intravoxel Incoherent Motion Magnetic Resonance Imaging for Assessing Parotid Gland Tumors: Correlation and Comparison with Arterial Spin Labeling Imaging. <i>Korean Journal of Radiology</i> , 2021 , 22, 243-252	6.9	4
14	Peripheral Nerve Sheath Tumors of Head and Neck: Imaging-Based Review of World Health Organization Classification. <i>Journal of Computer Assisted Tomography</i> , 2020 , 44, 928-940	2.2	8
13	Thyroid metastasis from breast cancer presenting with enlarged lateral cervical lymph nodes: A case report. <i>World Journal of Clinical Cases</i> , 2020 , 8, 838-847	1.6	2
12	Cross-sectional imaging and cytologic investigations in the preoperative diagnosis of parotid gland tumors - An updated literature review. <i>Bosnian Journal of Basic Medical Sciences</i> , 2021 , 21, 19-32	3.3	1
11	Assessment of Diffusion Tensor Imaging Parameters of Hepatic Parenchyma for Differentiation of Biliary Atresia from Alagille Syndrome. <i>Korean Journal of Radiology</i> , 2020 , 21, 1367-1373	6.9	5
10	Whole-body diffusion-weighted imaging with background body signal suppression in the detection of osseous and extra-osseous metastases. <i>Polish Journal of Radiology</i> , 2019 , 84, e453-e458	1.6	10
9	Multi-parametric arterial spin labelling and diffusion-weighted magnetic resonance imaging in differentiation of grade II and grade III gliomas. <i>Polish Journal of Radiology</i> , 2020 , 85, e110-e117	1.6	4
8	Preimaging and Postimaging of Graft and Flap in Head and Neck Reconstruction. <i>Magnetic Resonance Imaging Clinics of North America</i> , 2022 , 30, 121-133	1.6	
7	Role of MR Imaging in Head and Neck Squamous Cell Carcinoma. <i>Magnetic Resonance Imaging Clinics of North America</i> , 2022 , 30, 1-18	1.6	О
6	Differential diagnosis of parotid gland tumours: Application of SWI combined with DWI and DCE-MRI <i>European Journal of Radiology</i> , 2021 , 146, 110094	4.7	1
5	The value of the apparent diffusion coefficient value in the Liver Imaging Reporting and Data System (LI-RADS) version 2018 <i>Polish Journal of Radiology</i> , 2022 , 87, e43-e50	1.6	О
4	Diffusion Tensor Imaging of Auditory Pathway in Patients With Crigler-Najjar Syndrome Type I: Correlation With Auditory Brainstem Response <i>Journal of Child Neurology</i> , 2021 , 8830738211025865	2.5	
3	Multi-parametric arterial spin labeling and diffusion-weighted imaging of paranasal sinuses masses.		
2	Utility of diffusion tensor imaging in differentiating benign from malignant hepatic focal lesions.		O

The Role of Diffusion-Weighted Magnetic Resonance Imaging in Differentiating Benign From Malignant Thyroid Nodules: A Descriptive Observational Study. **2022**,

О