## Molecular-channel driven actuator with considerations color switching

Nature Communications 9, 590 DOI: 10.1038/s41467-018-03032-2

**Citation Report** 

#	Article	IF	CITATIONS
1	Molecular-channel driven actuator with considerations for multiple configurations and color switching. Nature Communications, 2018, 9, 590.	5.8	159
2	Multiresponsive Kinematics and Robotics of Surface-Patterned Polymer Film. ACS Applied Materials & Interfaces, 2018, 10, 19123-19132.	4.0	36
3	Micropatterning of Highly Stretchable Tough Polymer Actuators for Multistage Detection of Acetone Vapors. ACS Applied Materials & Interfaces, 2018, 10, 29161-29168.	4.0	10
4	Reprogrammable Three-Dimensional Configurations Using Ionomer Bilayers. ACS Applied Polymer Materials, 2019, 1, 2760-2767.	2.0	5
5	Chameleon-Inspired Structural-Color Actuators. Matter, 2019, 1, 626-638.	5.0	197
6	A Hollow Polyethylene Fiber-Based Artificial Muscle. Advanced Fiber Materials, 2019, 1, 214-221.	7.9	22
7	Bioinspired Synergistic Fluorescenceâ€Colorâ€&witchable Polymeric Hydrogel Actuators. Angewandte Chemie, 2019, 131, 16389-16397.	1.6	42
8	Bioinspired Synergistic Fluorescenceâ€Color‣witchable Polymeric Hydrogel Actuators. Angewandte Chemie - International Edition, 2019, 58, 16243-16251.	7.2	212
9	Development of programmed shape-shifting wheat xerogel discs and characterization of its hydromorphic behavior. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2019, 583, 123928.	2.3	10
10	Environmental Energy Harvesting Adapting to Different Weather Conditions and Self-Powered Vapor Sensor Based on Humidity-Responsive Triboelectric Nanogenerators. ACS Applied Materials & Interfaces, 2019, 11, 6143-6153.	4.0	65
11	Graphene based self-healing materials. Carbon, 2019, 146, 371-387.	5.4	52
12	Adaptable polyionic elastomers with multiple sensations and entropy-driven actuations for prosthetic skins and neuromuscular systems. Materials Horizons, 2019, 6, 538-545.	6.4	84
13	Biomimetic Shape–Color Doubleâ€Responsive 4D Printing. Advanced Materials Technologies, 2019, 4, 1900293.	3.0	73
14	A free-standing carbon nitride actuator is driven by the ambient humidity. Diamond and Related Materials, 2019, 97, 107434.	1.8	6
15	Review of clothing for thermal management with advanced materials. Cellulose, 2019, 26, 6415-6448.	2.4	73
16	Bio-inspired sensing and actuating materials. Journal of Materials Chemistry C, 2019, 7, 6493-6511.	2.7	112
17	Redox-Triggered Buoyancy and Size Modulation of a Dynamic Covalent Gel. Chemistry of Materials, 2019, 31, 4148-4155.	3.2	15
18	Photothermal Bimorph Actuators with Inâ€Built Cooler for Light Mills, Frequency Switches, and Soft Robots. Advanced Functional Materials, 2019, 29, 1808995.	7.8	88

#	Article	IF	CITATIONS
19	Controllable kinematics of soft polymer actuators induced by interfacial patterning. Journal of Materials Chemistry C, 2019, 7, 5410-5417.	2.7	14
20	Multi-responsive and multi-motion bimorph actuator based on super-aligned carbon nanotube sheets. Carbon, 2019, 148, 487-495.	5.4	48
21	Photocrosslinking Patterning of Single-Layered Polymer Actuators for Controllable Motility and Automatic Devices. ACS Applied Materials & amp; Interfaces, 2019, 11, 16252-16259.	4.0	13
22	Bioinspired Actuators Based on Stimuliâ€Responsive Polymers. Chemistry - an Asian Journal, 2019, 14, 2369-2387.	1.7	60
23	Programmable three-dimensional advanced materials based on nanostructures as building blocks for flexible sensors. Nano Today, 2019, 26, 176-198.	6.2	60
24	Ultrafast yet Controllable Dual-Responsive All-Carbon Actuators for Implementing Unusual Mechanical Movements. ACS Applied Materials & Interfaces, 2019, 11, 10218-10225.	4.0	47
25	Bio-inspired intelligent structural color materials. Materials Horizons, 2019, 6, 945-958.	6.4	213
26	Spirally deformable soft actuators and their designable helical actuations based on a highly oriented carbon nanotube film. Soft Matter, 2019, 15, 9788-9796.	1.2	12
27	CsxWO3 nanosheet-coated cotton fabric with multiple functions: UV/NIR shielding and full-spectrum-responsive self-cleaning. Applied Surface Science, 2019, 475, 325-333.	3.1	34
28	Selfâ€Assembly of Colloidal Particles for Fabrication of Structural Color Materials toward Advanced Intelligent Systems. Advanced Intelligent Systems, 2020, 2, 1900085.	3.3	18
29	Stimuli-responsive anisotropic actuation of melem-formaldehyde polymer. Materials Horizons, 2020, 7, 149-156.	6.4	13
30	Smart Thermal Management Textiles with Anisotropic and Thermoresponsive Electrical Conductivity. Advanced Materials Technologies, 2020, 5, 1900599.	3.0	15
31	Solvent responsive single-material inverse opal polymer actuator with structural color switching. Journal of Materials Science, 2020, 55, 817-827.	1.7	26
32	Poly(ionic liquid) hydrogel-based anti-freezing ionic skin for a soft robotic gripper. Materials Horizons, 2020, 7, 919-927.	6.4	289
33	Bio-inspired photonic crystal patterns. Materials Horizons, 2020, 7, 338-365.	6.4	179
34	Shape-adaptable biodevices for wearable and implantable applications. Lab on A Chip, 2020, 20, 4321-4341.	3.1	27
35	Tunable color switch using split-ring metamaterial. Optics and Laser Technology, 2020, 131, 106461.	2.2	31
36	Reversible Color and Shape Changes of Nanostructured Fibers of a Macrocyclic π-Extended Thiophene Hexamer Promoted by Adsorption and Desorption of Organic Vapor. Journal of the American Chemical Society, 2020, 142, 13662-13666.	6.6	9

#	Article	IF	CITATIONS
37	Carbon-based thin-film actuator with 1D to 2D transitional structure applied in smart clothing. Carbon, 2020, 168, 546-552.	5.4	5
38	Controllable, Bidirectional Water/Organic Vapors Responsive Actuators Fabricated by Oneâ€Step Thiolâ€Ene Click Polymerization. Macromolecular Rapid Communications, 2020, 41, e2000456.	2.0	4
39	Recent Advances in Photoactuators and Their Applications in Intelligent Bionic Movements. Advanced Optical Materials, 2020, 8, 2000886.	3.6	45
40	Stimuli responsive optical polymers through omnidirectional and reconfigurable porosity. Polymer, 2020, 210, 123041.	1.8	3
41	Intelligent Polymerâ€Based Bioinspired Actuators: From Monofunction to Multifunction. Advanced Intelligent Systems, 2020, 2, 2000138.	3.3	33
42	Asymmetric elastoplasticity of stacked graphene assembly actualizes programmable untethered soft robotics. Nature Communications, 2020, 11, 4359.	5.8	110
43	Structural colors with angle-insensitive optical properties generated by Morpho-inspired 2PP structures. Applied Physics A: Materials Science and Processing, 2020, 126, 1.	1.1	11
44	Water-responsive materials for sustainable energy applications. Journal of Materials Chemistry A, 2020, 8, 15227-15244.	5.2	57
45	Stimuli-responsive composite biopolymer actuators with selective spatial deformation behavior. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 14602-14608.	3.3	63
46	A Solvent Molecule Driven Pure PEDOT:PSS Actuator. Macromolecular Materials and Engineering, 2020, 305, 2000327.	1.7	17
48	In Situ Swelling-Gated Chemical Sensing Actuator. Cell Reports Physical Science, 2020, 1, 100011.	2.8	8
49	Water transport facilitated by carbon nanotubes enables a hygroresponsive actuator with negative hydrotaxis. Nanoscale, 2020, 12, 6104-6110.	2.8	17
50	Rational design of sun and wind shaded evaporative cooling vests for enhanced personal cooling in hot and dry climates. Applied Thermal Engineering, 2020, 171, 115122.	3.0	20
51	Phenanthroline-Based Polyarylate Porous Membranes with Rapid Water Transport for Metal Cation Separation. ACS Applied Materials & amp; Interfaces, 2020, 12, 7605-7616.	4.0	14
52	An Autonomous Soft Actuator with Lightâ€Driven Selfâ€Sustained Wavelike Oscillation for Phototactic Selfâ€Locomotion and Power Generation. Advanced Functional Materials, 2020, 30, 1908842.	7.8	100
53	Advanced Textiles for Personal Thermal Management and Energy. Joule, 2020, 4, 724-742.	11.7	358
54	Somatosensory, Lightâ€Driven, Thinâ€Film Robots Capable of Integrated Perception and Motility. Advanced Materials, 2020, 32, e2000351.	11.1	106
55	Biomimetic underwater self-perceptive actuating soft system based on highly compliant, morphable and conductive sandwiched thin films. Nano Energy, 2021, 81, 105617.	8.2	29

# 56	ARTICLE Fundamentals, materials and strategies for personal thermal management by next-generation textiles. Composites Part A: Applied Science and Manufacturing, 2021, 142, 106249.	IF 3.8	CITATIONS
57	Recent Progress in Artificial Muscles for Interactive Soft Robotics. Advanced Materials, 2021, 33, e2003088.	11.1	139
58	Facile fabrication of highly conductive, waterproof, and washable e-textiles for wearable applications. Nano Research, 2021, 14, 1043-1052.	5.8	46
59	Recent advances in colour-tunable soft actuators. Nanoscale, 2021, 13, 2780-2791.	2.8	37
60	Magneto-sensitive photonic crystal ink for quick printing of smart devices with structural colors. Materials Horizons, 2021, 8, 2079-2087.	6.4	44
61	A programmable powerful and ultra-fast water-driven soft actuator inspired by the mutable collagenous tissue of the sea cucumber. Journal of Materials Chemistry A, 2021, 9, 15937-15947.	5.2	8
62	Monolithic superaligned carbon nanotube composite with integrated rewriting, actuating and sensing multifunctions. Nano Research, 2021, 14, 2456.	5.8	9
63	Exploring Reversible Thermochromic Behavior in a Rare Ni(II)-MOF System. ACS Applied Materials & Interfaces, 2021, 13, 6430-6441.	4.0	7
64	Humidityâ€Responsive Liquid Crystalline Network Actuator Showing Synergistic Fluorescence Color Change Enabled by Aggregation Induced Emission Luminogen. Advanced Functional Materials, 2021, 31, 2010578.	7.8	64
65	Rapid Moisture-Responsive Silk Fibroin Actuators. ACS Applied Materials & Interfaces, 2021, 13, 8880-8888.	4.0	33
66	3Dâ€Printed Biomimetic Systems with Synergetic Color and Shape Responses Based on Oblate Cholesteric Liquid Crystal Droplets. Advanced Materials, 2021, 33, e2006361.	11.1	68
67	Self-Locomotive Soft Actuator Based on Asymmetric Microstructural Ti <sub>3</sub> C <sub>2</sub> T <sub><i>x</i></sub> MXene Film Driven by Natural Sunlight Fluctuation. ACS Nano, 2021, 15, 5294-5306.	7.3	103
69	Designing heat transfer pathways for advanced thermoregulatory textiles. Materials Today Physics, 2021, 17, 100342.	2.9	44
70	Controlled growth of nanocrystalline aluminum nitride films for full color range. Ceramics International, 2021, 47, 21546-21553.	2.3	17
71	4D Printing of Hygroscopic Liquid Crystal Elastomer Actuators. Small, 2021, 17, e2100910.	5.2	82
72	Two-Dimensional Nanosheets-Based Soft Electro-Chemo-Mechanical Actuators: Recent Advances in Design, Construction, and Applications. ACS Nano, 2021, 15, 9273-9298.	7.3	55
73	Self-healing films based on chitosan containing citric acid/choline chloride deep eutectic solvent. Polymer Testing, 2021, 97, 107156.	2.3	23
74	Smart Actuators Based on External Stimulus Response. Frontiers in Chemistry, 2021, 9, 650358.	1.8	28

#	Article	IF	CITATIONS
75	Universal Strain Energy-Mediated Dynamic Porosity in Physically Networked Elastomers and Their Applications. ACS Applied Materials & Interfaces, 2021, 13, 22987-22999.	4.0	0
76	A 4D printing strategy and integrated design for programmable electroactive shape-color double-responsive bionic functions. Composites Science and Technology, 2021, 208, 108746.	3.8	18
77	Bio-Inspired Bicomponent Fiber with Multistimuli Response to Infrared Light and Humidity for Smart Actuators. ACS Applied Polymer Materials, 2021, 3, 3131-3141.	2.0	15
78	A Fast Autonomous Healing Magnetic Elastomer for Instantly Recoverable, Modularly Programmable, and Thermorecyclable Soft Robots. Advanced Functional Materials, 2021, 31, 2101825.	7.8	56
79	Functional textiles and composite based wearable thermal devices for Joule heating: progress and perspectives. Applied Materials Today, 2021, 23, 101025.	2.3	64
80	A review of noteworthy/major innovations in wearable clothing for thermal and moisture management from material to fabric structure. Textile Reseach Journal, 2022, 92, 3351-3386.	1.1	21
81	Bioinspired hydrogels build a bridge from bench to bedside. Nano Today, 2021, 39, 101157.	6.2	28
82	Photo-thermoelectric generator integrated in graphene-based actuator for self-powered sensing function. Nano Research, 2022, 15, 5376-5383.	5.8	16
83	Biomimetic 4Dâ€Printed Breathing Hydrogel Actuators by Nanothylakoid and Thermoresponsive Polymer Networks. Advanced Functional Materials, 2021, 31, 2105544.	7.8	45
84	Left-Handed or Right-Handed? Determinants of the Chirality of Helically Deformable Soft Actuators. Soft Robotics, 2022, 9, 850-860.	4.6	4
85	Kinetic trapping of 3D-printable cyclodextrin-based poly(pseudo)rotaxane networks. CheM, 2021, 7, 2442-2459.	5.8	28
86	Robust Jumping Actuator with a Shrimpâ€Shell Architecture. Advanced Materials, 2021, 33, e2104558.	11.1	40
87	Wettability-Controlled Directional Actuating Strategy Based on Bilayer Photonic Crystals. ACS Applied Materials & Interfaces, 2021, 13, 2007-2017.	4.0	17
88	Recent breakthroughs in hollow core fiber technology. , 2020, , .		8
89	Structural analysis of tapioca xerogel and its water and oil triggered shape change. Food Structure, 2021, 30, 100226.	2.3	13
90	Programmable micropatterned surface for single-layer homogeneous-polymer Janus actuator. Chemical Engineering Journal, 2022, 430, 133052.	6.6	23
91	Recent progress on stretchable conductors. Wuli Xuebao/Acta Physica Sinica, 2020, 69, 177401.	0.2	5
92	Soft actuators for real-world applications. Nature Reviews Materials, 2022, 7, 235-249.	23.3	296

ARTICLE IF CITATIONS # Supramolecular Hydrogel with Orthogonally Responsive R/G/B Fluorophores Enables Multiâ€Color 93 7.8 30 Switchable Biomimetic Soft Skins. Advanced Functional Materials, 2022, 32, 2108830. What is an artificial muscle? A comparison of soft actuators to biological muscles. Bioinspiration 94 1.5 and Biomimetics, 2022, 17, 011001. Advanced thermal regulating materials and systems for energy saving and thermal comfort in 95 2.5 14 buildings. Materials Today Energy, 2022, 24, 100925. Ultra-sensitive, durable and stretchable ionic skins with biomimetic micronanostructures for multi-signal detection, high-precision motion monitoring, and underwater sensing. Journal of Materials Chemistry A, 2021, 9, 26949-26962. A Shift from Efficiency to Adaptability: Recent Progress in Biomimetic Interactive Soft Robotics in Wet 97 5.6 29 Environments. Advanced Science, 2022, 9, e2104347. A solvent driven dual responsive actuator based on MOF/polymer composite. Sensors and Actuators B: 4.0 Chemical, 2022, 358, 131448. Effect of the stiffness of one-layer protein-based microcapsules on dendritic cell uptake and 99 2.6 0 endocytic mechanism. Biomaterials Science, 2021, 10, 178-188. Biomimetic Janus photonic soft actuator with structural color self-reporting. Materials Horizons, 100 6.4 2022, 9, 1243-1252. Self-healing LBL dual ambiences-driven molecular gating-based unidirectional actuators for 101 7 6.6 multi-mode personal protection. Chemical Engineering Journal, 2022, 434, 134212. Multi-functional stimuli-responsive biomimetic flower assembled from CLCE and MOF-based pedals. 4.8 Chinese Chemical Letters, 2023, 34, 107208. Recent Progress in Responsive Structural Color. Journal of Physical Chemistry Letters, 2022, 13, 103 2.1 38 2885-2900. Bio-inspired fluorescence color-tunable soft actuators with a self-healing and reconfigurable 104 nature. Materials Today Chemistry, 2022, 24, 100855. Materials for Smart Soft Actuator Systems. Chemical Reviews, 2022, 122, 1349-1415. 105 23.0 131 Metalized polyamide heterostructure as a moisture-responsive actuator for multimodal adaptive 59 personal heat management. Science Advances, 2021, 7, eabj7906. Leaf-Like Origami with Bistability for Self-Adaptive Grasping Motions. Soft Robotics, 2022, 9, 938-947. 107 4.6 16 Bidirectional Actuation of Silk Fibroin Films: Role of Water and Alcohol Vapors. Langmuir, 2022, 38, 6066-6075. Poly(N-Isopropylacrylamide) Based Electrically Conductive Hydrogels and Their Applications. Gels, 109 2.1 9 2022, 8, 280. Bio-inspired soft actuator with contact feedback based on photothermal effect and triboelectric 8.2 nanogenerator. Nano Energy, 2022, 99, 107366.

ARTICLE IF CITATIONS # A Humidity-Powered Soft Robot with Fast Rolling Locomotion. Research, 2022, 2022, . 111 2.8 14 Electrically Suppressed Outflow of Confined Liquid in Hydrophobic Nanopores. ACS Nano, 2022, 16, 7.3 9420-9427. A Precisely Designed Composite Actuator with Directionally Fast Actuation, Nonâ€Contact Operation, and Obstacleâ€Penetrating Triggering Ability Using Aligned Nanofibers and Alternating Magnetic Field. Macromolecular Materials and Engineering, 2022, 307, . 113 1.7 0 Bioinspired light-driven photonic crystal actuator with MXene-hydrogel muscle. Cell Reports 114 Physical Science, 2022, 3, 100915. Shape memory active thermal-moisture management textiles. Composites Part A: Applied Science and 115 3.8 21 Manufacturing, 2022, 160, 107037. Thermoregulatory clothing with temperature-adaptive multimodal body heat regulation. Cell Reports Physical Science, 2022, 3, 100958. 2.8 Photoredox-Mediated Designing and Regulating Metal-Coordinate Hydrogels for Programmable Soft 117 2.36 3D-Printed Actuators. ACS Macro Letters, 2022, 11, 967-974. Stimulusâ€Responsive Photonic Crystals for Advanced Security. Advanced Functional Materials, 2022, 118 60 Spontaneous and Continuous Actuators Driven by Fluctuations in Ambient Humidity for 120 4.0 9 Energy-Harvesting Applications. ACS Applied Matérials & amp; Interfaces, 2022, 14, 38972-38980. Oscillating light engine realized by photothermal solvent evaporation. Nature Communications, 2022, 121 5.8 Bio-inspired thermal responsible liquid crystal actuators showing shape and color variations 122 3 2.7 simultaneously. Journal of the Taiwan Institute of Chemical Engineers, 2022, 140, 104536. Transient bio-inspired gliders with embodied humidity responsive actuators for environmental sensing. Frontiers in Robotics and Al, 0, 9, . Chiral Nematic Solvent-Responsive Actuator Based on a Cellulose Nanocrystal Template. ACS Applied 124 2.0 1 Polymer Materials, 2022, 4, 8952-8961. Transient materials from hypersensitive ionic polymer fibers. Chemical Engineering Journal, 2023, 454, 6.6 140549. Dual-responsive jumping actuators by light and humidity. Journal of Materials Chemistry A, 2022, 10, 126 5.211 25337-25346. Bioinspired MXene-Based Soft Actuators Exhibiting Angle-Independent Structural Color. Nano-Micro 127 14.4 70 Letters, 2023, 15, . Humidity-stimulated film actuator with dual-responsive of bending deformation and discoloration. 128 4.0 2 Sensors and Actuators B: Chemical, 2023, 380, 133344. Integrating deformation technology with visualization technology: A new roadmap for the future of 129 smart actuator. Reactive and Functional Polymers, 2023, 186, 105573.

#	Article	IF	CITATIONS
130	Emerging passive thermoregulatory textiles through tailoring different heat transfer routes. Textile Reseach Journal, 2023, 93, 3414-3439.	1.1	2
131	Personal Thermoregulation by Moistureâ€Engineered Materials. Advanced Materials, 2024, 36, .	11.1	7
132	Enhanced water-responsive actuation of porous <i>Bombyx mori</i> silk. Soft Matter, 2023, 19, 2047-2052.	1.2	0
133	Synergistic fluorescent hydrogel actuators with selective spatial shape/colorâ€changing behaviors via interfacial supramolecular assembly. SmartMat, 0, , .	6.4	4
134	Extreme cold protective textiles. , 2023, , 303-354.		0
135	Wearable perovskite solar cells by aligned liquid crystal elastomers. Nature Communications, 2023, 14,	5.8	22
136	Water Responsive Fabrics with Artificial Leaf Stomata. Advanced Fiber Materials, 2023, 5, 1076-1087.	7.9	2