## CITATION REPORT List of articles citing

Sulforaphane prevents angiotensin II-induced cardiomyopathy by activation of Nrf2 via stimulating the Akt/GSK-3/Fyn pathway

DOI: 10.1016/j.redox.2017.12.016 Redox Biology, 2018, 15, 405-417.

Source: https://exaly.com/paper-pdf/69113307/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
116	Polydatin Prevents Lipopolysaccharide (LPS)-Induced Parkinson® Disease via Regulation of the AKT/GSK3ENrf2/NF-B Signaling Axis. 2018, 9, 2527		50
115	Suppressing NLRP2 expression accelerates hepatic steatosis: Allmechanism involving inflammation and oxidative stress. <b>2018</b> , 507, 22-29		8
114	Activating Cannabinoid Receptor 2 Protects Against Diabetic Cardiomyopathy Through Autophagy Induction. <b>2018</b> , 9, 1292		18
113	Enhanced Oxidative Damage and Nrf2 Downregulation Contribute to the Aggravation of Periodontitis by Diabetes Mellitus. <b>2018</b> , 2018, 9421019		20
112	Inhibition of TRAF3 expression alleviates cardiac ischemia reperfusion (IR) injury: A mechanism involving in apoptosis, inflammation and oxidative stress. <b>2018</b> , 506, 298-305		15
111	Loss of LRRC25 accelerates pathological cardiac hypertrophy through promoting fibrosis and inflammation regulated by TGF- <b>1</b> . <b>2018</b> , 506, 137-144		9
110	A novel Nrf2 activator, RS9, attenuates secondary brain injury after intracerebral hemorrhage in sub-acute phase. <b>2018</b> , 1701, 137-145		23
109	Sulforaphane protects from myocardial ischemia-reperfusion damage through the balanced activation of Nrf2/AhR. <b>2019</b> , 143, 331-340		27
108	Bailcalin Protects against Diabetic Cardiomyopathy through Keap1/Nrf2/AMPK-Mediated Antioxidative and Lipid-Lowering Effects. <b>2019</b> , 2019, 3206542		15
107	Sulforaphane prevents PC12 cells from oxidative damage via the Nrf2 pathway. <b>2019</b> , 19, 4890-4896		10
106	Astragaloside IV Exerts a Myocardial Protective Effect against Cardiac Hypertrophy in Rats, Partially via Activating the Nrf2/HO-1 Signaling Pathway. <b>2019</b> , 2019, 4625912		22
105	Exercise Mediated Nrf2 Signaling Protects the Myocardium From Isoproterenol-Induced Pathological Remodeling. <b>2019</b> , 6, 68		10
104	Stimulation of Na/K-ATPase with an Antibody against Its 4 Extracellular Region Attenuates Angiotensin II-Induced H9c2 Cardiomyocyte Hypertrophy via an AMPK/SIRT3/PPAR Signaling Pathway. <b>2019</b> , 2019, 4616034		13
103	Density functional theory study on the electronic structures and related properties of Ag-doped CH3NH3PbI3 perovskite. <b>2019</b> , 15, 102709		5
102	Bergenin impedes the generation of extracellular matrix in glomerular mesangial cells and ameliorates diabetic nephropathy in mice by inhibiting oxidative stress via the mTOR/ETrcP/Nrf2 pathway. <b>2019</b> , 145, 118-135		29
101	Enhanced Keap1-Nrf2 signaling protects the myocardium from isoproterenol-induced pathological remodeling in mice. <i>Redox Biology</i> , <b>2019</b> , 27, 101212	11.3	32
100	Triptolide induces oxidative damage in NRK-52E cells through facilitating Nrf2 degradation by ubiquitination via the GSK-3//Fyn pathway. <b>2019</b> , 58, 187-194		14

## (2020-2019)

99	Obacunone attenuates high glucose-induced oxidative damage in NRK-52E cells by inhibiting the activity of GSK-3[]2019, 513, 226-233	14
98	Therapeutic Effects of Nrf2 Activation by Bardoxolone Methyl in Chronic Heart Failure. <b>2019</b> , 371, 642-651	29
97	Polydatin protects against acute myocardial infarction-induced cardiac damage by activation of Nrf2/HO-1 signaling. <b>2019</b> , 73, 85-92	15
96	Desoxo-narchinol A and Narchinol B Isolated from Nardostachys jatamansi Exert Anti-neuroinflammatory Effects by Up-regulating of Nuclear Transcription Factor Erythroid-2-Related Factor 2/Heme Oxygenase-1 Signaling. <b>2019</b> , 35, 230-243	10
95	Loss of RIP3 initiates annihilation of high-fat diet initialized nonalcoholic hepatosteatosis: A mechanism involving Toll-like receptor 4 and oxidative stress. <b>2019</b> , 134, 23-41	33
94	DUSP14 rescues cerebral ischemia/reperfusion (IR) injury by reducing inflammation and apoptosis via the activation of Nrf-2. <b>2019</b> , 509, 713-721	16
93	Isothiocyanate from Broccoli, Sulforaphane, and Its Properties. <b>2019</b> , 22, 121-126	88
92	Blocking of tripartite motif 8 protects against lipopolysaccharide (LPS)-induced acute lung injury by regulating AMPK[activity. <b>2019</b> , 508, 701-708	12
91	FNDC5 alleviates oxidative stress and cardiomyocyte apoptosis in doxorubicin-induced cardiotoxicity via activating AKT. <b>2020</b> , 27, 540-555	135
90	Inhibition of PDE4 protects neurons against oxygen-glucose deprivation-induced endoplasmic reticulum stress through activation of the Nrf-2/HO-1 pathway. <i>Redox Biology</i> , <b>2020</b> , 28, 101342	26
89	Reasonably activating Nrf2: A long-term, effective and controllable strategy for neurodegenerative diseases. <b>2020</b> , 185, 111862	13
88	Organic Isothiocyanates as Hydrogen Sulfide Donors. <b>2020</b> , 32, 110-144	30
87	Sulforaphane prevents chromium-induced lung injury in rats via activation of the Akt/GSK-3/Fyn pathway. <b>2020</b> , 259, 113812	46
86	NRF2 in Cardiovascular Diseases: a Ray of Hope!. <b>2021</b> , 14, 573-586	21
85	Oxidative stress and diabetic retinopathy: Molecular mechanisms, pathogenetic role and therapeutic implications. <i>Redox Biology</i> , <b>2020</b> , 37, 101799	72
84	The signaling interplay of GSK-3[In myocardial disorders. <b>2020</b> , 25, 633-641	4
83	Sulforaphane alleviates ethanol-mediated central inhibition and reverses chronic stress-induced aggravation of acute alcoholism via targeting Nrf2-regulated catalase expression. <b>2020</b> , 176, 108235	2
82	Role of Nrf2 and Its Activators in Cardiocerebral Vascular Disease. <b>2020</b> , 2020, 4683943	7

81	Cruciferous vegetables: rationale for exploring potential salutary effects of sulforaphane-rich foods in patients with chronic kidney disease. <b>2021</b> , 79, 1204-1224	14
80	Dietary Thiols: A Potential Supporting Strategy against Oxidative Stress in Heart Failure and Muscular Damage during Sports Activity. <b>2020</b> , 17,	8
79	Sulforaphane protects against skeletal muscle dysfunction in spontaneous type 2 diabetic db/db mice. <b>2020</b> , 255, 117823	5
78	Rg1 protects H9C2 cells from high glucose-/palmitate-induced injury via activation of AKT/GSK-3/Nrf2 pathway. <b>2020</b> , 24, 8194-8205	9
77	Combined treatment with ultrasound-targeted microbubble destruction technique and NM-aFGF-loaded PEG-nanoliposomes protects against diabetic cardiomyopathy-induced oxidative stress by activating the AKT/GSK-31/Nrf-2 pathway. <b>2020</b> , 27, 938-952	9
76	Detoxifying effects of optimal hyperoxia (40% oxygenation) exposure on benzo[a]pyrene-induced toxicity in human keratinocytes. <b>2020</b> , 83, 82-94	6
75	Mechanisms of diabetic cardiomyopathy and potential therapeutic strategies: preclinical and clinical evidence. <b>2020</b> , 17, 585-607	139
74	Sulforaphane prevents right ventricular injury and reduces pulmonary vascular remodeling in pulmonary arterial hypertension. <b>2020</b> , 318, H853-H866	14
73	Small molecular Nrf2 inhibitors as chemosensitizers for cancer therapy. <b>2020</b> , 12, 243-267	10
72	Pretreatment with Roxadustat (FG-4592) Attenuates Folic Acid-Induced Kidney Injury through Antiferroptosis via Akt/GSK-3/Nrf2 Pathway. <b>2020</b> , 2020, 6286984	26
71	Can Medicinal Plants and Bioactive Compounds Combat Lipid Peroxidation Product 4-HNE-Induced Deleterious Effects?. <b>2020</b> , 10,	1
70	Astragaloside IV-induced Nrf2 nuclear translocation ameliorates lead-related cognitive impairments in mice. <b>2021</b> , 1868, 118853	6
69	Activated PKB/GSK-3 synergizes with PKC- signaling in attenuating myocardial ischemia/reperfusion injury potentiation of NRF2 activity: Therapeutic efficacy of dihydrotanshinone-I. <b>2021</b> , 11, 71-88	11
68	Efficacy of broccoli and glucoraphanin in COVID-19: From hypothesis to proof-of-concept with three experimental clinical cases. <b>2021</b> , 14, 100498	14
67	Application of Animal Models in Diabetic Cardiomyopathy. 2021, 45, 129-145	4
66	Cardiac Protective Effect of Kirenol against Doxorubicin-Induced Cardiac Hypertrophy in H9c2 Cells through Nrf2 Signaling via PI3K/AKT Pathways. <b>2021</b> , 22,	10
65	Extracellular vesicle microRNA cargoes from intermittent hypoxia-exposed cardiomyocytes and their effect on endothelium. <b>2021</b> , 548, 182-188	4
64	Sulforaphane prevents angiotensin II-induced cardiomyopathy by activation of Nrf2 through epigenetic modification. <b>2021</b> , 25, 4408-4419	6

63	The Keap1-Nrf2 System: A Mediator between Oxidative Stress and Aging. 2021, 2021, 6635460	38
62	A review on herbal Nrf2 activators with preclinical evidence in cardiovascular diseases. <b>2021</b> , 35, 5068-5102	5
61	The protective effects of fibroblast growth factor 10 against hepatic ischemia-reperfusion injury in mice. <i>Redox Biology</i> , <b>2021</b> , 40, 101859	5
60	MicroRNA-200c Prevents Progress of Cutaneous Squamous Cell Carcinoma by Targeting Tyrosine-Protein Kinase Fyn (FYN). <b>2021</b> , 11, 886-895	
59	Polydatin has anti-inflammatory and antioxidant effects in LPS-induced macrophages and improves DSS-induced mice colitis. <b>2021</b> , 9, 959-970	10
58	Sulforaphane: A review of its therapeutic potentials, advances in its nanodelivery, recent patents, and clinical trials. <b>2021</b> , 35, 5440-5458	11
57	Aldosterone Negatively Regulates Nrf2 Activity: An Additional Mechanism Contributing to Oxidative Stress and Vascular Dysfunction by Aldosterone. <b>2021</b> , 22,	2
56	The Function of Seven Transmembrane Receptors in the Cardiovascular System and Their Role in the Development of Cardiomyopathy.	O
55	Overview on the Side Effects of Doxorubicin.	1
54	Opioid Receptor Agonist Inhibits Myocardial Injury in Heart Failure Rats through Activating Nrf2/HO-1 Pathway and Regulating Ca-SERCA2a. <b>2021</b> , 2021, 7328437	2
53	An Insight on Multicentric Signaling of Angiotensin II in Cardiovascular system: A Recent Update. <b>2021</b> , 12, 734917	7
52	PHLDA3 inhibition protects against myocardial ischemia/reperfusion injury by alleviating oxidative stress and inflammatory response via the Akt/Nrf2 axis. <b>2021</b> , 36, 2266-2277	3
51	NORAD lentivirus shRNA mitigates fibrosis and inflammatory responses in diabetic cardiomyopathy via the ceRNA network of NORAD/miR-125a-3p/Fyn. <b>2021</b> , 70, 1113-1127	3
50	Nrf2 for cardiac protection: pharmacological options against oxidative stress. <b>2021</b> , 42, 729-744	15
49	A characterized saponin extract of Panax japonicus suppresses hepatocyte EMT and HSC activation in vitro and CCl-provoked liver fibrosis in mice: Roles of its modulatory effects on the Akt/GSK3/Nrf2 cascade. <b>2021</b> , 93, 153746	3
48	AT1R/GSK-3/mTOR Signaling Pathway Involved in Angiotensin II-Induced Neuronal Apoptosis after HIE Both In Vitro and In Vivo. <b>2020</b> , 2020, 8864323	4
47	Sulforaphane suppresses carcinogenesis of colorectal cancer through the ERK/Nrf2-UDP glucuronosyltransferase 1A metabolic axis activation. <b>2020</b> , 43, 1067-1080	12
46	Exploring the beneficial role of telmisartan in sepsis-induced myocardial injury through inhibition of high-mobility group box 1 and glycogen synthase kinase-3/2 huclear factor-B pathway. 2020, 24, 311-317	2

45	Ferroptosis is essential for diabetic cardiomyopathy and is prevented by sulforaphane AMPK/NRF2 pathways <b>2022</b> , 12, 708-722	11
44	NRF2 Activation and Downstream Effects: Focus on Parkinson® Disease and Brain Angiotensin. <b>2021</b> , 10,	Ο
43	EMERGING ROLE OF NRF2 AS A POTENTIAL THERAPEUTIC TARGET FOR CARDIOVASCULAR DISEASES. <b>2020</b> , 1-9	
42	AGE-Rich Bread Crust Extract Boosts Oxidative Stress Interception via Stimulation of the NRF2 Pathway. <b>2021</b> , 13,	1
41	mTOR inhibitor PP242 increases antitumor activity of sulforaphane by blocking Akt/mTOR pathway in esophageal squamous cell carcinoma. <b>2021</b> , 1	0
40	Cyclometalated Ru(II)-isoquinoline complexes overcome cisplatin resistance of A549/DDP cells by downregulation of Nrf2 via Akt/GSK-3//Fyn pathway. <b>2021</b> , 119, 105516	2
39	Bioactive Compounds in Oxidative Stress-Mediated Diseases: Targeting the NRF2/ARE Signaling Pathway and Epigenetic Regulation <b>2021</b> , 10,	6
38	Cardioprotective Effects of Glatiramer Against Ischemia- Reperfusion Injury in Coronary Artery Ligation Model in Rats Through Activation of AKT-GSK-3ETNF-ENrf2 Signalling Pathway. <b>2022</b> , 18, 79-86	
37	Sulforaphane Does Not Protect Right Ventricular Systolic and Diastolic Functions in Nrf2 Knockout Pulmonary Artery Hypertension Mice <b>2022</b> , 1	1
36	Fibroblast growth factor 20 attenuates pathological cardiac hypertrophy by activating the SIRT1 signaling pathway <b>2022</b> , 13, 276	Ο
35	The Interplay between Autophagy and Redox Signaling in Cardiovascular Diseases 2022, 11,	O
34	Novel oral edaravone attenuates diastolic dysfunction of diabetic cardiomyopathy by activating the Nrf2 signaling pathway <b>2022</b> , 920, 174846	1
33	Sulforaphane alleviates hypoxic vestibular vertigo (HVV) by increasing NO production via upregulating the expression of NRF2 <b>2022</b> , 13, 10351-10361	
32	Image_1.JPEG. <b>2019</b> ,	
31	Image_2.JPEG. <b>2019</b> ,	
30	Data_Sheet_1.PDF. <b>2018</b> ,	
29	Sulforaphane Ameliorates the Intestinal Injury in Necrotizing Enterocolitis by Regulating the PI3K/Akt/GSK-315ignaling Pathway. <b>2022</b> , 2022, 1-11	
28	Resveratrol Attenuates High Glucose-Induced Osteoblast Dysfunction via AKT/GSK3/FYN-Mediated NRF2 Activation. <b>2022</b> , 13,	1

27	Zinc-dependent histone deacetylases: Potential therapeutic targets for arterial hypertension. <b>2022</b> , 202, 115111	1
26	Psoralen alleviates radiation-induced bone injury by rescuing skeletal stem cell stemness through AKT-mediated upregulation of GSK-3[and NRF2. <b>2022</b> , 13,	1
25	Signaling Pathways Related to Oxidative Stress in Diabetic Cardiomyopathy. 13,	1
24	LCZ696 Protects Against Doxorubicin-Induced Cardiotoxicity by Inhibiting Ferroptosis Via AKT/SIRT3/SOD2 Signaling Pathway Activation.	
23	Essential role of Nrf2 in sulforaphane-induced protection against angiotensin II-induced aortic injury. <b>2022</b> , 306, 120780	1
22	Ammonium tetrathiomolybdate triggers autophagy-dependent NRF2 activation in vascular endothelial cells. <b>2022</b> , 13,	O
21	Sulforaphane inhibits angiotensin II-induced cardiomyocyte apoptosis by acetylation modification of Nrf2.	О
20	Hormesis and Oxidative Distress: Pathophysiology of Reactive Oxygen Species and the Open Question of Antioxidant Modulation and Supplementation. <b>2022</b> , 11, 1613	O
19	Targeting p21-activated kinase 4 (PAK4) with pyrazolo[3,4-d]pyrimidine derivative SPA7012 attenuates hepatic ischaemia-reperfusion injury in mice. <b>2022</b> , 37, 2133-2146	1
18	Nrf2 transcriptional upregulation of IDH2 to tune mitochondrial dynamics and rescue angiogenic function of diabetic EPCs. <b>2022</b> , 56, 102449	O
17	Fibroblast growth factor 7 alleviates myocardial infarction by improving oxidative stress via PI3K/AKT-mediated regulation of Nrf2 and HXK2. <b>2022</b> , 56, 102468	0
16	Basic fibroblast growth factor protects against liver ischemia-reperfusion injury via the Nrf2/Hippo signaling pathway. <b>2022</b> , 79, 101921	O
15	Regulation of nuclear factor erythroid-2-related factor 2 as a potential therapeutic target in intracerebral hemorrhage. 15,	О
14	Metformin alleviates ethanol-induced cardiomyocyte injury by activating AKT/Nrf2 signaling in an ErbB2-dependent manner.	O
13	LCZ696 protects against doxorubicin-induced cardiotoxicity by inhibiting ferroptosis via AKT/SIRT3/SOD2 signaling pathway activation. <b>2022</b> , 113, 109379	1
12	Sulforaphane regulates Nrf2-mediated antioxidant activity and downregulates TGF-II/Smad pathways to prevent radiation-induced muscle fibrosis. <b>2022</b> , 121197	O
11	NBP Relieves Cardiac Injury and Reduce Oxidative Stress and Cell Apoptosis in Heart Failure Mice by Activating Nrf2/HO-1/Ca2+-SERCA2a Axis. <b>2022</b> , 2022, 1-12	О
10	Liraglutide Improves the Angiogenic Capability of EPC and Promotes Ischemic Angiogenesis in Mice under Diabetic Conditions through an Nrf2-Dependent Mechanism. <b>2022</b> , 11, 3821	O

9	Activation of Nrf2 signaling: A key molecular mechanism of protection against cardiovascular diseases by natural products. 13,	O
8	Sulforaphane, an Nrf-2 Agonist, Modulates Oxidative Stress and Inflammation in a Rat Model of Cuprizone-Induced Cardiotoxicity and Hepatotoxicity.	1
7	Beneficial Effects of Sulforaphane on Diabetes and Its Complications via Both Nrf2-Dependent and Independent Mechanisms. <b>2023</b> , 3,	O
6	Metformin alleviates ethanol-induced cardiomyocyte injury by activating AKT/Nrf2 signaling in an ErbB2-dependent manner. <b>2023</b> , 50, 3469-3478	O
5	Celastrol confers ferroptosis resistance via AKT/GSK3Isignaling in high-fat diet-induced cardiac injury. <b>2023</b> , 200, 36-46	О
4	LncRNA MHRT Prevents Angiotensin II-Induced Myocardial Oxidative Stress and NLRP3 Inflammasome via Nrf2 Activation. <b>2023</b> , 12, 672	O
3	Nrf2 Activation Does Not Protect from Aldosterone-Induced Kidney Damage in Mice. <b>2023</b> , 12, 777	0
2	Targeting ferroptosis as a promising therapeutic strategy to treat cardiomyopathy. 14,	0
1	Interplay between Phytochemicals and the Colonic Microbiota. <b>2023</b> , 15, 1989	О