

Small-scale soft-bodied robot with multimodal locomotion

Nature

554, 81-85

DOI: [10.1038/nature25443](https://doi.org/10.1038/nature25443)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Functional properties of silicone/ethanol soft-actuator composites. <i>Materials and Design</i> , 2018, 145, 232-242. | 3.3 | 40 |
| 2 | Miniature soft robots "road to the clinic. <i>Nature Reviews Materials</i> , 2018, 3, 74-75. | 23.3 | 256 |
| 3 | Magnetically Induced Low Adhesive Direction of Nano/Micropillar Arrays for Microdroplet Transport. <i>Advanced Functional Materials</i> , 2018, 28, 1800163. | 7.8 | 128 |
| 5 | Application of metaheuristic algorithms to the identification of nonlinear magneto-viscoelastic constitutive parameters. <i>Journal of Magnetism and Magnetic Materials</i> , 2018, 464, 116-131. | 1.0 | 19 |
| 6 | Magnetic Navigation of a Rotating Colloidal Swarm Using Ultrasound Images. , 2018, , . | | 21 |
| 7 | Manipulation of Lotus-root Fiber Based Soft Helical Microswimmers Using Rotating Gradient Field. , 2018, , . | | 0 |
| 8 | Swimming Microrobots: Soft, Reconfigurable, and Smart. <i>Advanced Functional Materials</i> , 2018, 28, 1707228. | 7.8 | 154 |
| 9 | A Soft Robot to Navigate the Lumens of the Body Using Undulatory Locomotion Generated by a Rotating Magnetic Dipole Field. , 2018, , . | | 6 |
| 10 | An ultra-thin highly flexible microfluidic device for blood oxygenation. <i>Lab on A Chip</i> , 2018, 18, 3780-3789. | 3.1 | 23 |
| 11 | Guided Motion Control Methodology for Microrobots. , 2018, , . | | 5 |
| 12 | A Photothermal Soft Actuator Based on MoS2 and PDMS. , 2018, , . | | 0 |
| 13 | A Hydrophilic/Hydrophobic Janus Inverse-Opal Actuator <i>via</i> Gradient Infiltration. <i>ACS Nano</i> , 2018, 12, 12149-12158. | 7.3 | 62 |
| 14 | Fabrication and Locomotion of Flexible Nanoswimmers. , 2018, , . | | 2 |
| 15 | Mimicking the Secretory Action of a Gland by a Composite System Made of a pH-Responsive Surfactant-Based Hydrogel and a Dialysis Membrane. <i>ACS Omega</i> , 2018, 3, 16777-16783. | 1.6 | 7 |
| 16 | Plasmonic-Assisted Graphene Oxide Artificial Muscles. <i>Advanced Materials</i> , 2019, 31, e1806386. | 11.1 | 134 |
| 17 | Reconfigurable photoactuator through synergistic use of photochemical and photothermal effects. <i>Nature Communications</i> , 2018, 9, 4148. | 5.8 | 233 |
| 18 | Untethered Miniature Soft Robots: Modeling and Design of a Millimeter-Scale Swimming Magnetic Sheet. <i>Soft Robotics</i> , 2018, 5, 761-776. | 4.6 | 65 |
| 19 | A bioinspired multilegged soft millirobot that functions in both dry and wet conditions. <i>Nature Communications</i> , 2018, 9, 3944. | 5.8 | 385 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 20 | Snap-Buckling Motivated Controllable Jumping of Thermo-Responsive Hydrogel Bilayers. ACS Applied Materials & Interfaces, 2018, 10, 41724-41731. | 4.0 | 90 |
| 21 | 3D Micromolding of Small-Scale Biological Robots. , 2018, , . | | 5 |
| 22 | A Wheeled Robot Driven by a Liquidâ€Metal Droplet. Advanced Materials, 2018, 30, e1805039. | 11.1 | 109 |
| 23 | Biological compositesâ€™ complex structures for functional diversity. Science, 2018, 362, 543-547. | 6.0 | 286 |
| 24 | Photothermally driven liquid crystal polymer actuators. Materials Chemistry Frontiers, 2018, 2, 1932-1943. | 3.2 | 144 |
| 25 | Flexible paramagnetic membranes in fast precessing fields. Physical Review E, 2018, 98, . | 0.8 | 5 |
| 26 | 3D Printed Enzymatically Biodegradable Soft Helical Microswimmers. Advanced Functional Materials, 2018, 28, 1804107. | 7.8 | 222 |
| 27 | Origami Biosystems: 3D Assembly Methods for Biomedical Applications. Advanced Biology, 2018, 2, 1800230. | 3.0 | 57 |
| 28 | Untethered Recyclable Tubular Actuators with Versatile Locomotion for Soft Continuum Robots. Advanced Materials, 2018, 30, e1801103. | 11.1 | 133 |
| 29 | Design of Multifunctional Soft Doming Actuator for Soft Machines. Advanced Materials Technologies, 2018, 3, 1800069. | 3.0 | 14 |
| 30 | Near-infrared light-driven locomotion of a liquid crystal polymer trilayer actuator. Materials Chemistry Frontiers, 2018, 2, 1383-1388. | 3.2 | 47 |
| 31 | Reprogrammable, magnetically controlled polymeric nanocomposite actuators. Materials Horizons, 2018, 5, 861-867. | 6.4 | 46 |
| 32 | Investigation of Magnetotaxis of Reconfigurable Microâ€Origami Swimmers with Competitive and Cooperative Anisotropy. Advanced Functional Materials, 2018, 28, 1802110. | 7.8 | 40 |
| 33 | Toward Perceptive Soft Robots: Progress and Challenges. Advanced Science, 2018, 5, 1800541. | 5.6 | 468 |
| 34 | Voltage-Induced Wrinkle Performance in a Hydrogel by Dielectric Elastomer Actuation. Polymers, 2018, 10, 697. | 2.0 | 8 |
| 35 | Alignment of Thermally Conducting Nanotubes Making High-Performance Light-Driving Motors. ACS Applied Materials & Interfaces, 2018, 10, 26765-26771. | 4.0 | 24 |
| 36 | Light or Thermally Powered Autonomous Rolling of an Elastomer Rod. ACS Applied Materials & Interfaces, 2018, 10, 25689-25696. | 4.0 | 115 |
| 37 | Bioinspired microrobots. Nature Reviews Materials, 2018, 3, 113-124. | 23.3 | 472 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 38 | Carbon-Based Photothermal Actuators. <i>Advanced Functional Materials</i> , 2018, 28, 1802235. | 7.8 | 297 |
| 39 | An Overview of Novel Actuators for Soft Robotics. <i>Actuators</i> , 2018, 7, 48. | 1.2 | 140 |
| 40 | In-built thermo-mechanical cooperative feedback mechanism for self-propelled multimodal locomotion and electricity generation. <i>Nature Communications</i> , 2018, 9, 3438. | 5.8 | 117 |
| 41 | Printing ferromagnetic domains for untethered fast-transforming soft materials. <i>Nature</i> , 2018, 558, 274-279. | 13.7 | 1,426 |
| 42 | Directional transport of centimeter-scale object on anisotropic microcilia surface under water. <i>Science China Materials</i> , 2019, 62, 236-244. | 3.5 | 13 |
| 43 | Inkjet Printable Actuators and Sensors for Soft-bodied Crawling Robots. , 2019, , . | | 4 |
| 44 | How inhomogeneous zipping increases the force output of Peano-HASEL actuators. <i>Extreme Mechanics Letters</i> , 2019, 31, 100542. | 2.0 | 26 |
| 45 | Miniature Pneumatic Actuators for Soft Robots by High-Resolution Multimaterial 3D Printing. <i>Advanced Materials Technologies</i> , 2019, 4, 1900427. | 3.0 | 91 |
| 46 | A Soft Pneumatic Inchworm Double balloon (SPID) for colonoscopy. <i>Scientific Reports</i> , 2019, 9, 11109. | 1.6 | 58 |
| 47 | Photothermally and magnetically controlled reconfiguration of polymer composites for soft robotics. <i>Science Advances</i> , 2019, 5, eaaw2897. | 4.7 | 173 |
| 48 | Crystalline membrane morphology beyond polyhedra. <i>Physical Review E</i> , 2019, 100, 012610. | 0.8 | 4 |
| 49 | Topology optimization and 3D printing of multimaterial magnetic actuators and displays. <i>Science Advances</i> , 2019, 5, eaaw1160. | 4.7 | 50 |
| 50 | Energy-optimal strokes for multi-link microswimmers: Purcell's loops and Taylor's waves reconciled. <i>New Journal of Physics</i> , 2019, 21, 043050. | 1.2 | 21 |
| 51 | Thrust and Hydrodynamic Efficiency of the Bundled Flagella. <i>Micromachines</i> , 2019, 10, 449. | 1.4 | 8 |
| 52 | Designing minimal and scalable insect-inspired multi-locomotion millirobots. <i>Nature</i> , 2019, 571, 381-386. | 13.7 | 154 |
| 53 | Programmable Multistable Hydrogel Morphs. <i>Advanced Intelligent Systems</i> , 2019, 1, 1900055. | 3.3 | 14 |
| 54 | Magnetically Guided Soft Robotic Grippers. , 2019, , . | | 6 |
| 55 | Bio-inspired untethered fully soft robots in liquid actuated by induced energy gradients. <i>National Science Review</i> , 2019, 6, 970-981. | 4.6 | 22 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 56 | Microscopic hollow hydrogel springs, necklaces and ladders: a tubular robot as a potential vascular scavenger. <i>Materials Horizons</i> , 2019, 6, 2135-2142. | 6.4 | 30 |
| 57 | A microrobotic system guided by photoacoustic computed tomography for targeted navigation in intestines in vivo. <i>Science Robotics</i> , 2019, 4, . | 9.9 | 321 |
| 58 | Asymmetrically synchronous reduction and assembly of graphene oxide film on metal foil for moisture responsive actuator. <i>Nanotechnology</i> , 2019, 30, 445601. | 1.3 | 8 |
| 59 | Translational prospects of untethered medical microrobots. <i>Progress in Biomedical Engineering</i> , 2019, 1, 012002. | 2.8 | 120 |
| 60 | Chameleon-Inspired Structural-Color Actuators. <i>Matter</i> , 2019, 1, 626-638. | 5.0 | 197 |
| 61 | Electro and Light-Active Actuators Based on Reversible Shape-Memory Polymer Composites with Segregated Conductive Networks. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 30332-30340. | 4.0 | 66 |
| 62 | Electrically-latched compliant jumping mechanism based on a dielectric elastomer actuator. <i>Smart Materials and Structures</i> , 2019, 28, 09LT01. | 1.8 | 18 |
| 63 | Insect-scale fast moving and ultrarobust soft robot. <i>Science Robotics</i> , 2019, 4, . | 9.9 | 282 |
| 64 | Micro/Nanoscale 3D Assembly by Rolling, Folding, Curving, and Buckling Approaches. <i>Advanced Materials</i> , 2019, 31, e1901895. | 11.1 | 84 |
| 65 | Multi-functional soft-bodied jellyfish-like swimming. <i>Nature Communications</i> , 2019, 10, 2703. | 5.8 | 343 |
| 66 | Worm-Like Soft Robot for Complicated Tubular Environments. <i>Soft Robotics</i> , 2019, 6, 399-413. | 4.6 | 91 |
| 67 | Characterizing Nanoparticle Swarms With Tuneable Concentrations for Enhanced Imaging Contrast. <i>IEEE Robotics and Automation Letters</i> , 2019, 4, 2942-2949. | 3.3 | 36 |
| 68 | Evaluation of 3D Printed Soft Robots in Radiation Environments and Comparison With Molded Counterparts. <i>Frontiers in Robotics and AI</i> , 2019, 6, 40. | 2.0 | 27 |
| 69 | Soft medical microrobots: Design components and system integration. <i>Applied Physics Reviews</i> , 2019, 6, 041305. | 5.5 | 40 |
| 70 | Versatile magnetorheological elastomer with 3D printability, switchable mechanics, shape memory, and self-healing capacity. <i>Composites Science and Technology</i> , 2019, 183, 107817. | 3.8 | 55 |
| 71 | Spontaneous deformation of flexible ferromagnetic ribbons induced by Dzyaloshinskii-Moriya interaction. <i>Physical Review B</i> , 2019, 100, . | 1.1 | 14 |
| 72 | Origami NdFeB Flexible Magnetic Membranes with Enhanced Magnetism and Programmable Sequences of Polarities. <i>Advanced Functional Materials</i> , 2019, 29, 1904977. | 7.8 | 55 |
| 73 | Investigation of the Effect of Carbonyl Iron Micro-Particles on the Mechanical and Rheological Properties of Isotropic and Anisotropic MREs: Constitutive Magneto-Mechanical Material Model. <i>Polymers</i> , 2019, 11, 1705. | 2.0 | 21 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 74 | A High-Performing, Visible-Light-Driven Actuating Material Responsive to Ultralow Light Intensities. <i>Advanced Materials Technologies</i> , 2019, 4, 1900746. | 3.0 | 16 |
| 75 | Advanced Artificial Muscle for Flexible Material-Based Reconfigurable Soft Robots. <i>Advanced Science</i> , 2019, 6, 1901371. | 5.6 | 71 |
| 76 | Thermo- and photo-responsive composite hydrogels with programmed deformations. <i>Journal of Materials Chemistry B</i> , 2019, 7, 1674-1678. | 2.9 | 55 |
| 77 | Programming Multistage Shape Memory and Variable Recovery Force with 4D Printing Parameters. <i>Advanced Materials Technologies</i> , 2019, 4, 1900535. | 3.0 | 27 |
| 78 | Formation mechanism of nanoscale transformation twinning in ultra-low-carbon high-strength pipeline steels. <i>Journal of Materials Science</i> , 2019, 54, 14950-14960. | 1.7 | 4 |
| 79 | Nanomagnetic encoding of shape-morphing micromachines. <i>Nature</i> , 2019, 575, 164-168. | 13.7 | 307 |
| 80 | Magnetic quadrupole assemblies with arbitrary shapes and magnetizations. <i>Science Robotics</i> , 2019, 4, . | 9.9 | 49 |
| 81 | Photodirected Morphing Structures of Nanocomposite Shape Memory Hydrogel with High Stiffness and Toughness. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 43631-43640. | 4.0 | 32 |
| 82 | Magnetic Actuation of Multiple Robots by the Coplanar Coils System. , 2019, , . | | 5 |
| 83 | Manipulating the Moving Trajectory of Insect-Scale Piezoelectric Soft Robots by Frequency. , 2019, , . | | 6 |
| 84 | Soft microbots programmed by nanomagnets. <i>Nature</i> , 2019, 575, 58-59. | 13.7 | 36 |
| 85 | Snail-Inspired Dry Adhesive with Embedded Microstructures for Enhancement of Energy Dissipation. <i>Advanced Materials Technologies</i> , 2019, 4, 1900316. | 3.0 | 26 |
| 86 | On-demand orbital maneuver of multiple soft robots via hierarchical magnetomotility. <i>Nature Communications</i> , 2019, 10, 4751. | 5.8 | 48 |
| 87 | G9a and histone deacetylases are crucial for Snail-mediated E-cadherin repression and metastasis in hepatocellular carcinoma. <i>Cancer Science</i> , 2019, 110, 3442-3452. | 1.7 | 40 |
| 88 | Molecular and Microbial Microenvironments in Chronically Diseased Lungs Associated with Cystic Fibrosis. <i>MSystems</i> , 2019, 4, . | 1.7 | 23 |
| 89 | Visual Servoing of Miniature Magnetic Film Swimming Robots for 3-D Arbitrary Path Following. <i>IEEE Robotics and Automation Letters</i> , 2019, 4, 4185-4191. | 3.3 | 34 |
| 90 | Ferromagnetic soft continuum robots. <i>Science Robotics</i> , 2019, 4, . | 9.9 | 698 |
| 91 | ChevBot – An Untethered Microrobot Powered by Laser for Microfactory Applications. , 2019, , . | | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 92 | Positioning Uncertainty Reduction of Magnetically Guided Actuation on Planar Surfaces. , 2019, , . | | 5 |
| 93 | Untethered soft robotic matter with passive control of shape morphing and propulsion. Science Robotics, 2019, 4, . | 9.9 | 268 |
| 94 | Reversely Orthogonal Actuation of a Janus-Faced Film Based on Asymmetric Polymer Brush Modification. ACS Applied Materials & Interfaces, 2019, 11, 36073-36080. | 4.0 | 11 |
| 95 | 3D Printable Linear Soft Vacuum Actuators: Their Modeling, Performance Quantification and Application in Soft Robotic Systems. IEEE/ASME Transactions on Mechatronics, 2019, 24, 2118-2129. | 3.7 | 70 |
| 96 | Consecutive aquatic jump-gliding with water-reactive fuel. Science Robotics, 2019, 4, . | 9.9 | 59 |
| 97 | Multi-material Additive Manufacturing of Functional Soft Robot. Procedia Manufacturing, 2019, 34, 566-573. | 1.9 | 31 |
| 98 | Elevation and Azimuth Rotational Actuation of an Untethered Millirobot by MRI Gradient Coils. IEEE Transactions on Robotics, 2019, 35, 1323-1337. | 7.3 | 29 |
| 99 | Floating magnetic microrobots for fiber functionalization. Science Robotics, 2019, 4, . | 9.9 | 48 |
| 100 | Soft hybrid magnetorheological elastomer: Gap bridging between MR fluid and MR elastomer. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2019, 583, 123975. | 2.3 | 21 |
| 101 | Contactless Manipulation of Soft Robots. Materials, 2019, 12, 3065. | 1.3 | 34 |
| 102 | Magnetoelastic deformation of a circular membrane: Wrinkling and limit point instabilities. International Journal of Non-Linear Mechanics, 2019, 116, 250-261. | 1.4 | 10 |
| 103 | Stretchable conductive nonwoven fabrics with self-cleaning capability for tunable wearable strain sensor. Nano Energy, 2019, 66, 104143. | 8.2 | 249 |
| 104 | Symmetry-Breaking Actuation Mechanism for Soft Robotics and Active Metamaterials. ACS Applied Materials & Interfaces, 2019, 11, 41649-41658. | 4.0 | 130 |
| 105 | Effect of Reaction Parameters on the Wavelength of Pulse Waves in the Belousovâ€Zhabotinsky Reactionâ€Diffusion System. Journal of Physical Chemistry A, 2019, 123, 9292-9297. | 1.1 | 4 |
| 106 | Grapheneâ€Based Bimorph Actuators with Dualâ€Response and Largeâ€Deformation by a Simple Method. Macromolecular Materials and Engineering, 2019, 304, 1800688. | 1.7 | 22 |
| 107 | Magnetic double-network hydrogels for tissue hyperthermia and drug release. Journal of Materials Chemistry B, 2019, 7, 1311-1321. | 2.9 | 67 |
| 108 | An Untethered Magneticâ€and Lightâ€Responsive Rotary Gripper: Shedding Light on Photoresponsive Liquid Crystal Actuators. Advanced Optical Materials, 2019, 7, 1801643. | 3.6 | 76 |
| 109 | Dual-Gel 4D Printing of Bioinspired Tubes. ACS Applied Materials & Interfaces, 2019, 11, 8492-8498. | 4.0 | 100 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 110 | Bioinspired 3D Printed Locomotion Devices Based on Anisotropic Friction. <i>Small</i> , 2019, 15, e1802931. | 5.2 | 21 |
| 111 | Multifunctional Soft Actuators Based on Anisotropic Paper/Polymer Bilayer Toward Bioinspired Applications. <i>Advanced Materials Technologies</i> , 2019, 4, 1800674. | 3.0 | 37 |
| 112 | Bioinspiriertes Design und additive Fertigung von weichen Materialien, Maschinen, Robotern und haptischen Schnittstellen. <i>Angewandte Chemie</i> , 2019, 131, 11300-11324. | 1.6 | 5 |
| 113 | Bioinspired Design and Additive Manufacturing of Soft Materials, Machines, Robots, and Haptic Interfaces. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 11182-11204. | 7.2 | 120 |
| 114 | Actuation of magnetoelastic membranes in precessing magnetic fields. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 2500-2505. | 3.3 | 26 |
| 115 | Multifunctional Janus Microplates Arrays Actuated by Magnetic Fields for Water/Light Switches and Bioinspired Assimilatory Coloration. <i>Advanced Materials</i> , 2019, 31, e1807507. | 11.1 | 144 |
| 116 | Graphene based self-healing materials. <i>Carbon</i> , 2019, 146, 371-387. | 5.4 | 52 |
| 117 | Synthesis and characterization of a supported ionic-liquid phase catalyst with a dual-mesoporous structure derived from poly(ionic liquids) and P123. <i>New Journal of Chemistry</i> , 2019, 43, 2899-2907. | 1.4 | 2 |
| 118 | Superhydrophobic Electrically Conductive Paper for Ultrasensitive Strain Sensor with Excellent Anticorrosion and Self-Cleaning Property. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 21904-21914. | 4.0 | 228 |
| 119 | Photoresponsive Actuators Built from Carbon-Based Soft Materials. <i>Advanced Optical Materials</i> , 2019, 7, 1900069. | 3.6 | 78 |
| 120 | Magneto-visco-hyperelasticity for hard-magnetic soft materials: theory and numerical applications. <i>Smart Materials and Structures</i> , 2019, 28, 085020. | 1.8 | 56 |
| 121 | Biocompatibility of artificial micro/nanomotors for use in biomedicine. <i>Nanoscale</i> , 2019, 11, 14099-14112. | 2.8 | 67 |
| 122 | Light-Controlled Micromotors and Soft Microrobots. <i>Advanced Optical Materials</i> , 2019, 7, 1900370. | 3.6 | 91 |
| 123 | Atomic Layer Deposition for Membranes, Metamaterials, and Mechanisms. <i>Advanced Materials</i> , 2019, 31, e1901944. | 11.1 | 24 |
| 124 | Robotic Artificial Muscles: Current Progress and Future Perspectives. <i>IEEE Transactions on Robotics</i> , 2019, 35, 761-781. | 7.3 | 225 |
| 125 | Intelligent Liquid Integrated Functional Entity: A Basic Way to Innovate Future Advanced Biomimetic Soft Robotics. <i>Advanced Intelligent Systems</i> , 2019, 1, 1900017. | 3.3 | 11 |
| 126 | Magnetorheological elastomer peristaltic fluid conveying system for non-Newtonian fluids with an analogic moisture loss process. <i>Journal of Intelligent Material Systems and Structures</i> , 2019, 30, 2013-2023. | 1.4 | 1 |
| 127 | Bioinspired Design of Light-Powered Crawling, Squeezing, and Jumping Untethered Soft Robot. <i>Advanced Materials Technologies</i> , 2019, 4, 1900185. | 3.0 | 144 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 129 | Shape Morphing of Hydrogels in Alternating Magnetic Field. ACS Applied Materials & Interfaces, 2019, 11, 21194-21200. | 4.0 | 108 |
| 130 | Mechanics of bistable cross-shaped structures through loading-path controlled 3D assembly. Journal of the Mechanics and Physics of Solids, 2019, 129, 261-277. | 2.3 | 31 |
| 131 | Biocompatible propulsion for biomedical micro/nano robotics. Biosensors and Bioelectronics, 2019, 139, 111334. | 5.3 | 67 |
| 132 | Posture measurement of soft pneumatic bending actuator using optical fibre-based sensing membrane. Industrial Robot, 2019, 46, 118-127. | 1.2 | 10 |
| 133 | Millimeter-scale flexible robots with programmable three-dimensional magnetization and motions. Science Robotics, 2019, 4, . | 9.9 | 443 |
| 134 | A Liquidâ€Metalâ€Elastomer Nanocomposite for Stretchable Dielectric Materials. Advanced Materials, 2019, 31, e1900663. | 11.1 | 204 |
| 135 | Magnetomotility of untethered helical soft robots. RSC Advances, 2019, 9, 11272-11280. | 1.7 | 39 |
| 136 | Particle robotics based on statistical mechanics of loosely coupled components. Nature, 2019, 567, 361-365. | 13.7 | 210 |
| 137 | Elementary Slender Soft Robots Inspired by Skeleton Joint System of Animals. Soft Robotics, 2019, 6, 377-388. | 4.6 | 10 |
| 138 | Magnetically-actuated artificial cilium: a simple theoretical model. Soft Matter, 2019, 15, 3864-3871. | 1.2 | 21 |
| 139 | Influence of the particle size on the magnetorheological effect of magnetorheological elastomers. Journal of Magnetism and Magnetic Materials, 2019, 481, 176-182. | 1.0 | 55 |
| 140 | Controllable kinematics of soft polymer actuators induced by interfacial patterning. Journal of Materials Chemistry C, 2019, 7, 5410-5417. | 2.7 | 14 |
| 141 | 3Dâ€Printed Microrobotic Transporters with Recapitulated Stem Cell Niche for Programmable and Active Cell Delivery. Advanced Functional Materials, 2019, 29, 1808992. | 7.8 | 107 |
| 142 | Coupled magneto-mechanical modeling of non-linear ferromagnetic diaphragm systems. International Journal of Mechanical Sciences, 2019, 155, 360-369. | 3.6 | 16 |
| 143 | Water-Evaporation-Powered Fast Actuators with Multimodal Motion Based on Robust Nacre-Mimetic Composite Film. ACS Applied Materials & Interfaces, 2019, 11, 12890-12897. | 4.0 | 29 |
| 144 | 3Dâ€Architected Soft Machines with Topologically Encoded Motion. Advanced Functional Materials, 2019, 29, 1808713. | 7.8 | 42 |
| 145 | Photocrosslinking Patterning of Single-Layered Polymer Actuators for Controllable Motility and Automatic Devices. ACS Applied Materials & Interfaces, 2019, 11, 16252-16259. | 4.0 | 13 |
| 146 | Robotics: Science preceding science fiction. MRS Bulletin, 2019, 44, 295-301. | 1.7 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 147 | Soft Robotics in Minimally Invasive Surgery. <i>Soft Robotics</i> , 2019, 6, 423-443. | 4.6 | 308 |
| 148 | Bioinspired Actuators Based on Stimuli-Responsive Polymers. <i>Chemistry - an Asian Journal</i> , 2019, 14, 2369-2387. | 1.7 | 60 |
| 149 | ARTIFICIAL CELL evolves into nanomedicine, biotherapeutics, blood substitutes, drug delivery, enzyme/gene therapy, cancer therapy, cell/stem cell therapy, nanoparticles, liposomes, bioencapsulation, replicating synthetic cells, cell encapsulation/scaffold, biosorbent/immunosorbent haemoperfusion/plasmapheresis, regenerative medicine, encapsulated microbe, nanobiotechnology, nanotechnology. <i>Artificial Cells, Nanomedicine and Biotechnology</i> , 2019, 47, 997-1013. | 1.9 | 35 |
| 150 | Shaping the Assembly of Superparamagnetic Nanoparticles. <i>ACS Nano</i> , 2019, 13, 3015-3022. | 7.3 | 64 |
| 151 | The Pathway to Intelligence: Using Stimuli-Responsive Materials as Building Blocks for Constructing Smart and Functional Systems. <i>Advanced Materials</i> , 2019, 31, e1804540. | 11.1 | 169 |
| 152 | Thermal Stability and Rheological Properties of Epoxidized Natural Rubber-Based Magnetorheological Elastomer. <i>International Journal of Molecular Sciences</i> , 2019, 20, 746. | 1.8 | 26 |
| 153 | 3D-Printed Biodegradable Microswimmer for Theranostic Cargo Delivery and Release. <i>ACS Nano</i> , 2019, 13, 3353-3362. | 7.3 | 334 |
| 154 | Inchworm-Inspired Soft Robot With Light-Actuated Locomotion. <i>IEEE Robotics and Automation Letters</i> , 2019, 4, 1647-1652. | 3.3 | 16 |
| 155 | Bio-Inspired Terrestrial Motion of Magnetic Soft Millirobots. <i>IEEE Robotics and Automation Letters</i> , 2019, 4, 1753-1759. | 3.3 | 71 |
| 156 | Smart magnetorheological elastomer peristaltic pump. <i>Journal of Intelligent Material Systems and Structures</i> , 2019, 30, 1084-1093. | 1.4 | 31 |
| 157 | Adhesive Tough Magnetic Hydrogels with High Fe ₃ O ₄ Content. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 10292-10300. | 4.0 | 89 |
| 158 | A Review of Magnetically Actuated Milli/Micro-Scale Robots Locomotion and Features. <i>Critical Reviews in Biomedical Engineering</i> , 2019, 47, 379-394. | 0.5 | 7 |
| 159 | Magnetic handshake materials as a scale-invariant platform for programmed self-assembly. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 24402-24407. | 3.3 | 28 |
| 160 | A Magnetically Actuated Octopus-like Robot Capable of Moving in 3D Space. , 2019, , . | | 6 |
| 161 | Magnetic-Needle-Assisted Micromanipulation of Dynamically Self-Assembled Magnetic Droplets for Cargo Transportation. , 2019, , . | | 2 |
| 162 | Soft actuators driven by humidity and temperature based on plant parchment. , 2019, , . | | 0 |
| 163 | Structurally isolated photoactuation of graphene-mixed temperature-responsive hydrogels in soft-rigid series structure. <i>ROBOMECH Journal</i> , 2019, 6, . | 0.9 | 7 |
| 164 | Tumbling Magnetic Microrobots for Biomedical Applications. , 2019, , . | | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 165 | Anodized Aluminum Oxide-Assisted Low-Cost Flexible Capacitive Pressure Sensors Based on Double-Sided Nanopillars by a Facile Fabrication Method. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 48594-48603. | 4.0 | 130 |
| 166 | Cutting the Cord: Progress in Untethered Soft Robotics and Actuators. <i>MRS Advances</i> , 2019, 4, 2787-2804. | 0.5 | 7 |
| 167 | Biological Material Interfaces as Inspiration for Mechanical and Optical Material Designs. <i>Chemical Reviews</i> , 2019, 119, 12279-12336. | 23.0 | 121 |
| 168 | Specific, non-invasive and magnetically-directed targeting of magnetic erythrocytes in blood vessels of mice. <i>IEEE Transactions on Biomedical Engineering</i> , 2019, 67, 1-1. | 2.5 | 1 |
| 169 | Multifunctional Noncontact Micromanipulation Using Whirling Flow Generated by Vibrating a Single Piezo Actuator. <i>Small</i> , 2019, 15, e1804421. | 5.2 | 34 |
| 170 | A Stimuli-Responsive Nanocomposite for 3D Anisotropic Cell-Guidance and Magnetic Soft Robotics. <i>Advanced Functional Materials</i> , 2019, 29, 1804647. | 7.8 | 126 |
| 171 | Self-Assembly Magnetic Chain Unit for Bulk Biomaterial Actuation. <i>IEEE Robotics and Automation Letters</i> , 2019, 4, 262-268. | 3.3 | 11 |
| 172 | Durable Ultraflexible Organic Photovoltaics with Novel Metal-Oxide-Free Cathode. <i>Advanced Functional Materials</i> , 2019, 29, 1808378. | 7.8 | 34 |
| 173 | Ingestible electronics for diagnostics and therapy. <i>Nature Reviews Materials</i> , 2019, 4, 83-98. | 23.3 | 146 |
| 174 | Magnetization-induced shape transformations in flexible ferromagnetic rings. <i>Physical Review B</i> , 2019, 99, . | 1.1 | 14 |
| 175 | Tube-crawling soft robots driven by multistable buckling mechanics. <i>Extreme Mechanics Letters</i> , 2019, 26, 61-68. | 2.0 | 27 |
| 176 | A Light-Powered Ultralight Tensegrity Robot with High Deformability and Load Capacity. <i>Advanced Materials</i> , 2019, 31, e1806849. | 11.1 | 133 |
| 177 | Molecularly-Engineered, 4D-Printed Liquid Crystal Elastomer Actuators. <i>Advanced Functional Materials</i> , 2019, 29, 1806412. | 7.8 | 234 |
| 178 | Harnessing Motile Amoeboid Cells as Trucks for Microtransport and Assembly. <i>Advanced Science</i> , 2019, 6, 1801242. | 5.6 | 4 |
| 179 | Graphene-Based Actuator with Integrated Sensing Function. <i>Advanced Functional Materials</i> , 2019, 29, 1806057. | 7.8 | 85 |
| 180 | Toward Autonomy in Sub-Gram Terrestrial Robots. <i>Annual Review of Control, Robotics, and Autonomous Systems</i> , 2019, 2, 231-252. | 7.5 | 54 |
| 181 | Adaptive locomotion of artificial microswimmers. <i>Science Advances</i> , 2019, 5, eaau1532. | 4.7 | 203 |
| 182 | 3D-Printed Silicone Soft Architectures with Programmed Magneto-Capillary Reconfiguration. <i>Advanced Materials Technologies</i> , 2019, 4, 1800528. | 3.0 | 62 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 183 | Magnetic Nanomaterials for Advanced Regenerative Medicine: The Promise and Challenges. <i>Advanced Materials</i> , 2019, 31, e1804922. | 11.1 | 55 |
| 184 | Mechanics of hard-magnetic soft materials. <i>Journal of the Mechanics and Physics of Solids</i> , 2019, 124, 244-263. | 2.3 | 307 |
| 185 | Photolithographically Patterned Hydrogels with Programmed Deformations. <i>Chemistry - an Asian Journal</i> , 2019, 14, 94-104. | 1.7 | 25 |
| 186 | Adhesives to empower a manipulator inspired by the chameleon tongue. <i>Chinese Chemical Letters</i> , 2020, 31, 821-825. | 4.8 | 4 |
| 187 | Regenerative robotics. <i>Birth Defects Research</i> , 2020, 112, 131-136. | 0.8 | 6 |
| 188 | A modelling framework for finite strain magnetoviscoelasticity. <i>Mathematics and Mechanics of Solids</i> , 2020, 25, 288-304. | 1.5 | 10 |
| 189 | Inorganic Stimuli-Responsive Nanomembranes for Small-Scale Actuators and Robots. <i>Advanced Intelligent Systems</i> , 2020, 2, 1900092. | 3.3 | 7 |
| 190 | Design of a new air pressure perception multi-cavity pneumatic-driven earthworm-like soft robot. <i>Autonomous Robots</i> , 2020, 44, 267-279. | 3.2 | 19 |
| 191 | Recent advances in integration of 2D materials with soft matter for multifunctional robotic materials. <i>Materials Horizons</i> , 2020, 7, 54-70. | 6.4 | 55 |
| 192 | Recent advances in manipulation of micro- and nano-objects with magnetic fields at small scales. <i>Materials Horizons</i> , 2020, 7, 638-666. | 6.4 | 101 |
| 193 | Mechanical Assembly of Thermo-Responsive Polymer-Based Untethered Shape-Morphing Structures. <i>Macromolecular Materials and Engineering</i> , 2020, 305, 1900568. | 1.7 | 7 |
| 194 | Electro-mechanically controlled assembly of reconfigurable 3D mesostructures and electronic devices based on dielectric elastomer platforms. <i>National Science Review</i> , 2020, 7, 342-354. | 4.6 | 68 |
| 195 | Bioinspired Soft Robotic Caterpillar with Cardiomyocyte Drivers. <i>Advanced Functional Materials</i> , 2020, 30, 1907820. | 7.8 | 81 |
| 196 | Magnetically actuated miniature walking soft robot based on chained magnetic microparticles-embedded elastomer. <i>Sensors and Actuators A: Physical</i> , 2020, 301, 111707. | 2.0 | 41 |
| 197 | Solvent responsive single-material inverse opal polymer actuator with structural color switching. <i>Journal of Materials Science</i> , 2020, 55, 817-827. | 1.7 | 26 |
| 198 | A form-finding strategy for magneto-elastic actuators. <i>International Journal of Non-Linear Mechanics</i> , 2020, 119, 103297. | 1.4 | 10 |
| 199 | A muscle-like magnetorheological actuator based on bidisperse magnetic particles enhanced flexible alginate-gelatin sponges. <i>Smart Materials and Structures</i> , 2020, 29, 015019. | 1.8 | 7 |
| 200 | Nonlinear displacement control of magnetic material actuators. <i>Smart Materials and Structures</i> , 2020, 29, 035010. | 1.8 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 201 | Imparting Functionality to the Hydrogel by Magnetic-Field-Induced Nano-assembly and Macro-response. ACS Applied Materials & Interfaces, 2020, 12, 5177-5194. | 4.0 | 80 |
| 202 | Substrate curvature as a cue to guide spatiotemporal cell and tissue organization. Biomaterials, 2020, 232, 119739. | 5.7 | 191 |
| 203 | 3D printed shape-programmable magneto-active soft matter for biomimetic applications. Composites Science and Technology, 2020, 188, 107973. | 3.8 | 109 |
| 204 | Flexible and Super-Sensitive Moisture-Responsive Actuators by Dispersing Graphene Oxide into Three-Dimensional Structures of Nanofibers and Silver Nanowires. ACS Applied Materials & Interfaces, 2020, 12, 3245-3253. | 4.0 | 42 |
| 205 | Magnetic Resonance Imaging System-Driven Medical Robotics. Advanced Intelligent Systems, 2020, 2, 1900110. | 3.3 | 42 |
| 206 | Magnetic-tunable sound absorber based on micro-perforated magnetorheological elastomer. Smart Materials and Structures, 2020, 29, 015024. | 1.8 | 14 |
| 207 | A magnetized microneedle-array based flexible triboelectric-electromagnetic hybrid generator for human motion monitoring. Nano Energy, 2020, 69, 104415. | 8.2 | 37 |
| 208 | Reconfiguration, Camouflage, and Color-Shifting for Bioinspired Adaptive Hydrogel-Based Millirobots. Advanced Functional Materials, 2020, 30, 1909202. | 7.8 | 153 |
| 209 | Magnetic Shape Memory Polymers with Integrated Multifunctional Shape Manipulation. Advanced Materials, 2020, 32, e1906657. | 11.1 | 367 |
| 210 | Experimental characterization and viscoelastic modeling of isotropic and anisotropic magnetorheological elastomers. Polymer Testing, 2020, 81, 106272. | 2.3 | 59 |
| 211 | Kirigami-Based Light-Induced Shape-Morphing and Locomotion. Advanced Materials, 2020, 32, e1906233. | 11.1 | 147 |
| 212 | Heterogeneous Conductance-Based Locally Shape-Morphable Soft Electrothermal Actuator. Advanced Materials Technologies, 2020, 5, 1900997. | 3.0 | 24 |
| 213 | Soft Crawling Robots: Design, Actuation, and Locomotion. Advanced Materials Technologies, 2020, 5, 1900837. | 3.0 | 136 |
| 214 | Associative Learning by Classical Conditioning in Liquid Crystal Network Actuators. Matter, 2020, 2, 194-206. | 5.0 | 51 |
| 215 | Disassembly and spreading of magnetic nanoparticle clusters on uneven surfaces. Applied Materials Today, 2020, 18, 100489. | 2.3 | 46 |
| 216 | Super-Soft and Super-Elastic DNA Robot with Magnetically Driven Navigational Locomotion for Cell Delivery in Confined Space. Angewandte Chemie - International Edition, 2020, 59, 2490-2495. | 7.2 | 104 |
| 217 | Super-Soft and Super-Elastic DNA Robot with Magnetically Driven Navigational Locomotion for Cell Delivery in Confined Space. Angewandte Chemie, 2020, 132, 2511-2516. | 1.6 | 15 |
| 218 | Soft Ring-Shaped Cellular Robots with Simultaneous Locomotion in Batches. Advanced Materials, 2020, 32, e1905713. | 11.1 | 30 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 219 | Untethered Soft Millirobot with Magnetic Actuation. , 2020, , . | | 4 |
| 220 | Bio-inspired Self-regulated In-vivo Computation for Smart Cancer Detection. , 2020, , . | | 2 |
| 221 | A Tumbling Magnetic Microrobot System for Biomedical Applications. <i>Micromachines</i> , 2020, 11, 861. | 1.4 | 26 |
| 222 | Review: Remotely controlled magneto-regulation of therapeutics from magnetoelastic gel matrices. <i>Biotechnology Advances</i> , 2020, 44, 107611. | 6.0 | 47 |
| 223 | A mixed isogeometric analysis approach for the transient swelling of hydrogel. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2020, 372, 113384. | 3.4 | 8 |
| 224 | Towards 5-DoF Control of an Untethered Magnetic Millirobot via MRI Gradient Coils. , 2020, , . | | 10 |
| 225 | Smart Bilayer Polyacrylamide/DNA Hybrid Hydrogel Film Actuators Exhibiting Programmable Responsive and Reversible Macroscopic Shape Deformations. <i>Small</i> , 2020, 16, e1906998. | 5.2 | 43 |
| 226 | Magnetorheological Elastomers: Fabrication, Characteristics, and Applications. <i>Materials</i> , 2020, 13, 4597. | 1.3 | 56 |
| 227 | Tailoring Magnetic Fields in Inaccessible Regions. <i>Physical Review Letters</i> , 2020, 125, 177204. | 2.9 | 7 |
| 228 | Exploiting Phase Transitions in Polymer Bilayer Actuators. <i>Advanced Intelligent Systems</i> , 2020, 2, 2000177. | 3.3 | 4 |
| 229 | On mechanics of functionally graded hard-magnetic soft beams. <i>International Journal of Engineering Science</i> , 2020, 157, 103391. | 2.7 | 47 |
| 230 | Repeatable and Reprogrammable Shape Morphing from Photoresponsive Gold Nanorod/Liquid Crystal Elastomers. <i>Advanced Materials</i> , 2020, 32, e2004270. | 11.1 | 109 |
| 231 | Tandem actuation of legged locomotion and grasping manipulation in soft robots using magnetic fields. <i>Extreme Mechanics Letters</i> , 2020, 41, 101023. | 2.0 | 31 |
| 232 | Light-steered locomotion of muscle-like hydrogel by self-coordinated shape change and friction modulation. <i>Nature Communications</i> , 2020, 11, 5166. | 5.8 | 148 |
| 233 | Shape-adaptable biodevices for wearable and implantable applications. <i>Lab on A Chip</i> , 2020, 20, 4321-4341. | 3.1 | 27 |
| 234 | Bionic intelligent soft actuators: high-strength gradient intelligent hydrogels with diverse controllable deformations and movements. <i>Journal of Materials Chemistry B</i> , 2020, 8, 9362-9373. | 2.9 | 17 |
| 235 | An artificial aquatic polyp that wirelessly attracts, grasps, and releases objects. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 17571-17577. | 3.3 | 32 |
| 236 | Reinforced Gels and Elastomers for Biomedical and Soft Robotics Applications. <i>ACS Applied Polymer Materials</i> , 2020, 2, 1073-1091. | 2.0 | 67 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 237 | Reconfigurable microbots folded from simple colloidal chains. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 18186-18193. | 3.3 | 45 |
| 238 | An agglutinate magnetic spray transforms inanimate objects into millirobots for biomedical applications. Science Robotics, 2020, 5, . | 9.9 | 115 |
| 239 | Spray-on magnetic skin for robotic actuation. Science Robotics, 2020, 5, . | 9.9 | 4 |
| 240 | Reconfigurable Particle Swarm Robotics Powered by Acoustic Vibration Tweezer. Soft Robotics, 2021, 8, 735-743. | 4.6 | 13 |
| 241 | Enhancements of Loading Capacity and Moving Ability by Microstructures for Wireless Soft Robot Boats. Langmuir, 2020, 36, 14728-14736. | 1.6 | 4 |
| 242 | Electrically Activated Soft Robots: Speed Up by Rolling. Soft Robotics, 2021, 8, 611-624. | 4.6 | 15 |
| 243 | Observation of iron oxide nanoparticle synthesis in magnetogels using magnetic resonance imaging. Soft Matter, 2020, 16, 10244-10251. | 1.2 | 7 |
| 244 | Towards Autonomous Robotic Systems. Lecture Notes in Computer Science, 2020, , . | 1.0 | 1 |
| 245 | Jumping Locomotion Strategies: From Animals to Bioinspired Robots. Applied Sciences (Switzerland), 2020, 10, 8607. | 1.3 | 26 |
| 246 | Soft Magnetic Pillars to Secure an Upper Airway for the Relief of Obstructive Sleep Apnea. Advanced Materials Technologies, 2020, 5, 2000695. | 3.0 | 1 |
| 247 | A novel approach for the closure of large damage in self-healing elastomers using magnetic particles. Polymer, 2020, 204, 122819. | 1.8 | 25 |
| 248 | 3D Microstructures of Liquid Crystal Networks with Programmed Voxelated Director Fields. Advanced Materials, 2020, 32, e2002753. | 11.1 | 58 |
| 249 | In-air fast response and high speed jumping and rolling of a light-driven hydrogel actuator. Nature Communications, 2020, 11, 3988. | 5.8 | 136 |
| 250 | High-stretchability, Ultrastretchable Self-Enclosed Ionic Liquid-Elastomer Composites for Soft Robotics and Flexible Electronics. ACS Applied Materials & Interfaces, 2020, 12, 37561-37570. | 4.0 | 51 |
| 251 | Magnetically Guided Micromanipulation of Magnetic Microrobots for Accurate Creation of Artistic Patterns in Liquid Environment. Micromachines, 2020, 11, 697. | 1.4 | 8 |
| 252 | Ink-Based Additive Nanomanufacturing of Functional Materials for Human-Integrated Smart Wearables. Advanced Intelligent Systems, 2020, 2, 2000117. | 3.3 | 17 |
| 253 | Low-Modulus Elastomeric Matrices for Magnetoactive Composites with a High Magnetic Field Response. Polymer Science - Series A, 2020, 62, 383-391. | 0.4 | 7 |
| 254 | Biosynthetic self-healing materials for soft machines. Nature Materials, 2020, 19, 1230-1235. | 13.3 | 189 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 255 | Autonomous MXene-PVDF actuator for flexible solar trackers. Nano Energy, 2020, 77, 105277. | 8.2 | 35 |
| 256 | Reconfigurable multifunctional ferrofluid droplet robots. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 27916-27926. | 3.3 | 138 |
| 257 | Soft Endoluminal Robots Propelled by Rotating Magnetic Dipole Fields. IEEE Transactions on Medical Robotics and Bionics, 2020, 2, 598-607. | 2.1 | 18 |
| 258 | SMALLBug: A 30-mg Crawling Robot Driven by a High-Frequency Flexible SMA Microactuator. IEEE Robotics and Automation Letters, 2020, 5, 6796-6803. | 3.3 | 26 |
| 259 | Medical Imaging of Microrobots: Toward <i>In Vivo</i> Applications. ACS Nano, 2020, 14, 10865-10893. | 7.3 | 141 |
| 260 | Smart drug delivery system based on silicone. Chemkon - Chemie Konkret, Forum Fuer Unterricht Und Didaktik, 2020, 27, 185-192. | 0.2 | 0 |
| 261 | Tough biomimetic films for harnessing natural evaporation for various self-powered devices. Journal of Materials Chemistry A, 2020, 8, 19269-19277. | 5.2 | 24 |
| 262 | Untethered and ultrafast soft-bodied robots. Communications Materials, 2020, 1, . | 2.9 | 86 |
| 263 | Fully organic compliant dry electrodes self-adhesive to skin for long-term motion-robust epidermal biopotential monitoring. Nature Communications, 2020, 11, 4683. | 5.8 | 245 |
| 264 | Flexible conductive MXene/cellulose nanocrystal coated nonwoven fabrics for tunable wearable strain/pressure sensors. Journal of Materials Chemistry A, 2020, 8, 21131-21141. | 5.2 | 176 |
| 265 | Structural Color Surface on Transparent PDMS Fabricated by Carbon-Assisted Laser Interference Lithography for Real-Time Quantification of Soft Actuators Motion. ACS Applied Materials & Interfaces, 2020, 12, 45641-45647. | 4.0 | 15 |
| 266 | Differential tissue stiffness of body column facilitates locomotion of <i>Hydra</i> on solid substrates. Journal of Experimental Biology, 2020, 223, . | 0.8 | 6 |
| 267 | Intelligent Polymer-Based Bioinspired Actuators: From Monofunction to Multifunction. Advanced Intelligent Systems, 2020, 2, 2000138. | 3.3 | 33 |
| 268 | 3D-printed programmable tensegrity for soft robotics. Science Robotics, 2020, 5, . | 9.9 | 104 |
| 269 | Biodegradable Untethered Magnetic Hydrogel MilliGrippers. Advanced Functional Materials, 2020, 30, 2004975. | 7.8 | 115 |
| 270 | Optically Controlled Living Micromotors for the Manipulation and Disruption of Biological Targets. Nano Letters, 2020, 20, 7177-7185. | 4.5 | 49 |
| 271 | Reprogrammable shape morphing of magnetic soft machines. Science Advances, 2020, 6, . | 4.7 | 224 |
| 272 | Magnetorheological Fluid-Based Flow Control for Soft Robots. Advanced Intelligent Systems, 2020, 2, 2000139. | 3.3 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 273 | Biodegradable Metal-Organic Framework-Based Microrobots (MOFBOTs). <i>Advanced Healthcare Materials</i> , 2020, 9, e2001031. | 3.9 | 64 |
| 274 | Stimuli-responsive functional materials for soft robotics. <i>Journal of Materials Chemistry B</i> , 2020, 8, 8972-8991. | 2.9 | 118 |
| 275 | An 88-milligram insect-scale autonomous crawling robot driven by a catalytic artificial muscle. <i>Science Robotics</i> , 2020, 5, . | 9.9 | 88 |
| 276 | Magnetic Field-Assisted Stereolithography for Productions of Multimaterial Hierarchical Surface Structures. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 42357-42368. | 4.0 | 18 |
| 277 | MagWorm: A Biomimetic Magnet Embedded Worm-Like Soft Robot. <i>Soft Robotics</i> , 2021, 8, 507-518. | 4.6 | 58 |
| 278 | Fabrication and Magnetic Actuation of 3D-Microprinted Multifunctional Hybrid Microstructures. <i>Advanced Materials Technologies</i> , 2020, 5, 2000535. | 3.0 | 9 |
| 279 | Programmable Stimuli-Responsive Actuators for Complex Motions in Soft Robotics: Concept, Design and Challenges. <i>Actuators</i> , 2020, 9, 131. | 1.2 | 22 |
| 280 | Large-Scale Shape Transformations of a Sphere Made of a Magnetoactive Elastomer. <i>Polymers</i> , 2020, 12, 2933. | 2.0 | 9 |
| 281 | Wireless Control of Two- and Three-Dimensional Actuations of Kirigami Patterns Composed of Magnetic-Particles-Polymer Composites. <i>ACS Nano</i> , 2020, 14, 17589-17596. | 7.3 | 30 |
| 282 | Variational principles of nonlinear magnetoelastostatics and their correspondences. <i>Mathematics and Mechanics of Solids</i> , 2021, 26, 1424-1454. | 1.5 | 2 |
| 283 | Flow driven robotic navigation of microengineered endovascular probes. <i>Nature Communications</i> , 2020, 11, 6356. | 5.8 | 58 |
| 284 | Engineering ferrite nanoparticles with enhanced magnetic response for advanced biomedical applications. <i>Materials Today Advances</i> , 2020, 8, 100119. | 2.5 | 32 |
| 285 | Programmable Transformation and Controllable Locomotion of Magnetoactive Soft Materials with 3D-Patterned Magnetization. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 58179-58190. | 4.0 | 37 |
| 286 | Laser reprogramming magnetic anisotropy in soft composites for reconfigurable 3D shaping. <i>Nature Communications</i> , 2020, 11, 6325. | 5.8 | 113 |
| 287 | 3D Printed Biomimetic Soft Robot with Multimodal Locomotion and Multifunctionality. <i>Soft Robotics</i> , 2022, 9, 1-13. | 4.6 | 33 |
| 288 | Fast and programmable locomotion of hydrogel-metal hybrids under light and magnetic fields. <i>Science Robotics</i> , 2020, 5, . | 9.9 | 163 |
| 289 | A Review of Magnetic Elastomers and Their Role in Soft Robotics. <i>Frontiers in Robotics and AI</i> , 2020, 7, 588391. | 2.0 | 75 |
| 290 | Wireless Walking Paper Robot Driven by Magnetic Polymer Actuator. <i>Actuators</i> , 2020, 9, 109. | 1.2 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 291 | Bioinspired cilia arrays with programmable nonreciprocal motion and metachronal coordination. <i>Science Advances</i> , 2020, 6, . | 4.7 | 103 |
| 292 | Magnetically propelled soft micromachines with multipatterned fabrications. <i>Journal of Micromechanics and Microengineering</i> , 2020, 30, 085001. | 1.5 | 4 |
| 293 | Ferrofluid Droplets as Liquid Microrobots with Multiple Deformabilities. <i>Advanced Functional Materials</i> , 2020, 30, 2000138. | 7.8 | 69 |
| 294 | Biohybrid robotics with living cell actuation. <i>Chemical Society Reviews</i> , 2020, 49, 4043-4069. | 18.7 | 105 |
| 295 | Polymer actuators based on covalent adaptable networks. <i>Polymer Chemistry</i> , 2020, 11, 5297-5320. | 1.9 | 39 |
| 296 | Real-Time Magnetic Navigation of a Rotating Colloidal Microswarm Under Ultrasound Guidance. <i>IEEE Transactions on Biomedical Engineering</i> , 2020, 67, 3403-3412. | 2.5 | 70 |
| 297 | Magnetorheological elastomer peristaltic pump capable of flow and viscosity control. <i>Journal of Intelligent Material Systems and Structures</i> , 2020, 31, 1314-1324. | 1.4 | 3 |
| 298 | Heterogeneous magnetic micropillars for regulated bending actuation. <i>Extreme Mechanics Letters</i> , 2020, 38, 100734. | 2.0 | 8 |
| 299 | Hard-magnetic elastica. <i>Journal of the Mechanics and Physics of Solids</i> , 2020, 142, 104045. | 2.3 | 123 |
| 300 | A magnetic solder for assembling bulk covalent adaptable network blocks. <i>Chemical Science</i> , 2020, 11, 7694-7700. | 3.7 | 15 |
| 301 | Reprogrammable Ferromagnetic Domains for Reconfigurable Soft Magnetic Actuators. <i>Nano Letters</i> , 2020, 20, 5185-5192. | 4.5 | 96 |
| 302 | Moisture-Responsive Paper Robotics. <i>Journal of Microelectromechanical Systems</i> , 2020, 29, 1049-1053. | 1.7 | 4 |
| 303 | Hybrid Magnetic Micropillar Arrays for Programmable Actuation. <i>Advanced Materials</i> , 2020, 32, e2001879. | 11.1 | 58 |
| 304 | Development of a New Multi-cavity Pneumatic-driven Earthworm-like Soft Robot. <i>Robotica</i> , 2020, 38, 2290-2304. | 1.3 | 22 |
| 305 | Chemomechanical origin of directed locomotion driven by internal chemical signals. <i>Science Advances</i> , 2020, 6, eaaz9125. | 4.7 | 16 |
| 306 | Batteryâ€Less Soft Millirobot That Can Move, Sense, and Communicate Remotely by Coupling the Magnetic and Piezoelectric Effects. <i>Advanced Science</i> , 2020, 7, 2000069. | 5.6 | 73 |
| 307 | Microscale Polarization Color Pixels from Liquid Crystal Elastomers. <i>Advanced Optical Materials</i> , 2020, 8, 1902098. | 3.6 | 29 |
| 308 | Multistimuliâ€Responsive Insectâ€Scale Soft Robotics Based on Anisotropic Superâ€Aligned VO ₂ Nanowire/Carbon Nanotube Bimorph Actuators. <i>Advanced Intelligent Systems</i> , 2020, 2, 2000051. | 3.3 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 309 | A Novel Side-Chain Liquid Crystal Elastomer Exhibiting Anomalous Reversible Shape Change. <i>Angewandte Chemie</i> , 2020, 132, 15241-15246. | 1.6 | 6 |
| 310 | Diversifying temporal responses of magnetoactive elastomers. <i>Materials Research Express</i> , 2020, 7, 045702. | 0.8 | 4 |
| 311 | Evolutionary Algorithm-Guided Voxel-Encoding Printing of Functional Hard-Magnetic Soft Active Materials. <i>Advanced Intelligent Systems</i> , 2020, 2, 2000060. | 3.3 | 93 |
| 312 | Intelligent micro-/nanorobots as drug and cell carrier devices for biomedical therapeutic advancement: Promising development opportunities and translational challenges. <i>Biomaterials</i> , 2020, 260, 120163. | 5.7 | 72 |
| 313 | Magnetic cilia carpets with programmable metachronal waves. <i>Nature Communications</i> , 2020, 11, 2637. | 5.8 | 172 |
| 314 | Recent progress of morphable 3D mesostructures in advanced materials. <i>Journal of Semiconductors</i> , 2020, 41, 041604. | 2.0 | 9 |
| 315 | Stimuli-responsive composite biopolymer actuators with selective spatial deformation behavior. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 14602-14608. | 3.3 | 63 |
| 316 | Design principles for non-reciprocal photomechanical actuation. <i>Soft Matter</i> , 2020, 16, 5951-5958. | 1.2 | 17 |
| 317 | An energy landscape approach to locomotor transitions in complex 3D terrain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 14987-14995. | 3.3 | 33 |
| 318 | Wireless Multistimulus-Responsive Fabric-Based Actuators for Soft Robotic, Human-Machine Interactive, and Wearable Applications. <i>Advanced Materials Technologies</i> , 2020, 5, 2000341. | 3.0 | 21 |
| 319 | Cancer Cells Microsurgery via Asymmetric Bent Surface Au/Ag/Ni Microrobotic Scalpels Through a Transversal Rotating Magnetic Field. <i>ACS Nano</i> , 2020, 14, 8247-8256. | 7.3 | 92 |
| 320 | Design, fabrication and characterization of soft sensors through EGaN for soft pneumatic actuators. <i>Measurement: Journal of the International Measurement Confederation</i> , 2020, 164, 107996. | 2.5 | 10 |
| 321 | In Vitro Design Investigation of a Rotating Helical Magnetic Swimmer for Combined 3-D Navigation and Blood Clot Removal. <i>IEEE Transactions on Robotics</i> , 2020, 36, 975-982. | 7.3 | 39 |
| 322 | Building Magnetoresponse Composite Elastomers for Bionic Locomotion Applications. <i>Journal of Bionic Engineering</i> , 2020, 17, 405-420. | 2.7 | 20 |
| 323 | Untethered, ultra-light soft actuator based on positively charged 3D fluffy silica micro-nanofibers by electrospinning. <i>Journal of Materials Science</i> , 2020, 55, 12789-12800. | 1.7 | 3 |
| 324 | Versatile rotary actuators for small-scale robotic systems. , 2020, , . | | 1 |
| 325 | The 2020 magnetism roadmap. <i>Journal Physics D: Applied Physics</i> , 2020, 53, 453001. | 1.3 | 162 |
| 326 | SoGut: A Soft Robotic Gastric Simulator. <i>Soft Robotics</i> , 2021, 8, 273-283. | 4.6 | 30 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 327 | Athermal Shape Memory Effect in Magnetoactive Elastomers. ACS Applied Materials & Interfaces, 2020, 12, 16930-16936. | 4.0 | 21 |
| 328 | A Finite Element Framework for Magneto-Actuated Large Deformation and Instability of Slender Magneto-Active Elastomers. International Journal of Applied Mechanics, 2020, 12, 2050013. | 1.3 | 13 |
| 329 | Extension-Torsion-Inflation Coupling in Compressible Magnetoelastomeric Thin Tubes with Helical Magnetic Anisotropy. Journal of Elasticity, 2020, 140, 273-302. | 0.9 | 4 |
| 330 | Ultrasound Imaging and Tracking of Micro/Nanorobots: From Individual to Collectives. IEEE Open Journal of Nanotechnology, 2020, 1, 6-17. | 0.9 | 46 |
| 331 | Shape-Programmed Fabrication and Actuation of Magnetically Active Micropost Arrays. ACS Applied Materials & Interfaces, 2020, 12, 17113-17120. | 4.0 | 44 |
| 332 | Motile microelectronics with wireless power. Nature Electronics, 2020, 3, 139-140. | 13.1 | 4 |
| 333 | Multi-responsive hydrogel structures from patterned droplet networks. Nature Chemistry, 2020, 12, 363-371. | 6.6 | 148 |
| 334 | Hanging droplets from liquid surfaces. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 8360-8365. | 3.3 | 25 |
| 335 | Preparation of bilayer shape memory intelligent hydrogel actuators and their structural characteristics. International Journal of Food Properties, 2020, 23, 470-480. | 1.3 | 5 |
| 336 | A Learnt Approach for the Design of Magnetically Actuated Shape Forming Soft Tentacle Robots. IEEE Robotics and Automation Letters, 2020, 5, 3937-3944. | 3.3 | 46 |
| 337 | Tunable Multi-Modal Locomotion in Soft Dielectric Elastomer Robots. IEEE Robotics and Automation Letters, 2020, 5, 3868-3875. | 3.3 | 39 |
| 338 | Soft electromagnetic actuator for assembly robots. Smart Materials and Structures, 2020, 29, 067001. | 1.8 | 6 |
| 339 | Untethered Octopus-Inspired Millirobot Actuated by Regular Tetrahedron Arranged Magnetic Field. Advanced Intelligent Systems, 2020, 2, 1900148. | 3.3 | 25 |
| 340 | Magneto-diffusion-viscohyperelasticity for magneto-active hydrogels: Rate dependences across time scales. Journal of the Mechanics and Physics of Solids, 2020, 139, 103934. | 2.3 | 31 |
| 341 | Miniaturization of worm-type soft robot actuated by magnetic field. Japanese Journal of Applied Physics, 2020, 59, S11L04. | 0.8 | 19 |
| 342 | Ferromagnetic Liquid Metal Putty-Like Material with Transformed Shape and Reconfigurable Polarity. Advanced Materials, 2020, 32, e2000827. | 11.1 | 75 |
| 343 | Soft hopping and crawling robot for in-pipe traveling. Extreme Mechanics Letters, 2020, 39, 100854. | 2.0 | 23 |
| 344 | Leveraging Monostable and Bistable Pre-Curved Bilayer Actuators for High-Performance Multitask Soft Robots. Advanced Materials Technologies, 2020, 5, 2000370. | 3.0 | 47 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 345 | Microtentacle Actuators Based on Shape Memory Alloy Smart Soft Composite. <i>Advanced Functional Materials</i> , 2020, 30, 2002510. | 7.8 | 27 |
| 346 | Electromechanical characterization of magnetic responsive and conductive soft polymer actuators. , 2020, , 349-361. | | 1 |
| 347 | Magnetic Actuation Systems for Miniature Robots: A Review. <i>Advanced Intelligent Systems</i> , 2020, 2, 2000082. | 3.3 | 164 |
| 348 | Additive manufacturing of multi-material soft robot for on-demand drug delivery applications. <i>Journal of Manufacturing Processes</i> , 2020, 56, 1178-1184. | 2.8 | 57 |
| 349 | Challenges of continuum robots in clinical context: a review. <i>Progress in Biomedical Engineering</i> , 2020, 2, 032003. | 2.8 | 116 |
| 350 | Soft electromagnetic actuators. <i>Science Advances</i> , 2020, 6, eabc0251. | 4.7 | 105 |
| 351 | Materials, design, and fabrication of shape programmable polymers. <i>Multifunctional Materials</i> , 2020, 3, 032002. | 2.4 | 17 |
| 352 | EELWORM: a bioinspired multimodal amphibious soft robot. , 2020, , . | | 17 |
| 353 | Multi-field-coupling energy conversion for flexible manipulation of graphene-based soft robots. <i>Nano Energy</i> , 2020, 71, 104578. | 8.2 | 44 |
| 354 | Liquidâ€State Optoelectronics Using Liquid Metal. <i>Advanced Electronic Materials</i> , 2020, 6, 1901135. | 2.6 | 14 |
| 355 | Additive manufacturing of cellulose-based materials with continuous, multidirectional stiffness gradients. <i>Science Advances</i> , 2020, 6, eaay0929. | 4.7 | 66 |
| 356 | Magnetically Driven Bionic Millirobots with a Low-Delay Automated Actuation System for Bioparticles Manipulation. <i>Micromachines</i> , 2020, 11, 231. | 1.4 | 8 |
| 357 | Bioinspired underwater locomotion of light-driven liquid crystal gels. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 5125-5133. | 3.3 | 237 |
| 358 | A 1 mm-Thick Miniatured Mobile Soft Robot With Mechanosensation and Multimodal Locomotion. <i>IEEE Robotics and Automation Letters</i> , 2020, 5, 3291-3298. | 3.3 | 19 |
| 359 | Large, Fast, and Bidirectional Bending of Slideâ€Ring Polymer Materials. <i>Advanced Intelligent Systems</i> , 2020, 2, 1900155. | 3.3 | 6 |
| 360 | Numerical study of millimeter-scale magnetorheological elastomer robot for undulatory swimming. <i>Journal Physics D: Applied Physics</i> , 2020, 53, 235402. | 1.3 | 7 |
| 361 | Taking inspiration from climbing plants: methodologies and benchmarksâ€a review. <i>Bioinspiration and Biomimetics</i> , 2020, 15, 031001. | 1.5 | 38 |
| 362 | Kirigamiâ€Inspired Selfâ€Assembly of 3D Structures. <i>Advanced Functional Materials</i> , 2020, 30, 1909888. | 7.8 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 363 | Follow me Robot-Mind: Cloud brain based personalized robot service with migration. <i>Future Generation Computer Systems</i> , 2020, 107, 324-332. | 4.9 | 13 |
| 364 | High-order NURBS elements based isogeometric formulation for swellable soft materials. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2020, 363, 112901. | 3.4 | 11 |
| 365 | Performance Optimization of Polymer Fibre Actuators for Soft Robotics. <i>Polymers</i> , 2020, 12, 454. | 2.0 | 8 |
| 366 | Photoacoustic Imaging-Trackable Magnetic Microswimmers for Pathogenic Bacterial Infection Treatment. <i>ACS Nano</i> , 2020, 14, 2880-2893. | 7.3 | 155 |
| 367 | Pros and Cons: Magnetic versus Optical Microrobots. <i>Advanced Materials</i> , 2020, 32, e1906766. | 11.1 | 206 |
| 368 | Programmable droplet manipulation by a magnetic-actuated robot. <i>Science Advances</i> , 2020, 6, eaay5808. | 4.7 | 160 |
| 369 | Continuum soft actuators based on reprogrammable geometric constraints. <i>Extreme Mechanics Letters</i> , 2020, 36, 100649. | 2.0 | 3 |
| 370 | Magnetic Needle Steering in Soft Phantom Tissue. <i>Scientific Reports</i> , 2020, 10, 2500. | 1.6 | 33 |
| 371 | Emerging surgical robotic technology: a progression toward microbots. <i>Annals of Laparoscopic and Endoscopic Surgery</i> , 0, 5, 3-3. | 0.5 | 21 |
| 372 | A review of magnetic actuation systems and magnetically actuated guidewire- and catheter-based microrobots for vascular interventions. <i>Intelligent Service Robotics</i> , 2020, 13, 1-14. | 1.6 | 95 |
| 373 | A Soft Transporter Robot Fueled by Light. <i>Advanced Science</i> , 2020, 7, 1902842. | 5.6 | 112 |
| 374 | Encoding Smart Microjoints for Microcrawlers with Enhanced Locomotion. <i>Advanced Intelligent Systems</i> , 2020, 2, 1900128. | 3.3 | 18 |
| 375 | Active Reconfigurable Tristable Square- π Twist Origami. <i>Advanced Functional Materials</i> , 2020, 30, 1909087. | 7.8 | 50 |
| 376 | Homogeneous Chitosan/Graphene Oxide Nanocomposite Hydrogel-Based Actuator Driven by Efficient Photothermally Induced Water Gradients. <i>ACS Applied Nano Materials</i> , 2020, 3, 1002-1009. | 2.4 | 21 |
| 377 | Double-Modal Locomotion and Application of Soft Cruciform Thin-Film Microrobot. <i>IEEE Robotics and Automation Letters</i> , 2020, 5, 806-812. | 3.3 | 20 |
| 378 | Controlling two-dimensional collective formation and cooperative behavior of magnetic microrobot swarms. <i>International Journal of Robotics Research</i> , 2020, 39, 617-638. | 5.8 | 125 |
| 379 | Under-oil self-driven and directional transport of water on a femtosecond laser-processed superhydrophilic geometry-gradient structure. <i>Nanoscale</i> , 2020, 12, 4077-4084. | 2.8 | 90 |
| 380 | Magnetic Forces Behind Hyperelastic Behavior of Magnetorheological Elastomers. <i>IEEE Transactions on Magnetics</i> , 2020, 56, 1-4. | 1.2 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 381 | Four-dimensional micro-building blocks. <i>Science Advances</i> , 2020, 6, eaav8219. | 4.7 | 81 |
| 382 | Bioinspired footed soft robot with unidirectional all-terrain mobility. <i>Materials Today</i> , 2020, 35, 42-49. | 8.3 | 77 |
| 383 | Fully Flexible Electromagnetic Vibration Sensors with Annular Field Confinement Origami Magnetic Membranes. <i>Advanced Functional Materials</i> , 2020, 30, 2001553. | 7.8 | 49 |
| 384 | Magnetic Soft Robot With the Triangular Headâ€”Tail Morphology Inspired By Lateral Undulation. <i>IEEE/ASME Transactions on Mechatronics</i> , 2020, 25, 2688-2699. | 3.7 | 43 |
| 385 | Low-Voltage-Driven Large-Amplitude Soft Actuators Based on Phase Transition. <i>Soft Robotics</i> , 2020, 7, 688-699. | 4.6 | 21 |
| 386 | RectMag3D: A Magnetic Actuation System for Steering Milli/Microrobots Based on Rectangular Electromagnetic Coils. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 2677. | 1.3 | 13 |
| 387 | Study on intelligent deformation characteristics of temperatureâ€”driven hydrogel actuators prepared via molding and 3D printing. <i>Polymers for Advanced Technologies</i> , 2020, 31, 1980-1993. | 1.6 | 5 |
| 388 | Selectively controlled magnetic microrobots with opposing helices. <i>Applied Physics Letters</i> , 2020, 116, . | 1.5 | 26 |
| 389 | Somatosensory, Lightâ€”Driven, Thinâ€”Film Robots Capable of Integrated Perception and Motility. <i>Advanced Materials</i> , 2020, 32, e2000351. | 11.1 | 106 |
| 390 | Progress in Nanorobotics for Advancing Biomedicine. <i>IEEE Transactions on Biomedical Engineering</i> , 2021, 68, 130-147. | 2.5 | 32 |
| 391 | Photoresponsive Hydrogel Microcrawlers Exploit Friction Hysteresis to Crawl by Reciprocal Actuation. <i>Soft Robotics</i> , 2021, 8, 10-18. | 4.6 | 34 |
| 392 | Actuators Displaying Unidirectional Movement. <i>Advanced Intelligent Systems</i> , 2021, 3, 2000214. | 3.3 | 2 |
| 393 | Bioinspired Sensing, Actuation, and Control in Underwater Soft Robotic Systems. , 2021, , . | | 13 |
| 394 | A microstructural-based approach to model magneto-viscoelastic materials at finite strains. <i>International Journal of Solids and Structures</i> , 2021, 208-209, 119-132. | 1.3 | 48 |
| 395 | Light-driven bimorph soft actuators: design, fabrication, and properties. <i>Materials Horizons</i> , 2021, 8, 728-757. | 6.4 | 135 |
| 396 | Diversified and Untethered Motion Generation Via Crease Patterning from Magnetically Actuated Caterpillar-Inspired Origami Robot. <i>IEEE/ASME Transactions on Mechatronics</i> , 2021, 26, 1678-1688. | 3.7 | 16 |
| 397 | Motion Control in Magnetic Microrobotics: From Individual and Multiple Robots to Swarms. <i>Annual Review of Control, Robotics, and Autonomous Systems</i> , 2021, 4, 509-534. | 7.5 | 88 |
| 398 | 3D Printing Materials for Soft Robotics. <i>Advanced Materials</i> , 2021, 33, e2003387. | 11.1 | 173 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 399 | Mechanical Sciences. , 2021, , . | | 1 |
| 400 | A Single-Chamber Pneumatic Soft Bending Actuator With Increased Stroke-Range by Local Electric Guidance. IEEE Transactions on Industrial Electronics, 2021, 68, 8455-8463. | 5.2 | 10 |
| 401 | Magnetic nanoparticle decorated anodic alumina nanotubes for fluorescent detection of cathepsin B. Journal of Colloid and Interface Science, 2021, 584, 236-245. | 5.0 | 14 |
| 402 | Experimental and numerical research of stress relaxation behavior of magnetorheological elastomer. Polymer Testing, 2021, 93, 106886. | 2.3 | 21 |
| 403 | Submersible Softâ€“Robotic Platform for Noiseâ€“Free Hovering Utilizing Liquidâ€“Vapor Phase Transition. Advanced Intelligent Systems, 2021, 3, 2000147. | 3.3 | 2 |
| 404 | 3D Microprinting of Iron Platinum Nanoparticleâ€“Based Magnetic Mobile Microrobots. Advanced Intelligent Systems, 2021, 3, 2000204. | 3.3 | 32 |
| 405 | Magnetic propulsion of colloidal microrollers controlled by electrically modulated friction. Soft Matter, 2021, 17, 1037-1047. | 1.2 | 12 |
| 406 | Trends in Microâ€“Nanorobotics: Materials Development, Actuation, Localization, and System Integration for Biomedical Applications. Advanced Materials, 2021, 33, e2002047. | 11.1 | 256 |
| 407 | Mobile robots with magnetizable materials in alternating uniform inclined magnetic fields. Acta Astronautica, 2021, 181, 579-584. | 1.7 | 6 |
| 408 | Recent progress in the design and fabrication of multifunctional structures based on metamaterials. Current Opinion in Solid State and Materials Science, 2021, 25, 100883. | 5.6 | 65 |
| 409 | Flexible discretely-magnetized configurable soft robots via laser-tuned selective transfer printing of anisotropic ferromagnetic cells. Materials Today Physics, 2021, 17, 100313. | 2.9 | 18 |
| 410 | Magnetoactive elastomer based on superparamagnetic nanoparticles with Curie point close to room temperature. Materials and Design, 2021, 197, 109281. | 3.3 | 14 |
| 411 | How Can Interfacial Phenomena in Nature Inspire Smaller Robots. Advanced Materials Interfaces, 2021, 8, . | 1.9 | 14 |
| 412 | HASEL Artificial Muscles for a New Generation of Lifelike Robotsâ€“Recent Progress and Future Opportunities. Advanced Materials, 2021, 33, e2003375. | 11.1 | 97 |
| 413 | Magnetically Controlled Soft Robotics Utilizing Elastomers and Gels in Actuation: A Review. Advanced Intelligent Systems, 2021, 3, 2000186. | 3.3 | 74 |
| 414 | Locomotion of Miniature Soft Robots. Advanced Materials, 2021, 33, e2003558. | 11.1 | 95 |
| 415 | Recent Progress in Magnetically Actuated Microrobots for Targeted Delivery of Therapeutic Agents. Advanced Healthcare Materials, 2021, 10, e2001596. | 3.9 | 56 |
| 416 | Progress and Roadmap for Intelligent Selfâ€“Healing Materials in Autonomous Robotics. Advanced Materials, 2021, 33, e2002800. | 11.1 | 75 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 417 | Materials, Actuators, and Sensors for Soft Bioinspired Robots. <i>Advanced Materials</i> , 2021, 33, e2003139. | 11.1 | 209 |
| 418 | Polarization Dependent Light-Driven Liquid Crystal Elastomer Actuators Based on Photothermal Effect. <i>Advanced Optical Materials</i> , 2021, 9, 2001861. | 3.6 | 49 |
| 419 | Magttice: a lattice model for hard-magnetic soft materials. <i>Soft Matter</i> , 2021, 17, 3560-3568. | 1.2 | 27 |
| 420 | 4D Printing of Glass Fiber-Regulated Shape Shifting Structures with High Stiffness. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 12797-12804. | 4.0 | 28 |
| 421 | Magnetic Actuation Methods in Bio/Soft Robotics. <i>Advanced Functional Materials</i> , 2021, 31, 2005137. | 7.8 | 126 |
| 422 | Robotic Devices for Minimally Invasive Endovascular Interventions: A New Dawn for Interventional Radiology. <i>Advanced Intelligent Systems</i> , 2021, 3, 2000181. | 3.3 | 18 |
| 423 | Mathematical formulations for elastic magneto-electrically coupled soft materials at finite strains: Time-independent processes. <i>International Journal of Engineering Science</i> , 2021, 159, 103429. | 2.7 | 26 |
| 424 | A Journey of Nanomotors for Targeted Cancer Therapy: Principles, Challenges, and a Critical Review of the State-of-the-Art. <i>Advanced Healthcare Materials</i> , 2021, 10, e2001236. | 3.9 | 45 |
| 425 | Recent Progress in Artificial Muscles for Interactive Soft Robotics. <i>Advanced Materials</i> , 2021, 33, e2003088. | 11.1 | 139 |
| 426 | Printing Multi-Material Organic Haptic Actuators. <i>Advanced Materials</i> , 2021, 33, e2002541. | 11.1 | 35 |
| 427 | Magnetic Multimaterial Printing for Multimodal Shape Transformation with Tunable Properties and Shiftable Mechanical Behaviors. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 12639-12648. | 4.0 | 101 |
| 428 | Spider Origami: Folding Principle of Jumping Spider Leg Joints for Bioinspired Fluidic Actuators. <i>Advanced Science</i> , 2021, 8, 2003890. | 5.6 | 22 |
| 429 | An ultrafast response and precisely controllable soft electromagnet actuator based on Ecoflex rubber film filled with neodymium-iron-boron. <i>Journal of Micromechanics and Microengineering</i> , 2021, 31, 025010. | 1.5 | 4 |
| 430 | Nonlinear magnetoelastic deformations of porous solids. <i>Mathematics and Mechanics of Solids</i> , 2021, 26, 1403-1423. | 1.5 | 0 |
| 431 | Introduction to 4D printing. , 2021, , 303-342. | | 6 |
| 432 | Design and Modeling of Tetrahedral Soft-Legged Robot for Multigait Locomotion. <i>IEEE/ASME Transactions on Mechatronics</i> , 2022, 27, 1288-1298. | 3.7 | 3 |
| 433 | Soft microrobotics. <i>Advances in Chemical Engineering</i> , 2021, 57, 1-44. | 0.5 | 3 |
| 434 | Gaussian-preserved, non-volatile shape morphing in three-dimensional microstructures for dual-functional electronic devices. <i>Nature Communications</i> , 2021, 12, 509. | 5.8 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 435 | Autonomous <i>In Vivo</i> Computation in Internet of Nano Bio Things. IEEE Internet of Things Journal, 2022, 9, 6134-6147. | 5.5 | 5 |
| 436 | Ionic shape-morphing microrobotic end-effectors for environmentally adaptive targeting, releasing, and sampling. Nature Communications, 2021, 12, 411. | 5.8 | 87 |
| 437 | Light-driven untethered soft actuators based on biomimetic microstructure arrays. Soft Matter, 2021, 17, 8651-8661. | 1.2 | 9 |
| 438 | Fabrication of patterned magnetic hydrogels by ion transfer printing. Soft Matter, 2021, 17, 8059-8067. | 1.2 | 4 |
| 439 | Triple-shape memory, magneto-response, and piezo-resistive flexible composites: multiple-sensing and switchable actuating. Journal of Materials Chemistry C, 2021, 9, 6568-6578. | 2.7 | 10 |
| 440 | Inverse Flexoelectret Effect: Bending Dielectrics by a Uniform Electric Field. Physical Review Applied, 2021, 15, . | 1.5 | 13 |
| 441 | Fabrication of a Dual Stimuli-Responsive Assorted Film Comprising Magnetic- and Gold-Nanoparticles with a Self-Assembly Protein of λ -Synuclein. ACS Applied Bio Materials, 2021, 4, 1863-1875. | 2.3 | 4 |
| 442 | Real-time imaging and tracking of microrobots in tissues using ultrasound phase analysis. Applied Physics Letters, 2021, 118, . | 1.5 | 32 |
| 443 | Field-controlled micro-nano manipulations and micro-nano robots. , 2021, , 201-225. | | 1 |
| 444 | Magnetic materials: a journey from finding north to an exciting printed future. Materials Horizons, 2021, 8, 2654-2684. | 6.4 | 28 |
| 445 | Biomimetic soft micro-swimmers: from actuation mechanisms to applications. Biomedical Microdevices, 2021, 23, 6. | 1.4 | 26 |
| 446 | Liquid Crystal Elastomer-Based Magnetic Composite Films for Reconfigurable Shape-Morphing Soft Miniature Machines. Advanced Materials, 2021, 33, e2006191. | 11.1 | 101 |
| 447 | 4D Printing: Enabling Technology for Microrobotics Applications. Advanced Intelligent Systems, 2021, 3, 2000216. | 3.3 | 43 |
| 448 | Origami Pump Actuator Based Pneumatic Quadruped Robot (OPARO). IEEE Access, 2021, 9, 41010-41018. | 2.6 | 15 |
| 449 | Electrothermal shape memory behavior and recovery force of four-dimensional printed continuous carbon fiber/polylactic acid composite. Smart Materials and Structures, 2021, 30, 025040. | 1.8 | 29 |
| 450 | Motion and trapping of micro- and millimeter-sized particles on the air-water paramagnetic-liquid interface. Physical Review E, 2021, 103, L010601. | 0.8 | 5 |
| 451 | 4D Printing of Magnetoactive Soft Materials for On-Demand Magnetic Actuation Transformation. ACS Applied Materials & Interfaces, 2021, 13, 4174-4184. | 4.0 | 108 |
| 452 | High-energy-density shape memory materials with ultrahigh strain for reconfigurable artificial muscles. Journal of Materials Chemistry B, 2021, 9, 7371-7380. | 2.9 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 453 | An anisotropic nanocomposite hydrogel guides aligned orientation and enhances tenogenesis of human tendon stem/progenitor cells. <i>Biomaterials Science</i> , 2021, 9, 1237-1245. | 2.6 | 25 |
| 454 | Correction: Recent advances in integration of 2D materials with soft matter for multifunctional robotic materials. <i>Materials Horizons</i> , 2021, 8, 284-284. | 6.4 | 2 |
| 455 | Sensing Materials: Bio-inspired Materials. , 2021, , . | | 0 |
| 457 | Bubbles in microfluidics: an all-purpose tool for micromanipulation. <i>Lab on A Chip</i> , 2021, 21, 1016-1035. | 3.1 | 40 |
| 458 | Tailoring the multistability of origami-inspired, buckled magnetic structures <i>via</i> compression and creasing. <i>Materials Horizons</i> , 2021, 8, 3324-3333. | 6.4 | 4 |
| 459 | Ferromagnetic liquid droplets with adjustable magnetic properties. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, . | 3.3 | 14 |
| 460 | Soft Robotics: Research, Challenges, and Prospects. <i>Journal of Robotics and Mechatronics</i> , 2021, 33, 45-68. | 0.5 | 14 |
| 461 | Robotic Devices for Minimally Invasive Endovascular Interventions: A New Dawn for Interventional Radiology. <i>Advanced Intelligent Systems</i> , 2021, 3, 2170021. | 3.3 | 1 |
| 462 | Light-powered self-excited motion of a liquid crystal elastomer rotator. <i>Nonlinear Dynamics</i> , 2021, 103, 2437-2449. | 2.7 | 31 |
| 463 | Effects of loading rate, applied shear strain, and magnetic field on stress relaxation behavior of anisotropic magnetorheological elastomer. <i>Mechanics of Advanced Materials and Structures</i> , 2022, 29, 2984-2998. | 1.5 | 7 |
| 464 | Remotely Controlled, Reversible, On-Demand Assembly and Reconfiguration of 3D Mesostructures via Liquid Crystal Elastomer Platforms. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 8929-8939. | 4.0 | 22 |
| 465 | Ultrasound Doppler-guided real-time navigation of a magnetic microswarm for active endovascular delivery. <i>Science Advances</i> , 2021, 7, . | 4.7 | 186 |
| 466 | 3D printed magnetically-actuating micro-gripper operates in air and water. <i>Additive Manufacturing</i> , 2021, 38, 101834. | 1.7 | 27 |
| 467 | Constitutive Model of Isotropic Magneto-Sensitive Rubber with Amplitude, Frequency, Magnetic and Temperature Dependence under a Continuum Mechanics Basis. <i>Polymers</i> , 2021, 13, 472. | 2.0 | 11 |
| 468 | Core-Shell Magnetic Micropillars for Reprogrammable Actuation. <i>ACS Nano</i> , 2021, 15, 4747-4758. | 7.3 | 30 |
| 469 | Impact of Segmented Magnetization on the Flagellar Propulsion of Sperm-templated Microrobots. <i>Advanced Science</i> , 2021, 8, 2004037. | 5.6 | 29 |
| 470 | Harnessing Mechanical Deformation to Reduce Spherical Aberration in Soft Lenses. <i>Physical Review Letters</i> , 2021, 126, 084301. | 2.9 | 2 |
| 471 | Swimmers Heal on the Move Following Catastrophic Damage. <i>Nano Letters</i> , 2021, 21, 2240-2247. | 4.5 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 472 | Janus 3D printed dynamic scaffolds for nanovibration-driven bone regeneration. <i>Nature Communications</i> , 2021, 12, 1031. | 5.8 | 43 |
| 473 | Light-Responsive Nanofibrous Motor with Simultaneously Precise Locomotion and Reversible Deformation. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 8985-8996. | 4.0 | 11 |
| 474 | A Review of 3D-Printable Soft Pneumatic Actuators and Sensors: Research Challenges and Opportunities. <i>Advanced Intelligent Systems</i> , 2021, 3, 2000223. | 3.3 | 75 |
| 475 | Printable and Stretchable Giant Magnetoresistive Sensors for Highly Compliant and Skin-Conformal Electronics. <i>Advanced Materials</i> , 2021, 33, e2005521. | 11.1 | 37 |
| 476 | Collective locomotion of two-dimensional lattices of flapping plates. Part 2. Lattice flows and propulsive efficiency. <i>Journal of Fluid Mechanics</i> , 2021, 915, . | 1.4 | 6 |
| 477 | Rapidly deployable and morphable 3D mesostructures with applications in multimodal biomedical devices. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, . | 3.3 | 24 |
| 478 | Self-Locomotive Soft Actuator Based on Asymmetric Microstructural Ti ₃ C ₂ T _x MXene Film Driven by Natural Sunlight Fluctuation. <i>ACS Nano</i> , 2021, 15, 5294-5306. | 7.3 | 103 |
| 479 | Electrochemistry: A basic and powerful tool for micro- and nanomotor fabrication and characterization. <i>Applied Materials Today</i> , 2021, 22, 100939. | 2.3 | 14 |
| 480 | Scaling Up Soft Robotics: A Meter-Scale, Modular, and Reconfigurable Soft Robotic System. <i>Soft Robotics</i> , 2022, 9, 324-336. | 4.6 | 23 |
| 481 | A Tapered Soft Robotic Oropharyngeal Swab for Throat Testing: A New Way to Collect Sputa Samples. <i>IEEE Robotics and Automation Magazine</i> , 2021, 28, 90-100. | 2.2 | 17 |
| 482 | Modeling and analysis of a magnetoelastic annular membrane placed in an azimuthal magnetic field. <i>Mathematics and Mechanics of Solids</i> , 2021, 26, 1614-1634. | 1.5 | 3 |
| 483 | A solid-shell finite element method for the anisotropic swelling of hydrogels with reinforced fibers. <i>European Journal of Mechanics, A/Solids</i> , 2021, 86, 104197. | 2.1 | 6 |
| 484 | Reconfigurable Flexible Electronics Driven by Origami Magnetic Membranes. <i>Advanced Materials Technologies</i> , 2021, 6, 2001124. | 3.0 | 27 |
| 485 | A Polymeric Bilayer Multi-Legged Soft Millirobot with Dual Actuation and Humidity Sensing. <i>Sensors</i> , 2021, 21, 1972. | 2.1 | 5 |
| 486 | The sliding mode control approach design for nonholonomic mobile robots based on non-negative piecewise predefined-time control law. <i>IET Control Theory and Applications</i> , 2021, 15, 1286-1296. | 1.2 | 7 |
| 487 | Reconfigurable Three-Dimensional Messtructures of Spatially Programmed Liquid Crystal Elastomers and Their Ferromagnetic Composites. <i>Advanced Functional Materials</i> , 2021, 31, 2100338. | 7.8 | 36 |
| 488 | Magnetic Actuation of Hollow Swarming Spheres for Dynamic Catalysis. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 11424-11432. | 4.0 | 6 |
| 489 | Dual-responsive biohybrid neutrobots for active target delivery. <i>Science Robotics</i> , 2021, 6, . | 9.9 | 227 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 490 | Dynamic Simulation-Guided Design of Tumbling Magnetic Microrobots. Journal of Mechanisms and Robotics, 2021, 13, . | 1.5 | 2 |
| 491 | A Magneto-Active Elastomer Crawler with Peristaltic and Caterpillar Locomotion Patterns. Actuators, 2021, 10, 74. | 1.2 | 9 |
| 492 | An untethered soft robotic gripper with high payload-to-weight ratio. Mechanism and Machine Theory, 2021, 158, 104226. | 2.7 | 31 |
| 493 | Additive manufacturing of structural materials. Materials Science and Engineering Reports, 2021, 145, 100596. | 14.8 | 254 |
| 494 | Soft Materials by Design: Unconventional Polymer Networks Give Extreme Properties. Chemical Reviews, 2021, 121, 4309-4372. | 23.0 | 472 |
| 495 | Underwater maneuvering of robotic sheets through buoyancy-mediated active flutter. Science Robotics, 2021, 6, . | 9.9 | 12 |
| 496 | Design and Demonstration of a Flying-Squirrel-Inspired Jumping Robot with Two Modes. Applied Sciences (Switzerland), 2021, 11, 3362. | 1.3 | 4 |
| 497 | Programmable and reprocessable multifunctional elastomeric sheets for soft origami robots. Science Robotics, 2021, 6, . | 9.9 | 42 |
| 498 | Voxelated three-dimensional miniature magnetic soft machines via multimaterial heterogeneous assembly. Science Robotics, 2021, 6, . | 9.9 | 133 |
| 499 | Programmable Self-€Locking Micromachines with Tunable Couplings. Advanced Intelligent Systems, 2021, 3, 2000232. | 3.3 | 2 |
| 500 | Metachronal ¼-Cilia for On-Chip Integrated Pumps and Climbing Robots. ACS Applied Materials & Interfaces, 2021, 13, 20845-20857. | 4.0 | 34 |
| 501 | Shape programming of a magnetic elastica. Mathematical Models and Methods in Applied Sciences, 2021, 31, 675-710. | 1.7 | 3 |
| 502 | Design, manufacturing and applications of small-scale magnetic soft robots. Extreme Mechanics Letters, 2021, 44, 101268. | 2.0 | 44 |
| 503 | 3D printing of magnetically actuated miniature soft robots. , 2021, , . | | 2 |
| 504 | Material Characterization for Magnetic Soft Robots. , 2021, , . | | 8 |
| 505 | Magnetorheological Elastomer-€Based Materials and Devices: State of the Art and Future Perspectives. Advanced Engineering Materials, 2021, 23, 2100240. | 1.6 | 31 |
| 506 | Magnetically active response of acrylonitrile-butadiene-rubber-based magnetorheological elastomers with different types of iron fillers and their hybrid. Composites Communications, 2021, 24, 100657. | 3.3 | 18 |
| 507 | Design of the Magnetic Stamp Film for Electromagnetic-Assisted Transfer Printing. Journal of Applied Mechanics, Transactions ASME, 2021, 88, . | 1.1 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 508 | Dual-Responsive Soft Actuators with Integrated Sensing Function Based on 1T-MoS ₂ Composite. <i>Advanced Intelligent Systems</i> , 2021, 3, 2000240. | 3.3 | 15 |
| 509 | Exploration of possible cell chirality using material techniques of surface patterning. <i>Acta Biomaterialia</i> , 2021, 126, 92-108. | 4.1 | 32 |
| 510 | Magneto-active elastic shells with tunable buckling strength. <i>Nature Communications</i> , 2021, 12, 2831. | 5.8 | 41 |
| 511 | Electric-field-guided 3D manipulation of liquid metal microfleas. <i>Soft Materials</i> , 2022, 20, 129-136. | 0.8 | 5 |
| 512 | Design and Preparation of Magnetism-Driven Intelligent Hydrogel Actuators. <i>International Polymer Processing</i> , 2021, 36, 165-171. | 0.3 | 1 |
| 513 | Wirelessly Actuated Thermo- and Magneto-Responsive Soft Bimorph Materials with Programmable Shape-Morphing. <i>Advanced Materials</i> , 2021, 33, e2100336. | 11.1 | 60 |
| 514 | Intelligent Soft Surgical Robots for Next-Generation Minimally Invasive Surgery. <i>Advanced Intelligent Systems</i> , 2021, 3, 2100011. | 3.3 | 55 |
| 515 | Wireless Electrohydrodynamic Actuators for Propulsion and Positioning of Miniaturized Floating Robots. <i>Advanced Intelligent Systems</i> , 2021, 3, 2100004. | 3.3 | 7 |
| 516 | Facile Manufacturing Route for Magneto-Responsive Soft Actuators. <i>Advanced Intelligent Systems</i> , 2021, 3, 2000283. | 3.3 | 14 |
| 517 | Molecular simulation-guided and physics-informed mechanistic modeling of multifunctional polymers. <i>Acta Mechanica Sinica/Lixue Xuebao</i> , 2021, 37, 725-745. | 1.5 | 6 |
| 518 | Continuous and programmable photomechanical jumping of polymer monoliths. <i>Materials Today</i> , 2021, 49, 97-106. | 8.3 | 55 |
| 519 | Smart Actuators Based on External Stimulus Response. <i>Frontiers in Chemistry</i> , 2021, 9, 650358. | 1.8 | 28 |
| 521 | Evolutionary design of magnetic soft continuum robots. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, . | 3.3 | 85 |
| 522 | Photo-Triggered Shape Reconfiguration in Stretchable Reduced Graphene Oxide-Patterned Azobenzene-Functionalized Liquid Crystalline Polymer Networks. <i>Advanced Functional Materials</i> , 2021, 31, 2102106. | 7.8 | 14 |
| 523 | A Liquid Gripper Based on Phase Transitional Metallic Ferrofluid. <i>Advanced Functional Materials</i> , 2021, 31, 2100274. | 7.8 | 56 |
| 524 | Engineering Magnetic Micro/Nanorobots for Versatile Biomedical Applications. <i>Advanced Intelligent Systems</i> , 2021, 3, 2000267. | 3.3 | 41 |
| 525 | Intelligent Shape-Morphing Micromachines. <i>Research</i> , 2021, 2021, 9806463. | 2.8 | 6 |
| 526 | Small-Scale Magnetic Actuators with Optimal Six Degrees of Freedom. <i>Advanced Materials</i> , 2021, 33, e2100170. | 11.1 | 32 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 527 | Reconfigurable Magnetic Origami Actuators with On-Board Sensing for Guided Assembly. <i>Advanced Materials</i> , 2021, 33, e2008751. | 11.1 | 39 |
| 528 | Responsible Artificial Intelligence as a Secret Ingredient for Digital Health: Bibliometric Analysis, Insights, and Research Directions. <i>Information Systems Frontiers</i> , 2023, 25, 2123-2138. | 4.1 | 32 |
| 529 | MagnetIO: Passive yet Interactive Soft Haptic Patches Anywhere. , 2021, , . | | 13 |
| 530 | A Fast Autonomous Healing Magnetic Elastomer for Instantly Recoverable, Modularly Programmable, and Thermorecyclable Soft Robots. <i>Advanced Functional Materials</i> , 2021, 31, 2101825. | 7.8 | 56 |
| 531 | Elastomeric Haptic Devices for Virtual and Augmented Reality. <i>Advanced Functional Materials</i> , 2021, 31, 2009364. | 7.8 | 39 |
| 532 | Bioinspired magnetically driven liquid manipulation as microrobot. <i>Cell Reports Physical Science</i> , 2021, 2, 100439. | 2.8 | 15 |
| 533 | Geometric Methods for Efficient Planar Swimming of Copepod Nauplii. <i>Micromachines</i> , 2021, 12, 706. | 1.4 | 0 |
| 534 | An Untethered Crawling and Jumping Micro-Robot. , 2021, , . | | 1 |
| 535 | A constitutive model of the dynamic shear modulus dependence on temperature, prestrain, dynamic strain amplitude and magnetic field for magneto-sensitive elastomer. <i>International Journal of Solids and Structures</i> , 2021, 219-220, 106-119. | 1.3 | 8 |
| 536 | 3D Printing Magnetic Actuators for Biomimetic Applications. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 30127-30136. | 4.0 | 62 |
| 537 | Progress and prospects of artificial intelligence in colonoscopy. <i>Artificial Intelligence in Gastrointestinal Endoscopy</i> , 2021, 2, 63-70. | 0.2 | 0 |
| 538 | 3D Printing of Functional Magnetic Materials: From Design to Applications. <i>Advanced Functional Materials</i> , 2021, 31, 2102777. | 7.8 | 91 |
| 539 | Random Liquid Crystalline Copolymers Consisting of Prolate and Oblate Liquid Crystal Monomers. <i>Macromolecules</i> , 2021, 54, 5376-5387. | 2.2 | 11 |
| 540 | Magnetic Nanoparticles in Biology and Medicine: Past, Present, and Future Trends. <i>Pharmaceutics</i> , 2021, 13, 943. | 2.0 | 96 |
| 541 | Transparent Magnetic Soft Millirobot Actuated by Micro-Node Array. <i>Advanced Materials Technologies</i> , 2021, 6, 2100131. | 3.0 | 9 |
| 542 | Magnetic soft micromachines made of linked microactuator networks. <i>Science Advances</i> , 2021, 7, . | 4.7 | 57 |
| 543 | An Improved Island Algorithm and Its Application in Model Optimization of Micro Soft Robot. <i>Journal of Physics: Conference Series</i> , 2021, 1944, 012036. | 0.3 | 2 |
| 544 | Dipole-Moment Induced Phototaxis and Fuel-Free Propulsion of ZnO/Pt Janus Micromotors. <i>Small</i> , 2021, 17, e2101388. | 5.2 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 545 | Piezoelectric Nanogenerators Derived Self-Powered Sensors for Multifunctional Applications and Artificial Intelligence. <i>Advanced Functional Materials</i> , 2021, 31, 2102983. | 7.8 | 163 |
| 546 | Magnetic Dynamic Polymers for Modular Assembling and Reconfigurable Morphing Architectures. <i>Advanced Materials</i> , 2021, 33, e2102113. | 11.1 | 88 |
| 547 | Micro Swimming Robots Powered by a Single-Axis Alternating Magnetic Field with Controllable Manipulation. , 2021, , . | | 2 |
| 548 | Magnetism in curved geometries. <i>Journal of Applied Physics</i> , 2021, 129, . | 1.1 | 29 |
| 549 | Autonomous Low-Reynolds-Number Soft Robots with Structurally Encoded Motion and Their Thermodynamic Efficiency. <i>Langmuir</i> , 2021, 37, 8148-8156. | 1.6 | 1 |
| 550 | Influence of elastomeric matrix and particle volume fraction on the mechanical response of magneto-active polymers. <i>Composites Part B: Engineering</i> , 2021, 215, 108796. | 5.9 | 30 |
| 551 | Arthropod-Inspired Resonant Piezoelectric Millirobot. <i>Advanced Intelligent Systems</i> , 2021, 3, 2100015. | 3.3 | 64 |
| 552 | Electrostatic footpads enable agile insect-scale soft robots with trajectory control. <i>Science Robotics</i> , 2021, 6, . | 9.9 | 66 |
| 553 | Integrated Locomotion and Deformation of a Magnetic Soft Robot: Modeling, Control, and Experiments. <i>IEEE Transactions on Industrial Electronics</i> , 2021, 68, 5078-5087. | 5.2 | 21 |
| 554 | Flexible conductive sodium alginate/chitosan foam with good mechanical properties and magnetic sensitivity. <i>Smart Materials and Structures</i> , 2021, 30, 075027. | 1.8 | 13 |
| 555 | Bioinspired Light-Driven Soft Robots by a Facile Two-Mode Laser Engraving and Cutting Process. , 2021, , . | | 2 |
| 556 | Task space adaptation via the learning of gait controllers of magnetic soft millirobots. <i>International Journal of Robotics Research</i> , 2021, 40, 1331-1351. | 5.8 | 10 |
| 557 | Design of a Soft Growing Robot as a Practical Example of Cyber-Physical Measurement Systems. , 2021, , . | | 7 |
| 558 | A perspective on curvilinear magnetism. <i>Applied Physics Letters</i> , 2021, 118, . | 1.5 | 46 |
| 559 | A Magnetically Powered Stem Cell-Based Microrobot for Minimally Invasive Stem Cell Delivery via the Intranasal Pathway in a Mouse Brain. <i>Advanced Healthcare Materials</i> , 2021, 10, e2100801. | 3.9 | 32 |
| 560 | Soft-bodied adaptive multimodal locomotion strategies in fluid-filled confined spaces. <i>Science Advances</i> , 2021, 7, . | 4.7 | 82 |
| 561 | Deformation of a sphere made of magnetoactive elastomer under a strong uniform magnetic field. <i>Journal of Physics: Conference Series</i> , 2021, 1945, 012056. | 0.3 | 3 |
| 562 | Magnetoactive Soft Drivers with Radial-Chain Iron Microparticles. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 34935-34941. | 4.0 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 563 | Multimodal soft jumping robot with self-decision ability. <i>Smart Materials and Structures</i> , 2021, 30, 085038. | 1.8 | 9 |
| 564 | Review of Dielectric Elastomer Actuators and Their Applications in Soft Robots. <i>Advanced Intelligent Systems</i> , 2021, 3, 2000282. | 3.3 | 111 |
| 565 | Electromagnetic Field-Programmed Magnetic Vortex Nanodelivery System for Efficacious Cancer Therapy. <i>Advanced Science</i> , 2021, 8, e2100950. | 5.6 | 22 |
| 566 | Off-axis gyration induces large-area circular motion of anisotropic microparticles in a dynamic magnetic trap. <i>Applied Physics Letters</i> , 2021, 119, . | 1.5 | 4 |
| 567 | A magnetoelastic theory for Kirchhoff rods having uniformly distributed paramagnetic inclusions and its buckling. <i>International Journal of Solids and Structures</i> , 2022, 234-235, 111147. | 1.3 | 3 |
| 568 | Soft Robot Based on Hyperelastic Buckling Controlled by Discontinuous Magnetic Field. <i>Journal of Mechanisms and Robotics</i> , 2022, 14, . | 1.5 | 7 |
| 569 | Untethered Soft Robots for Future Planetary Explorations?. <i>Advanced Intelligent Systems</i> , 2023, 5, 2100106. | 3.3 | 9 |
| 570 | Bioinspired Triboelectric Soft Robot Driven by Mechanical Energy. <i>Advanced Functional Materials</i> , 2021, 31, 2104770. | 7.8 | 36 |
| 571 | Physical intelligence as a new paradigm. <i>Extreme Mechanics Letters</i> , 2021, 46, 101340. | 2.0 | 114 |
| 572 | Reversible Underwater Adhesion for Soft Robotic Feet by Leveraging Electrochemically Tunable Liquid Metal Interfaces. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 37904-37914. | 4.0 | 24 |
| 573 | 3D Magnetic Field-Controlled Synthesis, Collective Motion, and Bioreaction Enhancement of Multifunctional Peasecod-like Nanochains. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 36157-36170. | 4.0 | 14 |
| 574 | Multi-chamber Pneumatic Actuator for Peristaltic Soft Robot. , 2021, , . | | 1 |
| 575 | Programmable shape transformation of 3D printed magnetic hydrogel composite for hyperthermia cancer therapy. <i>Extreme Mechanics Letters</i> , 2021, 46, 101305. | 2.0 | 44 |
| 576 | TENG-Bot: Triboelectric nanogenerator powered soft robot made of uni-directional dielectric elastomer. <i>Nano Energy</i> , 2021, 85, 106012. | 8.2 | 55 |
| 577 | A programmable 3D printing method for magnetically driven micro soft robots based on surface tension. <i>Journal of Micromechanics and Microengineering</i> , 2021, 31, 085006. | 1.5 | 5 |
| 578 | Yoshimura-origami Based Earthworm-like Robot With 3-dimensional Locomotion Capability. <i>Frontiers in Robotics and AI</i> , 2021, 8, 738214. | 2.0 | 28 |
| 579 | Review on mobile robots that exploit resonance. <i>Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science</i> , 2021, 235, 7907-7924. | 1.1 | 3 |
| 580 | Directional Transportation on Microplate-Arrayed Surfaces Driven via a Magnetic Field. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 37655-37664. | 4.0 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 581 | System-Engineered Miniaturized Robots: From Structure to Intelligence. <i>Advanced Intelligent Systems</i> , 2021, 3, 2000284. | 3.3 | 18 |
| 582 | Soft Untethered Robots and Grippers Based on Humidity-Gated Magnetic-Responsive Film Actuators. <i>ACS Applied Polymer Materials</i> , 2021, 3, 4726-4734. | 2.0 | 10 |
| 583 | Current Development on Origami/Kirigami-Inspired Structure of Creased Patterns toward Robotics. <i>Advanced Engineering Materials</i> , 2021, 23, 2100473. | 1.6 | 18 |
| 584 | A study of ladder-like silk foothold for the locomotion of bagworms. <i>Scientific Reports</i> , 2021, 11, 16657. | 1.6 | 2 |
| 585 | High-Speed Swimmer Self-Propelled by Spontaneous Asymmetrical Heat Transfer. <i>Journal of the Physical Society of Japan</i> , 2021, 90, 084401. | 0.7 | 4 |
| 586 | Mechanics of Magnetic Robots Akin to Soft Beams Supported at Unanchored Contacts. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2021, 88, . | 1.1 | 1 |
| 587 | Ferromagnetic soft catheter robots for minimally invasive bioprinting. <i>Nature Communications</i> , 2021, 12, 5072. | 5.8 | 87 |
| 588 | Self-heating and dynamic mechanical behavior of silicone rubber composite filled with carbonyl iron particles under cyclic compressive loading. <i>Journal of Composite Materials</i> , 2021, 55, 4273-4292. | 1.2 | 3 |
| 589 | Reconfigurable artificial microswimmers with internal feedback. <i>Nature Communications</i> , 2021, 12, 4762. | 5.8 | 34 |
| 590 | 3D Temporary-Magnetized Soft Robotic Structures for Enhanced Energy Harvesting. <i>Advanced Materials</i> , 2021, 33, e2102691. | 11.1 | 23 |
| 591 | A soft neuroprosthetic hand providing simultaneous myoelectric control and tactile feedback. <i>Nature Biomedical Engineering</i> , 2023, 7, 589-598. | 11.6 | 169 |
| 592 | Ferrofluidic Manipulator: Automatic Manipulation of Nonmagnetic Microparticles at the Air-Ferrofluid Interface. <i>IEEE/ASME Transactions on Mechatronics</i> , 2021, 26, 1932-1940. | 3.7 | 11 |
| 593 | Modeling and analysis of bending pneumatic artificial muscle with multi-degree of freedom. <i>Smart Materials and Structures</i> , 2021, 30, 095018. | 1.8 | 14 |
| 594 | Dynamic analysis and active control of hard-magnetic soft materials. <i>International Journal of Smart and Nano Materials</i> , 2021, 12, 429-449. | 2.0 | 8 |
| 595 | Application of intrinsically conducting polymers in flexible electronics. <i>SmartMat</i> , 2021, 2, 263-285. | 6.4 | 87 |
| 596 | Materials and Schemes of Multimodal Reconfigurable Micro/Nanomachines and Robots: Review and Perspective. <i>Advanced Materials</i> , 2021, 33, e2101965. | 11.1 | 37 |
| 597 | Multi-material distribution planning for additive manufacturing of biomimetic structures. <i>Rapid Prototyping Journal</i> , 2021, ahead-of-print, . | 1.6 | 0 |
| 598 | Reconfigurable multi-component micromachines driven by optoelectronic tweezers. <i>Nature Communications</i> , 2021, 12, 5349. | 5.8 | 41 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 599 | Unconventional deformation and sound absorption properties of anisotropic magnetorheological elastomers. <i>Smart Materials and Structures</i> , 2021, 30, 105022. | 1.8 | 4 |
| 600 | Programmable light-driven swimming actuators via wavelength signal switching. <i>Science Advances</i> , 2021, 7, eabh3051. | 4.7 | 24 |
| 601 | Vitrimer-based soft actuators with multiple responsiveness and self-healing ability triggered by multiple stimuli. <i>Matter</i> , 2021, 4, 3354-3365. | 5.0 | 38 |
| 602 | Smart Refreshable Braille Display Device Based on Magneto-Resistive Composite with Triple Shape Memory. <i>Advanced Materials Technologies</i> , 2022, 7, 2100777. | 3.0 | 14 |
| 603 | Worm-Inspired Soft Robots Enable Adaptable Pipeline and Tunnel Inspection. <i>Advanced Intelligent Systems</i> , 2022, 4, 2100128. | 3.3 | 27 |
| 604 | Soft Robotics: Morphology and Morphology-inspired Motion Strategy. <i>IEEE/CAA Journal of Automatica Sinica</i> , 2021, 8, 1500-1522. | 8.5 | 24 |
| 605 | Tracing evolutions of elastomeric composites in shape memory actuators: A comprehensive review. <i>Materials Today Communications</i> , 2021, 28, 102658. | 0.9 | 8 |
| 606 | Unconstrained 3D Shape Programming with Light-Induced Stress Gradient. <i>Advanced Materials</i> , 2021, 33, e2105194. | 11.1 | 44 |
| 607 | A Fast Self-Healing Magnetic Nanocomposite for Magnetic Actuators. <i>Macromolecular Materials and Engineering</i> , 2022, 307, 2100649. | 1.7 | 14 |
| 608 | Small-Scale Soft Robot with High Speed and Load Capacity Inspired by Kangaroo Hopping. <i>Advanced Intelligent Systems</i> , 2022, 4, 2100129. | 3.3 | 10 |
| 609 | Review of Magnetic Shape Memory Polymers and Magnetic Soft Materials. <i>Magnetochemistry</i> , 2021, 7, 123. | 1.0 | 15 |
| 610 | Hydrogel-driven origami metamaterials for tunable swelling behavior. <i>Materials and Design</i> , 2021, 207, 109819. | 3.3 | 19 |
| 611 | Reconfigurable magnetic soft robots with multimodal locomotion. <i>Nano Energy</i> , 2021, 87, 106169. | 8.2 | 70 |
| 612 | Amphibious Transport of Fluids and Solids by Soft Magnetic Carpets. <i>Advanced Science</i> , 2021, 8, e2102510. | 5.6 | 31 |
| 613 | Ultrasensitive strain sensor based on superhydrophobic microcracked conductive Ti ₃ C ₂ T MXene/paper for human-motion monitoring and E-skin. <i>Science Bulletin</i> , 2021, 66, 1849-1857. | 4.3 | 181 |
| 614 | On bifurcation behavior of hard magnetic soft cantilevers. <i>International Journal of Non-Linear Mechanics</i> , 2021, 134, 103746. | 1.4 | 17 |
| 615 | Magnetized Micropillar-Enabled Wearable Sensors for Touchless and Intelligent Information Communication. <i>Nano-Micro Letters</i> , 2021, 13, 197. | 14.4 | 19 |
| 616 | One-Step, Continuous Three-Dimensional Printing of Multi-Stimuli-Responsive Bilayer Microactuators via a Double-Barreled Theta Pipette. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 43396-43403. | 4.0 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 617 | An automated platform for assembling light-powered hydrogel microrobots and their subsequent chemical binding. <i>Journal of Computational Science</i> , 2021, 55, 101446. | 1.5 | 7 |
| 618 | EPMâ€“MRE: Electropermanent Magnetâ€“Magnetorheological Elastomer for Soft Actuation System and Its Application to Robotic Grasping. <i>IEEE Robotics and Automation Letters</i> , 2021, 6, 8181-8188. | 3.3 | 10 |
| 619 | Integration of sensing and shape-deforming capabilities for a bioinspired soft robot. <i>Composites Part B: Engineering</i> , 2021, 223, 109116. | 5.9 | 31 |
| 620 | SMARTI: A 60-mg Steerable Robot Driven by High-Frequency Shape-Memory Alloy Actuation. <i>IEEE Robotics and Automation Letters</i> , 2021, 6, 8173-8180. | 3.3 | 20 |
| 621 | Mechanical design of an asymmetric-deformation-driven rotating machinery. <i>Mechanics Research Communications</i> , 2021, 117, 103772. | 1.0 | 0 |
| 622 | Microstructural modelling of hard-magnetic soft materials: Dipoleâ€“dipole interactions versus Zeeman effect. <i>Extreme Mechanics Letters</i> , 2021, 48, 101382. | 2.0 | 37 |
| 623 | Bioinspired soft microrobots actuated by magnetic field. <i>Biomedical Microdevices</i> , 2021, 23, 52. | 1.4 | 18 |
| 624 | Reconfiguration of multistable 3D ferromagnetic mesostructures guided by energy landscape surveys. <i>Extreme Mechanics Letters</i> , 2021, 48, 101428. | 2.0 | 8 |
| 625 | Multi-stimuli-response programmable soft actuators with site-specific and anisotropic deformation behavior. <i>Nano Energy</i> , 2021, 88, 106254. | 8.2 | 40 |
| 626 | Mechanochromic Detection for Soft Opto-Magnetic Actuators. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 47871-47881. | 4.0 | 10 |
| 627 | Tunable reversible deformation of semicrystalline polymer networks based on temperature memory effect. <i>Polymer</i> , 2021, 232, 124157. | 1.8 | 7 |
| 628 | Origami-inspired magnetic-driven soft actuators with programmable designs and multiple applications. <i>Nano Energy</i> , 2021, 89, 106424. | 8.2 | 42 |
| 629 | New experimental insights into magneto-mechanical rate dependences of magnetorheological elastomers. <i>Composites Part B: Engineering</i> , 2021, 224, 109148. | 5.9 | 45 |
| 630 | Patterning candle soot for light-driven actuator via Marangoni effect. <i>Sensors and Actuators B: Chemical</i> , 2021, 347, 130613. | 4.0 | 13 |
| 631 | Programmable and Reversible Self-assembly of 3D Architectures Actuated by Flexible Metalâ€“Organic Frameworks. <i>Sensors and Actuators B: Chemical</i> , 2021, 346, 130388. | 4.0 | 5 |
| 632 | Programming the microstructure of magnetic nanocomposites in DLP 3D printing. <i>Additive Manufacturing</i> , 2021, 47, 102343. | 1.7 | 11 |
| 633 | Mechanical design and analytic solution for unfolding deformation of locomotive ferromagnetic robots. <i>International Journal of Mechanical Sciences</i> , 2021, 211, 106799. | 3.6 | 8 |
| 634 | MXene incorporated polymeric hybrids for stiffness modulation in printed adaptive surfaces. <i>Nano Energy</i> , 2021, 90, 106548. | 8.2 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 635 | Light drive reversible color switching for rewritable media and encoding. <i>Materials and Design</i> , 2021, 211, 110132. | 3.3 | 2 |
| 636 | Abnormal deformation and negative pressure of a hard magnetic disc under the action of a magnet. <i>Sensors and Actuators A: Physical</i> , 2021, 332, 113065. | 2.0 | 4 |
| 637 | Moisture induced electricity for self-powered microrobots. <i>Nano Energy</i> , 2021, 90, 106499. | 8.2 | 23 |
| 638 | Modelling the residually stressed magneto-electrically coupled soft elastic materials. <i>International Journal of Non-Linear Mechanics</i> , 2021, 137, 103802. | 1.4 | 12 |
| 639 | An intrinsically embedded pressure-temperature dual-mode soft sensor towards soft robotics. <i>Sensors and Actuators A: Physical</i> , 2021, 332, 113084. | 2.0 | 18 |
| 640 | A thermally-electrically double-responsive polycaprolactone “ thermoplastic polyurethane/multi-walled carbon nanotube fiber assisted with highly effective shape memory and strain sensing performance. <i>Chemical Engineering Journal</i> , 2022, 427, 131648. | 6.6 | 36 |
| 641 | Virtual Reality Aided High-Quality 3D Reconstruction by Remote Drones. <i>ACM Transactions on Internet Technology</i> , 2022, 22, 1-20. | 3.0 | 2 |
| 642 | Light-powered self-excited oscillation of a liquid crystal elastomer pendulum. <i>Mechanical Systems and Signal Processing</i> , 2022, 163, 108140. | 4.4 | 35 |
| 643 | Flexible, Robust, and Durable Aramid Fiber/CNT Composite Paper as a Multifunctional Sensor for Wearable Applications. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 5486-5497. | 4.0 | 55 |
| 644 | Study of non-uniform axial magnetic field induced deformation of a soft cylindrical magneto-active actuator. <i>Soft Matter</i> , 2021, 17, 7498-7505. | 1.2 | 5 |
| 645 | Soft actuators by electrochemical oxidation of liquid metal surfaces. <i>Soft Matter</i> , 2021, 17, 1921-1928. | 1.2 | 14 |
| 646 | Carbon fabric-based self-powered magnetoelectric tactile sensors for soft robot's sensing with resistance to acidic/alkaline environments. <i>Journal of Materials Chemistry C</i> , 2021, 9, 14827-14837. | 2.7 | 10 |
| 647 | Somatosensitive film soft crawling robots driven by artificial muscle for load carrying and multi-terrain locomotion. <i>Materials Horizons</i> , 2021, 8, 1783-1794. | 6.4 | 49 |
| 648 | Event-driven adaptive near-optimal tracking control of the robot in aircraft skin inspection. <i>International Journal of Robust and Nonlinear Control</i> , 2021, 31, 2593-2613. | 2.1 | 5 |
| 649 | Micromanipulation Using Reconfigurable Self-Assembled Magnetic Droplets With Needle Guidance. <i>IEEE Transactions on Automation Science and Engineering</i> , 2022, 19, 759-771. | 3.4 | 19 |
| 650 | Longitudinal Motion Modeling and Experimental Verification of a Microrobot Subject to Liquid Laminar Flow. <i>IEEE/ASME Transactions on Mechatronics</i> , 2021, 26, 2956-2966. | 3.7 | 9 |
| 651 | Critical bending and shape memory effect in magnetoactive elastomers. <i>Smart Materials and Structures</i> , 2021, 30, 025020. | 1.8 | 12 |
| 652 | Dynamic thermal trapping enables cross-species smart nanoparticle swarms. <i>Science Advances</i> , 2021, 7, . | 4.7 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 653 | Recent progress of biomimetic motionsâ€”from microscopic micro/nanomotors to macroscopic actuators and soft robotics. RSC Advances, 2021, 11, 27406-27419. | 1.7 | 9 |
| 654 | Study on the forming and sensing properties of laser-sintered TPU/CNT composites for plantar pressure sensors. International Journal of Advanced Manufacturing Technology, 2021, 112, 2211-2222. | 1.5 | 15 |
| 655 | The most efficient metazoan swimmer creates a â€”virtual wallâ€”™ to enhance performance. Proceedings of the Royal Society B: Biological Sciences, 2021, 288, 20202494. | 1.2 | 16 |
| 656 | Magnetocaloric actuation of soft polymer robots. Journal of Materials Chemistry C, 0, , . | 2.7 | 7 |
| 657 | Photothermally Reconfigurable Shape Memory Magnetic Cilia. Advanced Materials Technologies, 2020, 5, 2000147. | 3.0 | 22 |
| 658 | A Novel Sideâ€”Chain Liquid Crystal Elastomer Exhibiting Anomalous Reversible Shape Change. Angewandte Chemie - International Edition, 2020, 59, 15129-15134. | 7.2 | 33 |
| 659 | Artificial Muscles for Underwater Soft Robotic System. , 2021, , 71-97. | | 3 |
| 660 | The extensible Data-Brain model: Architecture, applications and directions. Journal of Computational Science, 2020, 46, 101103. | 1.5 | 14 |
| 661 | Bioinspired, Superhydrophobic, and Paper-Based Strain Sensors for Wearable and Underwater Applications. ACS Applied Materials & Interfaces, 2021, 13, 1967-1978. | 4.0 | 85 |
| 662 | Wettability-Controlled Directional Actuating Strategy Based on Bilayer Photonic Crystals. ACS Applied Materials & Interfaces, 2021, 13, 2007-2017. | 4.0 | 17 |
| 663 | Tunable layered composites based on magnetoactive elastomers and piezopolymer for sensors and energy harvesting devices. Journal Physics D: Applied Physics, 2021, 54, 015003. | 1.3 | 19 |
| 664 | Piezoelectric actuators with on-board sensing for micro-robotic applications. Smart Materials and Structures, 2019, 28, 115036. | 1.8 | 22 |
| 665 | A continuum magneto-mechanical model for magnetorheological elastomers. Smart Materials and Structures, 2021, 30, 015008. | 1.8 | 12 |
| 666 | A magneto-active soft gripper with adaptive and controllable motion. Smart Materials and Structures, 2021, 30, 015024. | 1.8 | 27 |
| 667 | Multifunctional magnetic soft composites: a review. Multifunctional Materials, 2020, 3, 042003. | 2.4 | 159 |
| 668 | Self-learning how to swim at low Reynolds number. Physical Review Fluids, 2020, 5, , . | 1.0 | 46 |
| 669 | Optimal Design of Soft Continuum Magnetic Robots under Follow-the-leader Shape Forming Actuation. , 2020, , . | | 11 |
| 670 | Kinetics-Induced Morphing of Three-Dimensional-Printed Gel Structures Based on Geometric Asymmetry. Journal of Applied Mechanics, Transactions ASME, 2020, 87, , . | 1.1 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 671 | Micromechanics Study on Actuation Efficiency of Hard-Magnetic Soft Active Materials. Journal of Applied Mechanics, Transactions ASME, 2020, 87, . | 1.1 | 40 |
| 672 | A Review of Physically Based and Thermodynamically Based Constitutive Models for Soft Materials. Journal of Applied Mechanics, Transactions ASME, 2020, 87, . | 1.1 | 41 |
| 673 | Design and preparation of 3D printing intelligent poly N,N-dimethylacrylamide hydrogel actuators. E-Polymers, 2020, 20, 273-281. | 1.3 | 11 |
| 674 | Learning of Sub-optimal Gait Controllers for Magnetic Walking Soft Millirobots. , 2020, 2020, . | | 12 |
| 676 | A Jumping Soft Robot Driven by Magnetic Field. Lecture Notes in Computer Science, 2021, , 267-274. | 1.0 | 1 |
| 677 | MRS-Tex: A Magnetically Responsive Soft Tactile Device for Texture Display. IEEE Transactions on Industrial Electronics, 2022, 69, 11531-11540. | 5.2 | 2 |
| 678 | 3D printable, tough, magnetic hydrogels with programmed magnetization for fast actuation. Journal of Materials Chemistry B, 2021, 9, 9183-9190. | 2.9 | 20 |
| 679 | Elevation control of a soft jumping robot. , 2021, , . | | 1 |
| 680 | Modeling and Control of an Untethered Magnetic Gripper. , 2021, , . | | 4 |
| 681 | Twisting and Braiding Fluid-Driven Soft Artificial Muscle Fibers for Robotic Applications. Soft Robotics, 2022, 9, 820-836. | 4.6 | 28 |
| 682 | The Voyage of Micro/nanorobots inside the Human Body. ChemNanoMat, 2022, 8, . | 1.5 | 4 |
| 683 | Mechanically-Guided 4D Printing of Magneto-responsive Soft Materials across Different Length Scale. Advanced Intelligent Systems, 2022, 4, 2100137. | 3.3 | 23 |
| 684 | Mechanical computing. Nature, 2021, 598, 39-48. | 13.7 | 101 |
| 685 | Environmentally Adaptive Shape-Morphing Microrobots for Localized Cancer Cell Treatment. ACS Nano, 2021, 15, 18048-18059. | 7.3 | 94 |
| 686 | Shape-programmable liquid crystal elastomer structures with arbitrary three-dimensional director fields and geometries. Nature Communications, 2021, 12, 5936. | 5.8 | 42 |
| 687 | Magnetic Arthropod Millirobots Fabricated by 3D-Printed Hydrogels. Advanced Intelligent Systems, 2022, 4, 2100139. | 3.3 | 45 |
| 688 | A Locally Actuable Soft Robotic Film for Actively Reconfiguring Shapes of Flexible Electronics. Soft Robotics, 2021, , . | 4.6 | 5 |
| 689 | Magnetoelastic instabilities in soft laminates with ferromagnetic hyperelastic phases. International Journal of Mechanical Sciences, 2022, 213, 106862. | 3.6 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 690 | Monolithic processing of a layered flexible robotic actuator film for kinetic electronics. Scientific Reports, 2021, 11, 20015. | 1.6 | 7 |
| 691 | Design and fabrication of a crawling robot based on a soft actuator. Smart Materials and Structures, 2021, 30, 125018. | 1.8 | 4 |
| 692 | The shape " morphing performance of magnetoactive soft materials. Materials and Design, 2021, 211, 110172. | 3.3 | 94 |
| 696 | Origami MEMS. , 2021, , 197-239. | | 2 |
| 697 | Recent Progress in Active Mechanical Metamaterials and Construction Principles. Advanced Science, 2022, 9, e2102662. | 5.6 | 75 |
| 698 | Miniaturized soft centrifugal pumps with magnetic levitation for fluid handling. Science Advances, 2021, 7, eabi7203. | 4.7 | 8 |
| 699 | Light-Fueled Polymer Film Capable of Directional Crawling, Friction-Controlled Climbing, and Self-Sustained Motion on a Human Hair. Advanced Science, 2022, 9, e2103090. | 5.6 | 26 |
| 700 | Stratified Disk Microrobots with Dynamic Maneuverability and Proton-Activatable Luminescence for <i>in Vivo</i> Imaging. ACS Nano, 2021, 15, 19924-19937. | 7.3 | 12 |
| 701 | A comprehensive framework for hard-magnetic beams: Reduced-order theory, 3D simulations, and experiments. International Journal of Solids and Structures, 2022, 257, 111319. | 1.3 | 29 |
| 702 | Evolving from Laboratory Toys towards Life-Savers: Small-Scale Magnetic Robotic Systems with Medical Imaging Modalities. Micromachines, 2021, 12, 1310. | 1.4 | 5 |
| 703 | Robotic endovascular surgery: current and future practice. Seminars in Vascular Surgery, 2021, 34, 233-240. | 1.1 | 13 |
| 704 | Multifunctional thermo-magnetically actuated hybrid soft millirobot based on 4D printing. Composites Part B: Engineering, 2022, 228, 109451. | 5.9 | 47 |
| 705 | Recent advances in hard-magnetic soft composites: Synthesis, characterisation, computational modelling, and applications. Composite Structures, 2022, 279, 114800. | 3.1 | 92 |
| 706 | Adaptive parameter identification of Bouc-wen hysteresis model for a vibration system using magnetorheological elastomer. International Journal of Mechanical Sciences, 2022, 213, 106848. | 3.6 | 36 |
| 707 | Micro/Nano-Manipulation. , 2020, , 1-9. | | 1 |
| 708 | Soft Hinge for Magnetically Actuated Millimetre-Size Origami. Lecture Notes in Computer Science, 2020, , 66-69. | 1.0 | 0 |
| 709 | HFAM: Soft Hydraulic Filament Artificial Muscles for Flexible Robotic Applications. IEEE Access, 2020, 8, 226637-226652. | 2.6 | 32 |
| 710 | Magnetic Force Driven Wireless Motor. Lecture Notes in Computer Science, 2020, , 409-412. | 1.0 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 712 | Bioinspired Multilegged Piezoelectric Robot: The Design Philosophy Aiming at High-Performance Micromanipulation. <i>Advanced Intelligent Systems</i> , 2022, 4, . | 3.3 | 16 |
| 713 | Ultrasound-activated ciliary bands for microrobotic systems inspired by starfish. <i>Nature Communications</i> , 2021, 12, 6455. | 5.8 | 72 |
| 714 | The soft NdFeB/Ecoflex composites for soft robot with a considerable magnetostimulated shrinkability. <i>Composites Science and Technology</i> , 2022, 217, 109129. | 3.8 | 12 |
| 715 | Bioinspired Bistable Dielectric Elastomer Actuators: Programmable Shapes and Application as Binary Valves. <i>Soft Robotics</i> , 2022, 9, 900-906. | 4.6 | 5 |
| 716 | A Brief Review on Challenges in Design and Development of Nanorobots for Medical Applications. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 10385. | 1.3 | 20 |
| 717 | Shape-Changing Particles: From Materials Design and Mechanisms to Implementation. <i>Advanced Materials</i> , 2022, 34, e2105758. | 11.1 | 19 |
| 718 | Colloidal Self-Assembly Approaches to Smart Nanostructured Materials. <i>Chemical Reviews</i> , 2022, 122, 4976-5067. | 23.0 | 173 |
| 719 | Origami Spring-Inspired Shape Morphing for Flexible Robotics. <i>Soft Robotics</i> , 2022, 9, 798-806. | 4.6 | 19 |
| 720 | Recent Advances in Field-Controlled Micro-Nano Manipulations and Micro-Nano Robots. <i>Advanced Intelligent Systems</i> , 2022, 4, 2100116. | 3.3 | 39 |
| 721 | Magnetically-Actuated Micro-Scale Bristle-Bots. , 2020, , . | | 5 |
| 722 | Bio-inspired Distributed Sensors to Autonomous Search of Gas Leak Source. , 2020, , . | | 2 |
| 723 | Collective Planar Actuation of Miniature Magnetic Robots Towards Individual Robot Operation. , 2020, , . | | 4 |
| 724 | Conceptual design and multifield coupling behavior of magnetically propelled fish-like swimmers. <i>Smart Materials and Structures</i> , 2020, 29, 114007. | 1.8 | 3 |
| 725 | Flexible carbon monoxide sensor for environmental detection of small-scale robot. <i>Micro and Nano Letters</i> , 2020, 15, 949-953. | 0.6 | 1 |
| 726 | Liquid metals as soft electromechanical actuators. <i>Materials Advances</i> , 2022, 3, 173-185. | 2.6 | 32 |
| 727 | A Miniature Underwater Robot Inspired by the Movement of Tadpoles. , 2021, , . | | 0 |
| 728 | Light-Driven Microrobots: Mechanisms and Applications. , 2022, , 91-111. | | 4 |
| 729 | 4D printing of patterned multimaterial magnetic hydrogel actuators. <i>Additive Manufacturing</i> , 2022, 49, 102506. | 1.7 | 24 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 730 | Vacuum-Assisted Layer-by-Layer Carbon Nanotube/Ti ₃ C ₂ T _x MXene Films for Detecting Human Movements. <i>Advanced Materials Technologies</i> , 2022, 7, 2101096. | 3.0 | 6 |
| 731 | One-Step Biosynthesis of Soft Magnetic Bacterial Cellulose Spheres with Localized Nanoparticle Functionalization. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 55569-55576. | 4.0 | 3 |
| 732 | Shaping the future of robotics through materials innovation. <i>Nature Materials</i> , 2021, 20, 1582-1587. | 13.3 | 65 |
| 733 | Soft features for robotics. <i>Nature Materials</i> , 2021, 20, 1581-1581. | 13.3 | 1 |
| 734 | Stimuli-Responsive Polymers for Soft Robotics. <i>Annual Review of Control, Robotics, and Autonomous Systems</i> , 2022, 5, 515-545. | 7.5 | 21 |
| 735 | Soft actuators for real-world applications. <i>Nature Reviews Materials</i> , 2022, 7, 235-249. | 23.3 | 296 |
| 736 | Flexible Photodetectors Based on All-Solution-Processed Cu Electrodes and InSe Nanoflakes with High Stabilities. <i>Advanced Functional Materials</i> , 2022, 32, 2108261. | 7.8 | 18 |
| 737 | Shape-Programmable Magnetic Miniature Robots: A Critical Review. , 2022, , 211-242. | | 1 |
| 738 | A decade retrospective of medical robotics research from 2010 to 2020. <i>Science Robotics</i> , 2021, 6, eabi8017. | 9.9 | 158 |
| 739 | Terrain Adaptability and Optimum Contact Stiffness of Vibro-bot with Arrayed Soft Legs. <i>Soft Robotics</i> , 2022, 9, 981-990. | 4.6 | 6 |
| 740 | Review of soft fluidic actuators: classification and materials modeling analysis. <i>Smart Materials and Structures</i> , 2022, 31, 013001. | 1.8 | 31 |
| 741 | Magnetically Steerable Serial and Parallel Structures by Mold-Free Origami Templating and Domain Setting. <i>Advanced Materials Technologies</i> , 2022, 7, . | 3.0 | 18 |
| 742 | Bubble casting soft robotics. <i>Nature</i> , 2021, 599, 229-233. | 13.7 | 113 |
| 743 | Continuous, autonomous subsurface cargo shuttling by nature-inspired meniscus-climbing systems. <i>Nature Chemistry</i> , 2022, 14, 208-215. | 6.6 | 14 |
| 744 | An electromagnetically actuated magneto-nanozyme mediated synergistic therapy for destruction and eradication of biofilm. <i>Chemical Engineering Journal</i> , 2022, 431, 133971. | 6.6 | 14 |
| 745 | Nanocomposites in 3D Bioprinting for Engineering Conductive and Stimuli-Responsive Constructs Mimicking Electrically Sensitive Tissue. <i>Advanced NanoBiomed Research</i> , 2022, 2, 2100108. | 1.7 | 8 |
| 746 | Liquid Gating Meniscus-Shaped Deformable Magnetoelastic Membranes with Self-Driven Regulation of Gas/Liquid Release. <i>Advanced Materials</i> , 2022, 34, e2107327. | 11.1 | 24 |
| 747 | Mobile Ultrasound Tracking and Magnetic Control for Long-Distance Endovascular Navigation of Untethered Miniature Robots against Pulsatile Flow. <i>Advanced Intelligent Systems</i> , 2022, 4, 2100144. | 3.3 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 748 | Dynamic tracking of a magnetic micro-roller using ultrasound phase analysis. <i>Scientific Reports</i> , 2021, 11, 23239. | 1.6 | 11 |
| 749 | Untethered Microrobots for Active Drug Delivery: From Rational Design to Clinical Settings. <i>Advanced Healthcare Materials</i> , 2022, 11, e2102253. | 3.9 | 30 |
| 750 | Shape-programmable magneto-active elastomer composites for curve and biomimetic behavior imitation. <i>Soft Matter</i> , 2021, 17, 10730-10735. | 1.2 | 1 |
| 751 | Non-Contact Cooperative Manipulation of Magnetic Microparticles Using Two Robotic Electromagnetic Needles. <i>IEEE Robotics and Automation Letters</i> , 2022, 7, 1605-1611. | 3.3 | 5 |
| 752 | Real-Time Ultrasound Doppler Tracking and Autonomous Navigation of a Miniature Helical Robot for Accelerating Thrombolysis in Dynamic Blood Flow. <i>ACS Nano</i> , 2022, 16, 604-616. | 7.3 | 55 |
| 753 | Smart Adhesives via Magnetic Actuation. <i>Advanced Materials</i> , 2022, 34, e2107748. | 11.1 | 38 |
| 754 | A Self-Stabilized Inverted Pendulum Made of Optically Responsive Liquid Crystal Elastomers. <i>Frontiers in Robotics and AI</i> , 2021, 8, 808262. | 2.0 | 0 |
| 755 | Soft magnetic composites for highly deformable actuators by four-dimensional electrohydrodynamic printing. <i>Composites Part B: Engineering</i> , 2022, 231, 109596. | 5.9 | 26 |
| 756 | Bending behavior of 3D printed mechanically robust tubular lattice metamaterials. <i>Additive Manufacturing</i> , 2022, 50, 102565. | 1.7 | 13 |
| 757 | Magneto-electro-responsive polymers toward manufacturing, characterization, and biomedical/ soft robotic applications. <i>Applied Materials Today</i> , 2022, 26, 101306. | 2.3 | 70 |
| 758 | Development and characterization of magnetically actuated milli-swimmers by stereolithography. <i>Journal of Magnetism and Magnetic Materials</i> , 2022, 548, 168976. | 1.0 | 3 |
| 759 | Towards Gradient-Based Actuation of Magnetic Soft Robots Using a Six-Coil Electromagnetic System. , 2020, , . | | 2 |
| 760 | Magnetized Cell-robot Propelled by Magnetic Field for Cancer Killing. , 2020, , . | | 4 |
| 761 | Soft Microrobotic Transmissions Enable Rapid Ground-Based Locomotion. , 2020, , . | | 3 |
| 762 | SOFT ROBOTICS: A Bio-Inspired Revolution. , 2020, , . | | 1 |
| 763 | A novel and controllable cell-based microrobot in real vascular network for target tumor therapy. , 2020, , . | | 2 |
| 764 | Peptide/PVA Double-network Hydrogel for Soft Robots. , 2020, , . | | 1 |
| 765 | Origami-Inspired Microrobots. , 2021, , 1-11. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 766 | Climbot-â,, : A Soft Robot with Novel Grippers and Rigid-compliantly Constrained Body for Climbing on Various Poles. , 2021, , . | | 4 |
| 767 | Pneumatic System Capable of Supplying Programmable Pressure States for Soft Robots. <i>Soft Robotics</i> , 2022, 9, 1001-1013. | 4.6 | 11 |
| 768 | Magnetic Miniature Actuators with Sixâ€Degreesâ€ofâ€Freedom Multimodal Softâ€Bodied Locomotion. <i>Advanced Intelligent Systems</i> , 2022, 4, . | 3.3 | 16 |
| 769 | Microcarriers in application for cartilage tissue engineering: Recent progress and challenges. <i>Bioactive Materials</i> , 2022, 17, 81-108. | 8.6 | 30 |
| 770 | A perspective on magnetic microfluidics: Towards an intelligent future. <i>Biomicrofluidics</i> , 2022, 16, 011301. | 1.2 | 11 |
| 771 | Magnetic correlations of iron oxide nanoparticles as probed by polarized SANS in stretched magnetic nanoparticleâ€elastomer composites. <i>Applied Physics Letters</i> , 2022, 120, 052401. | 1.5 | 0 |
| 772 | Nonlinear Dynamic Analysis and Control of a Small-Scale Magnetoactive Soft Robot. , 2022, , . | | 1 |
| 773 | Nanogel Crosslinking-Based Belousovâ€Zhabotinsky Self-Oscillating Polyacrylamide Gel with Improved Mechanical Properties and Fast Oscillatory Response. <i>Journal of Physical Chemistry B</i> , 2022, 126, 1108-1114. | 1.2 | 2 |
| 774 | 3D printing of functional polymers for miniature machines. <i>Multifunctional Materials</i> , 2022, 5, 012001. | 2.4 | 3 |
| 775 | Mechanically Guided Hierarchical Assembly of 3D Mesostructures. <i>Advanced Materials</i> , 2022, 34, e2109416. | 11.1 | 17 |
| 776 | A Shift from Efficiency to Adaptability: Recent Progress in Biomimetic Interactive Soft Robotics in Wet Environments. <i>Advanced Science</i> , 2022, 9, e2104347. | 5.6 | 29 |
| 777 | Localizable, Identifiable, and Perceptive Untethered Light-Driven Soft Crawling Robot. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 6138-6147. | 4.0 | 18 |
| 778 | Automatic strain sensor design via active learning and data augmentation for soft machines. <i>Nature Machine Intelligence</i> , 2022, 4, 84-94. | 8.3 | 37 |
| 779 | Magnetorheological composites for biomedical applications. , 2022, , 501-526. | | 1 |
| 780 | Magnetic Nanostructures: Rational Design and Fabrication Strategies toward Diverse Applications. <i>Chemical Reviews</i> , 2022, 122, 5411-5475. | 23.0 | 49 |
| 781 | A NIR-Light-Driven Twisted and Coiled Polymer Actuator with a PEDOT-Tos/Nylon-6 Composite for Durable and Remotely Controllable Artificial Muscle. <i>Polymers</i> , 2022, 14, 432. | 2.0 | 6 |
| 782 | Lipase induced highly hydrophobic nanofibrillated cellulose film for strain sensor application. <i>Carbohydrate Polymers</i> , 2022, 284, 119193. | 5.1 | 15 |
| 783 | A grid-assisted 3D printing method for magnetically driven micro soft robot. <i>Journal of Physics: Conference Series</i> , 2022, 2174, 012016. | 0.3 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 784 | Increasingly Intelligent Micromachines. Annual Review of Control, Robotics, and Autonomous Systems, 2022, 5, 279-310. | 7.5 | 35 |
| 785 | Optical fibre taper-enabled waveguide photoactuators. Nature Communications, 2022, 13, 363. | 5.8 | 24 |
| 786 | Functionalized nanomaterial- based electrochemical sensors for point-of-care devices. , 2022, , 309-335. | | 1 |
| 787 | Reduced theory for hard magnetic rods with dipole-dipole interactions. Journal of Physics A: Mathematical and Theoretical, 2022, 55, 104002. | 0.7 | 4 |
| 788 | A Tissue Adhesion-Controllable and Biocompatible Small-Scale Hydrogel Adhesive Robot. Advanced Materials, 2022, 34, e2109325. | 11.1 | 70 |
| 789 | Design and Characteristics of 3D Magnetically Steerable Guidewire System for Minimally Invasive Surgery. IEEE Robotics and Automation Letters, 2022, 7, 4040-4046. | 3.3 | 22 |
| 790 | A Stretchable Fiber with Tunable Stiffness for Programmable Shape Change of Soft Robots. Soft Robotics, 2022, 9, 1052-1061. | 4.6 | 5 |
| 791 | Fundamentals of Curvilinear Ferromagnetism: Statics and Dynamics of Geometrically Curved Wires and Narrow Ribbons. Small, 2022, 18, e2105219. | 5.2 | 19 |
| 792 | A Localization Method for Untethered Small-Scale Robots Using Electrical Impedance Tomography. IEEE/ASME Transactions on Mechatronics, 2022, 27, 3506-3516. | 3.7 | 4 |
| 793 | Magnetic Soft Materials and Robots. Chemical Reviews, 2022, 122, 5317-5364. | 23.0 | 249 |
| 794 | A Kirchhoff-like theory for hard magnetic rods under geometrically nonlinear deformation in three dimensions. Journal of the Mechanics and Physics of Solids, 2022, 160, 104739. | 2.3 | 34 |
| 795 | A unified numerical approach for soft to hard magneto-viscoelastically coupled polymers. Mechanics of Materials, 2022, 166, 104207. | 1.7 | 23 |
| 796 | Bioinspired light-fueled water-walking soft robots based on liquid crystal network actuators with polymerizable miniaturized gold nanorods. Nano Today, 2022, 43, 101419. | 6.2 | 85 |
| 797 | A Piezoelectric Water Skating Microrobot Steers Through Ripple Interference. , 2022, , . | | 1 |
| 798 | Ultrasound Acoustic Phase Analysis Enables Robotic Visual-Servoing of Magnetic Microrobots. IEEE Transactions on Robotics, 2022, 38, 1571-1582. | 7.3 | 11 |
| 799 | Micro Magnetic Patterning on Extremely Tough Magnetic Gel Actuator. , 2022, , . | | 1 |
| 800 | Light-fueled self-excited vibration of a liquid crystal elastomer spring oscillator. Journal of Sound and Vibration, 2022, 526, 116820. | 2.1 | 7 |
| 801 | Recent Progress of Magnetically Actuated DNA Micro/Nanorobots. Cyborg and Bionic Systems, 2022, 2022, , . | 3.7 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 802 | Shape-Changing DNA-Linked Nanoparticle Films Dictated by Lateral and Vertical Patterns. <i>Advanced Materials</i> , 2022, 34, e2109091. | 11.1 | 6 |
| 803 | Marangoni-Propulsion Micro-Robots Integrated with a Wireless Photonic Colloidal Crystal Hydrogel Sensor for Exploring the Aquatic Environment. <i>Advanced Intelligent Systems</i> , 0, , 2100248. | 3.3 | 7 |
| 804 | Magnetic Soft Millirobots 3D Printed by Circulating Vat Photopolymerization to Manipulate Droplets Containing Hazardous Agents for In Vitro Diagnostics. <i>Advanced Materials</i> , 2022, 34, e2200061. | 11.1 | 21 |
| 805 | Deformable ferrofluid microrobot with omnidirectional self-adaptive mobility. <i>Journal of Applied Physics</i> , 2022, 131, . | 1.1 | 15 |
| 806 | A theory of magneto-elastic nanorods obtained through rigorous dimension reduction. <i>Applied Mathematical Modelling</i> , 2022, 106, 426-447. | 2.2 | 1 |
| 807 | An Electromagnetically Controllable Microbotic Interventional System for Targeted, Real-Time Cardiovascular Intervention. <i>Advanced Healthcare Materials</i> , 2022, 11, e2102529. | 3.9 | 20 |
| 808 | Magnetic Resonance Imaging-Based Tracking and Navigation of Submillimeter-Scale Wireless Magnetic Robots. <i>Advanced Intelligent Systems</i> , 2022, 4, . | 3.3 | 22 |
| 809 | A Twisted and Coiled Polymer Artificial Muscles Driven Soft Crawling Robot Based on Enhanced Antagonistic Configuration. <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 0 |
| 810 | Aspect Ratio Dependency of Magneto-Rheological Elastomers in Dynamic Tension-Compression Loading. <i>IEEE Transactions on Magnetics</i> , 2022, 58, 1-13. | 1.2 | 3 |
| 811 | Multimodal Locomotion Control of Needle-Like Microrobots Assembled by Ferromagnetic Nanoparticles. <i>IEEE/ASME Transactions on Mechatronics</i> , 2022, 27, 4327-4338. | 3.7 | 43 |
| 812 | Small-scale soft grippers with environmentally responsive logic gates. <i>Materials Horizons</i> , 2022, 9, 1431-1439. | 6.4 | 8 |
| 813 | Controlling the shape morphology of origami-inspired photoresponsive hydrogels. <i>Soft Matter</i> , 2022, 18, 2193-2202. | 1.2 | 7 |
| 814 | Independent Control Strategy of Multiple Magnetic Flexible Millirobots for Position Control and Path Following. <i>IEEE Transactions on Robotics</i> , 2022, 38, 2875-2887. | 7.3 | 75 |
| 815 | Physically Soft Magnetic Films and Devices: Fabrication, Properties, Printability, and Applications. <i>Journal of Materials Chemistry C</i> , 0, , . | 2.7 | 1 |
| 816 | Slug-Inspired Magnetic Soft Millirobot Fully Integrated with Triboelectric Nanogenerator for On-Board Sensing and Self-Powered Charging. <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 0 |
| 817 | A Twisted and Coiled Polymer Artificial Muscles Driven Soft Crawling Robot Based on Enhanced Antagonistic Configuration. <i>Machines</i> , 2022, 10, 142. | 1.2 | 11 |
| 818 | Control Strategies for Soft Robot Systems. <i>Advanced Intelligent Systems</i> , 2022, 4, . | 3.3 | 64 |
| 819 | Towards enduring autonomous robots via embodied energy. <i>Nature</i> , 2022, 602, 393-402. | 13.7 | 84 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 820 | Design of untethered soft material micromachine for life-like locomotion. <i>Materials Today</i> , 2022, 53, 197-216. | 8.3 | 38 |
| 821 | Mathematical model of a mobile robot with a magnetizable material in a uniform alternating magnetic field. <i>Meccanica</i> , 2023, 58, 357-369. | 1.2 | 1 |
| 822 | Locomotion of Sensor-Integrated Soft Robotic Devices Inside Sub-Millimeter Arteries with Impaired Flow Conditions. <i>Advanced Intelligent Systems</i> , 2022, 4, . | 3.3 | 12 |
| 823 | Soft Magnetic Microrobot Doped with Porous Silica for Stability-Enhanced Multimodal Locomotion in a Nonideal Environment. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 10856-10874. | 4.0 | 10 |
| 824 | All-Flexible Artificial Reflex Arc Based on Threshold-Switching Memristor. <i>Advanced Functional Materials</i> , 2022, 32, . | 7.8 | 30 |
| 825 | A Two-Dimensional Manipulation Method for a Magnetic Microrobot with a Large Region of Interest Using a Triad of Electromagnetic Coils. <i>Micromachines</i> , 2022, 13, 416. | 1.4 | 5 |
| 826 | UnIC: Towards Unmanned Intelligent Cluster and Its Integration into Society. <i>Engineering</i> , 2022, 12, 24-38. | 3.2 | 5 |
| 827 | Thermally Driven Self-Rotation of a Hollow Torus Motor. <i>Micromachines</i> , 2022, 13, 434. | 1.4 | 5 |
| 828 | Jet-driven viscous locomotion of confined thermoresponsive microgels. <i>Applied Physics Letters</i> , 2022, 120, 104101. | 1.5 | 2 |
| 829 | Miniature coiled artificial muscle for wireless soft medical devices. <i>Science Advances</i> , 2022, 8, eabm5616. | 4.7 | 32 |
| 830 | Analysis and control for a bioinspired multi-legged soft robot. <i>Biomimetic Intelligence and Robotics</i> , 2022, 2, 100030. | 1.1 | 4 |
| 831 | Modeling and analysis of soft robotic surfaces actuated by pneumatic network bending actuators. <i>Smart Materials and Structures</i> , 2022, 31, 055001. | 1.8 | 9 |
| 832 | Magnetically Actuated Cell-Robot System: Precise Control, Manipulation, and Multimode Conversion. <i>Small</i> , 2022, 18, e2105414. | 5.2 | 21 |
| 833 | Decoupling and Reprogramming the Wiggling Motion of Midge Larvae Using a Soft Robotic Platform. <i>Advanced Materials</i> , 2022, 34, e2109126. | 11.1 | 23 |
| 834 | Bistable and Multistable Actuators for Soft Robots: Structures, Materials, and Functionalities. <i>Advanced Materials</i> , 2022, 34, e2110384. | 11.1 | 133 |
| 835 | 3D Printing Ultraflexible Magnetic Actuators via Screw Extrusion Method. <i>Advanced Science</i> , 2022, 9, e2200898. | 5.6 | 27 |
| 836 | Impact of superhydrophobic sphere onto a pool covered by oil layer. <i>Physics of Fluids</i> , 2022, 34, 032111. | 1.6 | 4 |
| 837 | Electrically Controlled Aquatic Soft Actuators with Desynchronized Actuation and Light-Mediated Reciprocal Locomotion. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 12936-12948. | 4.0 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 838 | Programmable Multistimuli-Responsive and Multimodal Polymer Actuator Based on a Designed Energy Transduction Network. ACS Applied Materials & Interfaces, 2022, 14, 13768-13777. | 4.0 | 8 |
| 839 | Phototactic Miniature Soft Robots with Terrain Adaptability. Advanced Materials Technologies, 2022, 7, . | 3.0 | 10 |
| 840 | Manipulating the shape of flexible magnetic nanodisks with meronlike magnetic states. Physical Review B, 2022, 105, . | 1.1 | 6 |
| 841 | Deformation properties of novel chain-like structural magneto-active elastomers. Journal of Intelligent Material Systems and Structures, 2022, 33, 2257-2268. | 1.4 | 1 |
| 842 | Agile Underwater Swimming of Magnetic Polymeric Microrobots in Viscous Solutions. Advanced Intelligent Systems, 2022, 4, . | 3.3 | 8 |
| 843 | Bionic Soft Multimodal Actuators for Fast, Large Deformation under Ultralow Magnetic Conditions. Advanced Materials Interfaces, 2022, 9, . | 1.9 | 5 |
| 844 | Magnetic properties of PDMS embedded with strontium ferrite particles cured under different magnetic field configurations. AIP Advances, 2022, 12, . | 0.6 | 6 |
| 845 | Phase-Change-Enabled, Rapid, High-Resolution Direct Ink Writing of Soft Silicone. Advanced Materials, 2022, 34, e2109240. | 11.1 | 26 |
| 846 | Optically controlled grasping-slipping robot moving on tubular surfaces. Multifunctional Materials, 2022, 5, 024001. | 2.4 | 5 |
| 847 | A 2D material-based transparent hydrogel with engineerable interference colours. Nature Communications, 2022, 13, 1212. | 5.8 | 37 |
| 848 | Magnetic driven tentacles for bio-mimic motion. Japanese Journal of Applied Physics, 2022, 61, SD1014. | 0.8 | 1 |
| 849 | Reconfigurable Magnetic Slime Robot: Deformation, Adaptability, and Multifunction. Advanced Functional Materials, 2022, 32, . | 7.8 | 71 |
| 850 | Soft robotic origami crawler. Science Advances, 2022, 8, eabm7834. | 4.7 | 125 |
| 851 | A Snake-Inspired Multi-Segmented Magnetic Soft Robot Towards Medical Applications. IEEE Robotics and Automation Letters, 2022, 7, 5795-5802. | 3.3 | 21 |
| 852 | A Bioinspired Programmable Soft Bilayer Actuator Based on Aluminum Exoskeleton. Advanced Materials Technologies, 0, , 2200036. | 3.0 | 1 |
| 853 | A Light-Powered Liquid Crystal Elastomer Spring Oscillator with Self-Shading Coatings. Polymers, 2022, 14, 1525. | 2.0 | 10 |
| 854 | Nanofiber-based biodegradable millirobot with controllable anchoring and adaptive stepwise release functions. Matter, 2022, 5, 1277-1295. | 5.0 | 21 |
| 855 | Multistimulus-Responsive Graphene Oxide/Fe ₃ O ₄ /Starch Soft Actuators. ACS Applied Materials & Interfaces, 2022, 14, 16772-16779. | 4.0 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 856 | Liquid-Metal Magnetic Soft Robot With Reprogrammable Magnetization and Stiffness. <i>IEEE Robotics and Automation Letters</i> , 2022, 7, 4535-4541. | 3.3 | 49 |
| 857 | Magnetic Actuator with Programmable Force Distribution and Self-Sensing for Bidirectional Deformation Control. <i>Advanced Materials Technologies</i> , 2022, 7, . | 3.0 | 5 |
| 858 | Bending and twisting with a pinch: Shape morphing of creased sheets. <i>Extreme Mechanics Letters</i> , 2022, 52, 101656. | 2.0 | 2 |
| 859 | Control and Autonomy of Microrobots: Recent Progress and Perspective. <i>Advanced Intelligent Systems</i> , 2022, 4, . | 3.3 | 53 |
| 860 | Self-healing and printable elastomer with excellent shear stiffening and magnetorheological properties. <i>Composites Science and Technology</i> , 2022, 223, 109430. | 3.8 | 15 |
| 861 | Trimer-like microrobots with multimodal locomotion and reconfigurable capabilities. <i>Materials Today Advances</i> , 2022, 14, 100231. | 2.5 | 25 |
| 862 | Magnetically responsive nanofibrous ceramic scaffolds for on-demand motion and drug delivery. <i>Bioactive Materials</i> , 2022, 15, 372-381. | 8.6 | 17 |
| 863 | Materials for Smart Soft Actuator Systems. <i>Chemical Reviews</i> , 2022, 122, 1349-1415. | 23.0 | 131 |
| 864 | Reprogrammable Soft Robot Actuation by Synergistic Magnetic and Light Fields. <i>Advanced Functional Materials</i> , 2022, 32, . | 7.8 | 31 |
| 865 | Magnetically Deployable Robots Using Layered Lamina Emergent Mechanism. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 14. | 1.3 | 2 |
| 866 | A Data-Driven Review of Soft Robotics. <i>Advanced Intelligent Systems</i> , 2022, 4, . | 3.3 | 28 |
| 867 | Janus Photochemical/Photothermal Azobenzene Inverse Opal Actuator with Shape Self-Recovery toward Sophisticated Motion. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 1727-1739. | 4.0 | 8 |
| 868 | Legless soft robots capable of rapid, continuous, and steered jumping. <i>Nature Communications</i> , 2021, 12, 7028. | 5.8 | 38 |
| 869 | Multiferroic Coupling of Ferromagnetic and Ferroelectric Particles through Elastic Polymers. <i>Polymers</i> , 2022, 14, 153. | 2.0 | 4 |
| 870 | Optically Controlled Latching and Launching in Soft Actuators. <i>Advanced Functional Materials</i> , 2022, 32, . | 7.8 | 24 |
| 871 | Plasmonic 3D Self-Folding Architectures via Vacuum Microforming. <i>Small</i> , 2022, 18, 2105843. | 5.2 | 1 |
| 872 | Design and Control of a Magnetic Driven Worm-like Micro-robot. , 2021, , . | | 1 |
| 873 | Memristor Circuits for Colloidal Robotics: Temporal Access to Memory, Sensing, and Actuation. <i>Advanced Intelligent Systems</i> , 2022, 4, . | 3.3 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 875 | Fast Thermal Actuators for Soft Robotics. <i>Soft Robotics</i> , 2022, 9, 1031-1039. | 4.6 | 23 |
| 876 | An aquatic microrobot for microscale flow manipulation. <i>Scientific Reports</i> , 2022, 12, 5041. | 1.6 | 4 |
| 877 | Bio-Inspired Bianisotropic Magneto-Sensitive Elastomers with Excellent Multimodal Transformation. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 20101-20112. | 4.0 | 5 |
| 878 | Evoking the snap-through instability in hard-magnetic soft materials: Rapid actuation and giant deformation. <i>International Journal of Solids and Structures</i> , 2022, 246-247, 111607. | 1.3 | 7 |
| 879 | Vectorized Formulation of Newton-Euler Dynamics for Efficiently Computing Three-Dimensional Folding Chains. <i>Journal of Mechanisms and Robotics</i> , 2022, 14, . | 1.5 | 1 |
| 880 | Shape memory through contact: introduction of MagnetoFriction Shape Memory Polymers (MF-SMPs). , 2022, , . | | 0 |
| 881 | Creating three-dimensional magnetic functional microdevices via molding-integrated direct laser writing. <i>Nature Communications</i> , 2022, 13, 2016. | 5.8 | 30 |
| 882 | Magneto-deformation and transverse elastic waves in hard-magnetic soft laminates. <i>Mechanics of Materials</i> , 2022, 169, 104325. | 1.7 | 18 |
| 883 | Advances in 3D printing of magnetic materials: Fabrication, properties, and their applications. <i>Journal of Advanced Ceramics</i> , 2022, 11, 665-701. | 8.9 | 30 |
| 884 | A Review of Smart Materials for the Boost of Soft Actuators, Soft Sensors, and Robotics Applications. <i>Chinese Journal of Mechanical Engineering (English Edition)</i> , 2022, 35, . | 1.9 | 30 |
| 887 | Towards 4D Printing of Very Soft Heterogeneous Magnetoactive Layers for Morphing Surface Applications via Liquid Additive Manufacturing. <i>Polymers</i> , 2022, 14, 1684. | 2.0 | 7 |
| 888 | Bioinspired Structures for Soft Actuators. <i>Advanced Materials Technologies</i> , 2022, 7, . | 3.0 | 20 |
| 889 | An Electromagnetic Soft Robot that Carries its Own Magnet. , 2022, , . | | 3 |
| 890 | 3D micromolding of seed-like probes for self-burying soft robots. , 2022, , . | | 3 |
| 891 | A Magnetically-Actuated Flexible Capsule Robot for Untethered Cardiovascular Interventions. , 2022, , . | | 2 |
| 892 | Effects of soft and hard magnetic particles on the mechanical performance of ultra-soft magnetorheological elastomers. <i>Smart Materials and Structures</i> , 2022, 31, 065018. | 1.8 | 23 |
| 893 | Magnetic Microswarm and Fluoroscopyâ€Guided Platform for Biofilm Eradication in Biliary Stents. <i>Advanced Materials</i> , 2022, 34, e2201888. | 11.1 | 60 |
| 894 | Magnetically Actuated Reactive Oxygen Species Scavenging Nanoâ€Robots for Targeted Treatment. <i>Advanced Intelligent Systems</i> , 2022, 4, . | 3.3 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 895 | Slug-inspired Magnetic Soft Millirobot Fully Integrated with Triboelectric Nanogenerator for On-board Sensing and Self-powered Charging. <i>Nano Energy</i> , 2022, 99, 107367. | 8.2 | 34 |
| 896 | Wirelessly Powered 3D Printed Hierarchical Biohybrid Robots with Multiscale Mechanical Properties. <i>Advanced Functional Materials</i> , 2022, 32, . | 7.8 | 16 |
| 897 | Self-regulated non-reciprocal motions in single-material microstructures. <i>Nature</i> , 2022, 605, 76-83. | 13.7 | 63 |
| 898 | Snake-worm: A Bi-modal Locomotion Robot. <i>Journal of Bionic Engineering</i> , 2022, 19, 1272-1287. | 2.7 | 12 |
| 899 | A Scientometric Review of Soft Robotics: Intellectual Structures and Emerging Trends Analysis (2010–2021). <i>Frontiers in Robotics and AI</i> , 2022, 9, . | 2.0 | 12 |
| 900 | Perspectives on the concepts of futuristic mineral concentration using microscopic robots. <i>Geosystem Engineering</i> , 0, , 1-7. | 0.7 | 1 |
| 901 | Reprogrammable Soft Swimmers for Minimally Invasive Thrombus Extraction. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 23896-23908. | 4.0 | 11 |
| 902 | Flexible Magnetic Micropartners for Micromanipulation at Interfaces. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 22570-22581. | 4.0 | 6 |
| 903 | A droplet-driven micro-surfboard with dual gradients for programmable motion. <i>Chemical Engineering Journal</i> , 2022, 446, 136874. | 6.6 | 14 |
| 904 | Magnetically Driven Soft Continuum Microrobot for Intravascular Operations in Microscale. <i>Cyborg and Bionic Systems</i> , 2022, 2022, . | 3.7 | 34 |
| 905 | Neuron-Inspired Soft Robot Teams and Their Non-Contact Electric Signal Transmission Based on Electromagnetic Induction. <i>Soft Robotics</i> , 2023, 10, 66-76. | 4.6 | 1 |
| 906 | A Humidity-Powered Soft Robot with Fast Rolling Locomotion. <i>Research</i> , 2022, 2022, . | 2.8 | 14 |
| 907 | Large viscoelastic deformation of hard-magnetic soft beams. <i>Extreme Mechanics Letters</i> , 2022, 54, 101773. | 2.0 | 18 |
| 908 | Soft gallstone-crushing robots. <i>Materials Today</i> , 2022, 56, 42-52. | 8.3 | 6 |
| 909 | A geometrically exact model for thin magneto-elastic shells. <i>Journal of the Mechanics and Physics of Solids</i> , 2022, 166, 104916. | 2.3 | 11 |
| 910 | Transformable thin-film robots capable of crawling, rolling, and oscillation. <i>Applied Materials Today</i> , 2022, 28, 101514. | 2.3 | 1 |
| 911 | Rational Design of Polymer Conical Nanoswimmers with Upstream Motility. <i>ACS Nano</i> , 2022, 16, 9317-9328. | 7.3 | 7 |
| 912 | Shape-programmable, deformation-locking, and self-sensing artificial muscle based on liquid crystal elastomer and low-melting point alloy. <i>Science Advances</i> , 2022, 8, eabn5722. | 4.7 | 46 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 913 | Physical intelligence as a new paradigm.. Extreme Mechanics Letters, 2021, 46, 101340. | 2.0 | 8 |
| 914 | Magnetic Conductivity of MRF and MRE in Inhomogeneous Magnetic Field. IEEE Transactions on Magnetics, 2022, 58, 1-8. | 1.2 | 3 |
| 915 | Submillimeter-scale multimaterial terrestrial robots. Science Robotics, 2022, 7, . | 9.9 | 57 |
| 916 | Hierarchically Structured Hydrogel Actuator for Microplastic Pollutant Detection and Removal. Chemistry of Materials, 2022, 34, 5165-5175. | 3.2 | 21 |
| 917 | Self-powered flexible piezoelectric sensors based on self-assembled 10Ånm BaTiOâ,f nanocubes on glass fiber fabric. Nano Energy, 2022, 99, 107400. | 8.2 | 35 |
| 918 | Self-Sensing Magnetic Response Flexible Actuators. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 919 | A wearable and high-performance capacitive pressure sensor based on a biocompatible PVP nanofiber membrane <i>via</i> electrospinning and UV treatment. Journal of Materials Chemistry C, 2022, 10, 10491-10499. | 2.7 | 18 |
| 920 | Micro/Nanosystems for Magnetic Targeted Delivery of Bioagents. Pharmaceutics, 2022, 14, 1132. | 2.0 | 15 |
| 921 | Locomotion of magnetoelastic membranes in viscous fluids. Physical Review Research, 2022, 4, . | 1.3 | 4 |
| 922 | Actuation and biomedical development of micro-/nanorobots â€“ A review. Materials Today Nano, 2022, 18, 100223. | 2.3 | 12 |
| 923 | Wireless soft millirobots for climbing three-dimensional surfaces in confined spaces. Science Advances, 2022, 8, . | 4.7 | 68 |
| 924 | Twisting for soft intelligent autonomous robot in unstructured environments. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, . | 3.3 | 77 |
| 925 | Nanostructured block copolymer muscles. Nature Nanotechnology, 2022, 17, 752-758. | 15.6 | 53 |
| 926 | Finite deformation analysis of hard-magnetic soft materials based on micropolar continuum theory. International Journal of Solids and Structures, 2022, 251, 111747. | 1.3 | 16 |
| 927 | Real-Time Navigation of an Untethered Miniature Robot Using Mobile Ultrasound Imaging and Magnetic Actuation Systems. IEEE Robotics and Automation Letters, 2022, 7, 7668-7675. | 3.3 | 12 |
| 928 | Fabrication and Functionality Integration Technologies for Smallâ€5scale Soft Robots. Advanced Materials, 2022, 34, . | 11.1 | 13 |
| 929 | Biorobotics: An Overview of Recent Innovations in Artificial Muscles. Actuators, 2022, 11, 168. | 1.2 | 10 |
| 930 | Graphene-Based Soft Actuator with Dynamic Spectrum Modulation for a Smart Thermal Surface. ACS Applied Nano Materials, 2022, 5, 8298-8305. | 2.4 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 931 | A Phase Diagram-Based Stability Design Method for a Symmetrical Origami Waterbomb Base. <i>Journal of Mechanical Design, Transactions of the ASME</i> , 2022, 144, . | 1.7 | 3 |
| 932 | 3D Printed Acoustically Programmable Soft Microactuators. <i>Soft Robotics</i> , 2023, 10, 246-257. | 4.6 | 8 |
| 935 | Reprogrammable shape transformation of magnetic soft robots enabled by magnetothermal effect. <i>Applied Physics Letters</i> , 2022, 120, . | 1.5 | 10 |
| 936 | Flexible Equivalent Strain Sensor with Ordered Concentric Circular Curved Cracks Inspired by Scorpion. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 29441-29450. | 4.0 | 4 |
| 938 | Spinning-enabled wireless amphibious origami millirobot. <i>Nature Communications</i> , 2022, 13, . | 5.8 | 68 |
| 939 | Locally controllable magnetic soft actuators with reprogrammable contraction-derived motions. <i>Science Advances</i> , 2022, 8, . | 4.7 | 57 |
| 940 | Untethered small-scale magnetic soft robot with programmable magnetization and integrated multifunctional modules. <i>Science Advances</i> , 2022, 8, . | 4.7 | 105 |
| 941 | Solidâ€“Liquid State Transformable Magnetorheological Millirobot. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 30007-30020. | 4.0 | 29 |
| 942 | Self-oscillation and self-rotation of an optically-responsive liquid crystal elastomer pendulum. <i>International Journal of Mechanical Sciences</i> , 2022, 227, 107439. | 3.6 | 14 |
| 943 | Microfluidic generation of helical micromotors for muscle tissue engineering. <i>Chemical Engineering Journal</i> , 2022, 447, 137455. | 6.6 | 17 |
| 944 | Shape Programmableâ€“Magneticâ€“Pixelâ€“Softâ€“Robot. <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 1 |
| 945 | 4D-printed pneumatic soft actuators modeling, fabrication, and control. , 2022, , 103-140. | | 0 |
| 946 | Multi-material 3D printing-enabled multilayers for smart actuation <i>via</i> magnetic and thermal stimuli. <i>Journal of Materials Chemistry C</i> , 2022, 10, 13762-13770. | 2.7 | 6 |
| 947 | Planar Magnetic Actuation for Soft and Rigid Robots Using a Scalable Electromagnet Array. <i>IEEE Robotics and Automation Letters</i> , 2022, 7, 9264-9270. | 3.3 | 4 |
| 948 | A Multimaterial Printed Magnetic Soft Robot with Multimodal Sensing Capability. <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 0 |
| 949 | Omni-Roach: A Legged Robot Capable of Traversing Multiple Types of Large Obstacles and Self-Righting. , 2022, , . | | 5 |
| 950 | Fully Automatic and Real-Time Microrobot Detection and Tracking based on Ultrasound Imaging using Deep Learning. , 2022, , . | | 4 |
| 951 | Printable Origami Bistable Structures for Foldable Jumpers. , 2022, , . | | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 952 | Progress, Challenges, and Prospects of Soft Robotics for Space Applications. <i>Advanced Intelligent Systems</i> , 2023, 5, . | 3.3 | 31 |
| 953 | 4D Printed Shape Morphing Biocompatible Materials Based on Anisotropic Ferromagnetic Nanoparticles. <i>Advanced Functional Materials</i> , 2022, 32, . | 7.8 | 10 |
| 954 | Continuous and Discrete Deformation Modes of Mechanical Metamaterials With Ring-Like Unit Cells. <i>Frontiers in Physics</i> , 0, 10, . | 1.0 | 1 |
| 955 | Dynamic snap-through instability and damped oscillation of a flat arch of hard magneto-active elastomers. <i>International Journal of Mechanical Sciences</i> , 2022, 230, 107523. | 3.6 | 20 |
| 956 | Deep Learning-Accelerated Designs of Tunable Magneto-Mechanical Metamaterials. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 33892-33902. | 4.0 | 33 |
| 957 | Milli-scale cellular robots that can reconfigure morphologies and behaviors simultaneously. <i>Nature Communications</i> , 2022, 13, . | 5.8 | 12 |
| 958 | Soft Tunable Gelatin Robot with Insect-like Claw for Grasping, Transportation, and Delivery. <i>ACS Applied Polymer Materials</i> , 2022, 4, 5431-5440. | 2.0 | 21 |
| 959 | Human Pulse Detection by a Soft Tactile Actuator. <i>Sensors</i> , 2022, 22, 5047. | 2.1 | 4 |
| 960 | A 3-DOF inertial impact locomotion robot constructed on four piezoelectric bimorph actuators. <i>Smart Materials and Structures</i> , 2022, 31, 095008. | 1.8 | 13 |
| 961 | Smart Magnetic Microrobots Learn to Swim with Deep Reinforcement Learning. <i>Advanced Intelligent Systems</i> , 2022, 4, . | 3.3 | 7 |
| 962 | Highly robust and soft biohybrid mechanoluminescence for optical signaling and illumination. <i>Nature Communications</i> , 2022, 13, . | 5.8 | 30 |
| 963 | Buckling of circular rings and its applications in thin-film electronics. <i>International Journal of Mechanical Sciences</i> , 2022, 228, 107477. | 3.6 | 5 |
| 964 | Magnetic soft robots: Design, actuation, and function. <i>Journal of Alloys and Compounds</i> , 2022, 922, 166219. | 2.8 | 22 |
| 965 | High-throughput fabrication of soft magneto-origami machines. <i>Nature Communications</i> , 2022, 13, . | 5.8 | 36 |
| 966 | Locomotion of an untethered, worm-inspired soft robot driven by a shape-memory alloy skeleton. <i>Scientific Reports</i> , 2022, 12, . | 1.6 | 20 |
| 967 | A Miniature Soft Sensor with Origami-Inspired Self-Folding Parallel Mechanism. <i>Micromachines</i> , 2022, 13, 1188. | 1.4 | 2 |
| 968 | Polydimethylsiloxane-based stretchable conductive elastomer fiber by using oil bath-spinning for wearable devices. <i>Textile Research Journal</i> , 0, , 004051752211130. | 1.1 | 0 |
| 969 | Synchronization of a Passive Oscillator and a Liquid Crystal Elastomer Self-Oscillator Powered by Steady Illumination. <i>Polymers</i> , 2022, 14, 3058. | 2.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 970 | Tunability of Band Gaps of Programmable Hard-Magnetic Soft Material Phononic Crystals. <i>Acta Mechanica Solida Sinica</i> , 2022, 35, 719-732. | 1.0 | 10 |
| 971 | Aquabots. <i>ACS Nano</i> , 2022, 16, 13761-13770. | 7.3 | 10 |
| 972 | Magnetically encoded 3D mesostructure with high-order shape morphing and high-frequency actuation. <i>National Science Review</i> , 2022, 9, . | 4.6 | 8 |
| 973 | Bacteria-inspired magnetically actuated rod-like soft robot in viscous fluids. <i>Bioinspiration and Biomimetics</i> , 2022, 17, 065001. | 1.5 | 5 |
| 974 | Miniature Amphibious Robot Actuated by Rigid-Flexible Hybrid Vibration Modules. <i>Advanced Science</i> , 2022, 9, . | 5.6 | 14 |
| 975 | Soft microswimmers: Material capabilities and biomedical applications. <i>Current Opinion in Colloid and Interface Science</i> , 2022, 61, 101609. | 3.4 | 6 |
| 976 | Touchless-interactive teaching of soft robots through flexible bimodal sensory interfaces. <i>Nature Communications</i> , 2022, 13, . | 5.8 | 68 |
| 977 | Dynamical Behaviors of a Translating Liquid Crystal Elastomer Fiber in a Linear Temperature Field. <i>Polymers</i> , 2022, 14, 3185. | 2.0 | 0 |
| 978 | Electrically switched underwater capillary adhesion. <i>Nature Communications</i> , 2022, 13, . | 5.8 | 14 |
| 979 | A bioinspired fishbone continuum robot with rigid-flexible-soft coupling structure. <i>Bioinspiration and Biomimetics</i> , 2022, 17, 066012. | 1.5 | 4 |
| 980 | Synthesis and Characterization of the Temperature Controllable Shape Memory of Polycaprolactone/Poly(ethylene terephthalate) Copolyester. <i>Fibers and Polymers</i> , 2022, 23, 2526-2538. | 1.1 | 2 |
| 981 | Delivering microcargo with artificial microtubules. <i>Nature Machine Intelligence</i> , 2022, 4, 663-664. | 8.3 | 1 |
| 982 | SpringWorm: A Soft Crawling Robot with a Large-Range Omnidirectional Deformable Rectangular Spring for Control Rod Drive Mechanism Inspection. <i>Soft Robotics</i> , 2023, 10, 280-291. | 4.6 | 7 |
| 983 | Magnetic soft robotic bladder for assisted urination. <i>Science Advances</i> , 2022, 8, . | 4.7 | 16 |
| 984 | Collective Behaviors of Magnetic Microparticle Swarms: From Dexterous Tentacles to Reconfigurable Carpets. <i>ACS Nano</i> , 2022, 16, 13728-13739. | 7.3 | 19 |
| 986 | Ultrafast small-scale soft electromagnetic robots. <i>Nature Communications</i> , 2022, 13, . | 5.8 | 47 |
| 987 | Fluidic rolling robot using voltage-driven oscillating liquid. <i>Smart Materials and Structures</i> , 2022, 31, 105006. | 1.8 | 34 |
| 988 | On-demand anchoring of wireless soft miniature robots on soft surfaces. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, . | 3.3 | 10 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 989 | Wireless Miniature Magnetic Phase-Change Soft Actuators. <i>Advanced Materials</i> , 2022, 34, . | 11.1 | 40 |
| 990 | T-phage inspired piezoelectric microrobot. <i>International Journal of Mechanical Sciences</i> , 2022, 231, 107596. | 3.6 | 8 |
| 991 | Self-assembled liquid crystal architectures for soft matter photonics. <i>Light: Science and Applications</i> , 2022, 11, . | 7.7 | 44 |
| 992 | Biocompatible Ferrofluid Robot With Photothermal Property for Targeted Tumor Therapy. <i>IEEE Robotics and Automation Letters</i> , 2022, 7, 11517-11522. | 3.3 | 8 |
| 993 | Programmable thermochromic soft actuators with "two dimensional" bilayer architectures for soft robotics. <i>Nano Energy</i> , 2022, 102, 107741. | 8.2 | 9 |
| 994 | An insect larvae inspired MXene-based jumping actuator with controllable motion powered by light. <i>Nano Energy</i> , 2022, 103, 107848. | 8.2 | 26 |
| 995 | Recent process of multimode stimuli-responsive flexible composites based on magnetic particles filled polymers: characteristics, mechanism and applications. <i>Composites Part A: Applied Science and Manufacturing</i> , 2022, 163, 107215. | 3.8 | 19 |
| 996 | Magnetic vitrimer-based soft robotics. <i>Soft Matter</i> , 2022, 18, 7604-7611. | 1.2 | 9 |
| 997 | Master-Slave Control of the Robotic Hand Driven by Tendon-Sheath Transmission. <i>Lecture Notes in Computer Science</i> , 2022, , 747-758. | 1.0 | 0 |
| 998 | Recent advances in biomimetic soft robotics: fabrication approaches, driven strategies and applications. <i>Soft Matter</i> , 2022, 18, 7699-7734. | 1.2 | 25 |
| 999 | Deep Reinforcement Learning Framework-Based Flow Rate Rejection Control of Soft Magnetic Miniature Robots. <i>IEEE Transactions on Cybernetics</i> , 2023, 53, 7699-7711. | 6.2 | 13 |
| 1000 | Multicomponent and multifunctional integrated miniature soft robots. <i>Soft Matter</i> , 2022, 18, 7464-7485. | 1.2 | 7 |
| 1001 | Direct ink writing of tough, stretchable silicone composites. <i>Soft Matter</i> , 2022, 18, 7341-7347. | 1.2 | 1 |
| 1002 | Bio-chemo-mechanical coupling models of soft biological materials: A review. <i>Advances in Applied Mechanics</i> , 2022, , 309-392. | 1.4 | 5 |
| 1003 | Degradable silk-based soft actuators with magnetic responsiveness. <i>Journal of Materials Chemistry B</i> , 2022, 10, 7650-7660. | 2.9 | 4 |
| 1004 | Helical micro-swimmer: hierarchical tail design and propulsive motility. <i>Soft Matter</i> , 2022, 18, 6148-6156. | 1.2 | 5 |
| 1005 | A Magnetically Steerable and Automatically Propulsion Guidewire Robot System for Vascular Interventional Surgery. , 2022, , . | | 0 |
| 1006 | Multi-material Fabrication for Magnetically Driven Miniature Soft Robots Using Stereolithography. , 2022, , . | | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 1007 | Magnetically actuated gearbox for the wireless control of millimeter-scale robots. <i>Science Robotics</i> , 2022, 7, . | 9.9 | 26 |
| 1008 | Light-driven soft actuator based on graphene and WSe ₂ nanosheets composite for multimodal motion and remote manipulation. <i>Nano Research</i> , 2023, 16, 1313-1319. | 5.8 | 9 |
| 1009 | 3D magnetic field guided sunflower-like nanocatalytic active swarm targeting patients-derived organoids. <i>Nano Research</i> , 2023, 16, 1021-1032. | 5.8 | 4 |
| 1010 | Microscopic robots with onboard digital control. <i>Science Robotics</i> , 2022, 7, . | 9.9 | 26 |
| 1011 | Nanoparticle assembled structures for matter assays in human flowing systems. <i>Matter</i> , 2022, 5, 2760-2786. | 5.0 | 2 |
| 1012 | Scale-reconfigurable miniature ferrofluidic robots for negotiating sharply variable spaces. <i>Science Advances</i> , 2022, 8, . | 4.7 | 36 |
| 1013 | Ingestible Functional Magnetic Robot with Localized Flexibility (MR- μ LF). <i>Advanced Intelligent Systems</i> , 0, , 2200166. | 3.3 | 1 |
| 1014 | Aligned Magnetic Nanocomposites for Modularized and Recyclable Soft Microrobots. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 43802-43814. | 4.0 | 5 |
| 1015 | A liquid- μ solid mixed robot based on ferrofluid with high flexibility and high controllability. <i>Applied Physics Letters</i> , 2022, 121, . | 1.5 | 1 |
| 1016 | Morphing of stiffness-heterogeneous liquid crystal elastomers via mechanical training and locally controlled photopolymerization. <i>Matter</i> , 2022, 5, 4332-4346. | 5.0 | 5 |
| 1017 | Multibioinspired Soft Grasping Actuators with Laser-Induced Multiscale Microstructures. <i>Advanced Intelligent Systems</i> , 2022, 4, . | 3.3 | 3 |
| 1018 | A dynamically reprogrammable surface with self-evolving shape morphing. <i>Nature</i> , 2022, 609, 701-708. | 13.7 | 45 |
| 1019 | Anion-Induced Reversible Actuation of Squaramide-Crosslinked Polymer Gels. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 43711-43718. | 4.0 | 8 |
| 1020 | Kirigami-Inspired Programmable Soft Magneto-responsive Actuators with Versatile Morphing Modes. <i>Advanced Science</i> , 2022, 9, . | 5.6 | 16 |
| 1021 | Shape-programmable cantilever made of a magnetoactive elastomer of mixed content. <i>Smart Materials and Structures</i> , 2022, 31, 105021. | 1.8 | 2 |
| 1022 | Theoretical Modeling of Magnetoactive Elastomers on Different Scales: A State-of-the-Art Review. <i>Polymers</i> , 2022, 14, 4096. | 2.0 | 17 |
| 1023 | Liquid Metal-Elastomer Composites with Dual-Energy Transmission Mode for Multifunctional Miniature Untethered Magnetic Robots. <i>Advanced Science</i> , 2022, 9, . | 5.6 | 15 |
| 1024 | Into the unknown: Micro/nanomotors propelled by biocatalysis based on metal-organic frameworks. <i>Chem Catalysis</i> , 2022, 2, 2458-2470. | 2.9 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1025 | Celluloseâ€Reinforced Programmable and Stretchâ€Healable Actuators for Smart Packaging. <i>Advanced Functional Materials</i> , 2022, 32, . | 7.8 | 12 |
| 1026 | Acoustic metamaterials with controllable bandgap gates based on magnetorheological elastomers. <i>International Journal of Mechanical Sciences</i> , 2023, 238, 107829. | 3.6 | 12 |
| 1027 | Homogenization of magnetoelastic heterogeneous solid bodies based on micropolar magnetoelasticity. <i>Continuum Mechanics and Thermodynamics</i> , 0, , . | 1.4 | 0 |
| 1028 | Microfluidic wound scratching platform based on an untethered microrobot with magnetic actuation. <i>Sensors and Actuators B: Chemical</i> , 2022, 373, 132643. | 4.0 | 0 |
| 1029 | Magnetorheological Fluid-Based Bending Actuator for Magnetic Sensing. <i>IEEE Robotics and Automation Letters</i> , 2022, 7, 12169-12176. | 3.3 | 0 |
| 1030 | Magnetic Soft Actuators: Magnetic Soft Robots from Macro- to Nanoscale. <i>Topics in Applied Physics</i> , 2022, , 343-373. | 0.4 | 1 |
| 1031 | Curvilinear Magnetic Architectures for Biomedical Engineering. <i>Topics in Applied Physics</i> , 2022, , 305-341. | 0.4 | 0 |
| 1032 | Complex-Shaped 3D Nanoarchitectures for Magnetism and Superconductivity. <i>Topics in Applied Physics</i> , 2022, , 215-268. | 0.4 | 2 |
| 1033 | Hydrodynamics of high-speed robots driven by the combustion-enabled transient driving method. <i>Journal of Zhejiang University: Science A</i> , 2022, 23, 820-831. | 1.3 | 1 |
| 1034 | Variations in the thermal conductivity of magnetosensitive elastomers by magnetically induced internal restructuring. <i>Journal of Physics Condensed Matter</i> , 2022, 34, 485101. | 0.7 | 2 |
| 1035 | The multimodal motion along a solidâ€liquid interface of a soft microrobot driven by compound magnetic fields. <i>Journal of Micromechanics and Microengineering</i> , 0, , . | 1.5 | 0 |
| 1036 | Magneto-active soft matter with reprogrammable shape-morphing and self-sensing capabilities. <i>Composites Science and Technology</i> , 2022, 230, 109789. | 3.8 | 5 |
| 1037 | Magnetic binary encoding system based on 3D printing and GMI detection prototype. <i>Sensors and Actuators A: Physical</i> , 2022, 347, 113946. | 2.0 | 2 |
| 1038 | 3D-printed in-line and out-of-plane layers with stimuli-responsive intelligence. <i>Composites Part B: Engineering</i> , 2022, 247, 110352. | 5.9 | 8 |
| 1039 | A reduced-order, rotation-based model for thin hard-magnetic plates. <i>Journal of the Mechanics and Physics of Solids</i> , 2023, 170, 105095. | 2.3 | 23 |
| 1040 | Hyperelastic structures: A review on the mechanics and biomechanics. <i>International Journal of Non-Linear Mechanics</i> , 2023, 148, 104275. | 1.4 | 24 |
| 1041 | 4D printing Light-Driven soft actuators based on Liquid-Vapor phase transition composites with inherent sensing capability. <i>Chemical Engineering Journal</i> , 2023, 454, 140271. | 6.6 | 12 |
| 1042 | A A Stretchable and Tough Small-Scale Magnetic Actuator for Biomedical Applications. <i>Journal of Student Research</i> , 2022, 11, . | 0.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 1043 | An Overview of Soft Robotics. <i>Annual Review of Control, Robotics, and Autonomous Systems</i> , 2023, 6, 1-29. | 7.5 | 32 |
| 1044 | Biohybrid Magnetic Microrobots for Tumor Assassination and Active Tissue Regeneration. <i>ACS Applied Bio Materials</i> , 2022, 5, 5933-5942. | 2.3 | 8 |
| 1045 | On-Demand Maneuver of Millirobots with Reprogrammable Motility by a Hard-Magnetic Coating. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 52370-52378. | 4.0 | 3 |
| 1046 | Magneto-thermomechanically Reprogrammable Mechanical Metamaterials. <i>Advanced Materials</i> , 2023, 35, . | 11.1 | 14 |
| 1047 | SoRSS: A Soft Robot for Bio-Mimicking Stomach Anatomy and Motility. <i>Soft Robotics</i> , 2023, 10, 504-516. | 4.6 | 3 |
| 1048 | Remote actuation based on magnetically responsive pillar arrays. <i>Journal of Micromechanics and Microengineering</i> , 2023, 33, 015003. | 1.5 | 2 |
| 1049 | Shape programmable magnetic pixel soft robot. <i>Heliyon</i> , 2022, 8, e11415. | 1.4 | 3 |
| 1050 | A review: Machine learning for strain sensor-integrated soft robots. <i>Frontiers in Electronic Materials</i> , 0, 2, . | 1.6 | 3 |
| 1051 | Magnetic field-driven particle assembly and jamming for bistable memory and response plasticity. <i>Science Advances</i> , 2022, 8, . | 4.7 | 5 |
| 1052 | Chiral Nematic Solvent-Responsive Actuator Based on a Cellulose Nanocrystal Template. <i>ACS Applied Polymer Materials</i> , 2022, 4, 8952-8961. | 2.0 | 1 |
| 1053 | Snapping for high-speed and high-efficient butterfly stroke-like soft swimmer. <i>Science Advances</i> , 2022, 8, . | 4.7 | 27 |
| 1054 | Magnetorheological elastomer-based 4D printed electroactive composite actuators. <i>Sensors and Actuators A: Physical</i> , 2023, 349, 114063. | 2.0 | 21 |
| 1055 | Mechanical stimuli-driven cancer therapeutics. <i>Chemical Society Reviews</i> , 2023, 52, 30-46. | 18.7 | 31 |
| 1056 | Modified polymer 3D printing enables the formation of functionalized micro-metallic architectures. <i>Additive Manufacturing</i> , 2023, 61, 103317. | 1.7 | 4 |
| 1057 | Responses to single and multiple temperature-, medium-, and pH-stimuli triggering reversible shape shifts in hydrogel actuators. <i>Materials and Design</i> , 2023, 225, 111511. | 3.3 | 6 |
| 1058 | A magnetic soft robot with multimodal sensing capability by multimaterial direct ink writing. <i>Additive Manufacturing</i> , 2023, 61, 103320. | 1.7 | 5 |
| 1059 | On the dynamics of curved magnetoactive soft beams. <i>International Journal of Engineering Science</i> , 2023, 183, 103792. | 2.7 | 7 |
| 1060 | Self-oscillating floating of a spherical liquid crystal elastomer balloon under steady illumination. <i>International Journal of Mechanical Sciences</i> , 2023, 241, 107985. | 3.6 | 24 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 1061 | Designing multi-model controller in bumpless transfer with integrated performance and robust stability for sandwich plate nonlinear vibration control. <i>Journal of Control</i> , 2022, 16, 13-26. | 0.1 | 0 |
| 1062 | Optimization and fabrication of programmable domains for soft magnetic robots: A review. <i>Frontiers in Robotics and AI</i> , 0, 9, . | 2.0 | 5 |
| 1063 | Orientalional Co Nanorod-Enabled Ferromagnetic Hydrogel Actuators with Diverse Hosts. <i>ACS Applied Electronic Materials</i> , 2022, 4, 5963-5972. | 2.0 | 4 |
| 1064 | Soft Magnetic Microrobots for Photoactive Pollutant Removal. <i>Small Methods</i> , 2023, 7, . | 4.6 | 10 |
| 1065 | Effect of an axial pre-load on the flexural vibrations of viscoelastic beams. <i>JVC/Journal of Vibration and Control</i> , 2024, 30, 76-87. | 1.5 | 0 |
| 1066 | An inchworm-inspired soft robot with combined functions of omni-directional steering and obstacle surmounting. <i>Industrial Robot</i> , 2023, 50, 456-466. | 1.2 | 2 |
| 1067 | Exploiting ferrofluidic wetting for miniature soft machines. <i>Nature Communications</i> , 2022, 13, . | 5.8 | 25 |
| 1068 | Microrobots for Targeted Delivery and Therapy in Digestive System. <i>ACS Nano</i> , 2023, 17, 27-50. | 7.3 | 22 |
| 1069 | Programmable aniso-electrodeposited modular hydrogel microrobots. <i>Science Advances</i> , 2022, 8, . | 4.7 | 31 |
| 1070 | Complex selective manipulations of thermomagnetic programmable matter. <i>Scientific Reports</i> , 2022, 12, . | 1.6 | 0 |
| 1071 | Mechanical responses of soft magnetic robots with various geometric shapes: locomotion and deformation. <i>Robotica</i> , 2023, 41, 1203-1220. | 1.3 | 0 |
| 1072 | Biomimetic, Programmable, and Partâ€byâ€Part Maneuverable Singleâ€Body Shapeâ€Morphing Film. <i>Advanced Intelligent Systems</i> , 2023, 5, . | 3.3 | 2 |
| 1073 | Electroâ€Powerless Balloon Soft Actuator with Manually Driven Fluidic Circuit. <i>Advanced Electronic Materials</i> , 2023, 9, . | 2.6 | 2 |
| 1074 | Selective hinge removal strategy for architecting hierarchical auxetic metamaterials. <i>Communications Materials</i> , 2022, 3, . | 2.9 | 27 |
| 1075 | Lightâ€Fueled Nonreciprocal Selfâ€Oscillators for Fluidic Transportation and Coupling. <i>Advanced Materials</i> , 0, , . | 11.1 | 10 |
| 1076 | Ultrasoft and Ultrastretchable Wearable Strain Sensors with Anisotropic Conductivity Enabled by Liquid Metal Fillers. <i>Micromachines</i> , 2023, 14, 17. | 1.4 | 7 |
| 1077 | Multifunctional 3Dâ€Printed Pollen Grainâ€Inspired Hydrogel Microrobots for Onâ€Demand Anchoring and Cargo Delivery. <i>Advanced Materials</i> , 2023, 35, . | 11.1 | 24 |
| 1078 | Design of a Magnetic Soft Inchworm Millirobot Based on Pre-Strained Elastomer with Micropillars. <i>Biomimetics</i> , 2023, 8, 22. | 1.5 | 7 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1079 | Self-Sustained Euler Buckling of an Optically Responsive Rod with Different Boundary Constraints. <i>Polymers</i> , 2023, 15, 316. | 2.0 | 21 |
| 1080 | Equilibria and stabilities of a confined floating cylinder. <i>Journal of Fluid Mechanics</i> , 2023, 954, . | 1.4 | 1 |
| 1081 | Multimodal Locomotion and Cargo Transportation of Magnetically Actuated Quadruped Soft Microrobots. <i>Cyborg and Bionic Systems</i> , 2022, 2022, 0004. | 3.7 | 40 |
| 1082 | Dynamic Response and Deformative Mechanism of the Shape Memory Polymer Filled with Low-Melting-Point Alloy under Different Dynamic Loads. <i>Polymers</i> , 2023, 15, 423. | 2.0 | 1 |
| 1083 | An Origami-Inspired Negative Pressure Folding Actuator Coupling Hardness with Softness. <i>Actuators</i> , 2023, 12, 35. | 1.2 | 2 |
| 1084 | Magnetofriction – a new concept for shape memory composites. <i>Smart Materials and Structures</i> , 0, , . | 1.8 | 0 |
| 1085 | Chemically Driven Multimodal Locomotion of Active, Flexible Sheets. <i>Langmuir</i> , 2023, 39, 780-789. | 1.6 | 5 |
| 1087 | Self-vectoring electromagnetic soft robots with high operational dimensionality. <i>Nature Communications</i> , 2023, 14, . | 5.8 | 9 |
| 1088 | Smart Nematic Liquid Crystal Polymers for Micromachining Advances. <i>Micromachines</i> , 2023, 14, 124. | 1.4 | 1 |
| 1089 | Plant cell-like tip-growing polymer precipitate with structurally embedded multistimuli sensing ability. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2023, 120, . | 3.3 | 0 |
| 1091 | Magnetically controlled flexible micro-robots based on magnetic particle arrangement. <i>Materials Advances</i> , 2023, 4, 1314-1325. | 2.6 | 1 |
| 1092 | Springtailâ€inspired Lightâ€driven Soft Jumping Robots Based on Liquid Crystal Elastomers with Monolithic Threeâ€leaf Panel Fold Structure. <i>Angewandte Chemie - International Edition</i> , 2023, 62, . | 7.2 | 28 |
| 1093 | Self-Oscillating Curling of a Liquid Crystal Elastomer Beam under Steady Light. <i>Polymers</i> , 2023, 15, 344. | 2.0 | 21 |
| 1094 | 3D printing of thermosets with diverse rheological and functional applicabilities. <i>Nature Communications</i> , 2023, 14, . | 5.8 | 14 |
| 1095 | Bio-inspired magnetic-driven folded diaphragm for biomimetic robot. <i>Nature Communications</i> , 2023, 14, . | 5.8 | 7 |
| 1096 | A review on microrobots driven by optical and magnetic fields. <i>Lab on A Chip</i> , 2023, 23, 848-868. | 3.1 | 20 |
| 1097 | Springtailâ€inspired Lightâ€driven Soft Jumping Robots Based on Liquid Crystal Elastomers with Monolithic Threeâ€leaf Panel Fold Structure. <i>Angewandte Chemie</i> , 2023, 135, . | 1.6 | 1 |
| 1098 | Magnetic-field-induced propulsion of jellyfish-inspired soft robotic swimmers. <i>Physical Review E</i> , 2023, 107, . | 0.8 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1099 | Magnetic field-induced asymmetric mechanical metamaterials. <i>Extreme Mechanics Letters</i> , 2023, 59, 101957. | 2.0 | 21 |
| 1100 | Magnetic and electrically conductive polyurethane composites with high content of two functional fillers based on root-inspired microstructure. <i>Composites Part B: Engineering</i> , 2023, 252, 110512. | 5.9 | 7 |
| 1101 | Torque-Actuated Multimodal Locomotion of Ferrofluid Robot With Environment and Task Adaptability. , 2022, , . | | 1 |
| 1102 | Wirelessly Magnetically Actuated Motor for Tissue Regeneration Robotic Implant. , 2022, , . | | 1 |
| 1103 | Complex Three-Dimensional Terrains Traversal of Insect-Scale Soft Robot. <i>Soft Robotics</i> , 0, , . | 4.6 | 0 |
| 1104 | Dandelion-Inspired, Wind-Dispersed Polymer-Assembly Controlled by Light. <i>Advanced Science</i> , 2023, 10, . | 5.6 | 13 |
| 1105 | Design and Testing of a Novel Multi-Functional Hollow Continuum Magnetic Microrobot. , 2022, , . | | 0 |
| 1106 | Data-Driven Navigation of Ferromagnetic Soft Continuum Robots Based on Machine Learning. <i>Advanced Intelligent Systems</i> , 2023, 5, . | 3.3 | 1 |
| 1107 | The Synergy of Hydrogen Bond and Entanglement of Elastomer Captures Unprecedented Flaw Insensitivity Rate. <i>Small</i> , 2023, 19, . | 5.2 | 8 |
| 1108 | Magnetoactive liquid-solid phase transitional matter. <i>Matter</i> , 2023, 6, 855-872. | 5.0 | 27 |
| 1109 | Low-Voltage Driven Ionic Polymer-Metal Composite Actuators: Structures, Materials, and Applications. <i>Advanced Science</i> , 2023, 10, . | 5.6 | 21 |
| 1110 | Soft robot-enabled controlled release of oral drug formulations. <i>Soft Matter</i> , 2023, 19, 1269-1281. | 1.2 | 6 |
| 1111 | 3D Printing of Small-Scale Soft Robots with Programmable Magnetization. <i>Advanced Functional Materials</i> , 2023, 33, . | 7.8 | 17 |
| 1112 | A 0.5-meter-scale, high-load, soft-enclosed gripper capable of grasping the human body. <i>Science China Technological Sciences</i> , 2023, 66, 501-511. | 2.0 | 1 |
| 1113 | Adaptive Actuation of Magnetic Soft Robots Using Deep Reinforcement Learning. <i>Advanced Intelligent Systems</i> , 2023, 5, . | 3.3 | 8 |
| 1114 | A Review on Fabrication and Application of Tunable Hybrid Micro-Nano Array Surfaces. <i>Advanced Materials Interfaces</i> , 2023, 10, . | 1.9 | 16 |
| 1115 | A Theoretical Investigation of the Ability of Magnetic Miniature Robots to Exert Forces and Torques for Biomedical Functionalities. <i>IEEE Robotics and Automation Letters</i> , 2023, 8, 1771-1777. | 3.3 | 1 |
| 1116 | Magnetically Actuated Origami Structures for Untethered Optical Steering in Remote Set-up: Preliminary Designs and Characterisations. <i>Lecture Notes in Bioengineering</i> , 2023, , 299-346. | 0.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1117 | Modeling and Control of Robotic Manipulators Based on Artificial Neural Networks: A Review. Iranian Journal of Science and Technology - Transactions of Mechanical Engineering, 2023, 47, 1307-1347. | 0.8 | 7 |
| 1118 | A 5 cm-scale Piezoelectric Jetting Agile Underwater Robot. Advanced Intelligent Systems, 2023, 5, . | 3.3 | 6 |
| 1120 | Hierarchical network relaxation of a dynamic cross-linked polyolefin elastomer for advanced reversible shape memory effect. Nanoscale, 2023, 15, 5458-5468. | 2.8 | 3 |
| 1121 | Ultrafast Miniature Robotic Swimmers with Upstream Motility. Cyborg and Bionic Systems, 2023, 4, . | 3.7 | 10 |
| 1122 | A Fault-Tolerant Soft Swallowing Robot Capable of Grasping Delicate Structures Underwater. IEEE Robotics and Automation Letters, 2023, 8, 3302-3309. | 3.3 | 2 |
| 1123 | Spider-Inspired, Fully 3D-Printed Micro-Hydraulics for Tiny, Soft Robotics. Advanced Functional Materials, 2023, 33, . | 7.8 | 6 |
| 1124 | Hanging droplets from liquid interfaces. Journal of Fluid Mechanics, 2023, 958, . | 1.4 | 1 |
| 1125 | Air-Working Electrochemical Actuator and Ionic Sensor Based on Manganese Dioxide/Gelatin-Glycerol Composites. Advanced Materials Technologies, 2023, 8, . | 3.0 | 2 |
| 1126 | Revealing of rich living radicals in oxide melts via weak magnetic effect on alumina dissolution reaction. Journal of Molecular Liquids, 2023, 375, 121391. | 2.3 | 5 |
| 1127 | Liquid Metal Smart Materials toward Soft Robotics. Advanced Intelligent Systems, 2023, 5, . | 3.3 | 13 |
| 1128 | Inchworm-Inspired soft robot with magnetic driving based on PDMS, EGaIn and NdFeB (PEN) combination. Chemical Engineering Journal, 2023, 466, 142994. | 6.6 | 4 |
| 1129 | Magnetic hydrogel-based flexible actuators: A comprehensive review on design, properties, and applications. Chemical Engineering Journal, 2023, 462, 142193. | 6.6 | 11 |
| 1130 | A Multipole Magnetoactive Elastomer for Vibration-Driven Locomotion. Soft Robotics, 2023, 10, 770-784. | 4.6 | 2 |
| 1131 | On-demand contactless programming of nonlinear elastic moduli in hard magnetic soft beam based broadband active lattice materials. Smart Materials and Structures, 2023, 32, 055021. | 1.8 | 6 |
| 1132 | A versatile jellyfish-like robotic platform for effective underwater propulsion and manipulation. Science Advances, 2023, 9, . | 4.7 | 21 |
| 1133 | Programmable mechanical devices through magnetically tunable bistable elements. Proceedings of the National Academy of Sciences of the United States of America, 2023, 120, . | 3.3 | 18 |
| 1134 | Fiber-reinforced liquid crystalline elastomer composite actuators with multi-stimulus response properties and multi-directional morphing capabilities. Composites Part B: Engineering, 2023, 256, 110640. | 5.9 | 2 |
| 1135 | 3D-printed magnetic porous structures with different poisson's ratios and their mechano-electrical conversion capabilities. Additive Manufacturing, 2023, 69, 103542. | 1.7 | 8 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 1136 | Kinematically exact formulation of large deformations of gradient elastic beams. <i>International Journal of Engineering Science</i> , 2023, 186, 103827. | 2.7 | 3 |
| 1137 | A 3.4-Millimeter Flea-Sized Robot With Powerful Jumping and Fast Crawling Locomotion. <i>IEEE Robotics and Automation Letters</i> , 2023, 8, 2868-2873. | 3.3 | 3 |
| 1138 | Design and Implementation of a Miniature Jellyfish-Inspired Robot. <i>IEEE Robotics and Automation Letters</i> , 2023, 8, 3134-3141. | 3.3 | 1 |
| 1139 | Programmable Tissue Folding Patterns in Structured Hydrogels. <i>Advanced Materials</i> , 0, , . | 11.1 | 5 |
| 1140 | Bioinspired hydrogel actuator for soft robotics: Opportunity and challenges. <i>Nano Today</i> , 2023, 49, 101764. | 6.2 | 28 |
| 1141 | Reprogrammable liquid-metal/NdFeB/silicone composite magnetic elastomer. <i>AIP Advances</i> , 2023, 13, . | 0.6 | 1 |
| 1142 | Hard magnetism in ultra-soft magnetorheological elastomers enhance fracture toughness and delay crack propagation. <i>Journal of the Mechanics and Physics of Solids</i> , 2023, 173, 105232. | 2.3 | 12 |
| 1143 | Electric Field-Driven Dielectrophoretic Elastomer Actuators. <i>Advanced Functional Materials</i> , 2023, 33, . | 7.8 | 5 |
| 1144 | An Untethered Miniature Soft Jumping Robot Inspired by Quadrupeds. <i>Journal of Bionic Engineering</i> , 2023, 20, 1467-1480. | 2.7 | 1 |
| 1145 | Multifunctional liquid microrobots based on paramagnetic microdroplets. <i>Cell Reports Physical Science</i> , 2023, 4, 101279. | 2.8 | 2 |
| 1146 | Machine-Learning Assisted Electronic Skins Capable of Proprioception and Exteroception in Soft Robotics. <i>Advanced Materials</i> , 2023, 35, . | 11.1 | 27 |
| 1147 | Ultrasound-Based Real-Time Imaging of Hydrogel-Based Millirobots with Volume Change Capability. <i>Micromachines</i> , 2023, 14, 422. | 1.4 | 0 |
| 1148 | Snap buckling of bistable beams under combined mechanical and magnetic loading. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2023, 381, . | 1.6 | 12 |
| 1149 | Continuously-deformable and stiffness-tunable soft manipulator achieving unmanned COVID-19 pandemic sampling. <i>Heliyon</i> , 2023, 9, e13731. | 1.4 | 0 |
| 1150 | Power Autonomy and Agility Control of an Untethered Insect-Scale Soft Robot. <i>Soft Robotics</i> , 2023, 10, 749-759. | 4.6 | 0 |
| 1151 | Spontaneous change of symmetry in a magnetoactive elastomer beam at its critical bending induced by a magnetic field. <i>Smart Materials and Structures</i> , 2023, 32, 045002. | 1.8 | 3 |
| 1152 | Fish-like magnetic microrobots for microparts transporting at liquid surfaces. <i>Soft Matter</i> , 2023, 19, 2883-2890. | 1.2 | 1 |
| 1153 | Untethered Soft Microrobots with Adaptive Logic Gates. <i>Advanced Science</i> , 2023, 10, . | 5.6 | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 1154 | Liquid Crystal Elastomer Based Dexterous Artificial Motor Unit. <i>Advanced Materials</i> , 2023, 35, . | 11.1 | 12 |
| 1155 | Early career scientists converse on the future of soft robotics. <i>Frontiers in Robotics and AI</i> , 0, 10, . | 2.0 | 1 |
| 1156 | Temperature-controlled multisensory neuromorphic devices for artificial visual dynamic capture enhancement. <i>Nano Research</i> , 2023, 16, 7661-7670. | 5.8 | 3 |
| 1157 | An origami shield with supporting frame structures optimized by a feature-driven topology optimization method. <i>Defence Technology</i> , 2024, 31, 447-456. | 2.1 | 1 |
| 1158 | Novel Bionic Soft Robotic Hand With Dexterous Deformation and Reliable Grasping. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2023, 72, 1-10. | 2.4 | 3 |
| 1159 | Numerical study on the instabilities of hard-magnetic soft materials with viscoelastic effects. <i>Mechanics of Materials</i> , 2023, 179, 104602. | 1.7 | 3 |
| 1160 | A Generalised Time-Dependent Mathematical Formulation for Magnetoelectrically Coupled Soft Solids at Finite Strains. <i>Symmetry</i> , 2023, 15, 628. | 1.1 | 3 |
| 1161 | Soft Robots for Cluttered Environments Based on Origami Anisotropic Stiffness Structure (OASS) Inspired by Desert Iguana. <i>Advanced Intelligent Systems</i> , 2023, 5, . | 3.3 | 11 |
| 1162 | Magnetically Actuated Continuum Medical Robots: A Review. <i>Advanced Intelligent Systems</i> , 2023, 5, . | 3.3 | 22 |
| 1163 | Free and Forced Vibration Behaviors of Magnetodielectric Effect in Magnetorheological Elastomers. <i>Vibration</i> , 2023, 6, 269-285. | 0.9 | 2 |
| 1164 | Light-Fueled Nonequilibrium and Adaptable Hydrogels for Highly Tunable Autonomous Self-Oscillating Functions. <i>Advanced Functional Materials</i> , 2023, 33, . | 7.8 | 11 |
| 1165 | Self-propelling colloids with finite state dynamics. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2023, 120, . | 3.3 | 3 |
| 1166 | Accelerating the Design of Self-Guided Microrobots in Time-Varying Magnetic Fields. <i>Jacs Au</i> , 2023, 3, 611-627. | 3.6 | 5 |
| 1167 | A self-sensing intelligent soft pneumatic actuator with soft magnetic structures. <i>International Journal of Mechanical Sciences</i> , 2023, 250, 108279. | 3.6 | 4 |
| 1168 | 3D Printed Magnetically Infused Origami Platform for 3D Cell Culture Assessments. <i>Advanced Materials Technologies</i> , 2023, 8, . | 3.0 | 1 |
| 1170 | An ode to nanoparticles in catalysis. <i>Journal of Molecular and Engineering Materials</i> , 0, , . | 0.9 | 0 |
| 1171 | Biocompatible Film-Coating of Magnetic Soft Robots for Mucoadhesive Locomotion. <i>Advanced Materials Technologies</i> , 2023, 8, . | 3.0 | 3 |
| 1172 | Research on Posture Sensing and Error Elimination for Soft Manipulator Using FBG Sensors. <i>Electronics (Switzerland)</i> , 2023, 12, 1476. | 1.8 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1173 | Caterpillar-inspired soft crawling robot with distributed programmable thermal actuation. <i>Science Advances</i> , 2023, 9, . | 4.7 | 34 |
| 1174 | A 4D-Printed Electromagnetic Cloaking and Illusion Function Convertible Metasurface. <i>Advanced Materials Technologies</i> , 2023, 8, . | 3.0 | 1 |
| 1175 | Multimodal Motion Control of Soft Ferrofluid Robot With Environment and Task Adaptability. <i>IEEE/ASME Transactions on Mechatronics</i> , 2023, 28, 3099-3109. | 3.7 | 2 |
| 1176 | Adaptive Magnetoactive Soft Composites for Modular and Reconfigurable Actuators. <i>Advanced Functional Materials</i> , 2023, 33, . | 7.8 | 7 |
| 1177 | Motion Analysis and Experiment of Sheet Small Magnetron Soft Robot. , 2022, , . | | 0 |
| 1178 | Advances in Finite Element Analysis of External Field-Driven Micro/Nanorobots: A Review. <i>Advanced Intelligent Systems</i> , 2023, 5, . | 3.3 | 3 |
| 1179 | Strong, Supertough and Self-Healing Biomimetic Layered Nanocomposites Enabled by Reversible Interfacial Polymer Chain Sliding. <i>Angewandte Chemie</i> , 2023, 135, . | 1.6 | 1 |
| 1180 | Strong, Supertough and Self-Healing Biomimetic Layered Nanocomposites Enabled by Reversible Interfacial Polymer Chain Sliding. <i>Angewandte Chemie - International Edition</i> , 2023, 62, . | 7.2 | 20 |
| 1181 | USMicroMagSet: Using Deep Learning Analysis to Benchmark the Performance of Microrobots in Ultrasound Images. <i>IEEE Robotics and Automation Letters</i> , 2023, 8, 3254-3261. | 3.3 | 5 |
| 1182 | Magnetic Actuation Systems and Magnetic Robots for Gastrointestinal Examination and Treatment. <i>Chinese Journal of Electrical Engineering</i> , 2023, 9, 3-28. | 2.3 | 3 |
| 1183 | Flexible Sensors with Robust Wear-Resistant and Sensing Ability: Insight on the Microcrack Structure, Multiple Interfacial Bonds, and Possible Sensing Mechanisms. <i>ACS Sustainable Chemistry and Engineering</i> , 2023, 11, 7031-7041. | 3.2 | 3 |
| 1184 | 3D printing of high-precision and ferromagnetic functional devices. <i>International Journal of Extreme Manufacturing</i> , 2023, 5, 035501. | 6.3 | 7 |
| 1185 | Light-propelled Self-swing of a Liquid Crystal Elastomer Balloon Swing. <i>International Journal of Applied Mechanics</i> , 0, , . | 1.3 | 0 |
| 1186 | Non-uniform Deformation Behavior of Magneto-Sensitive Elastomer Containing Uniform Sphere Particles with V-Shaped Arrangement. <i>Communications in Computer and Information Science</i> , 2023, , 520-530. | 0.4 | 0 |
| 1187 | A Framework for Simulation of Magnetic Soft Robots Using the Material Point Method. <i>IEEE Robotics and Automation Letters</i> , 2023, 8, 3470-3477. | 3.3 | 1 |
| 1188 | A Scalable, Incoherent-Light-Powered, Omnidirectional Self-Oscillator. <i>Advanced Intelligent Systems</i> , 2024, 6, . | 3.3 | 2 |
| 1189 | Automatic Navigation of Microswarms for Dynamic Obstacle Avoidance. <i>IEEE Transactions on Robotics</i> , 2023, 39, 2770-2785. | 7.3 | 4 |
| 1190 | Multifunctional Soft Stackable Robots by Netting-“Rolling”-Splicing Pneumatic Artificial Muscles. <i>Soft Robotics</i> , 2023, 10, 1001-1014. | 4.6 | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 1191 | Programmable Shape Morphing Metasponge. <i>Advanced Intelligent Systems</i> , 0, , . | 3.3 | 0 |
| 1192 | EpoMemory: Multi-state Shape Memory for Programmable Morphing Interfaces. , 2023, , . | | 1 |
| 1193 | Six-Degree-of-Freedom Localization Under Multiple Permanent Magnets Actuation. <i>IEEE Robotics and Automation Letters</i> , 2023, 8, 3422-3429. | 3.3 | 4 |
| 1194 | Soft Multimaterial Magnetic Fibers and Textiles. <i>Advanced Materials</i> , 2023, 35, . | 11.1 | 12 |
| 1202 | Geometry matters: Gamete transport using magnetic microrobots. , 2024, , 540-551. | | 0 |
| 1214 | Magnetically driven robots for clinical treatment. , 2023, , 173-199. | | 0 |
| 1217 | Soft Robotics Enables Neuroprosthetic Hand Design. <i>ACS Nano</i> , 2023, 17, 9661-9672. | 7.3 | 9 |
| 1226 | Biomedical Applications of Ferrites. <i>Materials Horizons</i> , 2023, , 241-256. | 0.3 | 0 |
| 1236 | Small-scale robots with programmable magnetization profiles. , 2023, , 119-139. | | 0 |
| 1237 | Minimalist milliscale robot construction by M-spray. , 2023, , 77-101. | | 0 |
| 1238 | Actuation and biomedical development of micro/nanorobots – a review. , 2023, , 1-35. | | 0 |
| 1253 | Climbing mini-machines using plant-inspired micropatterned adhesive wheels fabricated via two-photon lithography. , 2023, , . | | 0 |
| 1275 | Wireless Actuation for Soft Electronics-free Robots. , 2023, , . | | 1 |
| 1284 | Untethered Small-Scale Machines for Microrobotic Manipulation: From Individual and Multiple to Collective Machines. <i>ACS Nano</i> , 2023, 17, 13081-13109. | 7.3 | 11 |
| 1298 | 3D printing stretchable and compressible porous structures by polymerizable emulsions for soft robotics. <i>Materials Horizons</i> , 2023, 10, 4976-4985. | 6.4 | 3 |
| 1299 | Intelligent sensing based on active micro/nanomotors. <i>Journal of Materials Chemistry B</i> , 2023, 11, 8897-8915. | 2.9 | 2 |
| 1313 | Micro-/nanoscale robotics for chemical and biological sensing. <i>Lab on A Chip</i> , 2023, 23, 3741-3767. | 3.1 | 3 |
| 1315 | Magnetic field-assisted fabrication of quasi-bilayered, multi-responsive and patternable actuators. <i>Chemical Communications</i> , 2023, 59, 12314-12317. | 2.2 | 1 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1344 | Functionalized Strategies of Superparamagnetic Materials. <i>Nanomedicine and Nanotoxicology</i> , 2023, , 23-56. | 0.1 | 0 |
| 1346 | Magnetic micro-robots for medical applications. , 2023, , 371-399. | | 0 |
| 1351 | Soft Magnetoactive Morphing Structures with Self-Sensing Properties, Using Multi-Material Extrusion Additive Manufacturing. <i>Springer Tracts in Additive Manufacturing</i> , 2024, , 365-386. | 0.2 | 0 |
| 1354 | Automated Microrobotic Manipulation with Micron-scale Precision Using Multimodal Magnetic Microswarms. , 2023, , . | | 0 |
| 1355 | Research on the treatment method of COVID-19 sequelae with intelligent soft manipulator based on haptic feedback. , 2023, , . | | 0 |
| 1364 | Research Status and Application Prospects of Magnetically Driven Micro- and Nanorobots. <i>Lecture Notes in Computer Science</i> , 2023, , 476-492. | 1.0 | 0 |
| 1367 | Nanodevices and nanomachines at the nanoscale biophysics. , 2024, , 233-261. | | 0 |
| 1373 | Effect of Magnetic Moments Towards Swimming Behavior and Performance of the Soft Milli-Robots. , 2023, , . | | 0 |
| 1377 | Fabrication and Properties of Dielectric-Elastomer-Based Nanocomposites. <i>Nanostructure Science and Technology</i> , 2024, , 213-241. | 0.1 | 0 |
| 1390 | Bioinspired Cilia-Like Microrobot Swarms for Precise Environmental Learning and Modification at Small Scale. , 2023, , . | | 0 |
| 1391 | Robust Tracking for Electromagnetic-Actuated Microrobot Via Sliding Mode Control. , 2023, , . | | 0 |
| 1394 | Multimode opto-magnetic dual-responsive actuating fibers and fabrics programmed <i>via</i> direct ink writing. <i>Chemical Communications</i> , 2023, 59, 14419-14422. | 2.2 | 0 |
| 1403 | Localization of Microswarms Using Various Imaging Methods. , 2023, , 215-237. | | 0 |
| 1404 | Formation and Navigation of Microswarms in Dynamic Environments. , 2023, , 239-260. | | 0 |
| 1406 | Liquid Metal Micro/Nano Magnetic Fluid. , 2024, , 1-31. | | 0 |
| 1407 | Bioinspired magnetic cilia: from materials to applications. <i>Microsystems and Nanoengineering</i> , 2023, 9, . | 3.4 | 2 |
| 1413 | A New 1-mg Fast Unimorph SMA-Based Actuator for Microrobotics. , 2023, , . | | 0 |
| 1415 | Roblets: Robotic Tablets That Self-Assemble and Self-Fold into a Robot. , 2023, , . | | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1426 | Design of a Bio-Inspired Untethered Eight-Legged Soft Robot Driven by Magnetic Field. , 2023, , . | | 0 |
| 1429 | Soft actuators in surgical robotics: a state-of-the-art review. Intelligent Service Robotics, 0, , . | 1.6 | 0 |
| 1466 | Body Shape Control of Magnetic Soft Continuum Robots with PID Controller. , 2023, , . | | 0 |
| 1488 | Surgical Robotics. , 2023, , 35-58. | | 0 |