

# CITATION REPORT

List of articles citing

Substance P increases CCN2 dependent on TGF-beta yet Collagen Type I via TGF-beta1 dependent and independent pathways in tenocytes

DOI: 10.1080/03008207.2017.1297809

Connective Tissue Research, 2018, 59, 30-44.

**Source:** <https://exaly.com/paper-pdf/69465692/citation-report.pdf>

**Version:** 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
16	Fascial tissue research in sports medicine: from molecules to tissue adaptation, injury and diagnostics: consensus statement. <i>British Journal of Sports Medicine</i> , <b>2018</b> , 52, 1497	10.3	69
15	Development of Normal and Cleft Palate: A Central Role for Connective Tissue Growth Factor (CTGF)/CCN2. <i>Journal of Developmental Biology</i> , <b>2018</b> , 6,	3.5	17
14	Diverse Role of Biological Plasticity in Low Back Pain and Its Impact on Sensorimotor Control of the Spine. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , <b>2019</b> , 49, 389-401	4.2	12
13	ISSLS Prize in Basic science 2019: Physical activity attenuates fibrotic alterations to the multifidus muscle associated with intervertebral disc degeneration. <i>European Spine Journal</i> , <b>2019</b> , 28, 893-904	2.7	21
12	Blocking substance P signaling reduces musculotendinous and dermal fibrosis and sensorimotor declines in a rat model of overuse injury. <i>Connective Tissue Research</i> , <b>2020</b> , 61, 604-619	3.3	7
11	Sustained Exposure of Substance P Causes Tendinopathy. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,	6.3	2
10	Effect of TNF $\alpha$ blockade on UVB-induced inflammatory cell migration and collagen loss in mice. <i>Journal of Photochemistry and Photobiology B: Biology</i> , <b>2020</b> , 213, 112072	6.7	6
9	TGF- $\beta$ -containing exosomes derived from bone marrow mesenchymal stem cells promote proliferation, migration and fibrotic activity in rotator cuff tenocytes. <i>Regenerative Therapy</i> , <b>2020</b> , 15, 70-76	3.7	8
8	Blocking CTGF/CCN2 reduces established skeletal muscle fibrosis in a rat model of overuse injury. <i>FASEB Journal</i> , <b>2020</b> , 34, 6554-6569	0.9	23
7	Force dependent effects of chronic overuse on fibrosis-related genes and proteins in skeletal muscles. <i>Connective Tissue Research</i> , <b>2021</b> , 62, 133-149	3.3	4
6	Incorporating regenerative medicine into rehabilitation programmes: a potential treatment for ankle sprain. <i>International Journal of Therapy and Rehabilitation</i> , <b>2021</b> , 28, 1-15	0.4	0
5	Key indicators of repetitive overuse-induced neuromuscular inflammation and fibrosis are prevented by manual therapy in a rat model. <i>BMC Musculoskeletal Disorders</i> , <b>2021</b> , 22, 417	2.8	10
4	The answer depends on the question: Optimal conditions for western blot characterization of muscle collagen type 1 depends on desired isoform. <i>Journal of Biological Methods</i> , <b>2019</b> , 6, e117	1.4	6
3	Shear Wave Elastography for Chronic Musculoskeletal Problem.		
2	Injury and Self-Repair of Musculoskeletal Tissues. <b>2022</b> , 283-326		
1	Response to Mechanical Properties and Physiological Challenges of Fascia: Diagnosis and Rehabilitative Therapeutic Intervention for Myofascial System Disorders. <b>2023</b> , 10, 474		0