Methodological implementation of mixed linear models association studies

Briefings in Bioinformatics 19, 700-712 DOI: 10.1093/bib/bbw145

Citation Report

#	Article	IF	CITATIONS
1	pLARmEB: integration of least angle regression with empirical Bayes for multilocus genome-wide association studies. Heredity, 2017, 118, 517-524.	2.6	231
2	Whole genome sequencing-based association study to unravel genetic architecture of cooked grain width and length traits in rice. Scientific Reports, 2017, 7, 12478.	3.3	69
3	pKWmEB: integration of Kruskal–Wallis test with empirical Bayes under polygenic background control for multi-locus genome-wide association study. Heredity, 2018, 120, 208-218.	2.6	175
4	Cenome-wide association study reveals candidate genes influencing lipids and diterpenes contents in Coffea arabica L. Scientific Reports, 2018, 8, 465.	3.3	53
5	Multi-Locus Genome-Wide Association Studies for 14 Main Agronomic Traits in Barley. Frontiers in Plant Science, 2018, 9, 1683.	3.6	40
6	Identification of QTNs Controlling Seed Protein Content in Soybean Using Multi-Locus Genome-Wide Association Studies. Frontiers in Plant Science, 2018, 9, 1690.	3.6	40
7	GWAS Analysis and QTL Identification of Fiber Quality Traits and Yield Components in Upland Cotton Using Enriched High-Density SNP Markers. Frontiers in Plant Science, 2018, 9, 1067.	3.6	99
8	The Application of Multi-Locus GWAS for the Detection of Salt-Tolerance Loci in Rice. Frontiers in Plant Science, 2018, 9, 1464.	3.6	94
9	Genome-Wide Association Mapping of Starch Pasting Properties in Maize Using Single-Locus and Multi-Locus Models. Frontiers in Plant Science, 2018, 9, 1311.	3.6	71
10	Deciphering the Genetic Architecture of Cooked Rice Texture. Frontiers in Plant Science, 2018, 9, 1405.	3.6	34
11	Genome-wide generation and genotyping of informative SNPs to scan molecular signatures for seed yield in chickpea. Scientific Reports, 2018, 8, 13240.	3.3	27
12	Single-Locus and Multi-Locus Genome-Wide Association Studies in the Genetic Dissection of Fiber Quality Traits in Upland Cotton (Gossypium hirsutum L.). Frontiers in Plant Science, 2018, 9, 1083.	3.6	74
13	Multi-Locus Genome-Wide Association Studies of Fiber-Quality Related Traits in Chinese Early-Maturity Upland Cotton. Frontiers in Plant Science, 2018, 9, 1169.	3.6	54
14	Genome-Wide Association Studies of Free Amino Acid Levels by Six Multi-Locus Models in Bread Wheat. Frontiers in Plant Science, 2018, 9, 1196.	3.6	59
15	Genome-Wide Association Studies of Photosynthetic Traits Related to Phosphorus Efficiency in Soybean. Frontiers in Plant Science, 2018, 9, 1226.	3.6	56
16	Genetic Dissection of Maize Embryonic Callus Regenerative Capacity Using Multi-Locus Genome-Wide Association Studies. Frontiers in Plant Science, 2018, 9, 561.	3.6	99
17	Multi-Locus Genome-Wide Association Study Reveals the Genetic Architecture of Stalk Lodging Resistance-Related Traits in Maize. Frontiers in Plant Science, 2018, 9, 611.	3.6	103
18	Genome-wide association study and genomic prediction using parental and breeding populations of Japanese pear (Pyrus pyrifolia Nakai). Scientific Reports, 2018, 8, 11994.	3.3	51

ARTICLE

IF CITATIONS

19 Genome-Wide Association Studies for Five Forage Quality-Related Traits in Sorghum (Sorghum bicolor) Tj ETQq0 0 0 g rgBT /Overlock 10

20	Genetic Detection of Lint Percentage Applying Single-Locus and Multi-Locus Genome-Wide Association Studies in Chinese Early-Maturity Upland Cotton. Frontiers in Plant Science, 2019, 10, 964.	3.6	11
21	Single-Locus and Multi-Locus Genome-Wide Association Studies for Intramuscular Fat in Duroc Pigs. Frontiers in Genetics, 2019, 10, 619.	2.3	47
22	Whole-genome re-sequencing association study for direct genetic effects and social genetic effects of six growth traits in Large White pigs. Scientific Reports, 2019, 9, 9667.	3.3	9
23	Combination of multi-locus genome-wide association study and QTL mapping reveals genetic basis of tassel architecture in maize. Molecular Genetics and Genomics, 2019, 294, 1421-1440.	2.1	12
24	On the Population Dynamics of Junk: A Review on the Population Genomics of Transposable Elements. Genes, 2019, 10, 419.	2.4	94
25	Genome-wide association study of pre-harvest sprouting tolerance using a 90K SNP array in common wheat (Triticum aestivum L.). Theoretical and Applied Genetics, 2019, 132, 2947-2963.	3.6	48
26	A Fast and Powerful Empirical Bayes Method for Genome-Wide Association Studies. Animals, 2019, 9, 305.	2.3	3
27	Multi-environments and multi-models association mapping identified candidate genes of lint percentage and seed index in Gossypium hirsutum L. Molecular Breeding, 2019, 39, 1.	2.1	7
28	Genome-wide association studies in the genetic dissection of ovule number, seed number, and seed weight in Brassica napus L. Industrial Crops and Products, 2019, 142, 111877.	5.2	32
29	Estimation of a significance threshold for genome-wide association studies. BMC Genomics, 2019, 20, 618.	2.8	100
30	Core set construction and association analysis of Pinus massoniana from Guangdong province in southern China using SLAF-seq. Scientific Reports, 2019, 9, 13157.	3.3	12
31	Population Structure and Implications on the Genetic Architecture of HIV-1 Phenotypes Within Southern Africa. Frontiers in Genetics, 2019, 10, 905.	2.3	15
32	Comparing Single‣NP, Multi‣NP, and Haplotypeâ€Based Approaches in Association Studies for Major Traits in Barley. Plant Genome, 2019, 12, 1-14.	2.8	48
33	Evaluation of Genomic Prediction for Pasmo Resistance in Flax. International Journal of Molecular Sciences, 2019, 20, 359.	4.1	45
34	Dissecting the genome-wide genetic variants of milling and appearance quality traits in rice. Journal of Experimental Botany, 2019, 70, 5115-5130.	4.8	30
35	Genetic dissection of drought and heatâ€responsive agronomic traits in wheat. Plant, Cell and Environment, 2019, 42, 2540-2553.	5.7	100
36	Candidate quantitative trait loci and genes for fiber quality in Gossypium hirsutum L. detected using single- and multi-locus association mapping. Industrial Crops and Products, 2019, 134, 356-369.	5.2	12

#	Article	IF	CITATIONS
37	High density linkage map construction and QTL mapping for runner production in allo-octoploid strawberry Fragaria × ananassa based on ddRAD-seq derived SNPs. Scientific Reports, 2019, 9, 3275.	3.3	19
38	Genome-Wide Association Studies for Pasmo Resistance in Flax (Linum usitatissimum L.). Frontiers in Plant Science, 2018, 9, 1982.	3.6	56
39	Editorial: The Applications of New Multi-Locus GWAS Methodologies in the Genetic Dissection of Complex Traits. Frontiers in Plant Science, 2019, 10, 100.	3.6	121
40	TSLRF: Two-Stage Algorithm Based on Least Angle Regression and Random Forest in genome-wide association studies. Scientific Reports, 2019, 9, 18034.	3.3	6
41	The Complex Genetic Architecture of Early Root and Shoot Traits in Flax Revealed by Genome-Wide Association Analyses. Frontiers in Plant Science, 2019, 10, 1483.	3.6	24
42	An efficient multi-locus mixed model framework for the detection of small and linked QTLs in F2. Briefings in Bioinformatics, 2019, 20, 1913-1924.	6.5	74
43	Genome-wide association studies using binned genotypes. Heredity, 2020, 124, 288-298.	2.6	5
45	Genetic dissection of zinc, iron, copper, manganese and phosphorus in wheat (Triticum aestivum L.) grain and rachis at two developmental stages. Plant Science, 2020, 291, 110338.	3.6	55
46	Genomeâ€wide dissection of hybridization for fiber quality―and yield―elated traits in upland cotton. Plant Journal, 2020, 104, 1285-1300.	5.7	9
47	The improved FASTmrEMMA and GCIM algorithms for genome-wide association and linkage studies in large mapping populations. Crop Journal, 2020, 8, 723-732.	5.2	10
48	Identification of QTNs Controlling 100-Seed Weight in Soybean Using Multilocus Genome-Wide Association Studies. Frontiers in Genetics, 2020, 11, 689.	2.3	26
49	Detection of QTL and QTN and candidate genes for oil content in soybean using a combination of four-way-RIL and germplasm populations. Crop Journal, 2020, 8, 802-811.	5.2	7
50	Genome-wide association studies and whole-genome prediction reveal the genetic architecture of KRN in maize. BMC Plant Biology, 2020, 20, 490.	3.6	14
51	Identification of New Leaf Rust Resistance Loci in Wheat and Wild Relatives by Array-Based SNP Genotyping and Association Genetics. Frontiers in Plant Science, 2020, 11, 583738.	3.6	29
52	QTL mapping and GWAS for field kernel water content and kernel dehydration rate before physiological maturity in maize. Scientific Reports, 2020, 10, 13114.	3.3	6
53	Multi-locus genome-wide association studies reveal novel genomic regions associated with vegetative stage salt tolerance in bread wheat (Triticum aestivum L.). Genomics, 2020, 112, 4608-4621.	2.9	32
54	Multi-trait multi-locus SEM model discriminates SNPs of different effects. BMC Genomics, 2020, 21, 490.	2.8	5
55	Multi-Locus GWAS of Quality Traits in Bread Wheat: Mining More Candidate Genes and Possible Regulatory Network. Frontiers in Plant Science, 2020, 11, 1091.	3.6	42

#	Article	IF	CITATIONS
56	ddRAD-seq derived genome-wide SNPs, high density linkage map and QTLs for fruit quality traits in strawberry (Fragaria x ananassa). 3 Biotech, 2020, 10, 353.	2.2	4
57	Decryption of favourable haplotypes and potential candidate genes for five fibre quality properties using a relatively novel genome-wide association study procedure in upland cotton. Industrial Crops and Products, 2020, 158, 113004.	5.2	7
58	Identification of quantitative trait nucleotides and candidate genes for soybean seed weight by multiple models of genome-wide association study. BMC Plant Biology, 2020, 20, 404.	3.6	28
59	Genome-wide association studies of ionomic and agronomic traits in USDA mini core collection of rice and comparative analyses of different mapping methods. BMC Plant Biology, 2020, 20, 441.	3.6	25
60	Combining Random Forests and a Signal Detection Method Leads to the Robust Detection of Genotype-Phenotype Associations. Genes, 2020, 11, 892.	2.4	12
61	Appraising the Genetic Architecture of Kernel Traits in Hexaploid Wheat Using GWAS. International Journal of Molecular Sciences, 2020, 21, 5649.	4.1	19
62	Genome-Wide Association Study (GWAS) for Resistance to Sclerotinia sclerotiorum in Common Bean. Genes, 2020, 11, 1496.	2.4	10
63	Genome-wide association identifies several QTLs controlling cysteine and methionine content in soybean seed including some promising candidate genes. Scientific Reports, 2020, 10, 21812.	3.3	12
64	mrMLM v4.0.2: An R Platform for Multi-locus Genome-wide Association Studies. Genomics, Proteomics and Bioinformatics, 2020, 18, 481-487.	6.9	91
65	JS-MA: A Jensen-Shannon Divergence Based Method for Mapping Genome-Wide Associations on Multiple Diseases. Frontiers in Genetics, 2020, 11, 507038.	2.3	6
66	Genome-wide association study of partial resistance to sclerotinia stem rot of cultivated soybean based on the detached leaf method. PLoS ONE, 2020, 15, e0233366.	2.5	9
67	Genome-wide association analyses identify known and novel loci for teat number in Duroc pigs using single-locus and multi-locus models. BMC Genomics, 2020, 21, 344.	2.8	43
68	<i>HiG</i> was: how to compute longitudinal GWAS data in population designs. Bioinformatics, 2020, 36, 4222-4224.	4.1	1
69	Genome-Wide Association Mapping of Dark Green Color Index using a Diverse Panel of Soybean Accessions. Scientific Reports, 2020, 10, 5166.	3.3	13
70	Comparing Different Statistical Models and Multiple Testing Corrections for Association Mapping in Soybean and Maize. Frontiers in Plant Science, 2019, 10, 1794.	3.6	118
71	Linkage Analysis and Multi-Locus Genome-Wide Association Studies Identify QTNs Controlling Soybean Plant Height. Frontiers in Plant Science, 2020, 11, 9.	3.6	20
72	Genomic Prediction Accuracy of Seven Breeding Selection Traits Improved by QTL Identification in Flax. International Journal of Molecular Sciences, 2020, 21, 1577.	4.1	21
73	Identification of QTNs and Their Candidate Genes for 100-Seed Weight in Soybean (Glycine max L.) Using Multi-Locus Genome-Wide Association Studies. Genes, 2020, 11, 714.	2.4	22

#	Article	IF	CITATIONS
74	Identification of QTL and genes for pod number in soybean by linkage analysis and genome-wide association studies. Molecular Breeding, 2020, 40, 1.	2.1	14
75	Threeâ€dimensional genetic networks among seed oilâ€related traits, metabolites and genes reveal the genetic foundations of oil synthesis in soybean. Plant Journal, 2020, 103, 1103-1124.	5.7	26
76	Loci harboring genes with important role in drought and related abiotic stress responses in flax revealed by multiple GWAS models. Theoretical and Applied Genetics, 2021, 134, 191-212.	3.6	23
77	Exploiting genetic diversity in two European maize landraces for improving Gibberella ear rot resistance using genomic tools. Theoretical and Applied Genetics, 2021, 134, 793-805.	3.6	18
78	Detection of QTNs for kernel moisture concentration and kernel dehydration rate before physiological maturity in maize using multi-locus GWAS. Scientific Reports, 2021, 11, 1764.	3.3	12
79	A Multi-Locus Association Model Framework for Nested Association Mapping With Discriminating QTL Effects in Various Subpopulations. Frontiers in Genetics, 2020, 11, 590012.	2.3	3
80	Fine mapping QTL and mining genes for protein content in soybean by the combination of linkage and association analysis. Theoretical and Applied Genetics, 2021, 134, 1095-1122.	3.6	8
81	Mapping QTL/QTN and mining candidate genes for plant height and its response to planting densities in soybean [Glycine max (L.) Merr.] through a FW-RIL population. Molecular Breeding, 2021, 41, 1.	2.1	2
82	Multi-Locus Genome-Wide Association Studies Reveal Fruit Quality Hotspots in Peach Genome. Frontiers in Plant Science, 2021, 12, 644799.	3.6	18
83	Genome-wide association study identified candidate genes for seed size and seed composition improvement in M. truncatula. Scientific Reports, 2021, 11, 4224.	3.3	11
84	A Fast Multi-Locus Ridge Regression Algorithm for High-Dimensional Genome-Wide Association Studies. Frontiers in Genetics, 2021, 12, 649196.	2.3	1
85	Genome-Wide Association Study of Brown Rot (Monilinia spp.) Tolerance in Peach. Frontiers in Plant Science, 2021, 12, 635914.	3.6	17
86	Uncovering genomic regions controlling plant architectural traits in hexaploid wheat using different GWAS models. Scientific Reports, 2021, 11, 6767.	3.3	33
87	Understanding the metabolome and metagenome as extended phenotypes: The next frontier in macroalgae domestication and improvement. Journal of the World Aquaculture Society, 2021, 52, 1009-1030.	2.4	6
88	Genetic dissection of flowering time in flax (Linum usitatissimum L.) through single- and multi-locus genome-wide association studies. Molecular Genetics and Genomics, 2021, 296, 877-891.	2.1	16
89	Superior haplotypes towards development of low glycemic index rice with preferred grain and cooking quality. Scientific Reports, 2021, 11, 10082.	3.3	15
90	Genome-wide association mapping of the †̃super-soft' kernel texture in white winter wheat. Theoretical and Applied Genetics, 2021, 134, 2547-2559.	3.6	12
92	Genome-wide association study and its applications in the non-model crop Sesamum indicum. BMC Plant Biology, 2021, 21, 283.	3.6	20

#	Article	IF	CITATIONS
93	Genome-Wide Association Mapping of bc-1 and bc-u Reveals Candidate Genes and New Adjustments to the Host-Pathogen Interaction for Resistance to Bean Common Mosaic Necrosis Virus in Common Bean. Frontiers in Plant Science, 2021, 12, 699569.	3.6	10
94	Identification of QTNs and their candidate genes for flowering time and plant height in soybean using multi-locus genome-wide association studies. Molecular Breeding, 2021, 41, 1.	2.1	7
95	Multi-Allelic Haplotype-Based Association Analysis Identifies Genomic Regions Controlling Domestication Traits in Intermediate Wheatgrass. Agriculture (Switzerland), 2021, 11, 667.	3.1	9
96	Multi-Locus Genome-Wide Association Study and Genomic Selection of Kernel Moisture Content at the Harvest Stage in Maize. Frontiers in Plant Science, 2021, 12, 697688.	3.6	5
97	Exploiting natural variation in crown root traits via genome-wide association studies in maize. BMC Plant Biology, 2021, 21, 346.	3.6	10
98	Using chlorate as an analogue to nitrate to identify candidate genes for nitrogen use efficiency in barley. Molecular Breeding, 2021, 41, 1.	2.1	4
99	Identification and validation of a novel locus, Qpm-3BL, for adult plant resistance to powdery mildew in wheat using multilocus GWAS. BMC Plant Biology, 2021, 21, 357.	3.6	14
100	Genetic Dissection of Seedling Root System Architectural Traits in a Diverse Panel of Hexaploid Wheat through Multi-Locus Genome-Wide Association Mapping for Improving Drought Tolerance. International Journal of Molecular Sciences, 2021, 22, 7188.	4.1	20
101	Favorable pleiotropic loci for fiber yield and quality in upland cotton (Gossypium hirsutum). Scientific Reports, 2021, 11, 15935.	3.3	5
102	QTL for Main Stem Node Number and Its Response to Plant Densities in 144 Soybean FW-RILs. Frontiers in Plant Science, 2021, 12, 666796.	3.6	2
103	Multi-locus genome-wide association studies for five yield-related traits in rice. BMC Plant Biology, 2021, 21, 364.	3.6	22
104	Genome-Wide Association Analysis Reveals Loci and Candidate Genes Involved in Fiber Quality Traits Under Multiple Field Environments in Cotton (Gossypium hirsutum). Frontiers in Plant Science, 2021, 12, 695503.	3.6	12
105	Genetic architecture of maize yield traits dissected by QTL mapping and GWAS in maize. Crop Journal, 2022, 10, 436-446.	5.2	17
106	Validation of Genes Affecting Rice Grain Zinc Content Through Candidate Gene-Based Association Analysis. Frontiers in Genetics, 2021, 12, 701658.	2.3	4
107	Genome-wide association mapping reveals key genomic regions for physiological and yield-related traits under salinity stress in wheat (Triticum aestivum L.). Genomics, 2021, 113, 3198-3215.	2.9	22
108	Genome-Wide Association Study of QTLs Conferring Resistance to Bacterial Leaf Streak in Rice. Plants, 2021, 10, 2039.	3.5	6
109	The Effect of Population Structure on Murine Genome-Wide Association Studies. Frontiers in Genetics, 2021, 12, 745361.	2.3	7
110	An Efficient Score Test Integrated with Empirical Bayes for Genome-Wide Association Studies. Frontiers in Genetics, 2021, 12, 742752.	2.3	1

		CITATION REPORT		
#	Article		IF	CITATIONS
111	Status and prospects of genomeâ \in wide association studies in plants. Plant Genome, 2	.021, 14, e20077.	2.8	200
114	Novel stripe rust allâ€stage resistance loci identified in a worldwide collection of durur genomeâ€wide association mapping. Plant Genome, 2021, 14, e20136.	n wheat using	2.8	7
115	Advances and Challenges for QTL Analysis and GWAS in the Plant-Breeding of High-Yie on Rapeseed. Biomolecules, 2021, 11, 1516.	lding: A Focus	4.0	19
116	Genome-Wide Association Study Identifies Genomic Regions for Important Morpho-Ag Mesoamerican Common Bean. Frontiers in Plant Science, 2021, 12, 748829.	ronomic Traits in	3.6	6
117	Genome-Wide Composite Interval Mapping (GCIM) of Expressional Quantitative Trait I Population. Methods in Molecular Biology, 2020, 2082, 63-71.	.oci in Backcross	0.9	1
118	SNP- and Haplotype-Based GWAS of Flowering-Related Traits in Brassica napus. Plants,	, 2021, 10, 2475.	3.5	12
119	Complex adaptive architecture underlies adaptation to quantitative host resistance in pathogen. Molecular Ecology, 2021, , .	a fungal plant	3.9	0
120	Genome-Wide Association Studies of Soybean Yield-Related Hyperspectral Reflectance Machine Learning-Mediated Data Integration Methods. Frontiers in Plant Science, 202	Bands Using 1, 12, 777028.	3.6	26
121	Identification of quantitative trait nucleotides and candidate genes for tuber yield and tolerance in an elite population of white guinea yam (Dioscorea rotundata) using gencassociation scan. BMC Plant Biology, 2021, 21, 552.	mosaic virus ome-wide	3.6	15
122	Uncovering Novel Genomic Regions and Candidate Genes for Senescence-Related Train Genome-Wide Association Studies in Upland Cotton (Gossypium hirsutum L.). Frontier Science, 2021, 12, 809522.	ts by 's in Plant	3.6	3
123	Genome-wide association studies for growth traits in broilers. BMC Genomic Data, 202	22, 23, 1.	1.7	16
126	Application of multiâ€locus GWAS for the detection of bruchid resistance loci in cowp (<scp><i>Vigna unguiculata</i></scp>). Plant Breeding, 2022, 141, 439-450.	ea	1.9	5
127	A compressed variance component mixed model for detecting QTNsÂand QTN-by-envi QTN-by-QTN interactions in genome-wide association studies. Molecular Plant, 2022, 3	ronment and 15, 630-650.	8.3	53
128	Maize Epistasis Detection by Multi-class Quantitative Multifactor Dimensionality Redu	ction. , 2021, , .		1
129	Coding Mutations in Vacuolar Protein-Sorting 4 AAA+ ATPase Endosomal Sorting Com for Transport Protein Homologs Underlie bc-2 and New bc-4 Gene Conferring Resistan Common Mosaic Virus in Common Bean. Frontiers in Plant Science, 2021, 12, 769247	plexes Required ce to Bean	3.6	12
130	Association analysis for resistance to Striga hermonthica in diverse tropical maize inbro Scientific Reports, 2021, 11, 24193.	ed lines.	3.3	15
131	Multi-locus genome-wide association studies (ML-GWAS) reveal novel genomic regions with seedling and adult plant stage leaf rust resistance in bread wheat (Triticum aestiv Heredity, 2022, 128, 434-449.	s associated um L.).	2.6	15
224	Genetic Bases of Complex Traits: From Quantitative Trait Loci to Prediction. Methods i Biology, 2022, 2467, 1-44.	n Molecular	0.9	0

#	Article	IF	CITATIONS
225	Insights into the Genetic Architecture and Genomic Prediction of Powdery Mildew Resistance in Flax (Linum usitatissimum L.). International Journal of Molecular Sciences, 2022, 23, 4960.	4.1	12
226	Genetic mapping and genomic prediction of sclerotinia stem rot resistance to rapeseed/canola (Brassica napus L.) at seedling stage. Theoretical and Applied Genetics, 2022, 135, 2167-2184.	3.6	5
227	Genetic diversity analysis and GWAS reveal the adaptive loci of milling and appearance quality of japonica rice (Oryza sativa L.) in Northeast China. Journal of Integrative Agriculture, 2022, 21, 1539-1550.	3.5	3
228	Machine-Learning-Based Genome-Wide Association Studies for Uncovering QTL Underlying Soybean Yield and Its Components. International Journal of Molecular Sciences, 2022, 23, 5538.	4.1	20
229	Multi-Locus Association Mapping Uncovers the Genetic Basis of Yield and Agronomic Traits in Chile Pepper (Capsicum spp.). Crop Breeding Genetics and Genomics, 0, , .	1.7	2
230	Genome-Wide Association Study Statistical Models: A Review. Methods in Molecular Biology, 2022, , 43-62.	0.9	10
231	Domestication and improvement genes reveal the differences of seed size- and oil-related traits in soybean domestication and improvement. Computational and Structural Biotechnology Journal, 2022, 20, 2951-2964.	4.1	7
232	Identification of QTNs Associated With Flowering Time, Maturity, and Plant Height Traits in Linum usitatissimum L. Using Genome-Wide Association Study. Frontiers in Genetics, 0, 13, .	2.3	7
233	Genetic architecture of end-use quality traits in soft white winter wheat. BMC Genomics, 2022, 23, .	2.8	2
234	Association mapping of plant sex and cross-compatibility related traits in white Guinea yam (Dioscorea) Tj ETQq1	1 0.78431 3.6	l4 rgBT /Ove
235	Identification of major genomic regions for soybean seed weight by genome-wide association study. Molecular Breeding, 2022, 42, .	2.1	4
237	Genome-Wide Association Study of Grain Quality Traits in Rice Detected Genomic Regions of High-Quality Rice for Increasing Rice Consumption. Biosciences, Biotechnology Research Asia, 2022, 19, 333-346.	0.5	1
238	Genome-Wide Association Studies of Root-Related Traits in Brassica napus L. under Low-Potassium Conditions. Plants, 2022, 11, 1826.	3.5	3
239	Integrating multi-locus genome-wide association studies with transcriptomic data to identify genetic loci underlying adult root trait responses to drought stress in flax (Linum usitatissimum L.). Environmental and Experimental Botany, 2022, 202, 105019.	4.2	4
240	Multi-Locus Genome-Wide Association Studies to Characterize Fusarium Head Blight (FHB) Resistance in Hard Winter Wheat. Frontiers in Plant Science, 0, 13, .	3.6	5
241	Genome-wide association study identified genes associated with ammonia nitrogen tolerance in Litopenaeus vannamei. Frontiers in Genetics, 0, 13, .	2.3	0
242	Genetic architecture behind developmental and seasonal control of tree growth and wood properties in Norway spruce. Frontiers in Plant Science, 0, 13, .	3.6	2
243	A multi-locus genome-wide association study reveals the genetics underlying muscadine antioxidant in berry skin. Frontiers in Plant Science, 0, 13, .	3.6	1

#	Article	IF	CITATIONS
244	4D genetic networks reveal the genetic basis of metabolites and seed oil-related traits in 398 soybean RILs. , 2022, 15, .		7
245	Genome-wide association study of coleoptile length with Shanxi wheat. Frontiers in Plant Science, 0, 13, .	3.6	4
246	Genome-Wide Association Study in Bread Wheat Identifies Genomic Regions Associated with Grain Yield and Quality under Contrasting Water Availability. International Journal of Molecular Sciences, 2022, 23, 10575.	4.1	6
247	Genetic Dissection of Epistatic Interactions Contributing Yield-Related Agronomic Traits in Rice Using the Compressed Mixed Model. Plants, 2022, 11, 2504.	3.5	2
248	Identification of QTNs, QTN-by-environment interactions and genes for yield-related traits in rice using 3VmrMLM. Frontiers in Plant Science, 0, 13, .	3.6	7
249	Genome-wide association study for resistance to Pseudomonas syringae pv. garcae in Coffea arabica. Frontiers in Plant Science, 0, 13, .	3.6	1
250	Genome-wide association studies reveal novel QTLs, QTL-by-environment interactions and their candidate genes for tocopherol content in soybean seed. Frontiers in Plant Science, 0, 13, .	3.6	4
251	Unlocking the molecular basis of wheat straw composition and morphological traits through multi-locus GWAS. BMC Plant Biology, 2022, 22, .	3.6	5
252	Combined Transcriptome and Metabolome Profiling Provide Insights into Cold Responses in Rapeseed (Brassica napus L.) Genotypes with Contrasting Cold-Stress Sensitivity. International Journal of Molecular Sciences, 2022, 23, 13546.	4.1	5
253	Genome-wide association studies of five free amino acid levels in rice. Frontiers in Plant Science, 0, 13,	3.6	4
254	Genome-wide association studies for soybean epicotyl length in two environments using 3VmrMLM. Frontiers in Plant Science, 0, 13, .	3.6	3
255	Dissecting Complex Traits Using Omics Data: A Review on the Linear Mixed Models and Their Application in GWAS. Plants, 2022, 11, 3277.	3.5	1
256	An Improved Bayesian Shrinkage Regression Algorithm for Genomic Selection. Genes, 2022, 13, 2193.	2.4	1
257	Identification of candidate genomic regions for thermogelled egg yolk traits based on a genome-wide association study. Poultry Science, 2023, 102, 102402.	3.4	1
258	Multi-locus genome-wide association studies reveal genomic regions and putative candidate genes associated with leaf spot diseases in African groundnut (Arachis hypogaea L.) germplasm. Frontiers in Plant Science, 0, 13, .	3.6	2
259	QTL for yield per plant under water deficit and well-watered conditions and drought susceptibility index in soybean (<i>Glycine max</i> (L.) Merr.). Biotechnology and Biotechnological Equipment, 2023, 37, 92-103.	1.3	1
260	Mapping quantitative trait loci and developing their KASP markers for pre-harvest sprouting resistance of Henan wheat varieties in China. Frontiers in Plant Science, 0, 14, .	3.6	1
261	Genome-wide association study for the extractable phenolic profile and coat color of common bean seeds (Phaseolus vulgaris L.). BMC Plant Biology, 2023, 23, .	3.6	2

#	Article	IF	CITATIONS
263	Recent advances on genome-wide association studies (GWAS) and genomic selection (GS); prospects for Fusarium head blight research in Durum wheat. Molecular Biology Reports, 2023, 50, 3885-3901.	2.3	2
265	QTL Mapping: Strategy, Progress, and Prospects in Flax. Compendium of Plant Genomes, 2023, , 69-99.	0.5	0
266	Multi-locus genome-wide association study of chickpea reference set identifies genetic determinants of Pratylenchus thornei resistance. Frontiers in Plant Science, 0, 14, .	3.6	2
267	Genome-wide association study reveals genomic loci influencing agronomic traits in Ethiopian sorghum (Sorghum bicolor (L.) Moench) landraces. Molecular Breeding, 2023, 43, .	2.1	0
268	Genome-wide association study for carcass weight in pasture-finished beef cattle in Hawai'i. Frontiers in Genetics, 0, 14, .	2.3	3
269	Genetic diversity, population structure, and genome-wide association study for the flowering trait in a diverse panel of 428 moth bean (Vigna aconitifolia) accessions using genotyping by sequencing. BMC Plant Biology, 2023, 23, .	3.6	0
270	Identification of candidate genes associated with carcass component weights in commercial crossbred pigs through a combined GWAS approach. Journal of Animal Science, 2023, 101, .	0.5	2
271	A genome-wide association study and genomic prediction for Phakopsora pachyrhizi resistance in soybean. Frontiers in Plant Science, 0, 14, .	3.6	3
272	Multigenic resistance to Xylella fastidiosa in wild grapes (Vitis sps.) and its implications within a changing climate. Communications Biology, 2023, 6, .	4.4	6
273	Genetic dissection of thousand-seed weight in linseed (Linum usitatissimum L.) using multi-locus genome-wide association study. Frontiers in Plant Science, 0, 14, .	3.6	1
274	Integrated genomeâ€wide association study and <scp>QTL</scp> mapping reveals <scp><i>qSaâ€3A</i></scp> associated with English grain aphid, <i>Sitobion avenae</i> (Fabricius) resistance in wheat. Pest Management Science, 0, , .	3.4	3
275	Haplotype-Based Genome-Wide Association Analysis Using Exome Capture Assay and Digital Phenotyping Identifies Genetic Loci Underlying Salt Tolerance Mechanisms in Wheat. Plants, 2023, 12, 2367.	3.5	0
276	Comparative Metabolome Profiles and Antioxidant Potential of Four CoffeaÂarabica L. Varieties Differing in Fruit Color. Diversity, 2023, 15, 724.	1.7	0
277	Validation of genes affecting rice mesocotyl length through candidate association analysis and identification of the superior haplotypes. Frontiers in Plant Science, 0, 14, .	3.6	1
278	Multi-locus genome-wide association study of fusarium head blight in relation to days to anthesis and plant height in a spring wheat association panel. Frontiers in Plant Science, 0, 14, .	3.6	1
280	Genome-Wide Association Studies Using 3VmrMLM Model Provide New Insights into Branched-Chain Amino Acid Contents in Rice Grains. Plants, 2023, 12, 2970.	3.5	0
281	Genome-wide association study of cooking-caused grain expansion in rice (Oryza sativa L.). Frontiers in Plant Science, 0, 14, .	3.6	1
282	A genome-wide association study reveals that epistasis underlies the pathogenicity of <i>Pectobacterium</i> . Microbiology Spectrum, 2023, 11, .	3.0	0

#	Article	IF	CITATIONS
283	Genome-wide association studies: an intuitive solution for SNP identification and gene mapping in trees. Functional and Integrative Genomics, 2023, 23, .	3.5	1
284	Genome-wide association study reveals novel genes on different chromosomal positions regulating boll weight in upland cotton (Gossypium hirsutum L.). Genetic Resources and Crop Evolution, 0, , .	1.6	1
285	Genome-wide association study of soybean (Glycine max [L.] Merr.) germplasm for dissecting the quantitative trait nucleotides and candidate genes underlying yield-related traits. Frontiers in Plant Science, 0, 14, .	3.6	0
286	Genome-wide association study of esophageal squamous cell cancer identifies shared and distinct risk variants in African and Chinese populations. American Journal of Human Genetics, 2023, 110, 1690-1703.	6.2	0
287	Genome-Wide Association Study (GWAS): Concept and Methodology for Gene Mapping in Plants. , 2023, , 477-511.		0
288	Exploring GWAS and genomic prediction to improve Septoria tritici blotch resistance in wheat. Scientific Reports, 2023, 13, .	3.3	1
289	Identification of southern corn rust resistance QTNs in Chinese summer maize germplasm via multi-locus GWAS and post-GWAS analysis. Frontiers in Plant Science, 0, 14, .	3.6	1
291	Multi-locus genome-wide association studies reveal the genetic architecture of Fusarium head blight resistance in durum wheat. Frontiers in Plant Science, 0, 14, .	3.6	1
292	Genetic mapping identifies SNP mutations in MITF-M promoter associated with melanin formation in Putian black duck. Poultry Science, 2024, 103, 103191.	3.4	0
293	Discovering Genomic Regions Associated with Reproductive Traits and Frame Score in Mexican Simmental and Simbrah Cattle Using Individual SNP and Haplotype Markers. Genes, 2023, 14, 2004.	2.4	0
294	An individualized Bayesian method for estimating genomic variants of hypertension. BMC Genomics, 2022, 23, .	2.8	0
295	Comparing modeling methods of genomic prediction for growth traits of a tropical timber species, Shorea macrophylla. Frontiers in Plant Science, 0, 14, .	3.6	0
296	Improving power of genome-wide association studies via transforming ordinal phenotypes into continuous phenotypes. Frontiers in Plant Science, 0, 14, .	3.6	0
297	Genome-wide association analysis identifies a candidate gene controlling seed size and yield in <i>Xanthoceras sorbifolium</i> Bunge. Horticulture Research, 0, , .	6.3	0
298	Single Nucleotide Polymorphisms Associated with AA-Amyloidosis in Siamese and Oriental Shorthair Cats. Genes, 2023, 14, 2126.	2.4	0
299	Prescreening of large-effect markers with multiple strategies improves the accuracy of genomic prediction1. Journal of Integrative Agriculture, 2023, , .	3.5	0
300	Editorial: The applications of new multi-locus GWAS methodologies in the genetic dissection of complex traits, volume II. Frontiers in Plant Science, 0, 14, .	3.6	1
301	Pleiotropic genetic association analysis with multiple phenotypes using multivariate response best-subset selection. BMC Genomics, 2023, 24, .	2.8	0

#	Article	IF	CITATIONS
302	The Genetic Dissection of Nitrogen Use-Related Traits in Flax (Linum usitatissimum L.) at the Seedling Stage through the Integration of Multi-Locus GWAS, RNA-seq and Genomic Selection. International Journal of Molecular Sciences, 2023, 24, 17624.	4.1	0
303	Finding stable and closely linked QTLs against spot blotch in different planting dates during the adult stage in barley. Scientific Reports, 2024, 14, .	3.3	0
304	Trait Based Association Mapping in Plants. Springer Protocols, 2024, , 159-190.	0.3	0
305	Multi-model genome-wide association studies for appearance quality in rice. Frontiers in Plant Science, 0, 14, .	3.6	0
306	Unveiling the genetic basis of Fusarium wilt resistance in chickpea using GWAS analysis and characterization of candidate genes. Frontiers in Genetics, 0, 14, .	2.3	1
307	Comparing different statistical models for association mapping and genomic prediction of fruit quality traits in tomato. Scientia Horticulturae, 2024, 327, 112838.	3.6	0
308	Fine-mapping of a major locus for Fusarium wilt resistance in flax (Linum usitatissimum L.). Theoretical and Applied Genetics, 2024, 137, .	3.6	0
309	Genome-wide genetic architecture for plant maturity and drought tolerance in diploid potatoes. Frontiers in Genetics, 0, 14, .	2.3	0
310	Advancements and Prospects of Genome-Wide Association Studies (GWAS) in Maize. International Journal of Molecular Sciences, 2024, 25, 1918.	4.1	0
311	Multiâ€locus genomeâ€wide association study reveal genomic regions underlying root system architecture traits in Ethiopian sorghum germplasm. Plant Genome, 0, , .	2.8	0
312	New insights into QTNs and potential candidate genes governing rice yield via a multi-model genome-wide association study. BMC Plant Biology, 2024, 24, .	3.6	0
313	Multi-locus genome-wide association studies reveal the dynamic genetic architecture of flowering time in chrysanthemum. Plant Cell Reports, 2024, 43, .	5.6	0
314	Mining elite loci and candidate genes for root morphology-related traits at seedling stage by genome-wide association studies in Upland Cotton (Gossypium hirsutum L.). Journal of Integrative Agriculture, 2024, , .	3.5	0
315	Multi-omics analysis reveals novel loci and a candidate regulatory gene of unsaturated fatty acids in soybean (Glycine max (L.) Merr). , 2024, 17, .		0