The conservation status of Texas groundwater inverteb

Biodiversity and Conservation 27, 475-501

DOI: 10.1007/s10531-017-1447-0

Citation Report

#	Article	IF	CITATIONS
1	Description of a new genus and species of Bathynellidae (Crustacea: Bathynellacea) from Texas based on morphological and molecular characters. Journal of Natural History, 2018, 52, 29-51.	0.5	5
2	Status and Distribution of the Cave-Obligate Land Snails in the Appalachians and Interior Low Plateau of the Eastern United States. American Malacological Bulletin, 2018, 36, 62-78.	0.2	8
3	Biodiversity in the United States and Canada. , 2019, , 163-176.		7
4	Cirolanides wassenichae sp. nov., a freshwater, subterranean Cirolanidae (Isopoda, Cymothoida) with additional records of other species from Texas, United States. Zootaxa, 2019, 4543, 498.	0.5	3
5	Species delimitation in endangered groundwater salamanders: Implications for aquifer management and biodiversity conservation. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 2624-2633.	7.1	74
6	Environmental influences on invertebrate diversity and community composition in the hyporheic zone ecotone in Texas, USA: contrasts between co-occurring epigean taxa and stygobionts. Hydrobiologia, 2020, 847, 3967-3982.	2.0	8
7	A new enigmatic genus of subterranean amphipod (Amphipoda: Bogidielloidea) from Terrell County, Texas, with the establishment of Parabogidiellidae, fam. nov., and notes on the family Bogidiellidae. Invertebrate Systematics, 2020, , .	1.3	0
8	Stygobromus bakeri, a new species of groundwater amphipod (Amphipoda, Crangonyctidae) associated with the Trinity and Edwards aquifers of central Texas, USA. Subterranean Biology, 0, 38, 19-45.	5.0	7
9	Subterranean movement inferred by temporary emigration in Barton Springs salamanders (<i>Eurycea) Tj ETQq</i>	0 0 0 rgBT	/Oyerlock 10
10	Geographic patterns of genomic variation in the threatened Salado salamander, Eurycea chisholmensis. Conservation Genetics, 2021, 22, 811-821.	1.5	2
10		2.0	2
	chisholmensis. Conservation Genetics, 2021, 22, 811-821. Interactions at surface–subterranean ecotones: structure and function of food webs within spring		
11	chisholmensis. Conservation Genetics, 2021, 22, 811-821. Interactions at surface–subterranean ecotones: structure and function of food webs within spring orifices. Oecologia, 2021, 196, 235-248. Subterranean freshwater gastropod biodiversity and conservation in the United States and Mexico.	2.0	7
11	chisholmensis. Conservation Genetics, 2021, 22, 811-821. Interactions at surface–subterranean ecotones: structure and function of food webs within spring orifices. Oecologia, 2021, 196, 235-248. Subterranean freshwater gastropod biodiversity and conservation in the United States and Mexico. Conservation Biology, 2022, 36, . Getting the â€~most out of the hotspot' for practical conservation of groundwater biodiversity. Global	2.0	7
11 12 13	Interactions at surfaceâ€"subterranean ecotones: structure and function of food webs within spring orifices. Oecologia, 2021, 196, 235-248. Subterranean freshwater gastropod biodiversity and conservation in the United States and Mexico. Conservation Biology, 2022, 36, . Getting the â€~most out of the hotspot' for practical conservation of groundwater biodiversity. Global Ecology and Conservation, 2021, 31, e01844. Expanding the Known Ranges of the Phreatic Snails (Mollusca, Gastropoda, Cochliopidae) of Texas,	2.0 4.7 2.1	7 15 20
11 12 13	Interactions at surfaceâ€"subterranean ecotones: structure and function of food webs within spring orifices. Oecologia, 2021, 196, 235-248. Subterranean freshwater gastropod biodiversity and conservation in the United States and Mexico. Conservation Biology, 2022, 36, . Getting the †most out of the hotspot' for practical conservation of groundwater biodiversity. Global Ecology and Conservation, 2021, 31, e01844. Expanding the Known Ranges of the Phreatic Snails (Mollusca, Gastropoda, Cochliopidae) of Texas, USA. Freshwater Mollusk Biology and Conservation, 2020, 23, 1. New occurrence records for stygobiontic invertebrates from the Edwards and Trinity aquifers in	2.0 4.7 2.1 0.4 5.0	7 15 20 5
11 12 13 14 15	Interactions at surface–subterranean ecotones: structure and function of food webs within spring orifices. Oecologia, 2021, 196, 235-248. Subterranean freshwater gastropod biodiversity and conservation in the United States and Mexico. Conservation Biology, 2022, 36, . Getting the â€⁻most out of the hotspot' for practical conservation of groundwater biodiversity. Global Ecology and Conservation, 2021, 31, e01844. Expanding the Known Ranges of the Phreatic Snails (Mollusca, Gastropoda, Cochliopidae) of Texas, USA. Freshwater Mollusk Biology and Conservation, 2020, 23, 1. New occurrence records for stygobiontic invertebrates from the Edwards and Trinity aquifers in west-central Texas, USA. Subterranean Biology, 0, 28, 1-13.	2.0 4.7 2.1 0.4 5.0	7 15 20 5

#	Article	IF	CITATIONS
20	Speciation with gene flow in a narrow endemic West Virginia cave salamander (Gyrinophilus) Tj ETQq0 0 0 rgBT	Overlock 1.5	10 ₂ Tf 50 742
21	Lithology and disturbance drive cavefish and cave crayfish occurrence in the Ozark Highlands ecoregion. Scientific Reports, 2022, 12, .	3.3	1
22	Biogeography of Selected Spring Endemics in Texas Interglacial-Drought Refugia with Unexpected Insights from a Spring-Dependent Nematode Parasite. Hydrobiology, 2023, 2, 97-133.	1.7	2
23	Temperature responses vary between riffle beetles from contrasting aquatic environments. Journal of Thermal Biology, 2023, 112, 103485.	2.5	0
24	The olm (Proteus anguinus), a flagship groundwater species. , 2023, , 305-327.		1
25	Two new phreatic snails (Mollusca, Caenogastropoda, Cochliopidae) from the Edwards and Edwards-Trinity aquifers, Texas. Subterranean Biology, 0, 47, 1-27.	5.0	0