

# CITATION REPORT

List of articles citing

Meta-analysis of sentinel lymph node biopsy after neoadjuvant chemotherapy in patients with initial biopsy-proven node-positive breast cancer

DOI: 10.1002/bjs.10986

British Journal of Surgery, 2018, 105, 1541-1552.

**Source:** <https://exaly.com/paper-pdf/70727744/citation-report.pdf>

**Version:** 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
84	Post San Antonio Breast Cancer Symposium 2018. <i>Memo - Magazine of European Medical Oncology</i> , <b>2019</b> , 12, 257-260	0.3	0
83	Axillary Surgery Following Neoadjuvant Chemotherapy - Multidisciplinary Guidance From the Association of Breast Surgery, Faculty of Clinical Oncology of the Royal College of Radiologists, UK Breast Cancer Group, National Coordinating Committee for Breast Pathology and British Society of Breast Radiology. <i>Clinical Oncology</i> , <b>2019</b> , 31, 664-668	2.8	24
82	Highlights of the 16th St Gallen International Breast Cancer Conference, Vienna, Austria, 20-23 March 2019: personalised treatments for patients with early breast cancer. <i>Ecancermedicalscience</i> , <b>2019</b> , 13, 924	2.7	13
81	Axillary Lymph Node Tattooing and Targeted Axillary Dissection in Breast Cancer Patients Who Presented as cN+ Before Neoadjuvant Chemotherapy and Became cN0 After Treatment. <i>Clinical Breast Cancer</i> , <b>2019</b> , 19, 208-215	3	35
80	News in surgery of patients with early breast cancer. <i>Breast</i> , <b>2019</b> , 48 Suppl 1, S2-S6	3.6	2
79	Breast MRI and tumour biology predict axillary lymph node response to neoadjuvant chemotherapy for breast cancer. <i>Cancer Imaging</i> , <b>2019</b> , 19, 91	5.6	10
78	Standard and controversies in sentinel node in breast cancer patients. <i>Breast</i> , <b>2019</b> , 48 Suppl 1, S53-S56	3.6	8
77	Evaluation of Breast and Axillary Lymph Node Specimens in Breast Cancer Patients Treated With Neoadjuvant Systemic Therapy. <i>Advances in Anatomic Pathology</i> , <b>2019</b> , 26, 221-234	5.1	11
76	Absence of estrogen receptor is associated with worse oncologic outcome in patients who were received neoadjuvant chemotherapy for breast cancer. <i>Asian Journal of Surgery</i> , <b>2020</b> , 43, 467-475	1.6	5
75	Role of gamma probe-assisted intraoperative sentinel lymph node evaluation in predicting axillary breast cancer metastasis after neoadjuvant chemotherapy. <i>Nuclear Medicine Communications</i> , <b>2020</b> , 41, 120-125	1.6	2
74	De-escalation of Axillary Surgery in the Neoadjuvant Chemotherapy (NACT) Setting for Breast Cancer: Is it Oncologically Safe?. <i>Anticancer Research</i> , <b>2020</b> , 40, 5351-5354	2.3	3
73	Sentinel lymph node biopsy in breast cancer – an updated overview. <i>European Surgery - Acta Chirurgica Austriaca</i> , <b>2020</b> , 52, 268-276	0.9	2
72	Clinical and pathological response to neoadjuvant chemotherapy with different chemotherapy regimens predicts the outcome of locally advanced breast cancer. <i>Gland Surgery</i> , <b>2020</b> , 9, 1415-1427	2.2	1
71	Axillary surgery in breast cancer: An updated historical perspective. <i>Seminars in Oncology</i> , <b>2020</b> , 47, 341-352	3.5	15
70	Association of higher axillary pathologic complete response rate with breast pathologic complete response after neoadjuvant chemotherapy. <i>Annals of Translational Medicine</i> , <b>2020</b> , 8, 992	3.2	4
69	Clinical Practice Status of Sentinel Lymph Node Biopsy for Early-Stage Breast Cancer Patients in China: A Multicenter Study. <i>Clinical Epidemiology</i> , <b>2020</b> , 12, 917-924	5.9	8
68	Therapy Algorithms for the Diagnosis and Treatment of Patients with Early and Advanced Breast Cancer. <i>Breast Care</i> , <b>2020</b> , 15, 608-618	2.4	3

67	Selecting Node-Positive Patients for Axillary Downstaging with Neoadjuvant Chemotherapy. <i>Annals of Surgical Oncology</i> , <b>2020</b> , 27, 4515-4522	3.1	24
66	Would Removal of All Ultrasound Abnormal Metastatic Lymph Nodes Without Sentinel Lymph Node Biopsy Be Accurate in Patients with Breast Cancer with Neoadjuvant Chemotherapy?. <i>Oncologist</i> , <b>2020</b> , 25, e1621-e1627	5.7	13
65	Novel Multifunctional Nanoagent for Visual Chemo/Photothermal Therapy of Metastatic Lymph Nodes via Lymphatic Delivery. <i>ACS Omega</i> , <b>2020</b> , 5, 3194-3206	3.9	3
64	Role of Axillary Surgery After Neoadjuvant Chemotherapy. <i>JCO Global Oncology</i> , <b>2020</b> , 6, 238-241	3.7	8
63	Sentinel lymph node biopsy after neoadjuvant chemotherapy in patients with node-positive breast cancer: guiding a more selective axillary approach. <i>Breast Cancer Research and Treatment</i> , <b>2021</b> , 186, 527-534	4.4	8
62	Advantages of preoperative localization and surgical resection of metastatic axillary lymph nodes using magnetic seeds after neoadjuvant chemotherapy in breast cancer. <i>Surgical Oncology</i> , <b>2021</b> , 36, 28-33	2.5	6
61	Association between tumor molecular subtype, clinical stage and axillary pathological response in breast cancer patients undergoing complete pathological remission after neoadjuvant chemotherapy: potential implications for de-escalation of axillary surgery. <i>Therapeutic Advances in Medical Oncology</i> , <b>2021</b> , 13, 1758835921996673	5.4	3
60	Axillary management in early breast cancer with onset surgical management and positive sentinel lymph node. <i>Ecancermedicalscience</i> , <b>2021</b> , 15, 1193	2.7	
59	Utilidad del SPECT-CT en la biopsia del ganglio centinela tras quimioterapia neoadyuvante en c�ncer de mama y axila positiva. <i>Revista De Senologia Y Patologia Mamaria</i> , <b>2021</b> ,	0.1	
58	Sentinel Node Biopsy after Neoadjuvant Chemotherapy for Breast Cancer: Preliminary Experience with Clinically Node Negative Patients after Systemic Treatment. <i>Journal of Personalized Medicine</i> , <b>2021</b> , 11,	3.6	1
57	Can one stop nucleic acid sampling (OSNA) predict nodal positivity following neoadjuvant chemotherapy? A prospective cohort study of 293 patients. <i>Breast Journal</i> , <b>2021</b> , 27, 581-585	1.2	0
56	Lymph nodal radiotherapy in breast cancer: what are the unresolved issues?. <i>Expert Review of Anticancer Therapy</i> , <b>2021</b> , 21, 827-840	3.5	1
55	Establishment and Verification of a Predictive Model for Node Pathological Complete Response After Neoadjuvant Chemotherapy for Initial Node Positive Early Breast Cancer. <i>Frontiers in Oncology</i> , <b>2021</b> , 11, 675070	5.3	1
54	New horizons in imaging and surgical assessment of breast cancer lymph node metastasis. <i>Breast Cancer Research and Treatment</i> , <b>2021</b> , 187, 311-322	4.4	3
53	Breast cancer. <i>Lancet, The</i> , <b>2021</b> , 397, 1750-1769	4.0	126
52	Management of the axilla after neoadjuvant chemotherapy in breast cancer patients. <i>British Journal of Surgery</i> , <b>2021</b> , 108, 748-749	5.3	0
51	Identifying Clinicopathological Risk Factors of the Regional Lymph Node Metastasis in Patients with T Mucinous Breast Cancer: A Population-Based Study. <i>Journal of Oncology</i> , <b>2021</b> , 2021, 3866907	4.5	
50	MINimal vs. MAXimal Invasive Axillary Staging and Treatment After Neoadjuvant Systemic Therapy in Node Positive Breast Cancer: Protocol of a Dutch Multicenter Registry Study (MINIMAX). <i>Clinical Breast Cancer</i> , <b>2021</b> ,	3	2

49	Sentinel lymph node biopsy with carbon nanoparticle suspension after neoadjuvant chemotherapy for breast cancer patients. <i>Annals of the Royal College of Surgeons of England</i> , <b>2021</b> , 103, 752-756	1.4	1
48	Options to Determine Pathological Response of Axillary Lymph Node Metastasis after Neoadjuvant Chemotherapy in Advanced Breast Cancer. <i>Cancers</i> , <b>2021</b> , 13,	6.6	1
47	Surgical Axillary Staging Before Neoadjuvant Chemotherapy: Who Gets It and Why We Should Avoid It. <i>Annals of Surgical Oncology</i> , <b>2021</b> , 28, 5788-5797	3.1	1
46	De-Escalating Axillary Surgery in Node-Positive Breast Cancer Treated with Neoadjuvant Systemic Therapy.. <i>Breast Care</i> , <b>2021</b> , 16, 584-589	2.4	0
45	Evolving Trends in Surgical Management of Breast Cancer: An Analysis of 30 Years of Practice Changing Papers. <i>Frontiers in Oncology</i> , <b>2021</b> , 11, 622621	5.3	0
44	First Surgical National Consensus Conference of the Italian Breast Surgeons association (ANISC) on breast cancer management in neoadjuvant setting: Results and summary. <i>European Journal of Surgical Oncology</i> , <b>2021</b> , 47, 1913-1919	3.6	1
43	Feasibility and reliability of sentinel lymph node biopsy after neoadjuvant chemotherapy in breast cancer patients with positive axillary nodes at initial diagnosis: An up-to-date meta-analysis of 3,578 patients. <i>Breast</i> , <b>2021</b> , 59, 256-269	3.6	1
42	Sentinel node biopsy in post-neoadjuvant chemotherapy breast cancer patients using preoperative breast tattooing-A novel technique. <i>Breast Journal</i> , <b>2021</b> , 27, 284-286	1.2	
41	AGO Recommendations for the Diagnosis and Treatment of Patients with Early Breast Cancer: Update 2021. <i>Breast Care</i> , <b>2021</b> , 16, 214-227	2.4	19
40	Locoregional Management After Neoadjuvant Chemotherapy. <i>Journal of Clinical Oncology</i> , <b>2020</b> , 38, 2281-2289	2.2	14
39	Axillary management after neoadjuvant treatment. <i>Minerva Chirurgica</i> , <b>2020</b> , 75, 400-407	0.8	1
38	The Adventure of Axillary Treatment in Early Stage Breast Cancer. <i>The Journal of Breast Health</i> , <b>2020</b> , 16, 1-15	1.5	3
37	AGO Recommendations for the Surgical Therapy of the Axilla After Neoadjuvant Chemotherapy: 2021 Update. <i>Geburtshilfe Und Frauenheilkunde</i> , <b>2021</b> , 81, 1112-1120	2	2
36	Nodal Recurrence in Patients With Node-Positive Breast Cancer Treated With Sentinel Node Biopsy Alone After Neoadjuvant Chemotherapy-A Rare Event. <i>JAMA Oncology</i> , <b>2021</b> ,	13.4	4
35	Systemic Therapy for Locally Advanced Breast Cancer. <b>2019</b> , 247-257		
34	Near Infrared Fluorescence Applications in Urinary Bladder Cancer. <b>2020</b> , 203-211		
33	Therapiealgorithmen für das Mammakarzinom. <i>Onkologe</i> , <b>2021</b> , 27, 1165-1174	0.1	
32	Pathologic evaluation of specimens after neoadjuvant chemotherapy in breast cancer: Current recommendations and challenges.. <i>Pathology Research and Practice</i> , <b>2021</b> , 230, 153753	3.4	0

31	Outcomes of Sentinel Node Biopsy for Women with Breast Cancer After Neoadjuvant Therapy: Systematic Review and Meta-Analysis of Real-World Data.. <i>Annals of Surgical Oncology</i> , <b>2022</b> , 29, 3038	3.1	0
30	Questions of axillary region surgery in breast cancer patients after systemic neoadjuvant therapy. <i>Opuholi Zenskoj Reproktivnoj Sistemy</i> , <b>2022</b> , 17, 56-65	0.3	
29	Pathological Response in the Breast and Axillary Lymph Nodes after Neoadjuvant Systemic Treatment in Patients with Initially Node-Positive Breast Cancer Correlates with Disease Free Survival: An Exploratory Analysis of the GeparOcto Trial.. <i>Cancers</i> , <b>2022</b> , 14,	6.6	1
28	Nanoparticle-assisted axillary staging: an alternative approach after neoadjuvant chemotherapy in patients with pretreatment node-positive breast cancers.. <i>Breast Cancer Research and Treatment</i> , <b>2022</b> , 1	4.4	0
27	After neoadjuvant therapy, axillary sentinel lymph node frozen sections from breast cancer patients are accurately diagnosed using telepathology. <i>Journal of Pathology Informatics</i> , <b>2022</b> , 13, 100092	4.4	1
26	AGO-Empfehlungen zur operativen Therapie der Axilla nach neoadjuvanter Chemotherapie: Update 2021. <i>Senologie - Zeitschrift für Mammadiagnostik Und -therapie</i> , <b>2022</b> , 19, 56-64	0	
25	Initial experience with targeted axillary dissection after neoadjuvant therapy in breast cancer patients.. <i>Breast Cancer</i> , <b>2022</b> , 1	3.4	0
24	Axillary Response to Neoadjuvant Therapy in Node-Positive, Estrogen Receptor-Positive, Human Epidermal Growth Factor Receptor 2-Negative Breast Cancer Patients: Predictors and Oncologic Outcomes.. <i>Annals of Surgical Oncology</i> , <b>2022</b> , 1	3.1	0
23	De-escalating axillary surgery in early-stage breast cancer.. <i>Breast</i> , <b>2021</b> ,	3.6	0
22	A Canadian national guideline on the neoadjuvant treatment of invasive breast cancer, including patient assessment, systemic therapy, and local management principles.. <i>Breast Cancer Research and Treatment</i> , <b>2022</b> , 193, 1	4.4	1
21	The value of sentinel lymph-node biopsy after neoadjuvant therapy: an overview.. <i>Clinical and Translational Oncology</i> , <b>2022</b> , 1	3.6	0
20	Diagnostic accuracy of de-escalated surgical procedure in axilla for node-positive breast cancer patients treated with neoadjuvant systemic therapy: A systematic review and meta-analysis.. <i>Cancer Medicine</i> , <b>2022</b> ,	4.8	
19	Management of the axilla in T1-2N1 breast cancer. <i>Npj Breast Cancer</i> , <b>2022</b> , 8,	7.8	
18	Impact of COVID-19 Disease in Early Breast Cancer Management: A Summary of the Current Evidence. <i>JCO Global Oncology</i> , <b>2022</b> ,	3.7	0
17	The sentinel lymph node as a viable alternative to axillary lymph node dissection after neoadjuvant breast cancer chemotherapy. A diagnostic accuracy analysis. <i>Cirugía Española (English Edition)</i> , <b>2022</b> ,	0.1	
16	Locoregional Management of Breast Cancer: A Chronological Review. <i>Current Oncology</i> , <b>2022</b> , 29, 4647-4664	6.4	
15	Multidisciplinary considerations in the management of breast cancer patients receiving neoadjuvant chemotherapy. <b>2022</b> , 101191		
14	Is Nodal Clipping Beneficial for Node-Positive Breast Cancer Patients Receiving Neoadjuvant Chemotherapy?.		0

13	Improved false-negative rates using a novel patient selection flowchart in initially biopsy-proven node-positive breast cancer undergoing blue-dye alone guided sentinel lymph node biopsy after neoadjuvant chemotherapy.	0
12	Breast cancer: an up-to-date review and future perspectives.	3
11	Non-Enveloped Virus-Like Particles: A promising Antigen-Delivery strategy for the Induction of Antitumor Immune Responses.	0
10	An MRI-based Scoring System for Preoperative Prediction of Axillary Response to Neoadjuvant Chemotherapy in Node-Positive Breast Cancer: A Multicenter Retrospective Study. 2022,	1
9	De-Escalating Breast Cancer Therapy. 2023, 103, 83-92	0
8	Regional nodal irradiation (RNI) in breast cancer patients with residual isolated tumor cells or micrometastatic nodal disease after neoadjuvant chemotherapy. 2023, 38, 195-201	0
7	This house believes that: Sentinel node biopsy alone is better than TAD after NACT for cN+ patients 2023, 67, 21-25	2
6	Long-term survival in patients with node-positive breast cancer who undergo sentinel lymph node biopsy alone after neoadjuvant chemotherapy: meta-analysis.	0
5	Sentinel Lymph Node Identification in Post Neoadjuvant Chemotherapy Breast Cancer Patients Undergoing Surgical Excision Using Lymphosonography.	0
4	Axillary lymph node dissection: Dead or still alive?. 2023,	0
3	Recent Advances in Optimizing Radiation Therapy Decisions in Early Invasive Breast Cancer. 2023, 15, 1260	0
2	Targeted axillary dissection using Radioguided Occult Lesion Localization technique in the clinically negative marked lymph node after neoadjuvant treatment in breast cancer patients. 2023,	0
1	Retrospective Validation Study of an Artificial Neural Network-Based Preoperative Decision-Support Tool for Noninvasive Lymph Node Staging (NILS) in Women with Primary Breast Cancer (ISRCTN14341750).	0