Liquid Biopsies to Monitor Solid Organ Transplant Function: A Review of New Biomarkers

DOI: 10.1097/ftd.0000000000000549
Therapeutic Drug Monitoring, 2018, 40, 515-525.

#	Paper	IF	Citations
32	Donor-derived cell-free DNA detects kidney transplant rejection during nivolumab treatment. **2019**, 7, 182		18
31	Analytical validation of the Target Selector ctDNA platform featuring single copy detection sensitivity for clinically actionable EGFR, BRAF, and KRAS mutations. *PLoS ONE*, **2019**, 14, e0223112	3.7	10
30	Targeted Proteomic Analysis Detects Acute T Cell-Mediated Kidney Allograft Rejection in Belatacept-Treated Patients. *Therapeutic Drug Monitoring*, **2019**, 41, 243-248	3.2	1
29	Therapeutic Drug Monitoring of Tacrolimus-Personalized Therapy: Second Consensus Report. *Therapeutic Drug Monitoring*, **2019**, 41, 261-307	3.2	163
28	Costimulation Blockade in Kidney Transplant Recipients. *Drugs*, **2020**, 80, 33-46	12.1	13
27	Donor-derived cell-free DNA as a biomarker for rejection after kidney transplantation: a systematic review and meta-analysis. *Transplant International*, **2020**, 33, 1626-1642	3	13
26	Cell-free DNA (cfDNA) and Exosome Profiling from a Year-Long Human Spaceflight Reveals Circulating Biomarkers. *IScience*, **2020**, 23, 101844	6.1	13
25	Recent Advances on Biomarkers of Early and Late Kidney Graft Dysfunction. *International Journal of Molecular Sciences*, **2020**, 21,	6.3	14
24	Maintenance Immunosuppression in Solid Organ Transplantation: Integrating Novel Pharmacodynamic Biomarkers to Inform Calcineurin Inhibitor Dose Selection. *Clinical Pharmacokinetics*, **2020**, 59, 1317-1334	6.2	0
23	Extracellular Vesicles as Mediators of Cellular Crosstalk Between Immune System and Kidney Graft. *Frontiers in Immunology*, **2020**, 11, 74	8.4	28
22	Urinary MicroRNA-21-5p as Potential Biomarker of Interstitial Fibrosis and Tubular Atrophy (IFTA) in Kidney Transplant Recipients. *Diagnostics*, **2020**, 10,	3.8	8
21	Liquid biopsy for minimally invasive heart transplant monitoring: a pilot study. *Journal of Clinical Pathology*, **2020**, 73, 507-510	3.9	2
20	Evaluation of host-based molecular markers for the early detection of human sepsis. *Journal of Biotechnology*, **2020**, 310, 80-88	3.7	7
19	Circulating cell-free nucleosomes as biomarker for kidney transplant rejection: a pilot study. *Clinical Epigenetics*, **2021**, 13, 32	7.7	0
18	Personalized Therapy for Mycophenolate: Consensus Report by the International Association of Therapeutic Drug Monitoring and Clinical Toxicology. *Therapeutic Drug Monitoring*, **2021**, 43, 150-200	3.2	17
17	Circulating endothelial cells transiently increase in peripheral blood after kidney transplantation. *Scientific Reports*, **2021**, 11, 8915	4.9	0
16	Commentary on YCirculating donor lung-specific exosome profiles enable noninvasive monitoring of acute rejection in a rodent orthotopic lung transplantation modelYExtracellular Vesicles: Promising Candidates in Transplant Function Monitoring. *Transplantation*, **2021**,	1.8	

15	Monitoring of Donor-Derived Cell-Free DNA by Short Tandem Repeats: Concentration of Total Cell-Free DNA and Fragment Size for Acute Rejection Risk Assessment in Liver Transplantation. *Liver Transplantation*, **2021**,	4.5	2
14	Urinary Extracellular Vesicles Are a Novel Tool to Monitor Allograft Function in Kidney Transplantation: A Systematic Review. *International Journal of Molecular Sciences*, **2021**, 22,	6.3	1
13	A comparison of two different analytical methods for donor-derived cell-free DNA quantification. *Clinical Biochemistry*, **2021**, 96, 82-84	3.5	
12	Donor-Derived Cell-Free DNA in Kidney Transplantation as a Potential Rejection Biomarker: A Systematic Literature Review. *Journal of Clinical Medicine*, **2021**, 10,	5.1	8
11	Variations in DNA methylation and allograft rejection. *Current Opinion in Organ Transplantation*, **2021**, 26, 30-36	2.5	2
10	Additional Normothermic Machine Perfusion Versus Hypothermic Machine Perfusion in Suboptimal Donor Kidney Transplantation: Protocol of a Randomized, Controlled, Open-Label Trial. *International Journal of Surgery Protocols*, **2021**, 25, 227-237	1.1	1
9	Cell-free DNA (cfDNA) and exosome profiling from a year-long human spaceflight reveals circulating biomarkers.		
8	Integrated cell-free DNA and cytokine analysis uncovers distinct tissue injury and immune response patterns in solid organ transplant recipients with COVID-19.. **2022**,		
7	Potential Roles of Long Noncoding RNAs as Therapeutic Targets in Organ Transplantation.. *Frontiers in Immunology*, **2022**, 13, 835746	8.4	
6	Extracellular vesicle-bound DNA in urine is indicative of kidney allograft injury.		
5	Omics-based biomarkers for diagnosis and prediction of kidney allograft rejection.. *Korean Journal of Internal Medicine*, **2022**,	2.5	3
4	Chronic Lung Allograft Dysfunction Is Associated with Increased Levels of Cell-Free Mitochondrial DNA in Bronchoalveolar Lavage Fluid of Lung Transplant Recipients. *Journal of Clinical Medicine*, **2022**, 11, 4142	5.1	
3	Extracellular vesicle-bound DNA in urine is indicative of kidney allograft injury. **2022**, 11,		2
2	Direct detection of circulating donor-derived extracellular vesicles in kidney transplant recipients. **2022**, 12,		1
1	Understanding Donor-derived Cell-free DNA in Kidney Transplantation: An Overview and Case-based Guide for Clinicians. Publish Ahead of Print,		1