

Extraordinary thermoelectric performance in n-type m band degeneracy, tuned carrier scattering mechanism a

Nano Energy

52, 246-255

DOI: [10.1016/j.nanoen.2018.07.059](https://doi.org/10.1016/j.nanoen.2018.07.059)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Heat capacity of Mg ₃ Sb ₂ , Mg ₃ Bi ₂ , and their alloys at high temperature. <i>Materials Today Physics</i> , 2018, 6, 83-88. | 2.9 | 87 |
| 2 | Defect Chemistry for N-Type Doping of Mg ₃ Sb ₂ -Based Thermoelectric Materials. <i>Journal of Physical Chemistry C</i> , 2019, 123, 20781-20788. | 1.5 | 23 |
| 3 | Fermi surface complexity, effective mass, and conduction band alignment in n-type thermoelectric Mg ₃ Sb ₂ Bi _x from first principles calculations. <i>Journal of Applied Physics</i> , 2019, 126, . | 1.1 | 41 |
| 4 | Insights into the design of thermoelectric Mg ₃ Sb ₂ and its analogs by combining theory and experiment. <i>Npj Computational Materials</i> , 2019, 5, . | 3.5 | 111 |
| 5 | Revelation of Inherently High Mobility Enables Mg ₃ Sb ₂ as a Sustainable Alternative to Bi ₂ Te ₃ Thermoelectrics. <i>Advanced Science</i> , 2019, 6, 1802286. | 5.6 | 71 |
| 6 | Promising materials for thermoelectric applications. <i>Journal of Alloys and Compounds</i> , 2019, 806, 471-486. | 2.8 | 76 |
| 7 | Multiscale Defects as Strong Phonon Scatters to Enhance Thermoelectric Performance in Mg ₂ Sn _{1-x} Sb _x Solid Solutions. <i>Small Methods</i> , 2019, 3, 1900412. | 4.6 | 16 |
| 8 | Band structure and thermoelectric properties of Al-doped Mg _{3-<i>x</i>} Al _{<i>x</i>} Sb ₂ compounds. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 15206-15213. | 1.1 | 8 |
| 9 | The manipulation of substitutional defects for realizing high thermoelectric performance in Mg ₃ Sb ₂ -based Zintl compounds. <i>Journal of Materials Chemistry A</i> , 2019, 7, 19316-19323. | 5.2 | 45 |
| 10 | DFT prediction of the structural, electronic, thermoelectric and optical properties of ternary pnictides MgBe ₂ X ₂ (X = N, P, As, Sb, Bi): A novel analysis of beryllium with 2A- and 5B-Elements of the structure type CaAl ₂ Si ₂ . <i>Solid State Communications</i> , 2019, 300, 113667. | 0.9 | 13 |
| 11 | Extraordinary n-Type Mg ₃ SbBi Thermoelectrics Enabled by Yttrium Doping. <i>Advanced Materials</i> , 2019, 31, e1903387. | 11.1 | 120 |
| 12 | Efficient Sc-Doped Mg _{3.05} Sc _{<i>x</i>} SbBi Thermoelectrics Near Room Temperature. <i>Chemistry of Materials</i> , 2019, 31, 8987-8994. | 3.2 | 55 |
| 13 | High Power Factor vs. High zT: A Review of Thermoelectric Materials for High-Temperature Application. <i>Entropy</i> , 2019, 21, 1058. | 1.1 | 105 |
| 14 | Effectively restricting MnSi precipitates for simultaneously enhancing the Seebeck coefficient and electrical conductivity in higher manganese silicide. <i>Journal of Materials Chemistry C</i> , 2019, 7, 7212-7218. | 2.7 | 8 |
| 15 | Enhanced thermoelectric properties of YbZn ₂ Sb _{2-x} Bi _x through a synergistic effect via Bi-doping. <i>Chemical Engineering Journal</i> , 2019, 374, 589-595. | 6.6 | 38 |
| 16 | Seeing atomic-scale structural origins and foreseeing new pathways to improved thermoelectric materials. <i>Materials Horizons</i> , 2019, 6, 1548-1570. | 6.4 | 27 |
| 17 | Tunable morphology, bandgap, photocatalysis and magnetic properties of Bi ₆ Fe ₂ Ti ₃ O ₁₈ nanocrystals by doping cobalt ions. <i>Journal of Alloys and Compounds</i> , 2019, 799, 474-480. | 2.8 | 14 |
| 18 | Significant enhancement in thermoelectric performance of Mg ₃ Sb ₂ from bulk to two-dimensional mono layer. <i>Nano Energy</i> , 2019, 62, 212-219. | 8.2 | 100 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Maximization of transporting bands for high-performance SnTe alloy thermoelectrics. <i>Materials Today Physics</i> , 2019, 9, 100091. | 2.9 | 45 |
| 20 | Extraordinary thermoelectric performance in MgAgSb alloy with ultralow thermal conductivity. <i>Nano Energy</i> , 2019, 59, 311-320. | 8.2 | 59 |
| 21 | Enhanced Thermoelectric Properties of n-Type Mg_3Sb_2 by Excess Magnesium and Tellurium Doping. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2019, 216, 1800811. | 0.8 | 18 |
| 22 | Realizing tremendous electrical transport properties of polycrystalline SnSe ₂ by Cl-doped and anisotropy. <i>Ceramics International</i> , 2019, 45, 82-89. | 2.3 | 22 |
| 23 | Joint effect of magnesium and yttrium on enhancing thermoelectric properties of n-type Zintl $Mg_3+Y_0.02Sb_{1.5}Bi_{0.5}$. <i>Materials Today Physics</i> , 2019, 8, 25-33. | 2.9 | 82 |
| 24 | $Mg_{3+x}Sb_xBi_{2-x}$ Family: A Promising Substitute for the State-of-the-Art n-Type Thermoelectric Materials near Room Temperature. <i>Advanced Functional Materials</i> , 2019, 29, 1807235. | 7.8 | 98 |
| 25 | Discordant nature of Cd in PbSe: off-centering and core-shell nanoscale CdSe precipitates lead to high thermoelectric performance. <i>Energy and Environmental Science</i> , 2020, 13, 200-211. | 15.6 | 57 |
| 26 | Ternary thermoelectric AB ₂ C ₂ Zintl. <i>Journal of Alloys and Compounds</i> , 2020, 821, 153497. | 2.8 | 19 |
| 27 | Enhanced thermoelectric properties in MgAgSb composite with Ag_3Sb fabricated by the microwave-assisted process and subsequent spark plasma sintering. <i>Advances in Applied Ceramics</i> , 2020, 119, 107-113. | 0.6 | 4 |
| 28 | High-Performance n-Type Mg_3Sb_2 towards Thermoelectric Application near Room Temperature. <i>Advanced Functional Materials</i> , 2020, 30, 1906143. | 7.8 | 78 |
| 29 | Enhanced electrical transport performance through cation site doping in Y-doped $Mg_{3.2}Sb_2$. <i>Journal of Materiomics</i> , 2020, 6, 216-223. | 2.8 | 12 |
| 30 | Point defect engineering and machinability in n-type Mg_3Sb_2 -based materials. <i>Materials Today Physics</i> , 2020, 15, 100269. | 2.9 | 46 |
| 31 | N-type Mg_3Sb_2 -Bi with improved thermal stability for thermoelectric power generation. <i>Acta Materialia</i> , 2020, 201, 572-579. | 3.8 | 60 |
| 32 | Ecofriendly Highly Robust Ag_8Si_6 -Based Thermoelectric Composites with Excellent Performance Near Room Temperature. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 54653-54661. | 4.0 | 18 |
| 33 | Probing Efficient n-Type Lanthanide Dopants for Mg_3Sb_2 Thermoelectrics. <i>Advanced Science</i> , 2020, 7, 2002867. | 5.6 | 23 |
| 34 | SrTiO ₃ -based thermoelectrics: Progress and challenges. <i>Nano Energy</i> , 2020, 78, 105195. | 8.2 | 127 |
| 35 | Enhanced Average Thermoelectric Figure of Merit of p-Type Zintl Phase Mg_2ZnSb_2 via Zn Vacancy Tuning and Hole Doping. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 37330-37337. | 4.0 | 10 |
| 36 | Rational structural design and manipulation advance SnSe thermoelectrics. <i>Materials Horizons</i> , 2020, 7, 3065-3096. | 6.4 | 73 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Routes for advancing SnTe thermoelectrics. Journal of Materials Chemistry A, 2020, 8, 16790-16813. | 5.2 | 87 |
| 38 | Enhanced thermoelectric performance of P-type CaMg ₂ Bi _{1.98} and optimized CaAl ₂ Si ₂ -type Zintl phase module with equal cross-section area. Materials Today Physics, 2020, 15, 100270. | 2.9 | 19 |
| 39 | Geometry Optimization of Thermoelectric Modules: Deviation of Optimum Power Output and Conversion Efficiency. Entropy, 2020, 22, 1233. | 1.1 | 10 |
| 40 | Power Conversion and Its Efficiency in Thermoelectric Materials. Entropy, 2020, 22, 803. | 1.1 | 18 |
| 41 | Hierarchical Structures Advance Thermoelectric Properties of Porous n-type $\text{In}_2\text{Ag}_2\text{Se}$. ACS Applied Materials & Interfaces, 2020, 12, 51523-51529. | 4.0 | 51 |
| 42 | Mg ₃ (Bi,Sb) ₂ single crystals towards high thermoelectric performance. Energy and Environmental Science, 2020, 13, 1717-1724. | 15.6 | 91 |
| 43 | Ceramic-based thermoelectric generator processed via spray-coating and laser structuring. Open Ceramics, 2020, 1, 100002. | 1.0 | 6 |
| 44 | Thermoelectric Enhancements in PbTe Alloys Due to Dislocation-Induced Strains and Converged Bands. Advanced Science, 2020, 7, 1902628. | 5.6 | 78 |
| 45 | Charge compensation weakening ionized impurity scattering and assessing the minority carrier contribution to the Seebeck coefficient in Pb-doped Mg ₃ Sb ₂ compounds. Physical Chemistry Chemical Physics, 2020, 22, 7012-7020. | 1.3 | 10 |
| 46 | Inorganic thermoelectric materials: A review. International Journal of Energy Research, 2020, 44, 6170-6222. | 2.2 | 119 |
| 47 | Effect of group-3 elements doping on promotion of in-plane Seebeck coefficient of n-type Mg ₃ Sb ₂ . Journal of Materiomics, 2020, 6, 274-279. | 2.8 | 13 |
| 48 | Realizing a High <i>ZT</i> of 1.6 in N-Type Mg ₃ Sb ₂ -Based Zintl Compounds through Mn and Se Codoping. ACS Applied Materials & Interfaces, 2020, 12, 21799-21807. | 4.0 | 26 |
| 49 | Enhanced thermoelectric properties of Zintl phase YbMg ₂ Bi _{1.98} through Bi site substitution with Sb. Journal of Materials Science and Technology, 2020, 59, 189-194. | 5.6 | 16 |
| 50 | Advanced Thermoelectric Design: From Materials and Structures to Devices. Chemical Reviews, 2020, 120, 7399-7515. | 23.0 | 1,248 |
| 51 | Promoted application potential of p-type Mg ₃ Sb _{1.5} Bi _{0.5} for the matched thermal expansion with its n-type counterpart. Journal of Materiomics, 2020, 6, 729-735. | 2.8 | 13 |
| 52 | Metallic n-Type Mg ₃ Sb ₂ Single Crystals Demonstrate the Absence of Ionized Impurity Scattering and Enhanced Thermoelectric Performance. Advanced Materials, 2020, 32, e1908218. | 11.1 | 116 |
| 53 | Enhanced Thermoelectric Properties of p-Type CaMg ₂ Bi ₂ via a Synergistic Effect Originated from Zn and Alkali-Metal Co-doping. ACS Applied Materials & Interfaces, 2020, 12, 6015-6021. | 4.0 | 20 |
| 54 | Promising and Eco-Friendly Cu ₂ X-Based Thermoelectric Materials: Progress and Applications. Advanced Materials, 2020, 32, e1905703. | 11.1 | 165 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Enhancing the Thermoelectric Performance of p-Type Mg_3Sb_2 via Codoping of Li and Cd. ACS Applied Materials & Interfaces, 2020, 12, 8359-8365. | 4.0 | 54 |
| 56 | Significant role of nanoscale Bi-rich phase in optimizing thermoelectric performance of Mg_3Sb_2 *. Chinese Physics B, 2020, 29, 067201. | 0.7 | 6 |
| 57 | Anisotropic thermoelectric figure-of-merit in Mg_3Sb_2 . Materials Today Physics, 2020, 13, 100217. | 2.9 | 36 |
| 58 | Optimizing the thermoelectric performance of p-type Mg_3Sb_2 by Sn doping. Vacuum, 2020, 177, 109388. | 1.6 | 28 |
| 59 | Improved thermoelectric performance of n-type Mg_3Sb_2 – Mg_3Bi_2 alloy with Co element doping. Current Applied Physics, 2021, 21, 25-30. | 1.1 | 13 |
| 60 | Rational band engineering and structural manipulations inducing high thermoelectric performance in n-type CoSb_3 thin films. Nano Energy, 2021, 81, 105683. | 8.2 | 82 |
| 61 | Scalable synthesis of n-type Mg_3Sb_2 - xBi_3 for thermoelectric applications. Materials Today Physics, 2021, 17, 100336. | 2.9 | 27 |
| 62 | Enhanced thermoelectric performance in $\text{Mg}_{3+x}\text{Sb}_{1.5}\text{Bi}_{0.49}\text{Te}_{0.01}$ via engineering microstructure through melt-centrifugation. Journal of Materials Chemistry A, 2021, 9, 1733-1742. | 5.2 | 20 |
| 63 | Strategies for improving efficiency of thermoelectric materials. , 2021, , 117-138. | | 0 |
| 64 | Excellent thermoelectric performance of boron-doped n-type Mg_3Sb_2 -based materials via the manipulation of grain boundary scattering and control of Mg content. Science China Materials, 2021, 64, 1761-1769. | 3.5 | 26 |
| 65 | Improving thermoelectric performance of indium thiospinel by Se- and Te-substitution. Journal of Materials Chemistry C, 2021, 9, 4008-4019. | 2.7 | 7 |
| 66 | Research progress of two-dimensional covalent bond substructure Zintl phase thermoelectric materials. Wuli Xuebao/Acta Physica Sinica, 2021, 70, 207304. | 0.2 | 1 |
| 67 | Energy Harvesters for Wearable Electronics and Biomedical Devices. Advanced Materials Technologies, 2021, 6, 2000771. | 3.0 | 49 |
| 68 | CALPHAD as a powerful technique for design and fabrication of thermoelectric materials. Journal of Materials Chemistry A, 2021, 9, 6634-6649. | 5.2 | 16 |
| 69 | $\text{Sr}_9\text{Mg}_{4.45(1)}\text{Bi}_9$ and $\text{Sr}_9\text{Mg}_{4.42(1)}\text{Sb}_9$: Mg-Containing Zintl Phases with Low Thermal Conductivity. Inorganic Chemistry, 2021, 60, 4026-4033. | 1.9 | 10 |
| 70 | High thermoelectric performance at room temperature of n-type Mg_3Bi_2 -based materials by Se doping. Journal of Magnesium and Alloys, 2022, 10, 1024-1032. | 5.5 | 18 |
| 71 | Pressure effects on the electrical transport and anharmonic lattice dynamics of r-GeTe: A first-principles study. Journal of Materiomics, 2021, 7, 1190-1197. | 2.8 | 7 |
| 72 | Manipulation of Defects for High-Performance Thermoelectric PbTe -Based Alloys. Small Structures, 2021, 2, 2100016. | 6.9 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Compromise between band structure and phonon scattering in efficient n-Mg ₃ Sb ₂ -Bi thermoelectrics. <i>Materials Today Physics</i> , 2021, 18, 100362. | 2.9 | 41 |
| 74 | Structural Evolution of High-Performance Mn-Alloyed Thermoelectric Materials: A Case Study of SnTe. <i>Small</i> , 2021, 17, e2100525. | 5.2 | 21 |
| 75 | Demonstration of ultrahigh thermoelectric efficiency of $\sim 14.3\%$ in Mg ₃ Sb ₂ /MgAgSb module for low-temperature energy harvesting. <i>Joule</i> , 2021, 5, 1196-1208. | 11.7 | 205 |
| 76 | Nb-Mediated Grain Growth and Grain-Boundary Engineering in Mg ₃ Sb ₂ -Based Thermoelectric Materials. <i>Advanced Functional Materials</i> , 2021, 31, 2100258. | 7.8 | 53 |
| 77 | Progress in the Research on Promising High-Performance Thermoelectric Materials. <i>Nanobiotechnology Reports</i> , 2021, 16, 268-281. | 0.2 | 3 |
| 78 | Backbone Effects on the Thermoelectric Properties of Ultra-Small Bandgap Conjugated Polymers. <i>Polymers</i> , 2021, 13, 2486. | 2.0 | 1 |
| 79 | High thermoelectric energy conversion efficiency of a uncouple of n-type Mg ₃ Bi ₂ and p-type Bi ₂ Te ₃ . <i>Materials Today Physics</i> , 2021, 19, 100413. | 2.9 | 51 |
| 80 | Room-temperature thermoelectric materials: Challenges and a new paradigm. <i>Journal of Materiomics</i> , 2022, 8, 427-436. | 2.8 | 34 |
| 81 | Rare Earth Element Doping Introduces Pores to Improve Thermoelectric Properties of p-Type Bi _{0.46} Sb _{1.54} Te ₃ . <i>ACS Applied Energy Materials</i> , 2021, 4, 9751-9757. | 2.5 | 3 |
| 82 | Boosting the thermoelectric performance of n-type Bi ₂ S ₃ by hierarchical structure manipulation and carrier density optimization. <i>Nano Energy</i> , 2021, 87, 106171. | 8.2 | 39 |
| 83 | Morphology and Thermoelectric Properties of Mg ₃ Sb ₂ Foams Manufactured Using Combustion Synthesis. <i>Funtai Oyobi Fummatsumu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy</i> , 2021, 68, 399-404. | 0.1 | 0 |
| 84 | Enhanced thermoelectric properties of Cu _{2-x} Se by coordinating carrier concentration to reduce thermal conductivity. <i>Ceramics International</i> , 2022, 48, 248-255. | 2.3 | 4 |
| 85 | Depressed lattice oxygen and improved thermoelectric performance in N-type Mg ₃ Bi ₂ -Sb via La-doping. <i>Materials Today Physics</i> , 2021, 21, 100485. | 2.9 | 6 |
| 86 | Visualizing the Mg atoms in Mg ₃ Sb ₂ thermoelectrics using advanced iDPC-STEM technique. <i>Materials Today Physics</i> , 2021, 21, 100524. | 2.9 | 11 |
| 87 | Band convergence and thermoelectric performance enhancement of InSb via Bi doping. <i>Intermetallics</i> , 2021, 139, 107347. | 1.8 | 8 |
| 88 | Enhanced Thermoelectric Performance in N-Type Mg _{3.2} Sb _{1.5} Bi _{0.5} by La or Ce Doping into Mg. <i>Advanced Electronic Materials</i> , 2020, 6, 1901391. | 2.6 | 15 |
| 89 | N-Type Mg ₃ Sb ₂ Bi _x Alloys as Promising Thermoelectric Materials. <i>Research</i> , 2020, 2020, 1219461. | 2.8 | 26 |
| 90 | The Electronic Transport Channel Protection and Tuning in Real Space to Boost the Thermoelectric Performance of Mg ₃ Sb ₂ Bi _y near Room Temperature. <i>Research</i> , 2020, 2020, 1672051. | 2.8 | 29 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 109 | Thermoelectric Generator: Materials and Applications in Wearable Health Monitoring Sensors and Internet of Things Devices. <i>Advanced Materials Technologies</i> , 2022, 7, . | 3.0 | 42 |
| 110 | Novel Thermal Diffusion Temperature Engineering Leading to High Thermoelectric Performance in Bi ₂ Te ₃ -Based Flexible Thin-Films. <i>Advanced Science</i> , 2022, 9, e2103547. | 5.6 | 102 |
| 111 | Band convergence boosted high thermoelectric performance of Zintl compound Mg ₃ Sb ₂ achieved by biaxial strains. <i>Journal of Materiomics</i> , 2022, 8, 1086-1094. | 2.8 | 11 |
| 112 | Maximizing the performance of n-type Mg ₃ Bi ₂ based materials for room-temperature power generation and thermoelectric cooling. <i>Nature Communications</i> , 2022, 13, 1120. | 5.8 | 101 |
| 113 | High-Ranged <i>ZT</i> Value Promotes Thermoelectric Cooling and Power Generation in n-Type PbTe. <i>Advanced Energy Materials</i> , 2022, 12, . | 10.2 | 36 |
| 114 | Tuning the carrier scattering mechanism to improve the thermoelectric performance of p-type Mg ₃ Sb _{1.5} Bi _{0.5} -based material by Ge doping. <i>Materials Today Energy</i> , 2022, 25, 100977. | 2.5 | 3 |
| 115 | Thermoelectrics for medical applications: Progress, challenges, and perspectives. <i>Chemical Engineering Journal</i> , 2022, 437, 135268. | 6.6 | 101 |
| 116 | In-Situ Loading Bridgman Growth of Mg ₃ Bi _{1.49} Sb _{0.5} Te _{0.01} Bulk Crystals for Thermoelectric Applications. <i>Advanced Electronic Materials</i> , 2022, 8, . | 2.6 | 8 |
| 117 | Synergistic effect of Zn doping on thermoelectric properties to realize a high figure-of-merit and conversion efficiency in Bi ₂ ^x Zn ^x Te ₃ based thermoelectric generators. <i>Journal of Materials Chemistry C</i> , 2022, 10, 7970-7979. | 2.7 | 13 |
| 118 | Zintl Phase Compounds Mg ₃ Sb ₂ ^x Bi _x (x = 0, 1, and 2) Monolayers: Electronic, Phonon and Thermoelectric Properties From ab Initio Calculations. <i>Frontiers in Mechanical Engineering</i> , 2022, 8, . | 0.8 | 7 |
| 119 | Electronic Orbital Alignment and Hierarchical Phonon Scattering Enabling High Thermoelectric Performance p-Type Mg ₃ Sb ₂ Zintl Compounds. <i>Research</i> , 2022, 2022, 9842949. | 2.8 | 5 |
| 120 | Enhanced thermoelectric performance in n-type Mg _{3.2} Sb _{1.5} Bi _{0.5} doping with lanthanides at the Mg site. <i>Journal of Materials Science and Technology</i> , 2022, 127, 108-114. | 5.6 | 3 |
| 121 | Thermoelectric enhancement achieved by Y and La Co-doping in n-type Mg _{3.2} Sb _{1.5} Bi _{0.5} . <i>Chemical Engineering Journal</i> , 2022, 446, 136981. | 6.6 | 4 |
| 122 | Synergistic Effect of Band and Nanostructure Engineering on the Boosted Thermoelectric Performance of n-Type Mg _{3+<i>δ</i>} (Sb, Bi) ₂ Zintls. <i>Advanced Energy Materials</i> , 2022, 12, . | 10.2 | 41 |
| 123 | Topological electronic structure of YbMg ₂ Bi ₂ and CaMg ₂ Bi ₂ . <i>Npj Quantum Materials</i> , 2022, 7, . | 1.8 | 7 |
| 124 | Solid-State Janus Nanoprecipitation Enables Amorphous-Like Heat Conduction in Crystalline Mg ₃ Sb ₂ -Based Thermoelectric Materials. <i>Advanced Science</i> , 2022, 9, . | 5.6 | 12 |
| 125 | Band engineering and improved thermoelectric performance in p-type SmMg ₂ Sb ₂ : A first-principles study. <i>Materials Today Physics</i> , 2022, 27, 100779. | 2.9 | 1 |
| 126 | Evolution of Nanometer-Scale Microstructure within Grains and in the Intergranular Region in Thermoelectric Mg ₃ (Sb, Bi) ₂ Alloys. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 37958-37966. | 4.0 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 127 | Enhanced average thermoelectric properties of n-type Mg ₃ Sb ₂ based materials by mixed-valence Ni doping. Journal of Alloys and Compounds, 2022, 924, 166598. | 2.8 | 5 |
| 128 | Extraordinary thermoelectric performance, thermal stability and mechanical properties of n-type Mg ₃ Sb _{1.5} Bi _{0.5} through multi-dopants at interstitial site. Materials Today Physics, 2022, 27, 100835. | 2.9 | 8 |
| 129 | Enhancement of the power factor of SnSe by adjusting the crystal and energy band structures. Physical Chemistry Chemical Physics, 2022, 24, 24130-24136. | 1.3 | 3 |
| 130 | Effect of Different Sb/Bi Substituted Sites on Electronic Transport Properties of Mg ₂ Si _{0.375} Sn _{0.625} Alloy. Wuli Xuebao/Acta Physica Sinica, 2022, . | 0.2 | 0 |
| 131 | Effect of Different Sb/Bi Substituted Sites on Electronic Transport Properties of Mg ₂ Si _{0.375} Sn _{0.625} Alloy. Wuli Xuebao/Acta Physica Sinica, 2022, . | 0.2 | 0 |
| 132 | Solid-state cooling: thermoelectrics. Energy and Environmental Science, 2022, 15, 4527-4541. | 15.6 | 34 |
| 133 | Understanding Micro and Atomic Structures of Secondary Phases in Cu-Doped SnTe. Small, 2022, 18, . | 5.2 | 7 |
| 134 | Crystal Structure and Thermoelectric Properties of Layered Van der Waals Semimetal ZrTiSe ₄ . Chemistry of Materials, 2022, 34, 8858-8867. | 3.2 | 5 |
| 135 | Thermoelectric Materials. , 2022, , . | | 0 |
| 136 | Understanding the influence of Bi/Sb substitution on carrier concentration in Mg ₃ Sb ₂ -based materials: decreasing bandgap enhances the degree of impurity ionization. Physical Chemistry Chemical Physics, 2022, 24, 27812-27818. | 1.3 | 1 |
| 137 | Revealing the Defect-Dominated Electron Scattering in Mg ₃ Sb ₂ -Based Thermoelectric Materials. Research, 2022, 2022, . | 2.8 | 4 |
| 138 | Interface and Surface Engineering Realized High Efficiency of 13% and Improved Thermal Stability in Mg ₃ Sb _{1.5} Bi _{0.5} -Based Thermoelectric Generation Devices. Advanced Energy Materials, 2022, 12, . | 10.2 | 16 |
| 139 | Synergistic effects of Mg vacancy and Ag doping on thermoelectric transport properties of p-type Mg ₃ Sb ₂ . Materials Research Bulletin, 2023, 159, 112106. | 2.7 | 2 |
| 140 | High performance GeTe thermoelectrics enabled by lattice strain construction. Acta Materialia, 2023, 244, 118565. | 3.8 | 11 |
| 141 | Electronic and magnetic properties of the topological semimetal SmMg_2 . Physical Review B, 2022, 106, . | | |
| 142 | A Review of Key Properties of Thermoelectric Composites of Polymers and Inorganic Materials. Materials, 2022, 15, 8672. | 1.3 | 3 |
| 143 | Enhancing thermoelectric properties of MCoSb-based alloys by entropy-driven energy-filtering effects and band engineering. Materials Today Physics, 2023, 30, 100957. | 2.9 | 1 |
| 144 | Recent Developments in Thermoelectric Generation: A Review. Sustainability, 2022, 14, 16821. | 1.6 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | High-temperature oxidation mechanism of ZrCoSb-based half-Heusler thermoelectric compounds. <i>Journal of Materials Science and Technology</i> , 2023, 148, 242-249. | 5.6 | 4 |
| 146 | Enhancing the thermoelectric power factor of Mg ₃ Sb ₂ with Sn doping on electronegative sites of Sb: Effects of reducing the electronegativity difference. <i>Materials Chemistry and Physics</i> , 2023, 297, 127379. | 2.0 | 6 |
| 147 | Electrical property enhancement and lattice thermal conductivity reduction of n-type Mg ₃ Sb _{1.5} Bi _{0.5} -based Zintl compound by In&Se co-doping. <i>Journal of Materiomics</i> , 2023, 9, 431-437. | 2.8 | 3 |
| 148 | Morphology and Thermoelectric Properties of Mg ³⁺ Sb ₂ Foams Manufactured Using Combustion Synthesis. <i>Materials Transactions</i> , 2023, , . | 0.4 | 0 |
| 149 | Influence of N-type doping sites on electronic transport properties of Mg ₃ Sb _{1.5} Bi _{0.5} alloys. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2023, 293, 116463. | 1.7 | 0 |
| 150 | Cobalt doping of Mg ₃ Sb ₂ monolayer: Improved thermoelectric performance. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2023, 463, 128684. | 0.9 | 0 |
| 151 | Intrinsic thermal stability enhancement in n-type Mg ₃ Sb ₂ thermoelectrics toward practical applications. <i>Acta Materialia</i> , 2023, 247, 118752. | 3.8 | 6 |
| 152 | Strain Tunable Thermoelectric Material: Janus ZrSSe Monolayer. <i>Langmuir</i> , 2023, 39, 2719-2728. | 1.6 | 5 |
| 153 | High performance of Mg ₃ Bi _{1.5} Sb _{0.5} based materials for power generation: Revealing the counter-intuitive effect of tuning Bi content on the thermoelectric properties. <i>Journal of Magnesium and Alloys</i> , 2023, , . | 5.5 | 1 |
| 154 | Ti-doping inducing high-performance flexible p-type Bi _{0.5} Sb _{1.5} Te ₃ -based thin film. <i>Ceramics International</i> , 2023, 49, 18584-18591. | 2.3 | 3 |
| 155 | Physics and technology of thermoelectric materials and devices. <i>Journal Physics D: Applied Physics</i> , 2023, 56, 333001. | 1.3 | 10 |
| 156 | Breaking the Minimum Limit of Thermal Conductivity of Mg ₃ Sb ₂ Thermoelectric Mediated by Chemical Alloying Induced Lattice Instability. <i>Small</i> , 2023, 19, . | 5.2 | 5 |