

Recent developments in the treatment of major depression adolescents

Evidence-Based Mental Health

21, 101-106

DOI: [10.1136/eb-2018-102937](https://doi.org/10.1136/eb-2018-102937)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Changes in cognitive distortions and affectivity levels in adolescent depression after acute phase fluoxetine treatment. <i>Cognitive Neuropsychiatry</i> , 2019, 24, 4-13.	0.7	3
2	Potential application of liposomal nanodevices for non-cancer diseases: an update on design, characterization and biopharmaceutical evaluation. <i>Advances in Colloid and Interface Science</i> , 2020, 277, 102121.	7.0	25
3	Psychological Treatment of Mental Health Problems in Children and Adolescents. <i>Mental Health and Illness Worldwide</i> , 2020, , 575-590.	0.1	0
4	Psychological Treatment of Mental Health Problems in Children and Adolescents. <i>Mental Health and Illness Worldwide</i> , 2020, , 1-16.	0.1	2
5	Brief behavioural activation therapy for adolescent depression in schools: two case examples. <i>Emotional and Behavioural Difficulties</i> , 2020, 25, 291-303.	0.7	3
6	Body weight status is not a predictive factor of depressive symptoms in Polish adolescents aged 13-18 years. <i>Anthropological Review</i> , 2018, 81, 351-363.	0.2	2
7	Excessive daytime sleepiness in adolescents: current treatment strategies. <i>Sleep Science</i> , 2020, 13, 157-171.	0.4	4
8	Emotional Disorders and Attendance at School. , 2022, , 38-58.		1
10	The comparative effectiveness of antidepressants for youths with major depressive disorder: a nationwide population-based study in Taiwan. <i>Therapeutic Advances in Chronic Disease</i> , 2022, 13, 204062232210981.	1.1	2