Placental and uterine expression of GLUT3, but not GLU progesterone levels during the first stages of pregnancy

Theriogenology 121, 82-90 DOI: 10.1016/j.theriogenology.2018.08.002

Citation Report

#	Article	IF	CITATIONS
1	Endogenous SHBG levels correlate with that of glucose transporters in insulin resistance model cells. Molecular Biology Reports, 2019, 46, 4953-4965.	1.0	14
2	Sex steroids influence organizational but not functional decidualization of feline endometrial cells in a 3D culture systemâ€. Biology of Reproduction, 2019, 101, 906-915.	1.2	5
3	Uterine and placental specific localization of AQP2 and AQP8 is related with changes of serum progesterone levels in pregnant queens. Theriogenology, 2020, 142, 149-157.	0.9	7
4	Tyrosine phosphorylation is not a relevant mechanism to modulate aquaporin 2 activity in gestational queen endometrium and placenta. Reproduction in Domestic Animals, 2020, 55, 448-453.	0.6	0
5	Role of Placental Glucose Transporters in Determining Fetal Growth. Reproductive Sciences, 2022, 29, 2744-2759.	1.1	12
6	Endometrial Glucose Transporters in Health and Disease. Frontiers in Cell and Developmental Biology, 2021, 9, 703671.	1.8	9
7	Glucose transporter 3 in neuronal glucose metabolism: Health and diseases. Metabolism: Clinical and Experimental, 2021, 123, 154869.	1.5	19
8	Resumption of ovarian activity following removal of a 4.7 mg deslorelin implant in queens. Reproduction in Domestic Animals, 2021, , .	0.6	7
9	Decidual cells and decidualization in the carnivoran endotheliochorial placenta. Frontiers in Cell and Developmental Biology, 0, 11, .	1.8	2