## CITATION REPORT List of articles citing

Safety and Effectiveness of Once-Daily Tadalafil (5 mg) Therapy in Korean Men with Benign Prostatic Hyperplasia/Lower Urinary Tract Symptoms in a Real-World Clinical Setting: Results from a Post-Marketing Surveillance Study

DOI: 10.5534/wjmh.17017 World Journal of Men?s Health, 2018, 36, 161-170.

Source: https://exaly.com/paper-pdf/71676763/citation-report.pdf

Version: 2024-04-24

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
9	Finasteride and Erectile Dysfunction in Patients with Benign Prostatic Hyperplasia or Male Androgenetic Alopecia. <i>World Journal of Men?s Health</i> , <b>2019</b> , 37, 157-165	6.8	15
8	Penile skin preservation technique for reconstruction surgery of penile paraffinoma. <i>Investigative and Clinical Urology</i> , <b>2019</b> , 60, 133-137	1.9	5
7	Efficacy and safety of tadalafil 5Img once-daily in Asian men with both lower urinary tract symptoms associated with benign prostatic hyperplasia and erectile dysfunction: A phaseIB, randomized, double-blind, parallel, placebo- and tamsulosin-controlled study. <i>International Journal</i>	2.3	11
6	Treatment persistence with a fixed-dose combination of tadalafil (5 mg) and tamsulosin (0.4 mg) and reasons for early discontinuation in patients with benign prostatic hyperplasia and erectile dysfunction. <i>Investigative and Clinical Urology</i> , <b>2020</b> , 61, 81-87	1.9	1
5	Tea Marketing Strategy Based on Big Data. <i>Lecture Notes on Data Engineering and Communications Technologies</i> , <b>2021</b> , 880-885	0.4	
4	Diagnosis and treatment of sexual dysfunction in elderly men. <i>Journal of the Korean Medical Association</i> , <b>2019</b> , 62, 308	0.5	
3	Effectiveness and safety of Tadalafil-SZ (NJSC Northern Star at 5 mg / day in patients with symptoms of voiding dysfunction due to prostatic hyperplasia. <i>Andrologia I Genitalmaa Hirurgia</i> , 2019, 20, 72-77	0.5	
2	Real-World Safety and Effectiveness of Tadalafil in Patients with Lower Urinary Tract Symptoms Secondary to Benign Prostatic Hyperplasia: A Japanese Post-Marketing Surveillance Study. <i>Journal of Pragmatic and Observational Research</i> , <b>2020</b> , 11, 45-54	7.4	2
1	Discontinuation Rates of Tadalafil Alone and in Combination with a-Blockers in the Treatment of Male Lower Urinary Tract Symptoms with or without Coexisting Erectile Dysfunction: A Systematic Review and Meta-Analysis. <b>2022</b> , 2022, 1-14		O