Olfactory Function in SCA10

Cerebellum 18, 85-90

DOI: 10.1007/s12311-018-0954-1

Citation Report

#	Article	IF	CITATIONS
1	Nonmotor symptoms in spinocerebellar ataxias (SCAs). Cerebellum and Ataxias, 2019, 6, 12.	1.9	15
2	Essential requisites for rest tremor assessment in Parkinson's disease. Movement Disorders, 2019, 34, 927-929.	2.2	2
3	Reply to: Early distinction of Parkinson variant multiple system atrophy from Parkinson's disease. Movement Disorders, 2019, 34, 929-929.	2.2	0
4	Olfaction as a Marker for Dystonia: Background, Current State and Directions. Brain Sciences, 2020, 10, 727.	1.1	2
5	Smell tests to distinguish Parkinson's disease from other neurological disorders: a systematic review and meta-analysis. Expert Review of Neurotherapeutics, 2021, 21, 365-379.	1.4	8
6	Molecular and Genetic Factors Involved in Olfactory and Gustatory Deficits and Associations with Microbiota in Parkinson's Disease. International Journal of Molecular Sciences, 2021, 22, 4286.	1.8	14
7	Auditory and Olfactory Deficits in Essential Tremor $\hat{a}\in$ Review of the Current Evidence. Tremor and Other Hyperkinetic Movements, 2020, 10, 3.	1.1	4
8	Smell tests can discriminate Parkinson's disease patients from healthy individuals: A meta-analysis. Clinical Neurology and Neurosurgery, 2021, 211, 107024.	0.6	5
10	A Systematic Review of the Spectrum and Prevalence of Nonâ€Motor Symptoms in Adults with Hereditary Cerebellar Ataxias. Movement Disorders Clinical Practice, 2022, 9, 1027-1039.	0.8	7
11	ATTCT and ATTCC repeat expansions in the ATXN10 gene affect disease penetrance of spinocerebellar ataxia type 10. Human Genetics and Genomics Advances, 2022, 3, 100137.	1.0	4