

Constructing a 2D/2D Bi₂O₂CO₃/Bi₄O₅Br₂ heterostructure photocatalyst with enhanced photocatalytic activity for

Applied Surface Science

493, 913-925

DOI: [10.1016/j.apsusc.2019.07.119](https://doi.org/10.1016/j.apsusc.2019.07.119)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Synergetic Effects of Pd ⁰ Metal Nanoparticles and Pd ²⁺ Ions on Enhanced Photocatalytic Activity of ZnWO ₄ Nanorods for Nitric Oxide Removal. <i>Langmuir</i> , 2019, 35, 11265-11274. | 1.6 | 33 |
| 2 | CdS/Ag ₂ S nanocomposites photocatalyst with enhanced visible light photocatalysis activity. <i>Solid State Sciences</i> , 2019, 98, 106020. | 1.5 | 29 |
| 3 | Palygorskite/g-C ₃ N ₄ conjunction for visible-light-driven degradation of tetracycline hydrochloride. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 18159-18167. | 1.1 | 5 |
| 4 | Design and Application of Ag ₃ PO ₄ @Ag ₄ V ₂ O ₇ Z-Scheme Photocatalysts with a Micro-Nano Tube-Cluster Structure for the Co-Degradation of Nitrate and Ammonia in Wastewater. <i>Industrial & Engineering Chemistry Research</i> , 2019, 58, 18027-18035. | 1.8 | 19 |
| 5 | I-doped Bi ₂ WO ₆ microflowers enhanced visible light photocatalytic activity for organic pollution degradation and NO removal. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 17787-17797. | 1.1 | 3 |
| 6 | Novel Au/La-Bi ₅ O ₇ I Microspheres with Efficient Visible-Light Photocatalytic Activity for NO Removal: Synergistic Effect of Au Nanoparticles, La Doping, and Oxygen Vacancy. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 37822-37832. | 4.0 | 78 |
| 7 | Inhibition of the toxic byproduct during photocatalytic NO oxidation via La doping in ZnO. <i>Chinese Chemical Letters</i> , 2020, 31, 751-754. | 4.8 | 27 |
| 8 | Synthesis of bismuth oxyiodide (BiOI) by means of microwaves in glycerol with high photocatalytic activity for the elimination of NO _x and SO ₂ . <i>Research on Chemical Intermediates</i> , 2020, 46, 923-941. | 1.3 | 19 |
| 9 | Ga-Doped AgInS ₂ Modified with Co ²⁺ /Co ³⁺ catalyst for Efficient Photoelectrochemical Water Splitting. <i>Catalysis Letters</i> , 2020, 150, 1089-1097. | 1.4 | 5 |
| 10 | La-Doped ZnWO ₄ nanorods with enhanced photocatalytic activity for NO removal: effects of La doping and oxygen vacancies. <i>Inorganic Chemistry Frontiers</i> , 2020, 7, 356-368. | 3.0 | 53 |
| 11 | Ionic liquid assisted hydrothermal preparation of TiO ₂ with largely enhanced photocatalytic performance originated from effective separation of photoinduced carriers. <i>Journal of Physics and Chemistry of Solids</i> , 2020, 139, 109323. | 1.9 | 12 |
| 12 | Constructing the Pd/PdO/Bi ₂ O ₃ microspheres with enhanced photocatalytic activity for Bisphenol A degradation and NO removal. <i>Journal of Chemical Technology and Biotechnology</i> , 2020, 95, 862-874. | 1.6 | 20 |
| 13 | High-efficiency carrier separation heterostructure improve the photocatalytic hydrogen production of sulfide. <i>Journal of Alloys and Compounds</i> , 2020, 817, 153242. | 2.8 | 13 |
| 14 | BiO nanoparticle loaded on Bi ³⁺ -doped ZnWO ₄ nanorods with oxygen vacancies for enhanced photocatalytic NO removal. <i>Journal of Alloys and Compounds</i> , 2020, 818, 152837. | 2.8 | 25 |
| 15 | Enhanced visible-light-driven photocatalytic activity of Bi ₂ WO ₆ -BiSI Z-scheme heterojunction photocatalysts for tetracycline degradation. <i>International Journal of Environmental Analytical Chemistry</i> , 2022, 102, 7084-7099. | 1.8 | 5 |
| 16 | A Mini Review on Bismuth-Based Z-Scheme Photocatalysts. <i>Materials</i> , 2020, 13, 5057. | 1.3 | 28 |
| 17 | Fabrication of Er ³⁺ /Yb ³⁺ Co-Doped Bi ₅ O ₇ I Microsphere With Upconversion Luminescence and Enhanced Photocatalytic Activity for Bisphenol A Degradation. <i>Frontiers in Chemistry</i> , 2020, 8, 773. | 1.8 | 10 |
| 18 | Construction of NH ₂ -MIL-125(Ti)/Bi ₂ WO ₆ composites with accelerated charge separation for degradation of organic contaminants under visible light irradiation. <i>Green Energy and Environment</i> , 2020, 5, 203-213. | 4.7 | 43 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | An efficient hole transfer pathway on hematite integrated by ultrathin Al ₂ O ₃ interlayer and novel CuCoO _x cocatalyst for efficient photoelectrochemical water oxidation. Applied Catalysis B: Environmental, 2020, 277, 119197. | 10.8 | 131 |
| 20 | Enhanced photoelectrochemical performance of 2D core-shell WO ₃ /CuWO ₄ uniform heterojunction via in situ synthesis and modification of Co-Pi co-catalyst. International Journal of Hydrogen Energy, 2020, 45, 16550-16559. | 3.8 | 50 |
| 21 | 3D core-shell WO ₃ @Fe ₂ O ₃ photoanode modified by ultrathin FeOOH layer for enhanced photoelectrochemical performances. Journal of Alloys and Compounds, 2020, 834, 154992. | 2.8 | 29 |
| 22 | Decorating non-noble metal plasmonic Al on a TiO ₂ /Cu ₂ O photoanode to boost performance in photoelectrochemical water splitting. Chinese Journal of Catalysis, 2020, 41, 1884-1893. | 6.9 | 79 |
| 23 | Hexagonal phase/cubic phase homogeneous ZnIn ₂ S ₄ n-n junction photoanode for efficient photoelectrochemical water splitting. Journal of Alloys and Compounds, 2020, 830, 154639. | 2.8 | 45 |
| 24 | A promising p-type Co ₂ ZnFe ₂ O ₄ nanorod film as a photocathode for photoelectrochemical water splitting. Chemical Communications, 2020, 56, 5279-5282. | 2.2 | 20 |
| 25 | Two-dimensional Bi ₂ O ₂ CO ₃ /Bi ₂ O ₃ /Ag ₂ O heterojunction for high performance of photocatalytic activity. Applied Surface Science, 2020, 525, 146613. | 3.1 | 15 |
| 26 | Precisely control interface OV _s concentration for enhance 0D/2D Bi ₂ O ₂ CO ₃ /BiOCl photocatalytic performance. Applied Surface Science, 2020, 530, 147218. | 3.1 | 75 |
| 27 | Ternary AgCl/Ag ₂ O ₂ CO ₃ as novel indirect Z-scheme photocatalysts for highly efficient pharmaceuticals and dyes degradation. Functional Materials Letters, 2020, 13, 2050007. | 0.7 | 4 |
| 28 | TiO ₂ with exposed (001) facets/Bi ₄ O ₅ Br ₂ nanosheets heterojunction with enhanced photocatalytic for NO removal. Nanotechnology, 2020, 31, 254002. | 1.3 | 8 |
| 29 | Facile synthesis of novel Mn-doped Bi ₄ O ₅ Br ₂ for enhanced photocatalytic NO removal activity. Journal of Alloys and Compounds, 2020, 826, 154204. | 2.8 | 38 |
| 30 | Constructing 1D/2D BiOI/ZnWO ₄ heterojunction photocatalyst with enhanced photocatalytic removal of NO. Journal of Chemical Technology and Biotechnology, 2020, 95, 1705-1716. | 1.6 | 21 |
| 31 | High visible-light rhodamine B degradation activity over two-dimensional Bi ₂ O ₂ CO ₃ /BiOCl heterojunction through the cohesive and efficient electronic transmission channel. Journal of Materials Science: Materials in Electronics, 2020, 31, 6726-6734. | 1.1 | 3 |
| 32 | Enhancement in the charge transport and photocorrosion stability of CuO photocathode: The synergistic effect of spatially separated dual-cocatalysts and p-n heterojunction. Chemical Engineering Journal, 2020, 394, 124907. | 6.6 | 58 |
| 33 | Oxygen vacancies engineering in TiO ₂ homojunction/ZnFe-LDH for enhanced photoelectrochemical water oxidation. Chemical Engineering Journal, 2020, 395, 125101. | 6.6 | 173 |
| 34 | Dual defects and build-in electric field mediated direct Z-scheme W ₁₈ O ₄₉ /g-C ₃ N ₄ heterojunction for photocatalytic NO removal and organic pollutant degradation. Journal of Colloid and Interface Science, 2021, 582, 212-226. | 5.0 | 71 |
| 35 | Broad-spectrum response NCQDs/Bi ₂ O ₂ CO ₃ heterojunction nanosheets for ciprofloxacin photodegradation: Unraveling the unique roles of NCQDs upon different light irradiation. Chemosphere, 2021, 264, 128434. | 4.2 | 40 |
| 36 | Constructing a Z-scheme 3D hollow pineal-like AgBr/Bi ₂ O ₂ CO ₃ hybrid material based on ameliorated p-n heterostructure towards exorbitant photocatalytic performance. Journal of Alloys and Compounds, 2021, 861, 157944. | 2.8 | 28 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Enhanced photocatalytic conversion of NOx with satisfactory selectivity of 3D-2D Bi ₄ O ₅ Br ₂ -GO hierarchical structures via a facile microwave-assisted preparation. Separation and Purification Technology, 2021, 266, 118237. | 3.9 | 49 |
| 38 | Ultra-stable Bi ₄ O ₅ Br ₂ /Bi ₂ S ₃ n-p heterojunctions induced simultaneous generation of radicals OH and O ₂ ^{•-} and NO conversion to nitrate/nitrite species with high selectivity under visible light. Chemical Engineering Journal, 2021, 413, 127443. | 6.6 | 64 |
| 39 | Advances in 2D/2D Z-scheme Heterojunctions for Photocatalytic Applications. Solar Rrl, 2021, 5, 2000397. | 3.1 | 82 |
| 40 | Development of a Z-scheme Ag/Ag ₂ WO ₄ /g-C ₃ N ₄ photocatalyst for RhB fast degradation assisted with H ₂ O ₂ . Journal of Materials Science: Materials in Electronics, 2021, 32, 2061-2074. | 1.1 | 1 |
| 41 | Photocatalytic heterostructured materials for air decontamination and solar fuels production. , 2021, , 593-636. | | 2 |
| 42 | Representative 2D-material-based nanocomposites and their emerging applications: a review. RSC Advances, 2021, 11, 23860-23880. | 1.7 | 31 |
| 43 | Synthesis of Fe@BiOBr@N by microwave-assisted solvothermal method: Characterization and evaluation of its photocatalytic properties. Materials Science in Semiconductor Processing, 2021, 123, 105499. | 1.9 | 13 |
| 44 | Photocatalytic Conversion of Nitrogen Oxides: Current State and Perspectives: a Review. Theoretical and Experimental Chemistry, 2021, 57, 30-63. | 0.2 | 3 |
| 45 | Construction of BiOCl/CuBi ₂ O ₄ S-scheme heterojunction with oxygen vacancy for enhanced photocatalytic diclofenac degradation and nitric oxide removal. Chemical Engineering Journal, 2021, 411, 128555. | 6.6 | 200 |
| 46 | Decorating graphdiyne on ultrathin bismuth subcarbonate nanosheets to promote CO ₂ electroreduction to formate. Science Bulletin, 2021, 66, 1533-1541. | 4.3 | 45 |
| 47 | Review on polyaniline as reductive photocatalyst for the construction of the visible light active heterojunction for the generation of reactive oxygen species. Journal of Environmental Chemical Engineering, 2021, 9, 105725. | 3.3 | 42 |
| 48 | Enhancement mechanism of full-solar-spectrum catalytic activity of g-C ₃ N ₄ -x/Bi/Bi ₂ O ₂ (CO ₃) _{1-x} (Br, I) _x heterojunction: The roles of plasma Bi and oxygen vacancies. Chemical Engineering Journal, 2022, 430, 132740. | 6.6 | 7 |
| 49 | Optimized strategies for (BiO) ₂ CO ₃ and its application in the environment. Environmental Science and Pollution Research, 2021, 28, 56003-56031. | 2.7 | 5 |
| 50 | Emerging 2D/OD g-C ₃ N ₄ /SnO ₂ S-scheme photocatalyst: New generation architectural structure of heterojunctions toward visible-light-driven NO degradation. Environmental Pollution, 2021, 286, 117510. | 3.7 | 60 |
| 51 | Facile synthesis and enhanced photocatalytic activity of a novel FeVO ₄ /Bi ₄ O ₅ Br ₂ heterojunction photocatalyst through step-scheme charge transfer mechanism. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2021, 627, 127217. | 2.3 | 17 |
| 52 | Two-dimensional g-C ₃ N ₄ /Ti ₂ CO ₂ heterostructure as a direct Z-scheme photocatalyst for water splitting: A hybrid density functional theory investigation. Physica E: Low-Dimensional Systems and Nanostructures, 2021, 134, 114872. | 1.3 | 5 |
| 53 | Construction of Bi ₂ O ₂ CO ₃ /Ti ₃ C ₂ heterojunctions for enhancing the visible-light photocatalytic activity of tetracycline degradation. Journal of Colloid and Interface Science, 2021, 601, 581-593. | 5.0 | 79 |
| 54 | Accurate guided alternating atomic layer enhance internal electric field to steering photogenerated charge separation for enhance photocatalytic activity. Applied Catalysis B: Environmental, 2021, 298, 120536. | 10.8 | 32 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Boosted photocatalytic NO removal performance by S-scheme hierarchical composites WO ₃ /Bi ₄ O ₅ Br ₂ prepared through a facile ball-milling protocol. Separation and Purification Technology, 2021, 278, 119662. | 3.9 | 23 |
| 56 | Rational design of n-Bi ₁₂ TiO ₂₀ @p-BiOI core-shell heterojunction for boosting photocatalytic NO removal. Journal of Colloid and Interface Science, 2022, 607, 242-252. | 5.0 | 24 |
| 57 | Ultrasound-assisted room-temperature in situ precipitation synthesis of BC doped Bi ₄ O ₅ Br ₂ for enhanced photocatalytic activity in pollutants degradation under visible light. Journal of Alloys and Compounds, 2021, 889, 161609. | 2.8 | 12 |
| 58 | Strengthened photocatalytic removal of bisphenol a by robust 3D hierarchical n-p heterojunctions Bi ₄ O ₅ Br ₂ -MnO ₂ via boosting oxidative radicals generation. Chemical Engineering Journal, 2022, 428, 131223. | 6.6 | 70 |
| 59 | Approaching photocatalysts characterization under real conditions: In situ and operando studies. , 2021, , 139-156. | | 2 |
| 60 | Enhanced photocatalytic activity of Fe-doped Bi ₄ O ₅ Br ₂ nanosheets decorated with Au nanoparticles for pollutants removal. Applied Surface Science, 2020, 526, 146760. | 3.1 | 32 |
| 61 | Hierarchical V ₂ O ₅ /ZnV ₂ O ₆ nanosheets photocatalyst for CO ₂ reduction to solar fuels. Chemical Engineering Journal, 2022, 430, 132863. | 6.6 | 9 |
| 62 | Novel Z-scheme 2D/2D Bi ₄ O ₅ Br ₂ /BiOCl heterojunction with enhanced photocatalytic activity for RhB degradation. Journal of Chemical Technology and Biotechnology, 2022, 97, 1280-1292. | 1.6 | 11 |
| 63 | Hydroxyl-assisted iodine ions intercalating Bi ₂ O ₂ CO ₃ nanosheets to construct an interlayered bridge for enhanced photocatalytic degradation of phenols. CrystEngComm, 2022, 24, 1377-1386. | 1.3 | 7 |
| 64 | Bi selectively doped SrTiO _{3-x} nanosheets enhance photocatalytic CO ₂ reduction under visible light. Journal of Colloid and Interface Science, 2022, 611, 137-148. | 5.0 | 37 |
| 65 | Ni ²⁺ -assisted catalytic one-step synthesis of Bi/BiOCl/Bi ₂ O ₂ CO ₃ heterojunction with enhanced photocatalytic activity under visible light. Applied Catalysis B: Environmental, 2022, 305, 121039. | 10.8 | 91 |
| 66 | Rational Design of Novel C/N-Doped ZnO/Bi ₂ WO ₆ Z-Scheme Heterojunction for Efficient Photocatalytic Degradation of Antibiotics. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 67 | Novel CoFe ₂ O ₄ /CuBi ₂ O ₄ heterojunction as visible-light-driven nanophotocatalyst for C (OH)-H bond activation. Applied Organometallic Chemistry, 2022, 36, . | 1.7 | 14 |
| 68 | Polyol-assisted coprecipitation synthesis of BiOI photocatalyst and its activity to remove NO _x . Research on Chemical Intermediates, 2022, 48, 949-967. | 1.3 | 5 |
| 69 | Boosting Reactive Oxygen Species Generation Over Bi ₃ O ₄ Br/CuBi ₂ O ₄ by Activating Peroxymonosulfate Under Visible Light Irradiation. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 70 | Dimensional heterojunction design: The rising star of 2D bismuth-based nanostructured photocatalysts for solar-to-chemical conversion. Nano Research, 2023, 16, 4310-4364. | 5.8 | 34 |
| 71 | Synthesis of carnation flower-like Bi ₂ O ₂ CO ₃ photocatalyst and its promising application for photoreduction of Cr(VI). Advanced Powder Technology, 2022, 33, 103481. | 2.0 | 124 |
| 72 | Boosting reactive oxygen species generation over Bi ₃ O ₄ Br/CuBi ₂ O ₄ by activating peroxydisulfate under visible light irradiation. Separation and Purification Technology, 2022, 289, 120794. | 3.9 | 16 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Rational design of multifunctional C/N-doped ZnO/Bi ₂ WO ₆ Z-scheme heterojunction for efficient photocatalytic degradation of antibiotics. <i>Applied Surface Science</i> , 2022, 587, 152780. | 3.1 | 27 |
| 74 | Efficient charge separation of a Z-scheme Bi ₅ O ₇ /CeO ₂ heterojunction with enhanced visible light photocatalytic activity for NO removal. <i>Inorganic Chemistry Frontiers</i> , 2022, 9, 2832-2844. | 3.0 | 6 |
| 76 | Photocatalytic materials applications for sustainable agriculture. <i>Progress in Materials Science</i> , 2022, 130, 100965. | 16.0 | 10 |
| 77 | New insights into the efficient charge transfer by construction of adjustable dominant facet of BiO/CdS heterojunction for antibiotics degradation and chromium Cr(VI) reduction under visible-light irradiation. <i>Chemosphere</i> , 2022, 302, 134862. | 4.2 | 12 |
| 78 | Cu ₂ O Surface-Modified Three-Dimensional Graphene Hydrogel Adsorption and In-Situ Photocatalytic Fenton Synergistic Degradation of Organic Pollutants. <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 0 |
| 79 | Few-layered Bi ₄ O ₅ I ₂ nanosheets enclosed by {1 0 ⁻¹ } facets with oxygen vacancies for highly-efficient removal of water contaminants. <i>Journal of Hazardous Materials</i> , 2022, 437, 129274. | 6.5 | 10 |
| 80 | Two-dimensional ultra-thin nanosheets optimize the surface reaction dynamics and photo/pyro-generated carrier transfer of NaNbO ₃ for an efficient pyro-photo-electric catalytic system. <i>Sustainable Energy and Fuels</i> , 2022, 6, 4227-4239. | 2.5 | 6 |
| 81 | Au Nanoparticles Loaded Bi ₅ Ti ₃ FeO ₁₅ Ferroelectric Nanosheets with Enhanced Photocatalytic Activity for NO Removal. <i>Catalysis Letters</i> , 0, , . | 1.4 | 0 |
| 82 | Controlled synthesis of Bi ₂ O ₃ /Bi ₂ O ₂ CO ₃ hollow microspheres with enhanced photocatalytic degradation of tetracycline under visible light. <i>Materials Today Communications</i> , 2022, 33, 104304. | 0.9 | 2 |
| 83 | Progress and prospects of photocatalytic conversion of low-concentration NO. <i>Chinese Journal of Catalysis</i> , 2022, 43, 2363-2387. | 6.9 | 24 |
| 84 | Synthesis and photocatalytic activity of bismuth carbonate micro-nanoplates. <i>Inorganic Chemistry Communication</i> , 2022, 143, 109820. | 1.8 | 0 |
| 85 | Evolutionary face-to-face 2D/2D bismuth-based heterojunction: The quest for sustainable photocatalytic applications. <i>Applied Materials Today</i> , 2022, 29, 101636. | 2.3 | 9 |
| 86 | Engineering of Bi ₂ O ₂ CO ₃ /Ti ₃ C ₂ T _x heterojunctions co-embedded with surface and interface oxygen vacancies for boosted photocatalytic degradation of levofloxacin. <i>Chemical Engineering Journal</i> , 2023, 452, 139327. | 6.6 | 37 |
| 87 | Typical layered structure bismuth-based photocatalysts for photocatalytic nitrogen oxides oxidation. <i>Science of the Total Environment</i> , 2023, 855, 158644. | 3.9 | 15 |
| 88 | Sonochemical Synthesis of Large Two-Dimensional Bi ₂ O ₂ CO ₃ Nanosheets for Hydrogen Evolution in Photocatalytic Water Splitting. <i>Advanced Sustainable Systems</i> , 2022, 6, . | 2.7 | 3 |
| 90 | Upconversion boosting pollutants degradation efficiency in wide-spectrum responsive photocatalysts. <i>Chemosphere</i> , 2022, 309, 136679. | 4.2 | 3 |
| 91 | Ag ₃ PO ₄ and Ag ₃ PO ₄ -based visible light active photocatalysts: Recent progress, synthesis, and photocatalytic applications. <i>Catalysis Communications</i> , 2022, 172, 106556. | 1.6 | 18 |
| 92 | Versatile iodine-doped BiOCl with abundant oxygen vacancies and (110) crystal planes for enhanced pollutant photodegradation. <i>Environmental Research</i> , 2023, 216, 114808. | 3.7 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 93 | Highly-efficient and recyclable Bi ₂ O ₂ CO ₃ adsorbent achieved by surfactant modification and its application in pollutant removal. <i>Materials Research Bulletin</i> , 2023, 159, 112091. | 2.7 | 21 |
| 94 | Unraveling charge transfer pathways and mechanisms in CdS@CoWO ₄ Z-scheme heterojunction photocatalysts for high-efficiency environmental remediation. <i>Separation and Purification Technology</i> , 2023, 306, 122664. | 3.9 | 4 |
| 95 | Enhanced photoelectrochemical water oxidation over a surface-hydroxylated BiVO ₄ photoanode: advantageous charge separation and water dissociation. <i>New Journal of Chemistry</i> , 2022, 47, 203-210. | 1.4 | 2 |
| 96 | The Strengthened Photocatalytic NO _x Removal of Composites Bi ₄ O ₅ Br ₂ /BiPO ₄ : The Efficient Regulation of Interface Carriers by Integrating a Wide-Bandgap Ornament. <i>Molecules</i> , 2022, 27, 8474. | 1.7 | 2 |
| 97 | Interfacial engineering in two-dimensional heterojunction photocatalysts. <i>International Journal of Hydrogen Energy</i> , 2023, 48, 12257-12287. | 3.8 | 16 |
| 98 | Recent Advances in g-C ₃ N ₄ -Based Photocatalysts for NO _x Removal. <i>Catalysts</i> , 2023, 13, 192. | 1.6 | 3 |
| 99 | Construction of 2D/2D g-C ₃ N ₄ /Bi ₂ WO ₆ heterostructure nanosheets for efficient visible-light-driven photocatalytic elimination of sulfur-containing VOCs. <i>Applied Catalysis A: General</i> , 2023, 652, 119031. | 2.2 | 8 |
| 100 | Integrated adsorption and photodegradation of tetracycline by bismuth oxycarbonate/biochar nanocomposites. <i>Chemical Engineering Journal</i> , 2023, 457, 141228. | 6.6 | 42 |
| 101 | CuBi ₂ O ₄ surface-modified three-dimensional graphene hydrogel adsorption and in situ photocatalytic Fenton synergistic degradation of organic pollutants. <i>Applied Surface Science</i> , 2023, 615, 156396. | 3.1 | 13 |
| 103 | The enhanced photocatalytic activity of Z-scheme CuBi ₂ O ₄ /Bi ₂ O ₂ CO ₃ heterojunction towards tetracycline under visible and near-infrared light. <i>Journal of Alloys and Compounds</i> , 2023, 941, 168992. | 2.8 | 4 |
| 104 | Construction of bismuth-deposited Bi ₄ O ₅ Br ₂ complex and exploration of its photocatalytic properties. <i>Journal of Materials Science: Materials in Electronics</i> , 2023, 34, . | 1.1 | 0 |
| 105 | Enhanced photocatalytic performance of Bi ₂ O ₂ CO ₃ /Bi ₄ O ₅ Br ₂ /reduced graphene oxide Z-scheme heterojunction via a one-pot room-temperature synthesis. <i>Journal of Environmental Sciences</i> , 2024, 138, 418-427. | 3.2 | 16 |
| 130 | Recent progress on Bi ₄ O ₅ Br ₂ -based photocatalysts for environmental remediation and energy conversion. <i>Catalysis Science and Technology</i> , 2024, 14, 1085-1104. | 2.1 | 0 |