CITATION REPORT List of articles citing

Impact of introducing a faecal immunochemical test (FIT) for haemoglobin into primary care on the outcome of patients with new bowel symptoms: a prospective cohort study

DOI: 10.1136/bmjgast-2019-000293 BMJ Open Gastroenterology, 2019, 6, e000293.

Source: https://exaly.com/paper-pdf/72112962/citation-report.pdf

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
62	Appraisal of the faecal haemoglobin, age and sex test (FAST) score in assessment of patients with lower bowel symptoms: an observational study. <i>BMC Gastroenterology</i> , 2019 , 19, 213	3	11
61	Older age, symptoms, or anemia: Which factors increase colorectal cancer risk with a positive fecal immunochemical test?. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020 , 35, 1002-1008	4	2
60	Early clinical outcomes of a rapid colorectal cancer diagnosis pathway using faecal immunochemical testing in Nottingham. <i>Colorectal Disease</i> , 2020 , 22, 679-688	2.1	25
59	Yield of colorectal cancer at colonoscopy according to faecal haemoglobin concentration in symptomatic patients referred from primary care. <i>Colorectal Disease</i> , 2021 , 23, 1615-1621	2.1	10
58	Adoption of faecal immunochemical testing for 2-week-wait colorectal patients during the COVID-19 pandemic: an observational cohort study reporting a new service at a regional centre. <i>Colorectal Disease</i> , 2021 , 23, 1622-1629	2.1	11
57	Faecal immunochemical testing for adults with symptoms of colorectal cancer attending English primary care: a retrospective cohort study of 14487 consecutive test requests. <i>Alimentary Pharmacology and Therapeutics</i> , 2020 , 52, 1031-1041	6.1	24
56	Have large increases in fast track referrals improved bowel cancer outcomes in UK?. <i>BMJ, The</i> , 2020 , 371, m3273	5.9	5
55	Diagnosing colorectal cancer in primary care: cohort study in Sweden of qualitative faecal immunochemical tests, haemoglobin levels, and platelet counts. <i>British Journal of General Practice</i> , 2020 , 70, e843-e851	1.6	7
54	Not so FAST. Commentary on the article "Appraisal of the faecal haemoglobin, age and sex test (FAST) score in assessment of patients with lower bowel symptoms: an observational study". <i>BMC Gastroenterology</i> , 2020 , 20, 231	3	O
53	The impact of the COVID-19 pandemic on cancer deaths due to delays in diagnosis in England, UK: a national, population-based, modelling study. <i>Lancet Oncology, The</i> , 2020 , 21, 1023-1034	21.7	634
52	Variation in changes in the incidence of colorectal cancer by age and association with screening uptake: an observational study. <i>BMJ Open</i> , 2020 , 10, e037925	3	2
51	Qualitative faecal immunochemical tests (FITs) for diagnosing colorectal cancer in patients with histories of rectal bleeding in primary care: a cohort study. <i>International Journal of Colorectal Disease</i> , 2020 , 35, 2035-2040	3	6
50	Refinement and validation of the IDIOM score for predicting the risk of gastrointestinal cancer in iron deficiency anaemia. <i>BMJ Open Gastroenterology</i> , 2020 , 7,	3.9	8
49	Measurement of faecal haemoglobin with a faecal immunochemical test can assist in defining which patients attending primary care with rectal bleeding require urgent referral. <i>Annals of Clinical Biochemistry</i> , 2020 , 57, 325-327	2.2	9
48	Impact of the faecal immunochemical test on colorectal cancer survival. <i>BMC Cancer</i> , 2020 , 20, 616	4.8	5
47	Faecal immunochemical test to triage patients with abdominal symptoms for suspected colorectal cancer in primary care: review of international use and guidelines. <i>Family Practice</i> , 2020 , 37, 606-615	1.9	11
46	Patient-reported and doctor-reported symptoms when faecal immunochemical tests are requested in primary care in the diagnosis of colorectal cancer and inflammatory bowel disease: a prospective study. <i>BMC Family Practice</i> , 2020 , 21, 129	2.6	6

(2021-2020)

45	Diagnostic accuracy of a quantitative faecal immunochemical test vs. symptoms suspected for colorectal cancer in patients referred for colonoscopy. <i>Scandinavian Journal of Gastroenterology</i> , 2020 , 55, 184-192	2.4	9	
44	Faecal haemoglobin can define risk of colorectal neoplasia at surveillance colonoscopy in patients at increased risk of colorectal cancer. <i>United European Gastroenterology Journal</i> , 2020 , 8, 559-566	5.3	7	
43	FIT negative cancers: A right-sided problem? Implications for screening and whether iron deficiency anaemia has a role to play. <i>Journal of the Royal College of Surgeons of Edinburgh</i> , 2021 , 19, 27-32	2.5	8	
42	Optimal diagnostic accuracy of quantitative faecal immunochemical test positivity thresholds for colorectal cancer detection in primary health care: A community-based cohort study. <i>United European Gastroenterology Journal</i> , 2021 , 9, 256-267	5.3	8	
41	Faecal immunochemical test is superior to symptoms in predicting pathology in patients with suspected colorectal cancer symptoms referred on a 2WW pathway: a diagnostic accuracy study. <i>Gut</i> , 2021 , 70, 1130-1138	19.2	47	
40	Capsule endoscopy - Recent developments and future directions. <i>Expert Review of Gastroenterology and Hepatology</i> , 2021 , 15, 127-137	4.2	15	
39	Association of Coloproctology of Great Britain and Ireland response to: "Have large increases in fast track referrals improved bowel cancer outcomes in the UK?". <i>BMJ, The</i> , 2021 , 372, n21	5.9		
38	The EPAGE guidelines are not an effective strategy for managing colonoscopies during the COVID-19 pandemic. <i>Gastroenterolog Y Hepatolog</i> , 2021 , 45, 9-9	0.9		
37	Faecal immunochemical testing and blood tests for prioritization of urgent colorectal cancer referrals in symptomatic patients: a 2-year evaluation. <i>BJS Open</i> , 2021 , 5,	3.9	5	
36	Using the faecal immunochemical test in patients with rectal bleeding: evidence from the NICE FIT study. <i>Colorectal Disease</i> , 2021 , 23, 1630-1638	2.1	4	
35	Faecal immunochemical testing in symptomatic patients to prioritize investigation: diagnostic accuracy from NICE FIT Study. <i>British Journal of Surgery</i> , 2021 , 108, 804-810	5.3	5	
34	The Fast Track FIT study: diagnostic accuracy of faecal immunochemical test for haemoglobin in patients with suspected colorectal cancer. <i>British Journal of General Practice</i> , 2021 , 71, e643-e651	1.6	4	
33	Recognising Colorectal Cancer in Primary Care. Advances in Therapy, 2021, 38, 2732-2746	4.1	1	
32	Faecal immunochemical tests safely enhance rational use of resources during the assessment of suspected symptomatic colorectal cancer in primary care: systematic review and meta-analysis. <i>Gut</i> , 2021 ,	19.2	3	
31	Diagnostic accuracy of point of care faecal immunochemical testing using a portable high-speed quantitative analyser for diagnosis in 2-week wait patients. <i>Colorectal Disease</i> , 2021 , 23, 2376-2386	2.1	2	
30	Follow-up of small and diminutive colonic polyps-How to balance the risks in the COVID-19 era. <i>Colorectal Disease</i> , 2021 ,	2.1	3	
29	British Society of Gastroenterology guidelines for the management of iron deficiency anaemia in adults. <i>Gut</i> , 2021 , 70, 2030-2051	19.2	16	
28	Faecal haemoglobin concentration thresholds for reassurance and urgent investigation for colorectal cancer based on a faecal immunochemical test in symptomatic patients in primary care. Annals of Clinical Biochemistry, 2021, 58, 211-219	2.2	7	

27	Stool DNA test targeting methylated syndecan-2 (SDC2) as a noninvasive screening method for colorectal cancer. <i>Bioscience Reports</i> , 2021 , 41,	4.1	7
26	Diagnostic accuracy of Faecal Immunochemical Testing for patients with symptoms of colorectal cancer: a retrospective cohort study of 14,487 consecutive test requests from English primary care.		2
25	The Effect of the Variability in Fecal Immunochemical Test Sample Collection Technique on Clinical Performance. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 175-181	4	2
24	Colorectal cancer and the blood loss paradox. Frontline Gastroenterology, flgastro-2021-101959	2.6	1
23	Colonoscopy at a crossroads - Which direction to take in the UK after the coronavirus pandemic?. <i>Colorectal Disease</i> , 2020 , 23, 576	2.1	0
22	Use of fecal immunochemical testing in patients presenting in primary care with lower GI symptoms. <i>Cmaj</i> , 2020 , 192, E377	3.5	
21	Do presenting symptoms, use of pre-diagnostic endoscopy and risk of emergency cancer diagnosis vary by comorbidity burden and type in patients with colorectal cancer?. <i>British Journal of Cancer</i> , 2021 ,	8.7	2
20	Delivering better value colonoscopy: bridging the gap with FIT. <i>Gut</i> , 2021 , 70, 1006-1007	19.2	
19	Choice of faecal immunochemical test matters: comparison of OC-Sensor and HM-JACKarc, in the assessment of patients at high risk of colorectal cancer. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021 , 59, 721-728	5.9	6
18	The use of faecal haemoglobin in deciding which patients presenting to primary care require further investigation (and how quickly) - the FIT approach. <i>Electronic Journal of the International Federation of Clinical Chemistry and Laboratory Medicine</i> , 2021 , 32, 52-60	2.4	2
17	Faecal immunochemical test to triage patients with possible colorectal cancer symptoms: meta-analysis <i>British Journal of Surgery</i> , 2021 ,	5.3	1
16	COVID-19: Effect on gastroenterology and hepatology service provision and training: Lessons learnt and planning for the future <i>World Journal of Gastroenterology</i> , 2021 , 27, 7625-7648	5.6	О
15	Biomarkers to Detect Early-Stage Colorectal Cancer <i>Biomedicines</i> , 2022 , 10,	4.8	2
14	Faecal haemoglobin examinations have come of age, but further maturation seems desirable <i>Annals of Clinical Biochemistry</i> , 2022 , 45632211063459	2.2	O
13	The EPAGE guidelines are not an effective strategy for managing colonoscopies during the COVID-19 pandemic. <i>Gastroenterolog Y Hepatolog</i> (English Edition), 2022 , 45, 9-17	0.1	
12	Faecal haemoglobin concentration in adenoma, before and after polypectomy, approaches the ideal tumour marker <i>Annals of Clinical Biochemistry</i> , 2022 , 45632221080897	2.2	O
11	Replicate and Repeat FIT in Symptomatic Patients: A Systematic Review <i>Annals of Clinical Biochemistry</i> , 2022 , 45632221096036	2.2	1
10	Faecal immunochemical test for patients with \$high-riskSbowel symptoms: a large prospective cohort study and updated literature review <i>British Journal of Cancer</i> , 2021 ,	8.7	3

CITATION REPORT

9	Pre-diagnostic routes to colorectal cancer in Central New Zealand: factors that lead to emergency presentation and longer diagnostic intervals at primary and secondary level care <i>Journal of Primary Health Care</i> , 2022 , 14, 48-56	0.8	О
8	Adapting the investigation of patients on urgent suspected cancer pathway with lower gastrointestinal symptoms across Wales during COVID-19. <i>Annals of the Royal College of Surgeons of England</i> ,	1.4	
7	Prevalence of repeat faecal immunochemical testing in symptomatic patients attending primary care. <i>Colorectal Disease</i> ,	2.1	1
6	Faecal immunochemical testing (FIT) in patients with signs or symptoms of suspected colorectal cancer (CRC): a joint guideline from the Association of Coloproctology of Great Britain and Ireland (ACPGBI) and the British Society of Gastroenterology (BSG). <i>Gut</i> , gutjnl-2022-327985	19.2	4
5	Who are the patients being offered the faecal immunochemical test in routine English general practice, and for what symptoms? A prospective descriptive study. 2022 , 12, e066051		0
4	Patient experience and satisfaction with symptomatic Faecal Immunochemical Testing: An explanatory sequential mixed-methods evaluation. BJGP.2022.0241		О
3	Belgian consensus on irritable bowel syndrome. 2022 , 85, 360-382		1
2	Use of faecal immunochemical tests common in patients with suspected colorectal cancer but unrelated to travel distance to secondary care: a population-based study from Swedish primary care. 1-7		O
1	Impact of faecal haemoglobin-based triage of bowel symptoms presenting to primary care on colorectal cancer diagnosis.		О