

CITATION REPORT

List of articles citing

Factors associated with discontinuation of antidepressant treatment after a single prescription among patients aged 55 or over: evidence from English primary care

DOI: 10.1007/s00127-019-01678-x

Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 1545-1553.

Source: <https://exaly.com/paper-pdf/72247763/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
4	Discontinuation of antidepressants: Is there a minimum time on treatment that will reduce relapse risk?. <i>Journal of Affective Disorders</i> , 2021 , 290, 254-260	6.6	0
3	Identifying temporal patterns of adherence to antidepressants, bisphosphonates and statins, and associated patient factors.. <i>SSM - Population Health</i> , 2022 , 17, 100973	3.8	1
2	The pattern of medication use, and determinants of the prevalence of polypharmacy among patients with a recent history of depressive disorder: results from the pars cohort study.. <i>BMC Psychology</i> , 2022 , 10, 12	2.8	
1	How temporal patterns of medication adherence to antidepressants, bisphosphonates and statins are associated with healthcare cost. 1-26		0