

Association of Thrombectomy With Stroke Outcomes A

JAMA Neurology

76, 447

DOI: [10.1001/jamaneurol.2018.4587](https://doi.org/10.1001/jamaneurol.2018.4587)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Preclinical Development of a vWF Aptamer to Limit Thrombosis and Engender Arterial Recanalization of Occluded Vessels. <i>Molecular Therapy</i> , 2019, 27, 1228-1241.	8.2	52
2	Getting with the Guidelines for Stroke Triage: Progress Toward Meaningful Change. <i>World Neurosurgery</i> , 2019, 131, 281-282.	1.3	0
3	Effects of White Matter Hyperintensities on 90-Day Functional Outcome after Large Vessel and Non-Large Vessel Stroke. <i>Cerebrovascular Diseases</i> , 2020, 49, 419-426.	1.7	7
4	Association of initial imaging modality and futile recanalization after thrombectomy. <i>Neurology</i> , 2020, 95, e2331-e2342.	1.1	44
5	Multiphase MR Angiography Collateral Map: Functional Outcome after Acute Anterior Circulation Ischemic Stroke. <i>Radiology</i> , 2020, 295, 192-201.	7.3	17
6	Mechanical Thrombectomy for Acute Stroke: Early versus Late Time Window Outcomes. <i>Journal of Neuroimaging</i> , 2020, 30, 315-320.	2.0	7
7	Influence of time to endovascular stroke treatment on outcomes in the early versus extended window paradigms. <i>International Journal of Stroke</i> , 2022, 17, 331-340.	5.9	8
8	Late Thrombectomy in Clinical Practice. <i>Clinical Neuroradiology</i> , 2021, 31, 799-810.	1.9	14
9	Timeâ€œoutcome relationship in acute large-vessel occlusion exists across all ages: subanalysis of RESCUE-Japan Registry 2. <i>Scientific Reports</i> , 2021, 11, 12782.	3.3	0
10	Predictor of 90-day functional outcome after mechanical thrombectomy for large vessel occlusion stroke: NIHSS score of 10 or less at 24 hours. <i>Journal of Neurosurgery</i> , 2021, 134, 115-121.	1.6	25
11	Late thrombectomy for ischaemic stroke. <i>Lancet, The</i> , 2022, 399, 213-215.	13.7	1
12	Pre-Existing Non-Disabling Encephalomalacia Confers Risk to Stroke Outcomes After Endovascular Treatment. <i>Frontiers in Neurology</i> , 2022, 13, 833737.	2.4	0
13	Data Do Not Support Selection by Target Perfusion Mismatch of Patients for Endovascular Stroke Treatment Within the 16- to 24-Hour Intervalâ€œReply. <i>JAMA Neurology</i> , 2022, , .	9.0	0
14	Tachycardia is associated with mortality and functional outcome after thrombectomy for acute ischemic stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2022, 31, 106450.	1.6	0
15	<sc>Magnetic Resonance Imaging</sc> or <sc>Computed Tomography</sc> for Suspected Acute Stroke: Association of Admission Image Modality with Acute Recanalization Therapies, Workflow Metrics, and Outcomes. <i>Annals of Neurology</i> , 2022, 92, 184-194.	5.3	6
16	Acute Mirror M1 Occlusions Treated With Endovascular First-Pass Contact Aspiration Technique. <i>Cureus</i> , 2022, , .	0.5	1
17	Basis and current state of computed tomography perfusion imaging: a review. <i>Physics in Medicine and Biology</i> , 0, , .	3.0	2
18	Prognostic Accuracy of N20 Somatosensory Potential in Patients With Acute Ischemic Stroke and Endovascular Thrombectomy. , 2023, 3, .		1

#	ARTICLE	IF	CITATIONS
19	Impact of Collateral Circulation on Futile Endovascular Thrombectomy in Acute Anterior Circulation Ischemic Stroke. Journal of Korean Neurosurgical Society, 0, , .	1.2	0
20	Prognostic value of collateral perfusion estimation by arterial spin labeling for acute anterior circulation ischemic stroke. Neuroradiology, 0, , .	2.2	0
21	Predictors of futile recanalization after endovascular treatment in acute ischemic stroke: a multi-center study. Frontiers in Neuroscience, 0, 17, .	2.8	3
22	MRI vs CT for Baseline Imaging Evaluation in Acute Large Artery Ischemic Stroke. Neurology, 2024, 102, .	1.1	0