## CITATION REPORT List of articles citing

Preferred Formation of Heteromeric Channels between Coexpressed SK1 and IKCa Channel Subunits Provides a Unique Pharmacological Profile of Ca-Activated Potassium Channels

DOI: 10.1124/mol.118.115634 Molecular Pharmacology, 2019, 96, 115-126.

Source: https://exaly.com/paper-pdf/73147781/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
10	Junctophilin Proteins Tether a Cav1-RyR2-KCa3.1 Tripartite Complex to Regulate Neuronal Excitability. <i>Cell Reports</i> , <b>2019</b> , 28, 2427-2442.e6	10.6	26
9	SK2 channel regulation of neuronal excitability, synaptic transmission, and brain rhythmic activity in health and diseases. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , <b>2020</b> , 1867, 118834	4.9	7
8	Impact of I Voltage and Ca/Mg-Dependent Rectification on Cardiac Repolarization. <i>Biophysical Journal</i> , <b>2020</b> , 119, 690-704	2.9	1
7	Ca-activated KCa3.1 potassium channels contribute to the slow afterhyperpolarization in L5 neocortical pyramidal neurons. <i>Scientific Reports</i> , <b>2020</b> , 10, 14484	4.9	6
6	Noradrenaline Release from Locus Coeruleus Terminals in the Hippocampus Enhances Excitation-Spike Coupling in CA1 Pyramidal Neurons Via EAdrenoceptors. <i>Cerebral Cortex</i> , <b>2020</b> , 30, 6135-6151	5.1	10
5	Diversity and Functional Features of Calcium-Dependent Potassium Channels as Determinants of Their Role in the Plasticity of Cerebral Neurons. <i>Neuroscience and Behavioral Physiology</i> , <b>2021</b> , 51, 1239-	-1243	О
4	The Molecular Basis for the Calcium-Dependent Slow Afterhyperpolarization in CA1 Hippocampal Pyramidal Neurons <i>Frontiers in Physiology</i> , <b>2021</b> , 12, 759707	4.6	2
3	Channelopathy of small- and intermediate-conductance Ca2+-activated K+ channels. <i>Acta Pharmacologica Sinica</i> ,	8	
2	Prospects for Gene Therapy of Epilepsy Using Calcium-Acivated Potassium Channel Vectors. <b>2022</b> , 58, 1065-1074		O
1	Relevance of Abnormal KCNN1 Expression and Osmotic Hypersensitivity in Ewing Sarcoma. <b>2022</b> , 14, 4819		1