

Advances in nanostructures fabricated *via* spray pyrolysis for energy storage and conversion

Chemical Society Reviews

48, 3015-3072

DOI: [10.1039/c8cs00904j](https://doi.org/10.1039/c8cs00904j)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Novel $\text{LiV}(\text{PO}_4)_{0.9}\text{F}_{1.3}$ with ultrahigh rate capability and prolonged cycle life. <i>Chemical Communications</i> , 2019, 55, 11175-11178. | 2.2 | 8 |
| 2 | Advances in the synthesis and design of nanostructured materials by aerosol spray processes for efficient energy storage. <i>Nanoscale</i> , 2019, 11, 19012-19057. | 2.8 | 30 |
| 3 | One-pot synthesis of MnO/C N-doped hybrid materials for high performance lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2019, 805, 692-700. | 2.8 | 19 |
| 4 | Recent Advances in Aerosol-Assisted Spray Processes for the Design and Fabrication of Nanostructured Metal Chalcogenides for Sodium-Ion Batteries. <i>Chemistry - an Asian Journal</i> , 2019, 14, 3127-3140. | 1.7 | 19 |
| 5 | A prediction model for superconductor critical temperature using stepwise discriminant analysis based on feature extraction. <i>Journal of Physics: Conference Series</i> , 2019, 1298, 012020. | 0.3 | 0 |
| 6 | A gradient porous electrode with balanced transport properties and active surface areas for vanadium redox flow batteries. <i>Journal of Power Sources</i> , 2019, 440, 227159. | 4.0 | 49 |
| 7 | Three-dimensionally assembled manganese oxide ultrathin nanowires: Prospective electrode material for asymmetric supercapacitors. <i>Energy</i> , 2019, 188, 116066. | 4.5 | 40 |
| 8 | Facile One-Step Hydrothermal Synthesis of $\text{Na}_3\text{V}_2(\text{PO}_4)_2\text{F}_3$ @C/CNTs Tetragonal Micro-Particles as High Performance Cathode Material for Na-Ion Batteries. <i>Frontiers in Chemistry</i> , 2019, 7, 689. | 1.8 | 20 |
| 9 | Hierarchical Mesoporous/Macroporous Co-Doped NiO Nanosheet Arrays as Free-Standing Electrode Materials for Rechargeable Li^{+} Batteries. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 44556-44565. | 4.0 | 37 |
| 10 | Concentrator bifacial crystalline silicon solar cells with Al-alloyed BSF and Ag-free multi-wire metallization. <i>AIP Conference Proceedings</i> , 2019, , . | 0.3 | 1 |
| 11 | High Sensitivity Detection of Copper Ions in Oysters Based on the Fluorescence Property of Cadmium Selenide Quantum Dots. <i>Chemosensors</i> , 2019, 7, 47. | 1.8 | 9 |
| 12 | Yolk-shell structured metal oxide@carbon nanoring anode boosting performance of lithium-ion batteries. <i>New Journal of Chemistry</i> , 2019, 43, 16148-16155. | 1.4 | 10 |
| 13 | Fabrication of SiO_2 @Fe/NC composite from industrial waste AlSiFe powders as high stability anodes for lithium ion batteries. <i>Electrochimica Acta</i> , 2019, 324, 134860. | 2.6 | 31 |
| 14 | Electrochemical Performance of Hybrid Cationic Aqueous-Based Rechargeable Battery with Different Current Collectors and Electrolytes. <i>International Journal of Photoenergy</i> , 2019, 2019, 1-7. | 1.4 | 1 |
| 15 | The Electrochemical Performance and Reaction Mechanism of Coated Titanium Anodes for Manganese Electrowinning. <i>Journal of the Electrochemical Society</i> , 2019, 166, E502-E511. | 1.3 | 24 |
| 16 | Frogspawn inspired hollow Fe_3C @N-C as an efficient sulfur host for high-rate lithium-sulfur batteries. <i>Nanoscale</i> , 2019, 11, 21532-21541. | 2.8 | 58 |
| 17 | Transformation of Atomically Precise Nanoclusters by Ligand-Exchange. <i>Chemistry of Materials</i> , 2019, 31, 9939-9969. | 3.2 | 130 |
| 18 | In-situ formation of hybrid Li_3PO_4 - AlPO_4 - $\text{Al}(\text{PO}_3)_3$ coating layer on $\text{LiNi}_0.8\text{Co}_0.1\text{Mn}_0.1\text{O}_2$ cathode with enhanced electrochemical properties for lithium-ion battery. <i>Chemical Engineering Journal</i> , 2020, 382, 122959. | 6.6 | 149 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Two-step alcoholthermal synthesis and characterization of enhanced visible-light-active WO ₃ -coated TiO ₂ heterostructure. <i>Ceramics International</i> , 2020, 46, 2102-2109. | 2.3 | 13 |
| 20 | Lithiophilic 3D Porous CuZn Current Collector for Stable Lithium Metal Batteries. <i>ACS Energy Letters</i> , 2020, 5, 180-186. | 8.8 | 159 |
| 21 | Zn-Co Sulfide Microflowers Anchored on Three-Dimensional Graphene: A High-Capacitance and Long-Cycle-Life Electrode for Asymmetric Supercapacitors. <i>Chemistry - A European Journal</i> , 2020, 26, 650-658. | 1.7 | 21 |
| 22 | Impacts of morphology and N-doped carbon encapsulation on electrochemical properties of NiSe for lithium storage. <i>Energy Storage Materials</i> , 2020, 25, 210-216. | 9.5 | 39 |
| 23 | A redox interaction-engaged strategy for multicomponent nanomaterials. <i>Chemical Society Reviews</i> , 2020, 49, 736-764. | 18.7 | 32 |
| 24 | Novel diverse-structured h-WO ₃ nanoflake arrays as electrode materials for high performance supercapacitors. <i>Electrochimica Acta</i> , 2020, 334, 135641. | 2.6 | 32 |
| 25 | One-pot synthesis and gas sensitivity of SnO ₂ nanoparticles prepared using two Sn salts of SnCl ₄ ·5H ₂ O and SnCl ₂ ·2H ₂ O. <i>Applied Physics A: Materials Science and Processing</i> , 2020, 126, 1. | 1.1 | 11 |
| 26 | Surface/Interface Structure Degradation of Ni-Rich Layered Oxide Cathodes toward Lithium-Ion Batteries: Fundamental Mechanisms and Remedying Strategies. <i>Advanced Materials Interfaces</i> , 2020, 7, 1901749. | 1.9 | 134 |
| 27 | MoS ₂ wrapped MOFs-derived N-doped carbon nanorods as an effective sulfur host for high-performance lithium-sulfur batteries. <i>Ceramics International</i> , 2020, 46, 9614-9621. | 2.3 | 34 |
| 28 | A general method to produce mesoporous oxide spherical particles through an aerosol method from aqueous solutions. <i>Journal of Sol-Gel Science and Technology</i> , 2020, 94, 195-204. | 1.1 | 6 |
| 29 | Effect of calcining oxygen pressure gradient on properties of LiNi _{0.8} Co _{0.15} Al _{0.05} O ₂ cathode materials for lithium ion batteries. <i>Electrochimica Acta</i> , 2020, 334, 135654. | 2.6 | 82 |
| 30 | Continuous 2000-K droplet-to-particle synthesis. <i>Materials Today</i> , 2020, 35, 106-114. | 8.3 | 43 |
| 31 | A Water Stable, Near-Zero-Strain O ₃ -Layered Titanium-Based Anode for Long Cycle Sodium-Ion Battery. <i>Advanced Functional Materials</i> , 2020, 30, 1907023. | 7.8 | 36 |
| 32 | A Durable Na _{0.56} V ₂ O ₅ Nanobelt Cathode Material Assisted by Hybrid Cationic Electrolyte for High-Performance Aqueous Zinc-Ion Batteries. <i>ChemElectroChem</i> , 2020, 7, 283-288. | 1.7 | 66 |
| 33 | Influence of the Synthesis Route on the Properties of Hybrid NiO·MnCo ₂ O ₄ ·Ni ₆ MnO ₈ Anode Materials and their Electrochemical Performances. <i>ChemSusChem</i> , 2020, 13, 1890-1899. | 3.6 | 6 |
| 34 | Dendritic Nanostructured Waste Copper Wires for High-Energy Alkaline Battery. <i>Nano-Micro Letters</i> , 2020, 12, 1. | 14.4 | 556 |
| 35 | Freestanding, Hierarchical, and Porous Bilayered Na _x V ₂ O ₅ ·nH ₂ O/rGO/CNT Composites as High-Performance Cathode Materials for Nonaqueous K-Ion Batteries and Aqueous Zinc-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 706-716. | 4.0 | 82 |
| 36 | Surface Modification of Li _{1.144} Ni _{0.136} Co _{0.136} Mn _{0.544} O ₂ by Hybrid Protection Layer with Enhanced Rate Capability. <i>Energy Technology</i> , 2020, 8, 1901133. | 1.8 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Unraveling the Relationship between Ti ⁴⁺ Doping and Li ⁺ Mobility Enhancement in Ti ⁴⁺ Doped Li ₃ V ₂ (PO ₄) ₃ . ACS Applied Energy Materials, 2020, 3, 715-722. | 2.5 | 11 |
| 38 | One-pot synthesis of uniform hollow nanospheres of Ce-Zr-O mixed oxides by spray pyrolysis. Microporous and Mesoporous Materials, 2020, 294, 109886. | 2.2 | 8 |
| 39 | Construction of highly ordered ZnO microrod@SnO ₂ nanowire heterojunction hybrid with a test-tube brush-like structure for high performance lithium-ion batteries: experimental and theoretical study. Electrochimica Acta, 2020, 330, 135312. | 2.6 | 29 |
| 40 | Investigation of ROS scavenging properties and in vitro cytotoxicity of oxygen-deficient La ₂ O _{3-x} nanostructure synthesized by spray pyrolysis method. Journal of Nanostructure in Chemistry, 2020, 10, 347-361. | 5.3 | 19 |
| 41 | Encapsulation of Se into Hierarchically Porous Carbon Microspheres with Optimized Pore Structure for Advanced Na-Se and K-Se Batteries. ACS Nano, 2020, 14, 13203-13216. | 7.3 | 86 |
| 42 | High-Temperature Shock Enabled Nanomanufacturing for Energy-Related Applications. Advanced Energy Materials, 2020, 10, 2001331. | 10.2 | 86 |
| 43 | Achieving Fast and Durable Lithium Storage through Amorphous FeP Nanoparticles Encapsulated in Ultrathin 3D P-Doped Porous Carbon Nanosheets. ACS Nano, 2020, 14, 9545-9561. | 7.3 | 250 |
| 44 | Hierarchical Design of Mn ₂ P Nanoparticles Embedded in N,P-Codoped Porous Carbon Nanosheets Enables Highly Durable Lithium Storage. ACS Applied Materials & Interfaces, 2020, 12, 36247-36258. | 4.0 | 36 |
| 45 | High-Value Utilization of Lignin To Prepare Functional Carbons toward Advanced Lithium-Ion Capacitors. ACS Sustainable Chemistry and Engineering, 2020, 8, 11522-11531. | 3.2 | 32 |
| 46 | Advanced aerosol technologies towards structure and morphologically controlled next-generation catalytic materials. Journal of Aerosol Science, 2020, 149, 105608. | 1.8 | 30 |
| 47 | Coordination effect of biocatalyst dithiothreitol and aramid fiber interlayer for lithium-sulfur batteries. Journal of Materials Science: Materials in Electronics, 2020, 31, 14233-14240. | 1.1 | 5 |
| 48 | A Renewable Sedimentary Slurry Battery: Preliminary Study in Zinc Electrodes. IScience, 2020, 23, 101821. | 1.9 | 6 |
| 49 | Fluorine-doped indium oxide (IFO) layers produced by ultrasonic spray pyrolysis as electron-selective contacts in IFO/SiO ₂ /p-Si heterojunction crystalline silicon solar cells with an open-circuit voltage of 640 mV. Solar Energy, 2020, 207, 825-831. | 2.9 | 4 |
| 50 | Phytic acid assisted formation of P-doped hard carbon anode with enhanced capacity and rate capability for lithium ion capacitors. Journal of Power Sources, 2020, 474, 228500. | 4.0 | 45 |
| 51 | Micro/nanostructured TiNb ₂ O ₇ -related electrode materials for high-performance electrochemical energy storage: recent advances and future prospects. Journal of Materials Chemistry A, 2020, 8, 18425-18463. | 5.2 | 59 |
| 52 | Ni-Sn intermetallics as an efficient buffering matrix of Si anodes in Li-ion batteries. Journal of Materials Chemistry A, 2020, 8, 18132-18142. | 5.2 | 19 |
| 53 | Effect of Surfactants on the Electrochemical Performance of FeS ₂ Synthesized by Hydrothermal Method. International Journal of Electrochemical Science, 2020, , 10653-10663. | 0.5 | 1 |
| 54 | Investigation of precursors concentration in spray solution on the optoelectronic properties of CuInSe ₂ thin films deposited by spray pyrolysis method. Journal of Materials Science: Materials in Electronics, 2021, 32, 25748-25757. | 1.1 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Yolk-Shell catalyst: From past to future. <i>Applied Materials Today</i> , 2020, 21, 100798. | 2.3 | 8 |
| 56 | Engineering One-Dimensional Bunched Ni ₂ @Co ₂ NC Composite for Enhanced Lithium and Sodium Storage Performance. <i>ACS Applied Energy Materials</i> , 2020, 3, 9018-9027. | 2.5 | 26 |
| 57 | Flame-made Particles for Sensors, Catalysis, and Energy Storage Applications. <i>Energy & Fuels</i> , 2020, 34, 13209-13224. | 2.5 | 48 |
| 58 | ZnO thin films design: the role of precursor molarity in the spray pyrolysis process. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 17269-17280. | 1.1 | 10 |
| 59 | Advances in Ultrasonic Spray Pyrolysis Processing of Noble Metal Nanoparticles—Review. <i>Materials</i> , 2020, 13, 3485. | 1.3 | 41 |
| 60 | Synthesis and Characterisation of Metal Oxide Nanostructures Using Choline/Linear Alkyl Carboxylate Deep Eutectic Solvents. <i>Solids</i> , 2020, 1, 31-46. | 1.1 | 2 |
| 61 | Solvothermal orthorhombic Sb ₂ S ₃ nanobars: Effect of hydrothermal temperature in properties for solar cell application. <i>Results in Physics</i> , 2020, 19, 103603. | 2.0 | 5 |
| 62 | Titanium Dioxide in Chromogenic Devices: Synthesis, Toxicological Issues, and Fabrication Methods. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 8896. | 1.3 | 1 |
| 63 | Inverted Configuration of Cu(In,Ga)S ₂ /In ₂ S ₃ on 3D-ZnO/ZnSnO ₃ Bilayer System for Highly Efficient Photoelectrochemical Water Splitting. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 15209-15222. | 3.2 | 28 |
| 64 | Porous niobia spheres with large surface area: alcothermal synthesis and controlling of their composition and phase transition behaviour. <i>RSC Advances</i> , 2020, 10, 14630-14636. | 1.7 | 2 |
| 65 | Bismuth-Ferrite-Based Electrochemical Supercapacitors. <i>SpringerBriefs in Materials</i> , 2020, , . | 0.1 | 7 |
| 66 | Stacked 2D nanoflake-structured thin films of chalcogenide SnS _x Se _(y-x) grown by spray pyrolysis: structural, optical and electrical properties. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 10930-10938. | 1.1 | 2 |
| 67 | Self-assembly of block copolymers towards mesoporous materials for energy storage and conversion systems. <i>Chemical Society Reviews</i> , 2020, 49, 4681-4736. | 18.7 | 311 |
| 68 | High-performance spherical LiVPO ₄ /C cathode enabled by facile spray pyrolysis. <i>Science China Technological Sciences</i> , 2020, 63, 2729-2734. | 2.0 | 4 |
| 69 | Preparation of submicron-sized Sm ₂ Fe ₁₇ N ₃ fine powder by ultrasonic spray pyrolysis-hydrogen reduction (USP-HR) and subsequent reduction—diffusion process. <i>AIP Advances</i> , 2020, 10, . | 0.6 | 7 |
| 70 | Aerosol-assisted preparation of N-doped hierarchical porous carbon spheres cathodes toward high-stable lithium-ion capacitors. <i>Journal of Materials Science</i> , 2020, 55, 13127-13140. | 1.7 | 8 |
| 71 | Graphene-Wrapped MnO/C Composites by MOFs-Derived as Cathode Material for Aqueous Zinc ion Batteries. <i>Electrochimica Acta</i> , 2020, 353, 136570. | 2.6 | 168 |
| 72 | Carbon-nitrogen quantum dots modification of Li ₄ Ti ₅ O ₁₂ anode material for lithium-ion batteries. <i>Ionics</i> , 2020, 26, 3325-3331. | 1.2 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Low-cost synthesis of AuNPs through ultrasonic spray pyrolysis. <i>Materials Research Express</i> , 2020, 7, 055017. | 0.8 | 11 |
| 74 | Nano-size porous carbon spheres as a high-capacity anode with high initial coulombic efficiency for potassium-ion batteries. <i>Nanoscale Horizons</i> , 2020, 5, 895-903. | 4.1 | 42 |
| 75 | Spray drying-assisted recycling of spent LiFePO ₄ for synthesizing hollow spherical LiFePO ₄ /C. <i>Ionics</i> , 2020, 26, 4949-4960. | 1.2 | 7 |
| 76 | Droplet-oriented construction of porous metal oxide hollow microspheres and their assembly into superstructures. <i>New Journal of Chemistry</i> , 2020, 44, 12978-12984. | 1.4 | 0 |
| 77 | The MnO@N-doped carbon composite derived from electrospinning as cathode material for aqueous zinc ion battery. <i>Journal of Electroanalytical Chemistry</i> , 2020, 873, 114368. | 1.9 | 75 |
| 78 | Precursor Design Strategies for the Low-Temperature Synthesis of Functional Oxides: It's All in the Chemistry. <i>Chemistry - A European Journal</i> , 2020, 26, 9070-9083. | 1.7 | 3 |
| 79 | Prussian blue analogue nanocubes with hollow interior and porous walls encapsulated within reduced graphene oxide nanosheets and their sodium-ion storage performances. <i>Chemical Engineering Journal</i> , 2020, 393, 124606. | 6.6 | 31 |
| 80 | Suppressed polarization by epitaxial growth of SrTiO ₃ on BaTiO ₃ nanoparticles for high discharged energy density and efficiency nanocomposites. <i>Nanoscale</i> , 2020, 12, 8230-8236. | 2.8 | 31 |
| 81 | Hierarchically Rambutan-Like Zn ₃ V ₃ O ₈ Hollow Spheres as Anodes for Lithium/Potassium Ion Batteries. <i>Energy Technology</i> , 2020, 8, 2000010. | 1.8 | 14 |
| 82 | Electrochemical reaction mechanism of amorphous iron selenite with ultrahigh rate and excellent cyclic stability performance as new anode material for lithium-ion batteries. <i>Chemical Engineering Journal</i> , 2020, 389, 124350. | 6.6 | 42 |
| 83 | Morphology oriented CuS nanostructures: superior K-ion storage using surface enhanced pseudocapacitive effects. <i>Sustainable Energy and Fuels</i> , 2020, 4, 3574-3587. | 2.5 | 15 |
| 84 | Ultrathin hybrid nanobelts of single-crystalline VO ₂ and Poly(3,4-ethylenedioxythiophene) as cathode materials for aqueous zinc ion batteries with large capacity and high-rate capability. <i>Journal of Power Sources</i> , 2020, 463, 228223. | 4.0 | 65 |
| 85 | Preparation of benzoxazine-based N-doped mesoporous carbon material and its electrochemical behaviour as supercapacitor. <i>Journal of Electroanalytical Chemistry</i> , 2020, 868, 114196. | 1.9 | 16 |
| 86 | Porous FeP/C composite nanofibers as high-performance anodes for Li-ion/Na-ion batteries. <i>Materials Today Energy</i> , 2020, 16, 100410. | 2.5 | 23 |
| 87 | Graphene-wrapped MnO ₂ achieved by ultrasonic-assisted synthesis applicable for hybrid high-energy supercapacitors. <i>Vacuum</i> , 2020, 176, 109315. | 1.6 | 26 |
| 88 | Lithium fluoride as an efficient additive for improved electrochemical performance of Li-S batteries. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020, 598, 124737. | 2.3 | 5 |
| 89 | Structural, optical and thermoelectric properties of Al-doped ZnO thin films prepared by spray pyrolysis. <i>Surfaces and Interfaces</i> , 2020, 19, 100504. | 1.5 | 44 |
| 90 | Synthesis of a fine LiNi _{0.88} Co _{0.09} Al _{0.03} O ₂ cathode material for lithium-ion batteries via a solvothermal route and its improved high-temperature cyclic performance. <i>RSC Advances</i> , 2020, 10, 9917-9923. | 1.7 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | Designed formation of nitrogen-doped caramel sheathed bilateral hybrid oxides nanoarrays as ultra-stable anode for high-areal-capacity lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2020, 834, 155069. | 2.8 | 10 |
| 92 | Physical and electrical propertiesâ€™ evaluation of SnS:Cu thin films. <i>Surface Engineering</i> , 2021, 37, 137-147. | 1.1 | 6 |
| 93 | Characterization of CeO ₂ microspheres fabricated by an ultrasonic spray pyrolysis method. <i>Rare Metals</i> , 2021, 40, 31-39. | 3.6 | 13 |
| 94 | Na-containing manganese-based cathode materials synthesized by sol-gel method for zinc-based rechargeable aqueous battery. <i>Journal of Alloys and Compounds</i> , 2021, 858, 157744. | 2.8 | 12 |
| 95 | Biowaste-sustained MoSe ₂ composite as an efficient anode for sodium/potassium storage applications. <i>Journal of Alloys and Compounds</i> , 2021, 850, 156770. | 2.8 | 29 |
| 96 | Rational design of carbon materials as anodes for potassium-ion batteries. <i>Energy Storage Materials</i> , 2021, 34, 483-507. | 9.5 | 130 |
| 97 | An efficient ruthenium-based dual-electrocatalyst towards hydrogen evolution and oxygen reduction reactions. <i>Materials Today Physics</i> , 2021, 16, 100300. | 2.9 | 14 |
| 98 | Boosting capacitive storage of cathode for lithium-ion capacitors: Combining pore structure with P-doping. <i>Electrochimica Acta</i> , 2021, 368, 137646. | 2.6 | 24 |
| 99 | Micro-structured lepidocrocite-type H _{1.07} Ti _{1.73} O ₄ as anode for lithium-ion batteries with an ultrahigh rate and long-term cycling performance. <i>Rare Metals</i> , 2021, 40, 1391-1401. | 3.6 | 12 |
| 100 | Recent Progress in Functional Materials for Selective Detection and Removal of Mercury(II) Ions. <i>Advanced Functional Materials</i> , 2021, 31, . | 7.8 | 109 |
| 101 | Manufacturing and design of smart polymer composites. , 2021, , 27-84. | | 3 |
| 102 | Nanomaterials in thin-film form for new-generation energy storage device applications. , 2021, , 561-583. | | 5 |
| 103 | Ultrafast Synthesis for Functional Nanomaterials. <i>Cell Reports Physical Science</i> , 2021, 2, 100302. | 2.8 | 34 |
| 104 | Vapor-phase production of nanomaterials. <i>Chemical Society Reviews</i> , 2021, 50, 7132-7249. | 18.7 | 32 |
| 105 | Development of a Scanning Chemical Vapour Deposition Reactor for the realization of patterned and non-patterned depositions: a preliminary overview. <i>Thin Solid Films</i> , 2021, 717, 138446. | 0.8 | 0 |
| 106 | Robust hollow TiO ₂ spheres for lithium/sodium ion batteries with excellent cycling stability and rate capability. <i>Inorganic Chemistry Frontiers</i> , 2021, 8, 5024-5033. | 3.0 | 24 |
| 107 | A strategy and detailed explanations to the composites of Si/MWCNTs for lithium storage. <i>Carbon</i> , 2021, 171, 265-275. | 5.4 | 19 |
| 108 | Techniques and methods used for the fabrication of bionanocomposites. , 2021, , 17-43. | | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Current Status on the Manufacturing of Nanomaterials for Proton Exchange Membrane Energy Systems by Vapor-Based Processes. <i>Energy & Fuels</i> , 2021, 35, 1933-1956. | 2.5 | 10 |
| 110 | Preparation and Electrochemical Performance of V ₂ O ₅ @N-CNT/S Composite Cathode Materials. <i>Frontiers in Energy Research</i> , 2021, 8, . | 1.2 | 6 |
| 111 | Effect of chelating agents on the electrochemical performance of Li ₃ V ₂ (PO ₄) ₃ /C composite. <i>Fullerenes Nanotubes and Carbon Nanostructures</i> , 2021, 29, 724-731. | 1.0 | 1 |
| 112 | Facile Fabrication of CeO ₂ -Al ₂ O ₃ Hollow Sphere with Atomically Dispersed Fe via Spray Pyrolysis. <i>Inorganic Chemistry</i> , 2021, 60, 5183-5189. | 1.9 | 4 |
| 113 | Improvement of electrochemical performance by fluorinated multiwall carbon nanotubes interlayer in lithium-sulfur battery. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 8265-8274. | 1.1 | 3 |
| 114 | Towards a low cost fully integrated IGZO TFT NO ₂ detection and quantification: A solution-processed approach. <i>Sensors and Actuators B: Chemical</i> , 2021, 331, 129450. | 4.0 | 12 |
| 115 | Highly Dispersed Submicrometer Single Crystal Nickel-Rich Layered Cathode: Spray Synthesis and Accelerated Lithium Ion Transport. <i>Small</i> , 2021, 17, e2006869. | 5.2 | 68 |
| 116 | Microstructure-Dependent K ⁺ Storage in Porous Hard Carbon. <i>Small</i> , 2021, 17, e2100397. | 5.2 | 42 |
| 117 | Role of Al on the electrochemical performances of quaternary nickel-rich cathode LiNi _{0.8} Co _{0.1} Mn _{0.1} Al _{0.06} O ₂ (O _x 0.06) for lithium-ion batteries. <i>Journal of Electroanalytical Chemistry</i> , 2021, 888, 115200. | 1.9 | 15 |
| 118 | Ball-milling fabrication of PPy/Ni ₂ P/GO composites for high-performance supercapacitor electrodes. <i>Journal of Solid State Electrochemistry</i> , 2021, 25, 1975-1985. | 1.2 | 16 |
| 119 | Promotional effects of Cu ₂ O on the activity of Cu/ZnO catalyst toward efficient CO oxidation. <i>Applied Surface Science</i> , 2021, 548, 149241. | 3.1 | 20 |
| 120 | Review on biomass feedstocks, pyrolysis mechanism and physicochemical properties of biochar: State-of-the-art framework to speed up vision of circular bioeconomy. <i>Journal of Cleaner Production</i> , 2021, 297, 126645. | 4.6 | 202 |
| 121 | Nanostructured covalent organic frameworks with elevated crystallization for (electro)photocatalysis and energy storage devices. <i>Journal of Materials Science</i> , 2021, 56, 13875-13924. | 1.7 | 8 |
| 122 | First spray pyrolysis thin film fabrication of environment-friendly Cu ₂ BaSnS ₄ (CBTS) nanomaterials. <i>Chemical Physics Letters</i> , 2021, 770, 138406. | 1.2 | 6 |
| 123 | Directionally Tailoring Macroporous Honeycomb-Like Structured Carbon Nanofibers toward High-Capacitive Potassium Storage. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 30693-30702. | 4.0 | 25 |
| 124 | Reduced graphene oxide encapsulated MnO microspheres as an anode for high-rate lithium ion capacitors. <i>New Carbon Materials</i> , 2021, 36, 573-584. | 2.9 | 12 |
| 125 | High-Performance Flow Alkali/acid Hybrid Fuel Cell for High-Rate H ₂ Generation. <i>Advanced Functional Materials</i> , 2021, 31, 2103248. | 7.8 | 7 |
| 126 | Self-sacrificial-reaction guided formation of hierarchical electronic/ionic conductive shell enabling high-performance nano-silicon anode. <i>Chemical Engineering Journal</i> , 2021, 415, 128998. | 6.6 | 31 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 127 | Prospects and Challenges of MXenes as Emerging Sensing Materials for Flexible and Wearable Breath-Based Biomarker Diagnosis. <i>Advanced Healthcare Materials</i> , 2021, 10, e2100970. | 3.9 | 41 |
| 128 | Luminescence improvement of (Ti,Si)O ₂ :Eu ³⁺ /Li ⁺ spherical particles for anti-counterfeiting application. <i>Materials Chemistry and Physics</i> , 2021, 267, 124612. | 2.0 | 4 |
| 129 | Research Progress of Single-Crystal Nickel-Rich Cathode Materials for Lithium Ion Batteries. <i>Small Methods</i> , 2021, 5, e2100234. | 4.6 | 71 |
| 130 | Evaluation of spray pyrolysed In:ZnO nanostructures for CO gas sensing at low concentration. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 22599-22616. | 1.1 | 10 |
| 131 | Green Synthesis of Nanomaterials. <i>Nanomaterials</i> , 2021, 11, 2130. | 1.9 | 88 |
| 132 | Highly Conductive Tellurium and Telluride in Energy Storage. <i>ChemElectroChem</i> , 2021, 8, 4412-4426. | 1.7 | 20 |
| 133 | Recent progress in nanostructured electrodes for solid oxide fuel cells deposited by spray pyrolysis. <i>Journal of Power Sources</i> , 2021, 507, 230277. | 4.0 | 37 |
| 134 | Instant formation of excellent oxygen evolution catalyst film via controlled spray pyrolysis for electrocatalytic and photoelectrochemical water splitting. <i>Journal of Energy Chemistry</i> , 2022, 66, 657-665. | 7.1 | 4 |
| 135 | Nanostructured K _x Na _{1-x} NbO ₃ hollow spheres as potential materials for the photocatalytic treatment of polluted water. <i>Applied Catalysis B: Environmental</i> , 2021, 298, 120502. | 10.8 | 16 |
| 136 | Grain size regulation for balancing cycle performance and rate capability of LiNi _{0.9} Co _{0.055} Mn _{0.045} O ₂ single crystal nickel-rich cathode materials. <i>Journal of Energy Chemistry</i> , 2022, 65, 681-687. | 7.1 | 35 |
| 137 | Nanomaterials for electrochemical energy storage. <i>Frontiers of Nanoscience</i> , 2021, 18, 421-484. | 0.3 | 2 |
| 138 | Advanced development of metal oxide nanomaterials for H ₂ gas sensing applications. <i>Materials Advances</i> , 2021, 2, 1530-1569. | 2.6 | 28 |
| 140 | Vacancy-engineered MoO ₃ and Na ⁺ -preinserted MnO ₂ in situ grown N-doped graphene nanotubes as electrode materials for high-performance asymmetric supercapacitors. <i>Journal of Materials Chemistry A</i> , 2021, 9, 20794-20806. | 5.2 | 15 |
| 141 | Influence of deposition parameters on surface morphology and application of CuInS ₂ thin films in solar cell and photocatalysis. <i>International Journal of Hydrogen Energy</i> , 2020, 45, 16169-16182. | 3.8 | 12 |
| 142 | Highly oriented and fully dense CGO films prepared by spray-pyrolysis and different precursor salts. <i>Journal of the European Ceramic Society</i> , 2020, 40, 3080-3088. | 2.8 | 12 |
| 143 | ITO/SiO ₂ /n-Si heterojunction solar cell with bifacial 16.6%/14.6% front/rear efficiency produced by ultrasonic spray pyrolysis: Effect of conditions of SiO ₂ growth by wet-chemical oxidation. <i>Solar Energy</i> , 2020, 204, 395-405. | 2.9 | 14 |
| 144 | Effect of rapid thermal annealing on sprayed Cu ₂ SnS ₃ thin films for solar-cell application. <i>Japanese Journal of Applied Physics</i> , 2020, 59, 105503. | 0.8 | 2 |
| 145 | Interfacial Assembly and Applications of Functional Mesoporous Materials. <i>Chemical Reviews</i> , 2021, 121, 14349-14429. | 23.0 | 151 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 146 | Sintered Ni metal as a matrix of robust self-supporting electrode for ultra-stable hydrogen evolution. <i>Chemical Engineering Journal</i> , 2022, 430, 133040. | 6.6 | 14 |
| 147 | Polycrystalline Erbium Phthalocyanine Thin Films Deposited on Silicon and Porous Silicon by Ultrasonic Spray Pyrolysis: Optical, Morphological, and Electrical Characterizations. <i>Journal of Electronic Materials</i> , 2021, 50, 6951-6963. | 1.0 | 2 |
| 149 | Vacancy-mediated Interfacial Charge Transfer in Au-ZnO by Fe promoter for low-temperature CO oxidation.. <i>Journal of Environmental Chemical Engineering</i> , 2022, 10, 106651. | 3.3 | 1 |
| 150 | A comprehensive review of LiMnPO ₄ based cathode materials for lithium-ion batteries: current strategies to improve its performance. <i>Journal of Energy Storage</i> , 2021, 44, 103307. | 3.9 | 27 |
| 151 | Bismuth Ferrites: Synthesis Methods and Experimental Techniques. <i>SpringerBriefs in Materials</i> , 2020, , 47-67. | 0.1 | 2 |
| 152 | Electrical characterization and solar light sensitivity of SnS ₂ /n-Si junction. <i>Journal of the Institute of Science and Technology</i> , 0, , 214-224. | 0.3 | 0 |
| 153 | Mitigating the voltage fading and air sensitivity of O ₃ -type NaNi _{0.4} Mn _{0.4} Cu _{0.1} Ti _{0.1} O ₂ cathode material via La doping. <i>Chemical Engineering Journal</i> , 2022, 431, 133456. | 6.6 | 10 |
| 154 | Crafting a Next-Generation Device Using Iron Oxide Thin Film: A Review. <i>Crystal Growth and Design</i> , 2021, 21, 7326-7352. | 1.4 | 11 |
| 155 | Study of gold nanoparticlesâ€™ preparation through ultrasonic spray pyrolysis and lyophilisation for possible use as markers in LFIA tests. <i>Nanotechnology Reviews</i> , 2021, 10, 1978-1992. | 2.6 | 15 |
| 156 | Effect of calcination temperature and Ti substitution on optical properties of (Fe,Cr) ₂ O ₃ cool black pigment prepared by spray pyrolysis. <i>RSC Advances</i> , 2021, 12, 72-77. | 1.7 | 4 |
| 157 | Ultrasmall metal (Fe, Co, Ni) nanoparticles strengthen silicon oxide embedded nitrogen-doped carbon superstructures for long-cycle-life Li-ion-battery anodes. <i>Chemical Engineering Journal</i> , 2022, 432, 134413. | 6.6 | 23 |
| 158 | A review on dual-phase oxygen transport membranes: from fundamentals to commercial deployment. <i>Journal of Materials Chemistry A</i> , 2022, 10, 2152-2195. | 5.2 | 31 |
| 160 | Spray pyrolysis synthesis and UV-driven photocatalytic activity of mesoporous Al ₂ O ₃ @TiO ₂ microspheres. <i>Environmental Science and Pollution Research</i> , 2022, 29, 42991-43003. | 2.7 | 13 |
| 161 | Progress in Spray Coated Perovskite Films for Solar Cell Applications. <i>Solar Rrl</i> , 2022, 6, 2101035. | 3.1 | 21 |
| 162 | Spray pyrolysis synthesis of mesoporous Î³-AlOOH and Î³-Al ₂ O ₃ microspheres and their properties for Cr (VI) adsorption. <i>International Journal of Environmental Analytical Chemistry</i> , 2024, 104, 584-604. | 1.8 | 6 |
| 163 | Novel nanostructured electrocatalysts for fuel cell technology: Design, solution chemistry-based preparation approaches and application. <i>Nano Structures Nano Objects</i> , 2022, 29, 100831. | 1.9 | 2 |
| 164 | Visible light-driven H ₂ O ₂ synthesis by a Cu ₃ BiS ₃ photocathode via a photoelectrochemical indirect two-electron oxygen reduction reaction. <i>Applied Catalysis B: Environmental</i> , 2022, 307, 121152. | 10.8 | 25 |
| 165 | A review on advancements, challenges, and prospective of copper and non-copper based thin-film solar cells using facile spray pyrolysis technique. <i>Solar Energy</i> , 2022, 234, 81-102. | 2.9 | 45 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 166 | Accelerated Synthesis of Li(Ni _{0.8} Co _{0.1} Mn) _{0.1} Pyrolysis and Additives. SSRN Electronic Journal, 0, . | 0.4 | 0 |
| 167 | Iron-chalcogenide-based electrode materials for electrochemical energy storage. Journal of Materials Chemistry A, 2022, 10, 7517-7556. | 5.2 | 20 |
| 168 | Studies on Structural, Infrared and Optical Properties of Cobalt Ferrite Thin Film Grown by Spray Pyrolysis Technique. Advanced Materials Research, 0, 1169, 43-48. | 0.3 | 0 |
| 169 | Dynamic salt capsulated synthesis of carbon materials in air. Matter, 2022, 5, 1603-1615. | 5.0 | 5 |
| 170 | Combinatorial Synthesis and Screening of a Ternary NiFeCoO _x Library for the Oxygen Evolution Reaction. ACS Applied Energy Materials, 2022, 5, 4017-4024. | 2.5 | 5 |
| 171 | Cytotoxic and molecular assessment with copper and iron nanocomposite, act as a soft eradicator against cancer cells. Journal of King Saud University - Science, 2022, 34, 101908. | 1.6 | 3 |
| 172 | Accelerated synthesis of Li(Ni _{0.8} Co _{0.1} Mn _{0.1})O ₂ cathode materials using flame-assisted spray pyrolysis and additives. Journal of Power Sources, 2022, 528, 231244. | 4.0 | 8 |
| 173 | Defected MoS ₂ Modified by Vanadium-Substituted Keggin-Type Polyoxometalates as Electrocatalysts for Triiodide Reduction in Dye-Sensitized Solar Cells. Inorganic Chemistry, 2022, 61, 422-430. | 1.9 | 3 |
| 174 | Study of the Influence of Ga and In Doping on Organic Residuals in Solution-Processed IGZO Thin Films Deposited at Low-Temperature. Transactions on Electrical and Electronic Materials, 2022, 23, 489-498. | 1.0 | 1 |
| 175 | Direct ink writing of 2D material-based supercapacitors. 2D Materials, 2022, 9, 012001. | 2.0 | 23 |
| 176 | Structural properties of TiO ₂ -SnO ₂ thin films prepared by new pyrolysis solid-phase method. Journal of Physics: Conference Series, 2021, 2086, 012042. | 0.3 | 0 |
| 177 | Synthesis of Ni/Y ₂ O ₃ Nanocomposite through USP and Lyophilisation for Possible Use as Coating. Materials, 2022, 15, 2856. | 1.3 | 3 |
| 178 | Optimization with Taguchi Approach to Prepare Pure TiO ₂ Thin Films for Future Gas Sensor Application. Journal of Electronic Materials, 2022, 51, 3671-3683. | 1.0 | 13 |
| 179 | Synthesis and characterization of porous-crystalline C/Fe ₃ O ₄ microspheres by spray pyrolysis with steam oxidation as anode materials for Li-ion batteries. Advanced Powder Technology, 2022, 33, 103606. | 2.0 | 8 |
| 180 | Prospects of spray pyrolysis technique for gas sensor applications – A comprehensive review. Journal of Analytical and Applied Pyrolysis, 2022, 164, 105527. | 2.6 | 27 |
| 181 | Enhanced hydrogenation conversion efficiency of porous nickel particles with homogeneously distributed unimodal nanopores. Scripta Materialia, 2022, 216, 114761. | 2.6 | 0 |
| 182 | Nanostructured metal oxide semiconductor-based gas sensors: A comprehensive review. Sensors and Actuators A: Physical, 2022, 341, 113578. | 2.0 | 107 |
| 183 | Dual metal ions and water molecular pre-intercalated δ -MnO ₂ spherical microflowers for aqueous zinc ion batteries. Journal of Colloid and Interface Science, 2022, 623, 456-466. | 5.0 | 36 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 184 | Micro-Nano Structure Functionalized Perovskite Optoelectronics: From Structure Functionalities to Device Applications. <i>Advanced Functional Materials</i> , 2022, 32, . | 7.8 | 25 |
| 185 | Face-lifting the surface of $\text{LiNi}_{0.8}\text{Co}_{0.15}\text{Al}_{0.05}\text{O}_2$ cathode via $\text{Y}(\text{PO}_3)_3$ to form an in situ triple composite Li-ion conductor coating layer with the enhanced electrochemical performance. <i>Nanotechnology</i> , 2022, 33, 375701. | 1.3 | 3 |
| 186 | Solid-State Reaction Synthesis of Nanoscale Materials: Strategies and Applications. <i>Chemical Reviews</i> , 2022, 122, 12748-12863. | 23.0 | 35 |
| 187 | Nickel selenide nanorod arrays as an electrode material for lithium-ion batteries and supercapacitors. <i>Journal of Energy Storage</i> , 2022, 53, 105215. | 3.9 | 9 |
| 188 | A homogeneous copper bismuth sulfide photocathode prepared by spray pyrolysis deposition for efficient photoelectrochemical hydrogen generation. <i>Materials Letters</i> , 2022, 325, 132801. | 1.3 | 0 |
| 189 | Spray pyrolysis: Approaches for nanostructured metal oxide films in energy storage application. <i>Journal of Energy Storage</i> , 2022, 54, 105387. | 3.9 | 11 |
| 190 | The intercalation cathode materials of heterostructure MnS/MnO with dual ions defect embedded in N-doped carbon fibers for aqueous zinc ion batteries. <i>Energy Storage Materials</i> , 2022, 52, 180-188. | 9.5 | 61 |
| 191 | Tailored architectures of mesoporous carbon nanostructures: From synthesis to applications. <i>Nano Today</i> , 2022, 46, 101607. | 6.2 | 16 |
| 192 | Recent Advances in the Fabrication and Functionalization of Nanostructured Carbon Spheres for Energy Storage Applications. <i>KONA Powder and Particle Journal</i> , 2023, 40, 197-218. | 0.9 | 15 |
| 193 | Effect of transparent substrate on properties of CuInSe_2 thin films prepared by chemical spray pyrolysis. <i>Scientific Reports</i> , 2022, 12, . | 1.6 | 3 |
| 194 | Mesoporous sieve structured ITO-based thin films for enhanced formaldehyde detection. <i>Journal of Materials Science: Materials in Electronics</i> , 2022, 33, 23447-23467. | 1.1 | 5 |
| 195 | Preparation and characterization of NiFe_2O_4 thin films for supercapacitor applications. <i>Phase Transitions</i> , 2022, 95, 786-802. | 0.6 | 3 |
| 196 | Investigations on $\text{RuO}_2/\text{In}_2\text{O}_3$ nanostructured porous composite thin films for benzene detection. <i>Microporous and Mesoporous Materials</i> , 2022, 345, 112247. | 2.2 | 5 |
| 197 | Three-dimensional nanoporous activated carbon electrode derived from acacia wood for high-performance supercapacitor. <i>Frontiers in Chemistry</i> , 0, 10, . | 1.8 | 6 |
| 198 | Recent Progress in Surface Coatings for Sodium-Ion Battery Electrode Materials. <i>Electrochemical Energy Reviews</i> , 2022, 5, . | 13.1 | 28 |
| 199 | Water splitting performance of metal and non-metal-doped transition metal oxide electrocatalysts. <i>Coordination Chemistry Reviews</i> , 2023, 474, 214864. | 9.5 | 90 |
| 200 | Improved rate performance of nanoscale cross-linked polyacrylonitrile-surface-modified $\text{LiNi}_{0.8}\text{Co}_{0.1}\text{Mn}_{0.1}\text{O}_2$ lithium-ion cathode material with ion and electron transmission channels. <i>Nanoscale</i> , 2022, 14, 17331-17344. | 2.8 | 9 |
| 201 | Focus on the Electroplating Chemistry of Li Ions in Nonaqueous Liquid Electrolytes: Toward Stable Lithium Metal Batteries. <i>Electrochemical Energy Reviews</i> , 2022, 5, . | 13.1 | 29 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 202 | Photocatalytic Activity of ZnO/Ag Nanoparticles Fabricated by a Spray Pyrolysis Method with Different O ₂ :N ₂ Carrier Gas Ratios and Ag Contents. <i>Catalysts</i> , 2022, 12, 1374. | 1.6 | 7 |
| 203 | Effects of the preheating temperature on flame-assisted spray pyrolysis of nickel-rich cathode materials. <i>Proceedings of the Combustion Institute</i> , 2022, , . | 2.4 | 0 |
| 204 | Recent progress in copper-based inorganic nanostructure photocatalysts: properties, synthesis and photocatalysis applications. <i>Materials Today Sustainability</i> , 2023, 21, 100276. | 1.9 | 8 |
| 205 | Brief Introduction of HTS. <i>Nanostructure Science and Technology</i> , 2023, , 1-11. | 0.1 | 0 |
| 206 | Design of X ₂ (X=Ag or Mo)-Decorated VS ₂ Hybrid Nano-Structures with Abundant Active Edge Sites for High-Rate Asymmetric Supercapacitors and Hydrogen Evolution Reactions. <i>Small</i> , 2023, 19, . | 5.2 | 11 |
| 207 | Application of HTS in Material Preparation and New Devices. <i>Nanostructure Science and Technology</i> , 2023, , 145-192. | 0.1 | 0 |
| 208 | Development of conducting cellulose paper for electrochemical sensing of procalcitonin. <i>Mikrochimica Acta</i> , 2023, 190, . | 2.5 | 6 |
| 209 | Design of experiments optimization of fluorine-doped tin oxide films prepared by spray pyrolysis for photovoltaic applications. <i>Ceramics International</i> , 2023, 49, 13019-13030. | 2.3 | 4 |
| 210 | Photocatalytic NO _x Oxidation of BiOCl Nanostructure-Based Films Grown Using Aerosol-Assisted Chemical Vapor Deposition. <i>ACS Applied Nano Materials</i> , 2023, 6, 738-749. | 2.4 | 2 |
| 211 | Reduced graphene oxide coated modified SnO ₂ forms excellent potassium storage properties. <i>Ceramics International</i> , 2023, 49, 15741-15750. | 2.3 | 5 |
| 212 | Theoretical validation of experimental properties of TiO ₂ prepared through organometallic precursors. <i>Applied Organometallic Chemistry</i> , 2023, 37, . | 1.7 | 4 |
| 213 | Preparation of porous carbon spheres and their application as anode materials for lithium-ion batteries: A review. <i>Materials Today Nano</i> , 2023, 22, 100321. | 2.3 | 7 |
| 214 | Photoelectrocatalytic oxygen evolution reaction on visible-light irradiated W-doped alkali niobate-based perovskite. <i>Applied Catalysis A: General</i> , 2023, 659, 119171. | 2.2 | 0 |
| 215 | Highly selective and sensitive detection of carcinogenic benzene using a raisin bread-structured film comprising catalytic Pd-Co ₃ O ₄ and gas-sensing SnO ₂ hollow spheres. <i>Sensors and Actuators B: Chemical</i> , 2023, 386, 133750. | 4.0 | 3 |
| 216 | Research Progress on Enhancing the Performance of High Nickel Single Crystal Cathode Materials for Lithium-Ion Batteries. <i>Industrial & Engineering Chemistry Research</i> , 2023, 62, 2410-2427. | 1.8 | 9 |
| 217 | An comprehensive review on the spray pyrolysis technique: Historical context, operational factors, classifications, and product applications. <i>Journal of Analytical and Applied Pyrolysis</i> , 2023, 170, 105915. | 2.6 | 17 |
| 218 | A Fresh One-Step Spray Pyrolysis Approach to Prepare Nickel-Rich Cathode Material for Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 0, , . | 4.0 | 0 |
| 219 | Recent trends in graphene assisted vanadium based nanocomposites for supercapacitor applications. <i>Journal of Energy Storage</i> , 2023, 63, 107006. | 3.9 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 220 | A practical guide to pulsed laser deposition. <i>Chemical Society Reviews</i> , 2023, 52, 2294-2321. | 18.7 | 20 |
| 221 | Synthesis of hollow spherical WO ₃ powder by spray solution combustion and its photocatalytic properties. <i>Ceramics International</i> , 2023, 49, 21175-21184. | 2.3 | 3 |
| 222 | Synthesis of porous C/Fe ₃ O ₄ microspheres by spray pyrolysis with NaNO ₃ additive for lithium-ion battery applications. <i>Journal of Solid State Electrochemistry</i> , 2023, 27, 2127-2137. | 1.2 | 2 |
| 223 | Anchoring Pt Particles onto Mesoporous ZnO Holey Cubes for Triethylamine Detection with Multifaceted Superiorities. <i>Small</i> , 2023, 19, . | 5.2 | 3 |
| 229 | Potential of MXenes as a novel material for spintronic devices: a review. <i>Physical Chemistry Chemical Physics</i> , 2023, 25, 18584-18608. | 1.3 | 9 |
| 231 | Spray Pyrolysis: Thin Film Coating. , 2023, , 347-386. | | 1 |
| 243 | Nanocomposite electrodes as a new opportunity to transform the performance of solid oxide cells. <i>Journal of Materials Chemistry A</i> , 2023, 11, 25803-25824. | 5.2 | 3 |
| 247 | An efficient Ni ₃ S ₂ â€“Ni electrode constructed by a one-step powder metallurgy approach for the hydrogen evolution reaction. <i>Sustainable Energy and Fuels</i> , 2023, 8, 29-35. | 2.5 | 1 |
| 248 | The Conduction Mechanism in Micron-Thick ZnO Layers Grown on Si Substrates by Spray Pyrolysis. , 2023, , . | | 1 |
| 258 | Challenges in the synthesis of ceramic nanoparticles and its applications in the energy sector. , 2024, , 117-152. | | 0 |
| 259 | Dynamic of microemulsion nanoparticle precipitation: Sensitivity analysis of particle nucleation and growth order. <i>AIP Conference Proceedings</i> , 2024, , . | 0.3 | 0 |