

Efficient, stable and scalable perovskite solar cells using

Nature

567, 511-515

DOI: [10.1038/s41586-019-1036-3](https://doi.org/10.1038/s41586-019-1036-3)

Citation Report

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 2  | High-performance CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> inverted planar perovskite solar cells via ammonium halide additives. <i>Journal of Industrial and Engineering Chemistry</i> , 2019, 80, 265-272. | 2.9  | 19        |
| 3  | <sup>2</sup> vapor-induced degradation of formamidinium lead iodide based perovskite solar cells under heat–light soaking conditions. <i>Energy and Environmental Science</i> , 2019, 12, 3074-3088.                | 15.6 | 131       |
| 4  | Photophysics of lead-free tin halide perovskite films and solar cells. <i>APL Materials</i> , 2019, 7, .  | 2.2  | 32        |
| 5  | Photochemically Cross-Linked Quantum Well Ligands for 2D/3D Perovskite Photovoltaics with Improved Photovoltage and Stability. <i>Journal of the American Chemical Society</i> , 2019, 141, 14180-14189.            | 6.6  | 107       |
| 6  | A Modulated Double–Passivation Strategy Toward Highly Efficient Perovskite Solar Cells with Efficiency Over 21%. <i>Solar Rrl</i> , 2019, 3, 1900291.   | 3.1  | 12        |
| 7  | A New Organic Interlayer Spacer for Stable and Efficient 2D Ruddlesden–Popper Perovskite Solar Cells. <i>Nano Letters</i> , 2019, 19, 5237-5245.  | 4.5  | 76        |
| 8  | Ligand-Induced Surface Charge Density Modulation Generates Local Type-II Band Alignment in Reduced-Dimensional Perovskites. <i>Journal of the American Chemical Society</i> , 2019, 141, 13459-13467.               | 6.6  | 62        |
| 9  | Suppressing the ions-induced degradation for operationally stable perovskite solar cells. <i>Nano Energy</i> , 2019, 64, 103962.  | 8.2  | 55        |
| 10 | Fully-ambient-air and antisolvent-free-processed stable perovskite solar cells with perovskite-based composites and interface engineering. <i>Nano Energy</i> , 2019, 64, 103964.                                   | 8.2  | 35        |
| 11 | Scalable Fabrication of Metal Halide Perovskite Solar Cells and Modules. <i>ACS Energy Letters</i> , 2019, 4, 2147-2167.  | 8.8  | 161       |
| 12 | Comparison of mesoporous materials based on mixed-organic-cation hole-conductor-free perovskite solar cells. <i>Applied Surface Science</i> , 2019, 493, 975-981.   | 3.1  | 11        |
| 13 | Bilayer chlorophyll derivatives as efficient hole-transporting layers for perovskite solar cells. <i>Materials Chemistry Frontiers</i> , 2019, 3, 2357-2362.  | 3.2  | 16        |
| 14 | Review of Stability Enhancement for Formamidinium–Based Perovskites. <i>Solar Rrl</i> , 2019, 3, 1900215.   | 3.1  | 60        |
| 15 | A dopant-free polyelectrolyte hole-transport layer for high efficiency and stable planar perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2019, 7, 18898-18905.                                    | 5.2  | 36        |
| 16 | Dithieno[3,2–b:2–b',3–a'–d]pyrrol–Cored Hole Transport Material Enabling Over 21% Efficiency Dopant–Free Perovskite Solar Cells. <i>Advanced Functional Materials</i> , 2019, 29, 1904300.                          | 7.8  | 114       |
| 17 | Surface Plasmon–Assisted Transparent Conductive Electrode for Flexible Perovskite Solar Cells. <i>Advanced Optical Materials</i> , 2019, 7, 1900847.  | 3.6  | 13        |
| 18 | High Efficiency (16.37%) of Cesium Bromide–Passivated All–Inorganic CsPbI <sub>2</sub> Br Perovskite Solar Cells. <i>Solar Rrl</i> , 2019, 3, 1900254.  | 3.1  | 91        |
| 19 | Molecular doping of CuSCN for hole transporting layers in inverted-type planar perovskite solar cells. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 2158-2166.   | 3.0  | 31        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 20 | A new polytriarylamine derivative for dopant-free high-efficiency perovskite solar cells. <i>Sustainable Energy and Fuels</i> , 2019, 3, 2627-2632.   | 2.5  | 32        |
| 21 | Light coupling to quasi-guided modes in nanoimprinted perovskite solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2019, 201, 110080.  | 3.0  | 29        |
| 22 | Side-Chain Engineering on Dopant-Free Hole-Transporting Polymers toward Highly Efficient Perovskite Solar Cells (20.19%). <i>Advanced Functional Materials</i> , 2019, 29, 1904856.   | 7.8  | 69        |
| 23 | From Macroscopic to Nanoscopic Current Hysteresis Suppressed by Fullerene in Perovskite Solar Cells. <i>Solar Rrl</i> , 2019, 3, 1900235.   | 3.1  | 10        |
| 24 | Îœethylammonium Chloride: A Key Additive for Highly Efficient, Stable, and Up-Scalable Perovskite Solar Cells. <i>Energy and Environmental Materials</i> , 2019, 2, 79-92.  | 7.3  | 79        |
| 25 | Scalable Deposition Methods for Large-Area Production of Perovskite Thin Films. <i>Energy and Environmental Materials</i> , 2019, 2, 119-145.   | 7.3  | 153       |
| 26 | Chemical Vapor Deposition of Organic-Inorganic Bismuth-Based Perovskite Films for Solar Cell Application. <i>Scientific Reports</i> , 2019, 9, 9774.  | 1.6  | 45        |
| 27 | Reusable Chemically Micropatterned Substrates via Sequential Photoinitiated Thiol-Ene Reactions as a Template for Perovskite Thin-Film Microarrays. <i>ACS Applied Electronic Materials</i> , 2019, 1, 2279-2286.                 | 2.0  | 2         |
| 28 | An Interlayer with Strong Pb-Cl Bond Delivers Ultraviolet-Filter-Free, Efficient, and Photostable Perovskite Solar Cells. <i>IScience</i> , 2019, 21, 217-227.  | 1.9  | 43        |
| 29 | Efficient and Stable Mesoscopic Perovskite Solar Cells Using PDTITT as a New Hole Transporting Layer. <i>Advanced Functional Materials</i> , 2019, 29, 1905887.   | 7.8  | 29        |
| 30 | Review on Recent Progress of All-Inorganic Metal Halide Perovskites and Solar Cells. <i>Advanced Materials</i> , 2019, 31, e1902851.  | 11.1 | 309       |
| 31 | Predictions and Strategies Learned from Machine Learning to Develop High-Performing Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2019, 9, 1901891.  | 10.2 | 83        |
| 32 | A Dopant-Free Polymeric Hole-Transporting Material Enabled High Fill Factor Over 81% for Highly Efficient Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2019, 9, 1902600.  | 10.2 | 89        |
| 33 | Enhanced Lifetime and Photostability with Low-Temperature Mesoporous ZnTiO <sub>3</sub> /Compact SnO <sub>2</sub> Electrodes in Perovskite Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 18460-18465. | 7.2  | 33        |
| 34 | Doping Strategy for Efficient and Stable Triple Cation Hybrid Perovskite Solar Cells and Module Based on Poly(3-hexylthiophene) Hole Transport Layer. <i>Small</i> , 2019, 15, e1904399.  | 5.2  | 55        |
| 35 | Molecular engineering of a conjugated polymer as a hole transporting layer for versatile perovskite solar cells. <i>Materials Today Energy</i> , 2019, 14, 100341.  | 2.5  | 12        |
| 36 | Vapor Phase Selective Growth of Two-Dimensional Perovskite/WS <sub>2</sub> Heterostructures for Optoelectronic Applications. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 40503-40511.                               | 4.0  | 39        |
| 37 | Double-Helicene-Based Hole-Transporter for Perovskite Solar Cells with 22% Efficiency and Operation Durability. <i>ACS Energy Letters</i> , 2019, 4, 2683-2688.   | 8.8  | 56        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 38 | Role of Moisture in the Preparation of Efficient Planar Perovskite Solar Cells. ACS Sustainable Chemistry and Engineering, 2019, 7, 17691-17696.   | 3.2  | 20        |
| 39 | Delocalized molecule surface electronic modification for enhanced performance and high environmental stability of CsPbI <sub>2</sub> Br perovskite solar cells. Nano Energy, 2019, 66, 104180.                           | 8.2  | 40        |
| 40 | Characterization and analysis of FA <sub>x</sub> Cs(1-x)Pb(I <sub>y</sub> Br(1-y)) <sub>3</sub> perovskite solar cells with thickness controlled transport layers for performance optimization. AIP Advances, 2019, 9, . | 0.6  | 5         |
| 41 | Charge Carrier Collection and Contact Selectivity in Solar Cells. Advanced Materials Interfaces, 2019, 6, 1900252.   | 1.9  | 39        |
| 42 | Optimal Interfacial Engineering with Different Length of Alkylammonium Halide for Efficient and Stable Perovskite Solar Cells. Advanced Energy Materials, 2019, 9, 1902740.  | 10.2 | 209       |
| 43 | Engineering Halide Perovskite Crystals through Precursor Chemistry. Small, 2019, 15, e1903613.   | 5.2  | 82        |
| 44 | Toward Highly Thermal Stable Perovskite Solar Cells by Rational Design of Interfacial Layer. IScience, 2019, 22, 534-543.  | 1.9  | 38        |
| 45 | Interfacial Passivation for Perovskite Solar Cells: The Effects of the Functional Group in Phenethylammonium Iodide. ACS Energy Letters, 2019, 4, 2913-2921.   | 8.8  | 176       |
| 46 | Efficient, stable solar cells by using inherent bandgap of $\delta$ -phase formamidinium lead iodide. Science, 2019, 366, 749-753.   | 6.0  | 936       |
| 47 | Analysis of highly efficient perovskite solar cells with inorganic hole transport material. Chinese Physics B, 2019, 28, 128801.   | 0.7  | 10        |
| 48 | Surface Treatment on Nickel Oxide to Enhance the Efficiency of Inverted Perovskite Solar Cells. International Journal of Photoenergy, 2019, 2019, 1-7.   | 1.4  | 4         |
| 49 | A Potential Hybrid Hole-Transport Material Incorporating a Redox-Active Tetrathiafulvalene Derivative with CuSCN. Inorganic Chemistry, 2019, 58, 15824-15831.  | 1.9  | 4         |
| 50 | Toward Scalable PbS Quantum Dot Solar Cells Using a Tailored Polymeric Hole Conductor. ACS Energy Letters, 2019, 4, 2850-2858.   | 8.8  | 61        |
| 51 | Enhanced Stability of MAPbI <sub>3</sub> Perovskite Solar Cells using Poly(p-chloro-xylylene) Encapsulation. Scientific Reports, 2019, 9, 15461.   | 1.6  | 60        |
| 52 | Accelerating the Screening of Perovskite Compositions for Photovoltaic Applications through High-Throughput Inkjet Printing. Advanced Functional Materials, 2019, 29, 1905487.   | 7.8  | 37        |
| 53 | Enhanced Lifetime and Photostability with Low-Temperature Mesoporous ZnTiO <sub>3</sub> /Compact SnO <sub>2</sub> Electrodes in Perovskite Solar Cells. Angewandte Chemie, 2019, 131, 18631-18636.                       | 1.6  | 13        |
| 54 | Electron Transport Bilayer with Cascade Energy Alignment for Efficient Perovskite Solar Cells. Solar Rrl, 2019, 3, 1900333.  | 3.1  | 49        |
| 55 | Thermally Stable Inorganic CsPbI <sub>2</sub> Br Mesoscopic Metal Halide Perovskite Solar Submodules. ACS Applied Materials & Interfaces, 2019, 11, 43066-43074.   | 4.0  | 21        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 56 | Hole-Boosted Cu(Cr,M)O <sub>2</sub> Nanocrystals for All-Inorganic CsPbBr <sub>3</sub> Perovskite Solar Cells. <i>Angewandte Chemie</i> , 2019, 131, 16293-16297.   | 1.6  | 25        |
| 57 | Hole-Boosted Cu(Cr,M)O <sub>2</sub> Nanocrystals for All-Inorganic CsPbBr <sub>3</sub> Perovskite Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 16147-16151.  | 7.2  | 118       |
| 58 | A novel inorganic hole-transporting material of CuInS <sub>2</sub> for perovskite solar cells with high efficiency and improved stability. <i>Organic Electronics</i> , 2019, 75, 105430.   | 1.4  | 34        |
| 59 | Targeted Therapy for Interfacial Engineering Toward Stable and Efficient Perovskite Solar Cells. <i>Advanced Materials</i> , 2019, 31, e1903691.  | 11.1 | 125       |
| 60 | Spontaneous Interface Ion Exchange: Passivating Surface Defects of Perovskite Solar Cells with Enhanced Photovoltage. <i>Advanced Energy Materials</i> , 2019, 9, 1902142.  | 10.2 | 63        |
| 61 | Interfacial Bonding and Electronic Structure between Copper Thiocyanate and Hybrid Organohalide Lead Perovskites for Photovoltaic Application. <i>Journal of Physical Chemistry Letters</i> , 2019, 10, 5609-5616.  | 2.1  | 4         |
| 62 | Inorganic perovskite solar cells: an emerging member of the photovoltaic community. <i>Journal of Materials Chemistry A</i> , 2019, 7, 21036-21068.   | 5.2  | 137       |
| 63 | Flexible Perovskite Solar Cells. <i>Joule</i> , 2019, 3, 1850-1880.   | 11.7 | 242       |
| 64 | Cs-Doped TiO <sub>2</sub> Nanorod Array Enhances Electron Injection and Transport in Carbon-Based CsPbI <sub>3</sub> Perovskite Solar Cells. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 16927-16932.   | 3.2  | 35        |
| 65 | Facile Interfacial Engineering of Mesoporous TiO <sub>2</sub> for Low-Temperature Processed Perovskite Solar Cells. <i>Nanomaterials</i> , 2019, 9, 1220.   | 1.9  | 7         |
| 66 | Global discovery of stable and non-toxic hybrid organic-inorganic perovskites for photovoltaic systems by combining machine learning method with first principle calculations. <i>Nano Energy</i> , 2019, 66, 104070.   | 8.2  | 48        |
| 67 | Crystal Structure Ideality Impact on Bimolecular, Auger, and Diffusion Coefficients in Mixed-Cation Cs <sub>x</sub> MA <sub>1-x</sub> PbBr <sub>3</sub> and Cs <sub>x</sub> FA <sub>1-x</sub> PbBr <sub>3</sub> Perovskites. <i>Journal of Physical Chemistry C</i> , 2019, 123, 23838-23844. | 1.5  | 5         |
| 68 | Crystal Orientation Drives the Interface Physics at Two/Three-Dimensional Hybrid Perovskites. <i>Journal of Physical Chemistry Letters</i> , 2019, 10, 5713-5720.   | 2.1  | 47        |
| 69 | Effects of dengue immunity on Zika virus infection. <i>Nature</i> , 2019, 567, 467-468.   | 13.7 | 8         |
| 70 | Solar cells boosted by an improved charge-carrying material. <i>Nature</i> , 2019, 567, 465-467.  | 13.7 | 16        |
| 71 | Hot Scientific Debate on Halide Perovskites: Fundamentals, Photovoltaics, and Optoelectronics at Eighth Sungkyun International Solar Forum 2019 (SISF 2019). <i>ACS Energy Letters</i> , 2019, 4, 2475-2479.  | 8.8  | 5         |
| 72 | Standardizing Perovskite Solar Modules beyond Cells. <i>Joule</i> , 2019, 3, 2076-2085.   | 11.7 | 56        |
| 73 | Mg Doped CuCrO <sub>2</sub> as Efficient Hole Transport Layers for Organic and Perovskite Solar Cells. <i>Nanomaterials</i> , 2019, 9, 1311.  | 1.9  | 24        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 74 | Skillfully deflecting the question: a small amount of piperazine-1,4-dium iodide radically enhances the thermal stability of CsPb <sub>3</sub> perovskite. <i>Journal of Materials Chemistry C</i> , 2019, 7, 11757-11763.                                    | 2.7 | 32        |
| 75 | Solution-Processed Ultrahigh Detectivity Photodetectors by Hybrid Perovskite Incorporated with Heterovalent Neodymium Cations. <i>ACS Omega</i> , 2019, 4, 15873-15878.   | 1.6 | 13        |
| 76 | Oxidized Nickel films as highly transparent HTLs for inverted planar perovskite solar cells. <i>Solar Energy</i> , 2019, 193, 387-394.  | 2.9 | 32        |
| 77 | Deconstruction-assisted perovskite formation for sequential solution processing of Cs <sub>0.15</sub> (MA <sub>0.7</sub> FA <sub>0.3</sub> ) <sub>0.85</sub> PbI <sub>3</sub> solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2019, 203, 110200. | 3.0 | 8         |
| 78 | Unraveling the Structure–Property Relationship of Molecular Hole-Transporting Materials for Perovskite Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 39001-39009.  | 4.0 | 39        |
| 79 | Impact of Oxygen on the Electronic Structure of Triple-Cation Halide Perovskites. , 2019, 1, 506-510.   |     | 30        |
| 80 | Deciphering photocarrier dynamics for tuneable high-performance perovskite-organic semiconductor heterojunction phototransistors. <i>Nature Communications</i> , 2019, 10, 4475.  | 5.8 | 49        |
| 81 | Broadband White Emission in Cs <sub>2</sub> AgIn <sub>1-x</sub> Bi <sub>x</sub> Cl <sub>6</sub> Phosphors. <i>Inorganic Chemistry</i> , 2019, 58, 13403-13410.  | 1.9 | 58        |
| 82 | Solar cell efficiency tables (version 54). <i>Progress in Photovoltaics: Research and Applications</i> , 2019, 27, 565-575.   | 4.4 | 1,096     |
| 83 | Spin-Coating Process for 10 cm × 10 cm Perovskite Solar Modules Enabled by Self-Assembly of SnO <sub>2</sub> Nanocolloids. <i>ACS Energy Letters</i> , 2019, 4, 1845-1851.  | 8.8 | 56        |
| 84 | Meniscus fabrication of halide perovskite thin films at high throughput for large area and low-cost solar panels. <i>International Journal of Extreme Manufacturing</i> , 2019, 1, 022004.  | 6.3 | 50        |
| 85 | Three-dimensional perovskite modulated by two-dimensional homologue as light-absorbing materials for efficient solar cells. <i>Organic Electronics</i> , 2019, 74, 126-134.   | 1.4 | 14        |
| 86 | Two-Dimensional Material Interface Engineering for Efficient Perovskite Large-Area Modules. <i>ACS Energy Letters</i> , 2019, 4, 1862-1871.   | 8.8 | 125       |
| 87 | Soldering Grain Boundaries Yields Inverted Perovskite Solar Cells with Enhanced Open-Circuit Voltages. <i>Advanced Materials Interfaces</i> , 2019, 6, 1900474.   | 1.9 | 17        |
| 88 | Methods and strategies for achieving high-performance carbon-based perovskite solar cells without hole transport materials. <i>Journal of Materials Chemistry A</i> , 2019, 7, 15476-15490.   | 5.2 | 85        |
| 89 | Highly efficient and stable inverted perovskite solar cells using down-shifting quantum dots as a light management layer and moisture-assisted film growth. <i>Journal of Materials Chemistry A</i> , 2019, 7, 14753-14760.                                   | 5.2 | 67        |
| 90 | Achieving Long-Term Operational Stability of Perovskite Solar Cells with a Stabilized Efficiency Exceeding 20% after 1000 h. <i>Advanced Science</i> , 2019, 6, 1900528.  | 5.6 | 70        |
| 91 | Perovskite films with a sacrificial cation for solar cells with enhanced stability based on carbon electrodes. <i>Journal of Alloys and Compounds</i> , 2019, 797, 811-819.   | 2.8 | 21        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 92  | Microstructural Study of Two-Dimensional Organic-Inorganic Hybrid Perovskite Nanosheet Degradation under Illumination. <i>Nanomaterials</i> , 2019, 9, 722.  | 1.9  | 16        |
| 93  | Comparative Study on Perovskite Solar Cells Using Inorganic Transport Layers. , 2019, , .  |      | 5         |
| 94  | Strategies to Fabricate Flexible SnO <sub>2</sub> Based Perovskite Solar Cells Using Pre-Crystallized SnO <sub>2</sub> . <i>Journal of Physics: Conference Series</i> , 2019, 1346, 012036.                              | 0.3  | 0         |
| 95  | Controlled Growth of BiSI Nanorod-Based Films through a Two-Step Solution Process for Solar Cell Applications. <i>Nanomaterials</i> , 2019, 9, 1650.   | 1.9  | 21        |
| 96  | Polymeric, Cost-Effective, Dopant-Free Hole Transport Materials for Efficient and Stable Perovskite Solar Cells. <i>Journal of the American Chemical Society</i> , 2019, 141, 19700-19707.                               | 6.6  | 119       |
| 97  | Study on the Movements of Organometallic Halide Perovskite Crystals on their Films. <i>ChemistrySelect</i> , 2019, 4, 13904-13907.   | 0.7  | 0         |
| 98  | Constructive molecular configurations for surface-defect passivation of perovskite photovoltaics. <i>Science</i> , 2019, 366, 1509-1513.   | 6.0  | 846       |
| 99  | Hot electron injection into semiconducting polymers in polymer based-perovskite solar cells and their fate. <i>Nanoscale</i> , 2019, 11, 23357-23365.  | 2.8  | 3         |
| 100 | Synergistic effect of charge separation and defect passivation using zinc porphyrin dye incorporation for efficient and stable perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2019, 7, 26334-26341.   | 5.2  | 44        |
| 101 | Ruthenium pentamethylcyclopentadienyl mesitylene dimer: a sublimable n-dopant and electron buffer layer for efficient n-i-p perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2019, 7, 25796-25801.      | 5.2  | 6         |
| 102 | Lasing from reduced dimensional perovskite microplatelets: Fabry-Pérot or whispering-gallery-mode?. <i>Journal of Chemical Physics</i> , 2019, 151, 211101.  | 1.2  | 12        |
| 103 | High Photovoltage Inverted Planar Heterojunction Perovskite Solar Cells with All-Inorganic Selective Contact Layers. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 46894-46901.                              | 4.0  | 20        |
| 104 | Efficient and Stable Low-Bandgap Perovskite Solar Cells Enabled by a CsPbBr <sub>3</sub> -Cluster Assisted Bottom-up Crystallization Approach. <i>Journal of the American Chemical Society</i> , 2019, 141, 20537-20546. | 6.6  | 79        |
| 105 | Nearly Isotropic Conjugated Polymer Aggregates with Efficient Local Exciton Diffusion. <i>Journal of Physical Chemistry C</i> , 2019, 123, 29418-29426.  | 1.5  | 4         |
| 106 | Hybrid organic-metal oxide multilayer channel transistors with high operational stability. <i>Nature Electronics</i> , 2019, 2, 587-595.   | 13.1 | 49        |
| 107 | Reconfiguration of interfacial energy band structure for high-performance inverted structure perovskite solar cells. <i>Nature Communications</i> , 2019, 10, 4593.  | 5.8  | 214       |
| 108 | Monolithic all-perovskite tandem solar cells with 24.8% efficiency exploiting comproportionation to suppress Sn(II) oxidation in precursor ink. <i>Nature Energy</i> , 2019, 4, 864-873.                                 | 19.8 | 736       |
| 109 | Dopant-free molecular hole transport material that mediates a 20% power conversion efficiency in a perovskite solar cell. <i>Energy and Environmental Science</i> , 2019, 12, 3502-3507.                                 | 15.6 | 90        |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 110 | Excited-state stability of quasi-two-dimensional metal halide perovskite films under optical and electrical excitations. <i>Applied Physics Letters</i> , 2019, 115, .         | 1.5  | 9         |
| 111 | A Review on Additives for Halide Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2020, 10, 1902492.   | 10.2 | 240       |
| 112 | Perovskite Solar Cells: Can We Go Organic-Free, Lead-Free, and Dopant-Free?. <i>Advanced Energy Materials</i> , 2020, 10, 1902500.   | 10.2 | 198       |
| 113 | Tin Halide Perovskites: Progress and Challenges. <i>Advanced Energy Materials</i> , 2020, 10, 1902584.   | 10.2 | 124       |
| 114 | Recent Progresses on Defect Passivation toward Efficient Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2020, 10, 1902650.   | 10.2 | 516       |
| 115 | Progress of Surface Science Studies on ABX <sub>3</sub> -Based Metal Halide Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2020, 10, 1902726.                      | 10.2 | 87        |
| 116 | Interfacial Bridge Using a <i>cis</i> -Fulleropyrrolidine for Efficient Planar Perovskite Solar Cells with Enhanced Stability. <i>Small Methods</i> , 2020, 4, 1900476.        | 4.6  | 65        |
| 117 | Present Status and Research Prospects of Tin-based Perovskite Solar Cells. <i>Solar Rrl</i> , 2020, 4, 1900310.  | 3.1  | 60        |
| 118 | P3HT with Zn(C <sub>6</sub> F <sub>5</sub> ) <sub>2</sub> as p-Type Dopant for the Enhanced Performance of Planar Perovskite Solar Cells. <i>Solar Rrl</i> , 2020, 4, 1900340. | 3.1  | 16        |
| 119 | Ammonium Fluoride Interface Modification for High-Performance and Long-Term Stable Perovskite Solar Cells. <i>Energy Technology</i> , 2020, 8, 1901017.                        | 1.8  | 12        |
| 120 | Surface modification induced by perovskite quantum dots for triple-cation perovskite solar cells. <i>Nano Energy</i> , 2020, 67, 104189.                                       | 8.2  | 81        |
| 121 | To Be Higher and Stronger—Metal Oxide Electron Transport Materials for Perovskite Solar Cells. <i>Small</i> , 2020, 16, e1902579.  | 5.2  | 80        |
| 122 | Verringerung schädlicher Defekte für leistungsstarke Metallhalogenid-Perowskit-Solarzellen. <i>Angewandte Chemie</i> , 2020, 132, 6740-6764.                                   | 1.6  | 16        |
| 123 | Interfacial Post-treatment for Enhancing the Performance of Printable Carbon-based Perovskite Solar Cells. <i>Solar Rrl</i> , 2020, 4, 1900278.                                | 3.1  | 23        |
| 124 | Review on Practical Interface Engineering of Perovskite Solar Cells: From Efficiency to Stability. <i>Solar Rrl</i> , 2020, 4, 1900257.  | 3.1  | 119       |
| 125 | A highly efficient perovskite photovoltaic-aqueous Li/Na-ion battery system. <i>Energy Storage Materials</i> , 2020, 24, 557-564.  | 9.5  | 26        |
| 126 | Carbon-Electrode Based Perovskite Solar Cells: Effect of Bulk Engineering and Interface Engineering on the Power Conversion Properties. <i>Solar Rrl</i> , 2020, 4, 1900190.   | 3.1  | 45        |
| 127 | Strategies Toward Extending the Near-Infrared Photovoltaic Response of Perovskite Solar Cells. <i>Solar Rrl</i> , 2020, 4, 1900280.  | 3.1  | 13        |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 128 | Reducing Detrimental Defects for High-Performance Metal Halide Perovskite Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 6676-6698.   | 7.2  | 334       |
| 129 | Highly efficient perovskite solar cells based on symmetric hole transport material constructed with indaceno[1,2-b:5,6-b']dithiophene core building block. <i>Journal of Energy Chemistry</i> , 2020, 43, 98-103.    | 7.1  | 31        |
| 130 | Influence of halogen content in mixed halide perovskite solar cells on cell performances through device simulation. <i>Solar Energy Materials and Solar Cells</i> , 2020, 205, 110252.                               | 3.0  | 15        |
| 131 | Printable materials for printed perovskite solar cells. <i>Flexible and Printed Electronics</i> , 2020, 5, 014002.   | 1.5  | 2         |
| 132 | Modified HTL-induced efficiency enhancement for inverted perovskite solar cells. <i>Organic Electronics</i> , 2020, 78, 105557.  | 1.4  | 13        |
| 133 | Additive Engineering for Efficient and Stable Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2020, 10, 1902579.  | 10.2 | 477       |
| 134 | Flexible perovskite solar cells: device design and perspective. <i>Flexible and Printed Electronics</i> , 2020, 5, 013002.   | 1.5  | 17        |
| 135 | Reversible 3D laser printing of perovskite quantum dots inside a transparent medium. <i>Nature Photonics</i> , 2020, 14, 82-88.  | 15.6 | 326       |
| 136 | How to Report Record Open-Circuit Voltages in Lead-Halide Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2020, 10, 1902573.  | 10.2 | 153       |
| 137 | Reducing Photovoltage Loss in Inverted Perovskite Solar Cells by Quantum Dots Alloying Modification at Cathode Contact. <i>Solar Rrl</i> , 2020, 4, 1900468.   | 3.1  | 19        |
| 138 | Comparison of the treatment outcomes of endoscopic and surgical resection of GI stromal tumors in the stomach: a propensity score-matched case-control study. <i>Gastrointestinal Endoscopy</i> , 2020, 91, 527-536. | 0.5  | 21        |
| 139 | Highly oriented perovskites for efficient light-emitting diodes with balanced charge transport. <i>Organic Electronics</i> , 2020, 77, 105529.   | 1.4  | 5         |
| 140 | Solution-Processable 2D $\text{In}_2\text{Se}_3$ as an Efficient Hole Transport Layer for High-Performance and Stable Polymer Solar Cells. <i>Solar Rrl</i> , 2020, 4, 1900428.                                      | 3.1  | 33        |
| 141 | Grain Quality Engineering for Organic Metal Halide Perovskites Using Mixed Antisolvent Spraying Treatment. <i>Solar Rrl</i> , 2020, 4, 1900397.  | 3.1  | 9         |
| 142 | Theoretical analysis of band alignment at back junction in Sn-Ge perovskite solar cells with inverted p-i-n structure. <i>Solar Energy Materials and Solar Cells</i> , 2020, 206, 110268.                            | 3.0  | 66        |
| 143 | A Review on Halide Perovskite Film Formation by Sequential Solution Processing for Solar Cell Applications. <i>Energy Technology</i> , 2020, 8, 1901114.   | 1.8  | 31        |
| 144 | Recent Progress of All-Bromide Inorganic Perovskite Solar Cells. <i>Energy Technology</i> , 2020, 8, 1900961.  | 1.8  | 66        |
| 145 | Impact of Temperature-Dependent Hydration Water on Perovskite Solar Cells. <i>Solar Rrl</i> , 2020, 4, 1900370.  | 3.1  | 9         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 146 | Fluorine-Substituted Benzotriazole Core Building Block-Based Highly Efficient Hole-Transporting Materials for Mesoporous Perovskite Solar Cells. <i>Solar Rrl</i> , 2020, 4, 1900362.                        | 3.1  | 16        |
| 147 | Alkyl-Chain-Regulated Charge Transfer in Fluorescent Inorganic CsPbBr <sub>3</sub> Perovskite Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 4391-4395.                           | 7.2  | 122       |
| 148 | MAI-Assisted Ge Doping of Pb-Hybrid Perovskite: A Universal Route to Stabilize High Performance Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2020, 10, 1903299.                                | 10.2 | 36        |
| 149 | Alkyl-Chain-Regulated Charge Transfer in Fluorescent Inorganic CsPbBr <sub>3</sub> Perovskite Solar Cells. <i>Angewandte Chemie</i> , 2020, 132, 4421-4425.  | 1.6  | 16        |
| 151 | Zn doped MAPbBr <sub>3</sub> single crystal with advanced structural and optical stability achieved by strain compensation. <i>Nanoscale</i> , 2020, 12, 3692-3700.  | 2.8  | 22        |
| 152 | Band-bending induced passivation: high performance and stable perovskite solar cells using a perhydropoly(silazane) precursor. <i>Energy and Environmental Science</i> , 2020, 13, 1222-1230.                | 15.6 | 114       |
| 153 | Laminated Perovskite Photovoltaics: Enabling Novel Layer Combinations and Device Architectures. <i>Advanced Functional Materials</i> , 2020, 30, 1907481.  | 7.8  | 33        |
| 154 | Nucleation and crystal growth control for scalable solution-processed organic-inorganic hybrid perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2020, 8, 1578-1603.                         | 5.2  | 112       |
| 155 | Surface passivation of perovskite thin films by phosphonium halides for efficient and stable solar cells. <i>Journal of Materials Chemistry A</i> , 2020, 8, 2039-2046.                                      | 5.2  | 58        |
| 156 | Improved Performance of Carbon Electrode Perovskite Solar Cells Using Urea Treatment in Two-Step Processing. <i>ChemNanoMat</i> , 2020, 6, 806-815.  | 1.5  | 9         |
| 157 | Solar cell efficiency tables (Version 55). <i>Progress in Photovoltaics: Research and Applications</i> , 2020, 28, 3-15.   | 4.4  | 694       |
| 158 | Conjugated Polymers as Hole Transporting Materials for Solar Cells. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2020, 38, 449-458.   | 2.0  | 9         |
| 159 | Efficient mesoscopic perovskite solar cells from emulsion-based bottom-up self-assembled TiO <sub>2</sub> microspheres. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 1969-1975. | 1.1  | 0         |
| 160 | Dopant-free hole transport materials processed with green solvent for efficient perovskite solar cells. <i>Chemical Engineering Journal</i> , 2020, 385, 123976.   | 6.6  | 48        |
| 161 | Intermediate Phase Enhances Inorganic Perovskite and Metal Oxide Interface for Efficient Photovoltaics. <i>Joule</i> , 2020, 4, 222-234.   | 11.7 | 88        |
| 162 | Improving perovskite solar cells photovoltaic performance using tetrabutylammonium salt as additive. <i>Journal of Power Sources</i> , 2020, 450, 227623.  | 4.0  | 28        |
| 163 | A solution processed Ag-nanowires/C60 composite top electrode for efficient and translucent perovskite solar cells. <i>Solar Energy</i> , 2020, 196, 582-588.  | 2.9  | 27        |
| 164 | High Remaining Factors in the Photovoltaic Performance of Perovskite Solar Cells after High-Fluence Electron Beam Irradiations. <i>Journal of Physical Chemistry C</i> , 2020, 124, 1330-1336.               | 1.5  | 30        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 165 | Improved Carrier Collection and Hot Electron Extraction Across Perovskite, $\text{C}_{60}$ , and $\text{TiO}_2$ Interfaces. <i>Journal of the American Chemical Society</i> , 2020, 142, 1236-1246.   | 6.6  | 40        |
| 166 | Suppressing Vacancy Defects and Grain Boundaries via Ostwald Ripening for High-Performance and Stable Perovskite Solar Cells. <i>Advanced Materials</i> , 2020, 32, e1904347.   | 11.1 | 172       |
| 167 | Investigating the Growth of $\text{CH}_3\text{NH}_3\text{PbI}_3$ Thin Films on RF-Sputtered $\text{NiO}_x$ for Inverted Planar Perovskite Solar Cells: Effect of $\text{CH}_3\text{NH}_3$ Halide Additives versus $\text{CH}_3\text{NH}_3$ Halide Vapor Annealing. <i>Advanced Materials Interfaces</i> , 2020, 7, 1901748. | 1.9  | 48        |
| 168 | New Strategies for Defect Passivation in High-Efficiency Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2020, 10, 1903090.  | 10.2 | 237       |
| 169 | Chemical Approaches for Stabilizing Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2020, 10, 1903249.   | 10.2 | 132       |
| 170 | Planar perovskite solar cells using triazatruxene-based hyperbranched conjugated polymers and small molecule as hole-transporting materials. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2020, 389, 112228.  | 2.0  | 2         |
| 171 | Quantum Interference Measurements and Their Application to Analysis of Ultrafast Photocarrier Dynamics in Semiconductor Solar Cell Materials. <i>Advanced Quantum Technologies</i> , 2020, 3, 1900098.  | 1.8  | 2         |
| 172 | Exciton-Polariton Properties in Planar Microcavity of Millimeter-Sized Two-Dimensional Perovskite Sheet. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 5081-5089.   | 4.0  | 14        |
| 173 | Highly efficient tin perovskite solar cells achieved in a wide oxygen concentration range. <i>Journal of Materials Chemistry A</i> , 2020, 8, 2760-2768.  | 5.2  | 85        |
| 174 | A New Approach to the Crystallization of Perovskite Films by Cold Hydrogen Atmospheric Pressure Plasma. <i>Plasma Chemistry and Plasma Processing</i> , 2020, 40, 539-548.  | 1.1  | 3         |
| 175 | Gradient Energy Alignment Engineering for Planar Perovskite Solar Cells with Efficiency Over 23%. <i>Advanced Materials</i> , 2020, 32, e1905766.   | 11.1 | 172       |
| 176 | Four-Terminal Perovskite on Silicon Tandem Solar Cells Optimal Measurement Schemes. <i>Energy Technology</i> , 2020, 8, 1901267.  | 1.8  | 13        |
| 177 | Perovskite Quantum Dots Exhibiting Strong Hole Extraction Capability for Efficient Inorganic Thin Film Solar Cells. <i>Cell Reports Physical Science</i> , 2020, 1, 100001.   | 2.8  | 28        |
| 178 | Double-Sided Surface Passivation of 3D Perovskite Film for High-Efficiency Mixed-Dimensional Perovskite Solar Cells. <i>Advanced Functional Materials</i> , 2020, 30, 1907962.  | 7.8  | 130       |
| 179 | Inkjet-Printed Micrometer-Thick Perovskite Solar Cells with Large Columnar Grains. <i>Advanced Energy Materials</i> , 2020, 10, 1903184.  | 10.2 | 142       |
| 180 | Charge Transport between Coaxial Polymer Nanorods and Grafted All-Inorganic Perovskite Nanocrystals for Hybrid Organic Solar Cells with Enhanced Photoconversion Efficiency. <i>Journal of Physical Chemistry C</i> , 2020, 124, 246-255.   | 1.5  | 11        |
| 181 | A review of aspects of additive engineering in perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2020, 8, 27-54.  | 5.2  | 232       |
| 182 | Monolithic Perovskite/Si Tandem Solar Cells: Pathways to Over 30% Efficiency. <i>Advanced Energy Materials</i> , 2020, 10, 1902840.   | 10.2 | 87        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 183 | Facile Formation of 2D/3D Heterojunctions on Perovskite Thin Film Surfaces for Efficient Solar Cells. ACS Applied Materials & Interfaces, 2020, 12, 1159-1168.   | 4.0  | 55        |
| 184 | The evolution of the most important research topics in organic and perovskite solar cell research from 2008 to 2017: A bibliometric literature review using bibliographic coupling analysis. Solar Energy Materials and Solar Cells, 2020, 207, 110325.  | 3.0  | 24        |
| 185 | Efficient Metal Halide Perovskite Solar Cells Prepared by Reproducible Electro spray Coating on Vertically Aligned TiO <sub>2</sub> Nanorod Electrodes. ACS Applied Materials & Interfaces, 2020, 12, 886-892.   | 4.0  | 7         |
| 186 | Polarizability and Catalytic Activity Determine Good Titanium Oxide Crystals but Not Homogeneity in Solar Cells Using Photocatalysts on Both Electrodes. ACS Sustainable Chemistry and Engineering, 2020, 8, 1406-1416.                                  | 3.2  | 3         |
| 187 | Ultrathin Nanosheets of Oxo-functionalized Graphene Inhibit the Ion Migration in Perovskite Solar Cells. Advanced Energy Materials, 2020, 10, 1902653.   | 10.2 | 52        |
| 188 | Achieving Reproducible and High-Efficiency (>21%) Perovskite Solar Cells with a Presynthesized FAPbI <sub>3</sub> Powder. ACS Energy Letters, 2020, 5, 360-366.  | 8.8  | 139       |
| 189 | Minimizing non-radiative recombination losses in perovskite solar cells. Nature Reviews Materials, 2020, 5, 44-60.   | 23.3 | 754       |
| 190 | Tetrahydrofuran as an Oxygen Donor Additive to Enhance Stability and Reproducibility of Perovskite Solar Cells Fabricated in High Relative Humidity (50%) Atmosphere. Energy Technology, 2020, 8, 1900990.   | 1.8  | 6         |
| 191 | Chemical inhibition of reversible decomposition for efficient and super-stable perovskite solar cells. Nano Energy, 2020, 68, 104315.  | 8.2  | 25        |
| 192 | NiO <sub>x</sub> /Spiro Hole Transport Bilayers for Stable Perovskite Solar Cells with Efficiency Exceeding 21%. ACS Energy Letters, 2020, 5, 79-86.   | 8.8  | 104       |
| 193 | Improving and Stabilizing Perovskite Solar Cells with Incorporation of Graphene in the Spiro-OMeTAD Layer: Suppressed Li Ions Migration and Improved Charge Extraction. ACS Applied Energy Materials, 2020, 3, 970-976.                                  | 2.5  | 32        |
| 194 | Spin-Optimization Patterning of Sn/Pb Perovskite Photodiodes on IGZO Transistor Arrays for Fast Active-Matrix Near-Infrared Imaging. Advanced Materials Technologies, 2020, 5, 1900752.  | 3.0  | 21        |
| 195 | Mobile Ion Concentration Measurement and Open-Access Band Diagram Simulation Platform for Halide Perovskite Solar Cells. Joule, 2020, 4, 109-127.  | 11.7 | 117       |
| 196 | Boost the performance of inverted perovskite solar cells with PEDOT:PSS/Graphene quantum dots composite hole transporting layer. Organic Electronics, 2020, 78, 105575.  | 1.4  | 28        |
| 197 | Recent progress in development of diverse kinds of hole transport materials for the perovskite solar cells: A review. Renewable and Sustainable Energy Reviews, 2020, 119, 109608.   | 8.2  | 83        |
| 198 | Understanding Molecular Structures of Buried Interfaces in Halide Perovskite Photovoltaic Devices Nondestructively with Sub-Monolayer Sensitivity Using Sum Frequency Generation Vibrational Spectroscopy. Advanced Energy Materials, 2020, 10, 1903053. | 10.2 | 36        |
| 199 | Cluster effect of additives in precursors for inorganic perovskites solar cells. Electrochimica Acta, 2020, 331, 135379.   | 2.6  | 9         |
| 200 | Effect of deep-level defect density of the absorber layer and n/i interface in perovskite solar cells by SCAPS-1D. Results in Physics, 2020, 16, 102839.   | 2.0  | 128       |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 201 | Influence of Ge/(Ge+Sn) composition ratio in Cu <sub>2</sub> Sn <sub>1-x</sub> GexS <sub>3</sub> thin-film solar cells on their physical properties and photovoltaic performances. <i>Solar Energy Materials and Solar Cells</i> , 2020, 208, 110382.                                   | 3.0  | 9         |
| 202 | Interlayer Engineering for Flexible Large-Area Planar Perovskite Solar Cells. <i>ACS Applied Energy Materials</i> , 2020, 3, 777-784.   | 2.5  | 13        |
| 203 | Dynamical evolution of the 2D/3D interface: a hidden driver behind perovskite solar cell instability. <i>Journal of Materials Chemistry A</i> , 2020, 8, 2343-2348.   | 5.2  | 112       |
| 204 | Tailored Nanostructures for Light Management in Silicon Heterojunction Solar Cells. <i>Solar Rrl</i> , 2020, 4, 2000484.  | 3.1  | 11        |
| 205 | Following isothermal and non-isothermal crystallization of poly(3-hexylthiophene) thin films by UV-vis spectroscopy. <i>Polymer</i> , 2020, 210, 122959.  | 1.8  | 9         |
| 206 | An extensible and tunable full-opaque cascade smart electrochromic device. <i>Solar Energy Materials and Solar Cells</i> , 2020, 218, 110740.   | 3.0  | 10        |
| 207 | High-Pressure Nitrogen Extraction and Effective Passivation to Attain Highest Large-Area Perovskite Solar Module Efficiency. <i>Advanced Materials</i> , 2020, 32, e2004979.  | 11.1 | 145       |
| 208 | Fully Solution Processed Pure $\delta$ -Phase Formamidinium Lead Iodide Perovskite Solar Cells for Scalable Production in Ambient Condition. <i>Advanced Energy Materials</i> , 2020, 10, 2001869.  | 10.2 | 46        |
| 209 | Formation of NiCo Alloy Nanoparticles on Co Doped Al <sub>2</sub> O <sub>3</sub> Leads to High Fuel Production Rate, Large Light-to-Fuel Efficiency, and Excellent Durability for Photothermocatalytic CO <sub>2</sub> Reduction. <i>Advanced Energy Materials</i> , 2020, 10, 2002602. | 10.2 | 67        |
| 210 | A data review on certified perovskite solar cells efficiency and I-V metrics: Insights into materials selection and process scaling up. <i>Solar Energy</i> , 2020, 209, 21-29.   | 2.9  | 5         |
| 211 | Tailoring In Situ Healing and Stabilizing Post-Treatment Agent for High-Performance Inverted CsPbI <sub>3</sub> Perovskite Solar Cells with Efficiency of 16.67%. <i>ACS Energy Letters</i> , 2020, 5, 3314-3321.   | 8.8  | 74        |
| 212 | Alkali Metal Ion-Regulated Lead-free, All-Inorganic Double Perovskites for HTM-free, Carbon-Based Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 47408-47415.   | 4.0  | 54        |
| 213 | Methoxy-Functionalized Triarylamine-Based Hole-Transporting Polymers for Highly Efficient and Stable Perovskite Solar Cells. <i>ACS Energy Letters</i> , 2020, 5, 3304-3313.  | 8.8  | 59        |
| 214 | An <i>in situ</i> cross-linked 1D/3D perovskite heterostructure improves the stability of hybrid perovskite solar cells for over 3000 h operation. <i>Energy and Environmental Science</i> , 2020, 13, 4344-4352.   | 15.6 | 142       |
| 215 | Induced Growth of CsPbBr <sub>3</sub> Perovskite Films by Incorporating Metal Chalcogenide Quantum Dots in PbBr <sub>2</sub> Films for Performance Enhancement of Inorganic Perovskite Solar Cells. <i>ACS Applied Energy Materials</i> , 2020, 3, 10376-10383.                         | 2.5  | 21        |
| 216 | Control of Molecular Orientation of Spiro-OMeTAD on Substrates. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 50187-50191.  | 4.0  | 10        |
| 217 | Naphthalenediimide Cations Inhibit 2D Perovskite Formation and Facilitate Subpicosecond Electron Transfer. <i>Journal of Physical Chemistry C</i> , 2020, 124, 24379-24390.   | 1.5  | 17        |
| 218 | Understanding how chlorine additive in a dynamic sequential process affects FA <sub>0.3</sub> MA <sub>0.7</sub> PbI <sub>3</sub> perovskite film growth for solar cell application. <i>Materials Today Energy</i> , 2020, 18, 100551.   | 2.5  | 5         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 219 | Record-efficiency flexible perovskite solar cell and module enabled by a porous-planar structure as an electron transport layer. <i>Energy and Environmental Science</i> , 2020, 13, 4854-4861.   | 15.6 | 137       |
| 220 | Historical Analysis of High-Efficiency, Large-Area Solar Cells: Toward Upscaling of Perovskite Solar Cells. <i>Advanced Materials</i> , 2020, 32, e2002202.   | 11.1 | 103       |
| 221 | Dispersion degree and sheet spacing control of graphene products via oxygen functionalities and its effect on electrical conductivities of P3HT-graphene composite coatings. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 19623-19637. | 1.1  | 3         |
| 222 | Recent Progress in Interconnection Layer for Hybrid Photovoltaic Tandems. <i>Advanced Materials</i> , 2020, 32, 2002196.  | 11.1 | 20        |
| 223 | Polymeric room-temperature molten salt as a multifunctional additive toward highly efficient and stable inverted planar perovskite solar cells. <i>Energy and Environmental Science</i> , 2020, 13, 5068-5079.  | 15.6 | 121       |
| 224 | Roll-to-roll gravure-printed flexible perovskite solar cells using eco-friendly antisolvent bathing with wide processing window. <i>Nature Communications</i> , 2020, 11, 5146.   | 5.8  | 165       |
| 225 | Mechanistic Understanding of Cetyltrimethylammonium Bromide-Assisted Durable CH <sub>3</sub> NH <sub>3</sub> Pb <sub>3</sub> Film for Stable ZnO-Based Perovskite Solar Cells. <i>ACS Applied Energy Materials</i> , 2020, 3, 9856-9865.                            | 2.5  | 8         |
| 226 | A Quantitative Analysis of the Research Trends in Perovskite Solar Cells in 2009-2019. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2020, 217, 2000441.  | 0.8  | 5         |
| 227 | Stabilizing Perovskite Solar Cells to IEC61215:2016 Standards with over 9,000-h Operational Tracking. <i>Joule</i> , 2020, 4, 2646-2660.  | 11.7 | 218       |
| 228 | CuGaS <sub>2</sub> quantum dots with controlled surface defects as an hole-transport material for high-efficient and stable perovskite solar cells. <i>Solar Energy</i> , 2020, 211, 55-61.   | 2.9  | 9         |
| 229 | Recent developments in conducting polymers: applications for electrochemistry. <i>RSC Advances</i> , 2020, 10, 37834-37856.   | 1.7  | 131       |
| 230 | Insight into the Origins of Figures of Merit and Design Strategies for Organic/Inorganic Lead-Halide Perovskite Solar Cells. <i>Solar Rrl</i> , 2020, 4, 2000452.   | 3.1  | 14        |
| 231 | π-Extended donor-acceptor conjugated copolymers for use as hole transporting materials in perovskite solar cells. <i>Organic Electronics</i> , 2020, 87, 105943.  | 1.4  | 5         |
| 232 | Two-Step Processed Efficient Potassium and Cesium-Alloyed Quaternary Cations Perovskite Solar Cells. <i>Synthetic Metals</i> , 2020, 269, 116564.   | 2.1  | 6         |
| 233 | Toward ideal hole transport materials: a review on recent progress in dopant-free hole transport materials for fabricating efficient and stable perovskite solar cells. <i>Energy and Environmental Science</i> , 2020, 13, 4057-4086.                              | 15.6 | 241       |
| 234 | Molecularly engineered thienyl-triphenylamine substituted zinc phthalocyanine as dopant free hole transporting materials in perovskite solar cells. <i>Sustainable Energy and Fuels</i> , 2020, 4, 6188-6195.   | 2.5  | 12        |
| 235 | Traps in metal halide perovskites: characterization and passivation. <i>Nanoscale</i> , 2020, 12, 22425-22451.  | 2.8  | 26        |
| 236 | Interfacial defect passivation by chenodeoxycholic acid for efficient and stable perovskite solar cells. <i>Journal of Power Sources</i> , 2020, 472, 228502.   | 4.0  | 21        |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 237 | Solar-energy camouflage coating with varying sheet resistance. <i>Nano Energy</i> , 2020, 77, 105095.  | 8.2  | 15        |
| 238 | Hydrothermal deposition of antimony selenosulfide thin films enables solar cells with 10% efficiency. <i>Nature Energy</i> , 2020, 5, 587-595.   | 19.8 | 338       |
| 239 | A holistic approach to interface stabilization for efficient perovskite solar modules with over 2,000-hour operational stability. <i>Nature Energy</i> , 2020, 5, 596-604.   | 19.8 | 274       |
| 240 | Choice of the electronic basis for field-induced surface hopping. <i>Physical Review A</i> , 2020, 102, .  | 1.0  | 3         |
| 241 | Possible top cells for next-generation Si-based tandem solar cells. <i>Frontiers of Optoelectronics</i> , 2020, 13, 246-255.   | 1.9  | 29        |
| 242 | Progress, highlights and perspectives on NiO in perovskite photovoltaics. <i>Chemical Science</i> , 2020, 11, 7746-7759.   | 3.7  | 119       |
| 243 | Improved Interfacial Crystallization by Synergic Effects of Precursor Solution Stoichiometry and Conjugated Polyelectrolyte Interlayer for High Open-Circuit Voltage of Perovskite Photovoltaic Diodes. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 12328-12336. | 4.0  | 17        |
| 244 | Improving Efficiency and Stability of Perovskite Solar Cells Enabled by A Near-Infrared-Absorbing Moisture Barrier. <i>Joule</i> , 2020, 4, 1575-1593.   | 11.7 | 88        |
| 245 | Numerical analysis guidelines for the design of efficient novel nip structures for perovskite solar cell. <i>Solar Energy</i> , 2020, 207, 579-591.  | 2.9  | 50        |
| 246 | Interdiffusion Stomatal Movement in Efficient Multiple-Cation-Based Perovskite Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 35105-35112.   | 4.0  | 8         |
| 247 | Perovskite Solar Cells for BIPV Application: A Review. <i>Buildings</i> , 2020, 10, 129.   | 1.4  | 60        |
| 248 | Charge Transport Layer-Dependent Electronic Band Bending in Perovskite Solar Cells and Its Correlation to Light-Induced Device Degradation. <i>ACS Energy Letters</i> , 2020, 5, 2580-2589.  | 8.8  | 39        |
| 249 | Energy-generating textiles. , 2020, , 415-455.   |      | 4         |
| 250 | Simple 9,10-dihydrophenanthrene based hole-transporting materials for efficient perovskite solar cells. <i>Chemical Engineering Journal</i> , 2020, 402, 126298.   | 6.6  | 12        |
| 251 | Gradient band structure: high performance perovskite solar cells using poly(bisphenol A) Tj ETQqO 0 0 rgBT /Overlock,10 Tf 50,182 Td (a  | 5.2  | 14        |
| 252 | In Situ Formation of Mixedâ€œDimensional Surface Passivation Layers in Perovskite Solar Cells with Dualâ€œIsomer Alkylammonium Cations. <i>Small</i> , 2020, 16, e2005022.   | 5.2  | 34        |
| 253 | Identifying the Soft Nature of Defective Perovskite Surface Layer and Its Removal Using a Facile Mechanical Approach. <i>Joule</i> , 2020, 4, 2661-2674.   | 11.7 | 81        |
| 254 | Donorâ€œAcceptor Type Polymers Containing Fused-Ring Units as Dopant-Free, Hole-Transporting Materials for High-Performance Perovskite Solar Cells. <i>ACS Applied Energy Materials</i> , 2020, 3, 12475-12483.  | 2.5  | 15        |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 255 | Compositional optimization of a 2D-3D heterojunction interface for 22.6% efficient and stable planar perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2020, 8, 25831-25841.  | 5.2  | 59        |
| 256 | Synthesis and Optical Properties of Triphenylene-Based Donor-Donor and Donor-Acceptor Conjugated Polymers: A Comparative Study. <i>International Journal of Polymer Science</i> , 2020, 2020, 1-12.   | 1.2  | 2         |
| 257 | Recent Progress in Fabrication of Antimony/Bismuth Chalcogenides for Lead-Free Solar Cell Applications. <i>Nanomaterials</i> , 2020, 10, 2284.  | 1.9  | 22        |
| 258 | Optoelectronic Properties of Cs <sub>2</sub> AgBiBr <sub>6</sub> Thin Films: The Influence of Precursor Stoichiometry. <i>ACS Applied Energy Materials</i> , 2020, 3, 11597-11609.  | 2.5  | 27        |
| 259 | High-Speed Production of Crystalline Semiconducting Polymer Line Arrays by Meniscus Oscillation Self-Assembly. <i>ACS Nano</i> , 2020, 14, 17254-17261.   | 7.3  | 10        |
| 260 | Interfacial engineering with conjugated polyelectrolyte for high performance 2D perovskite solar cells. <i>Chemical Physics Letters</i> , 2020, 761, 138063.  | 1.2  | 0         |
| 261 | Detecting alcohol vapors using two-dimensional copper-based Ruddlesden-Popper perovskites. <i>Applied Physics Letters</i> , 2020, 117, .  | 1.5  | 7         |
| 262 | Location-Specific Spectral and Thermal Effects in Tracking and Fixed Tilt Photovoltaic Systems. <i>IScience</i> , 2020, 23, 101634.   | 1.9  | 7         |
| 263 | Controlled Growth of Large Grains in CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> Perovskite Films Mediated by an Intermediate Liquid Phase without an Antisolvent for Efficient Solar Cells. <i>ACS Applied Energy Materials</i> , 2020, 3, 12484-12493. | 2.5  | 13        |
| 264 | Performance Enhanced Light-Emitting Diodes Fabricated from Nanocrystalline CsPbBr <sub>3</sub> with In Situ Zn <sup>2+</sup> Addition. <i>ACS Applied Electronic Materials</i> , 2020, 2, 4002-4011.  | 2.0  | 33        |
| 265 | Interfacial engineering with carbon-graphite-Cu <sup>I</sup> Ni <sup>I</sup> O for ambient-air stable composite-based hole-conductor-free perovskite solar cells. <i>Nanoscale Advances</i> , 2020, 2, 5883-5889.   | 2.2  | 8         |
| 266 | Triple-Cation Perovskite Resistive Switching Memory with Enhanced Endurance and Retention. <i>ACS Applied Electronic Materials</i> , 2020, 2, 3695-3703.  | 2.0  | 18        |
| 267 | Perovskite Tandem Solar Cells: From Fundamentals to Commercial Deployment. <i>Chemical Reviews</i> , 2020, 120, 9835-9950.  | 23.0 | 248       |
| 268 | Performance enhancement of perovskite solar cells by rhenium doping in nano-TiO <sub>2</sub> compact layer. <i>Organic Electronics</i> , 2020, 86, 105907.  | 1.4  | 3         |
| 269 | Investigating the structure-function relationship in triple cation perovskite nanocrystals for light-emitting diode applications. <i>Journal of Materials Chemistry C</i> , 2020, 8, 11805-11821.   | 2.7  | 27        |
| 270 | Templated growth of FASn <sub>3</sub> crystals for efficient tin perovskite solar cells. <i>Energy and Environmental Science</i> , 2020, 13, 2896-2902.   | 15.6 | 165       |
| 271 | Searching for stable perovskite solar cell materials using materials genome techniques and high-throughput calculations. <i>Journal of Materials Chemistry C</i> , 2020, 8, 12012-12035.  | 2.7  | 22        |
| 272 | Cascade Type-II 2D/3D Perovskite Heterojunctions for Enhanced Stability and Photovoltaic Efficiency. <i>Solar Rrl</i> , 2020, 4, 2000282.   | 3.1  | 18        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 273 | Quasi-Heteroface Perovskite Solar Cells. <i>Small</i> , 2020, 16, e2002887.  | 5.2  | 4         |
| 274 | Perovskite Solar Cells with Enhanced Fill Factors Using Polymer-Capped Solvent Annealing. <i>ACS Applied Energy Materials</i> , 2020, 3, 7231-7238.  | 2.5  | 19        |
| 275 | Surface Passivation of All-Inorganic CsPbI <sub>2</sub> Br with a Fluorinated Organic Ammonium Salt for Perovskite Solar Cells with Efficiencies over 16%. <i>Solar Rrl</i> , 2020, 4, 2000321.                                    | 3.1  | 61        |
| 276 | Barrier Designs in Perovskite Solar Cells for Long-Term Stability. <i>Advanced Energy Materials</i> , 2020, 10, 2001610.   | 10.2 | 84        |
| 277 | Toward Efficient and Stable Perovskite Solar Cells: Choosing Appropriate Passivator to Specific Defects. <i>Solar Rrl</i> , 2020, 4, 2000308.  | 3.1  | 31        |
| 278 | High-Efficiency Perovskite Solar Cells. <i>Chemical Reviews</i> , 2020, 120, 7867-7918.  | 23.0 | 1,480     |
| 279 | Stabilizing Organic-Inorganic Lead Halide Perovskite Solar Cells With Efficiency Beyond 20%. <i>Frontiers in Chemistry</i> , 2020, 8, 592.   | 1.8  | 30        |
| 280 | Reduced Self-Doping of Perovskites Induced by Short Annealing for Efficient Solar Modules. <i>Joule</i> , 2020, 4, 1949-1960.  | 11.7 | 72        |
| 281 | The surface of halide perovskites from nano to bulk. <i>Nature Reviews Materials</i> , 2020, 5, 809-827.   | 23.3 | 224       |
| 282 | Effect of embedded chalcogenide quantum dots in PbBr <sub>2</sub> film on CsPbBr <sub>3</sub> inorganic perovskite solar cells. <i>Journal of Industrial and Engineering Chemistry</i> , 2020, 90, 281-286.                        | 2.9  | 10        |
| 283 | Effects of the methylammonium ion substitution by 5-ammoniumvaleric acid in lead trihalide perovskite solar cells: a combined experimental and theoretical investigation. <i>New Journal of Chemistry</i> , 2020, 44, 14642-14649. | 1.4  | 4         |
| 284 | Enamine-based hole transporting materials for vacuum-deposited perovskite solar cells. <i>Sustainable Energy and Fuels</i> , 2020, 4, 5017-5023.   | 2.5  | 6         |
| 285 | Fabrication of Water-Repellent Platinum(II) Complex-Based Photon Downshifting Layers for Perovskite Solar Cells by Ultrasonic Spray Deposition. <i>Advanced Energy Materials</i> , 2020, 10, 2001238.                              | 10.2 | 5         |
| 286 | Dopant-Free and Green-Solvent-Processable Hole-Transporting Materials for Highly Efficient Inverted Planar Perovskite Solar Cells. <i>Solar Rrl</i> , 2020, 4, 2000327.  | 3.1  | 16        |
| 287 | Optical Property Behaviors of CsPbBr <sub>3</sub> Colloidal Nanoparticles in a Ligand-Assisted Reprecipitation Process. <i>Crystal Growth and Design</i> , 2020, 20, 4855-4860.  | 1.4  | 12        |
| 288 | Bifunctional Surface Engineering on SnO <sub>2</sub> Reduces Energy Loss in Perovskite Solar Cells. <i>ACS Energy Letters</i> , 2020, 5, 2796-2801.  | 8.8  | 239       |
| 289 | Improved Quantum Efficiency by Advanced Light Management in Nanotextured Solution-Processed Perovskite Solar Cells. <i>ACS Photonics</i> , 2020, 7, 2589-2600.   | 3.2  | 27        |
| 290 | Narrow-Bandgap Mixed Lead/Tin-Based 2D Dion-Jacobson Perovskites Boost the Performance of Solar Cells. <i>Journal of the American Chemical Society</i> , 2020, 142, 15049-15057.   | 6.6  | 103       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 291 | Simple one-step synthesis of a two-dimensional perovskite consisting of perfluoroalkyl-based ammonium spacers using acetone as the solvent. <i>Chemical Communications</i> , 2020, 56, 10293-10296.  | 2.2 | 3         |
| 292 | Quantitative Specifications to Avoid Degradation during E-Beam and Induced Current Microscopy of Halide Perovskite Devices. <i>Journal of Physical Chemistry C</i> , 2020, 124, 18961-18967.   | 1.5 | 4         |
| 293 | PEAI-Based Interfacial Layer for High-Efficiency and Stable Solar Cells Based on a MACl-Mediated Grown FA <sub>0.94</sub> MA <sub>0.06</sub> PbI <sub>3</sub> Perovskite. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 37197-37207. | 4.0 | 62        |
| 294 | Roll-transferred graphene encapsulant for robust perovskite solar cells. <i>Nano Energy</i> , 2020, 77, 105182.  | 8.2 | 24        |
| 295 | Aliovalent Doping and Surface Grafting Enable Efficient and Stable Lead-Free Blue-Emitting Perovskite Derivative. <i>Advanced Optical Materials</i> , 2020, 8, 2000779.  | 3.6 | 68        |
| 296 | Materials and Methods for Interface Engineering toward Stable and Efficient Perovskite Solar Cells. <i>ACS Energy Letters</i> , 2020, 5, 2742-2786.  | 8.8 | 307       |
| 297 | A temperature gradient-induced directional growth of a perovskite film. <i>Journal of Materials Chemistry A</i> , 2020, 8, 17019-17024.  | 5.2 | 7         |
| 298 | Compositional Engineering of Chloride Ion-Doped CsPbBr <sub>3</sub> Halides for Highly Efficient and Stable All-Inorganic Perovskite Solar Cells. <i>Solar Rrl</i> , 2020, 4, 2000362.   | 3.1 | 26        |
| 299 | An artificial photosynthetic system with CO <sub>2</sub> -reducing solar-to-fuel efficiency exceeding 20%. <i>Journal of Materials Chemistry A</i> , 2020, 8, 18310-18317.   | 5.2 | 31        |
| 300 | The Stabilization of Formamidinium Lead Triiodide Perovskite through a Methylammonium-Based Additive for High-Efficiency Solar Cells. <i>Solar Rrl</i> , 2020, 4, 2000348.   | 3.1 | 23        |
| 301 | Recent progress in the development of hole-transport materials to boost the power conversion efficiency of perovskite solar cells. <i>Sustainable Materials and Technologies</i> , 2020, 26, e00210.   | 1.7 | 18        |
| 302 | Defects chemistry in high-efficiency and stable perovskite solar cells. <i>Journal of Applied Physics</i> , 2020, 128, .   | 1.1 | 91        |
| 303 | Efficient energy transfer mitigates parasitic light absorption in molecular charge-extraction layers for perovskite solar cells. <i>Nature Communications</i> , 2020, 11, 5525.  | 5.8 | 15        |
| 304 | Low-temperature fabrication of carbon-electrode based, hole-conductor-free and mesoscopic perovskite solar cells with power conversion efficiency > 12% and storage-stability > 220 days. <i>Applied Physics Letters</i> , 2020, 117, .          | 1.5 | 15        |
| 305 | Bromine Incorporation and Suppressed Cation Rotation in Mixed-Halide Perovskites. <i>ACS Nano</i> , 2020, 14, 15107-15118.   | 7.3 | 23        |
| 306 | The J-V Hysteresis Behavior and Solutions in Perovskite Solar Cells. <i>Solar Rrl</i> , 2020, 4, 2000586.  | 3.1 | 27        |
| 307 | Ordered array structures for efficient perovskite solar cells. <i>Engineering Reports</i> , 2020, 2, e12319.   | 0.9 | 6         |
| 308 | Non-equivalent TI doping for high performance perovskite solar cells: Crystal quality improvement with enhanced p-type character. <i>Journal of Power Sources</i> , 2020, 479, 228818.   | 4.0 | 4         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 309 | Recent Advances of Dopant-Free Polymer Hole-Transporting Materials for Perovskite Solar Cells. ACS Applied Energy Materials, 2020, 3, 10282-10302.  | 2.5  | 50        |
| 310 | Size Modulation and Heterovalent Doping Facilitated Hybrid Organic and Perovskite Quantum Dot Bulk Heterojunction Solar Cells. ACS Applied Energy Materials, 2020, 3, 11359-11367.                        | 2.5  | 14        |
| 311 | Environmental Sustainability of Mixed Cation Perovskite Materials in Photovoltaics Manufacturing. ACS Sustainable Chemistry and Engineering, 2020, 8, 16537-16548.  | 3.2  | 18        |
| 312 | High Performance Tandem Solar Cells with Inorganic Perovskite and Organic Conjugated Molecules to Realize Complementary Absorption. Journal of Physical Chemistry Letters, 2020, 11, 9596-9604.           | 2.1  | 35        |
| 313 | Strong electron acceptor additive based spiro-OMeTAD for high-performance and hysteresis-less planar perovskite solar cells. RSC Advances, 2020, 10, 38736-38745.   | 1.7  | 12        |
| 314 | Near-Infrared-Transparent Perovskite Solar Cells and Perovskite-Based Tandem Photovoltaics. Small Methods, 2020, 4, 2000395.  | 4.6  | 63        |
| 315 | Enhancement of 3D/2D Perovskite Solar Cells Using an F4TCNQ Molecular Additive. ACS Applied Energy Materials, 2020, 3, 8205-8215.   | 2.5  | 28        |
| 316 | Interfacial Strain Release from the WS <sub>2</sub> /CsPbBr <sub>3</sub> van der Waals Heterostructure for 1.7 V Voltage All-Inorganic Perovskite Solar Cells. Angewandte Chemie, 2020, 132, 22181-22185. | 1.6  | 47        |
| 317 | The Application of Graphene Derivatives in Perovskite Solar Cells. Small Methods, 2020, 4, 2000507.   | 4.6  | 35        |
| 318 | Multifunctional Charge Transporting Materials for Perovskite Light-Emitting Diodes. Advanced Materials, 2020, 32, e2002176.   | 11.1 | 55        |
| 319 | Beyond Strain: Controlling the Surface Chemistry of CsPbI <sub>3</sub> Nanocrystal Films for Improved Stability against Ambient Reactive Oxygen Species. Chemistry of Materials, 2020, 32, 7850-7860.     | 3.2  | 23        |
| 320 | TiO <sub>2</sub> Colloid-Spray Coated Electron-Transporting Layers for Efficient Perovskite Solar Cells. Advanced Energy Materials, 2020, 10, 2001799.  | 10.2 | 45        |
| 321 | Large-Grained All-Inorganic Bismuth-Based Perovskites with Narrow Band Gap via Lewis Acid-Base Adduct Approach. ACS Applied Materials & Interfaces, 2020, 12, 43876-43884.                                | 4.0  | 30        |
| 322 | Impact of Tin Fluoride Additive on the Properties of Mixed Tin-Lead Iodide Perovskite Semiconductors. Advanced Functional Materials, 2020, 30, 2005594.   | 7.8  | 48        |
| 323 | 2D metal-organic framework for stable perovskite solar cells with minimized lead leakage. Nature Nanotechnology, 2020, 15, 934-940.   | 15.6 | 258       |
| 324 | Efficient Nonlead Double Perovskite Solar Cell with Multiple Hole Transport Layers. ACS Applied Energy Materials, 2020, 3, 9594-9599.   | 2.5  | 23        |
| 325 | A hole-transport material that also passivates perovskite surface defects for solar cells with improved efficiency and stability. Energy and Environmental Science, 2020, 13, 4334-4343.                  | 15.6 | 147       |
| 326 | Molecular Engineering of Organic Spacer Cations for Efficient and Stable Formamidinium Perovskite Solar Cell. Advanced Energy Materials, 2020, 10, 2001759.   | 10.2 | 48        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 327 | Additive Engineering Toward High-Performance CsPbI <sub>3</sub> Perovskite Solar Cells. Solar Rrl, 2020, 4, 2000380.   | 3.1  | 29        |
| 328 | Stable perovskite solar cells with efficiency exceeding 24.8% and 0.3-V voltage loss. Science, 2020, 369, 1615-1620.   | 6.0  | 1,122     |
| 329 | Heteroleptic Tin-Antimony Sulfoiodide for Stable and Lead-free Solar Cells. Matter, 2020, 3, 1701-1713.  | 5.0  | 29        |
| 330 | High-Efficiency Silicon Heterojunction Solar Cells: Materials, Devices and Applications. Materials Science and Engineering Reports, 2020, 142, 100579.   | 14.8 | 139       |
| 331 | Passivation of defects in perovskite solar cell: From a chemistry point of view. Nano Energy, 2020, 77, 105237.  | 8.2  | 92        |
| 332 | Chemical vapor deposited polymer layer for efficient passivation of planar perovskite solar cells. Journal of Materials Chemistry A, 2020, 8, 20122-20132.   | 5.2  | 27        |
| 333 | Recent Advances on the Modulation of Electrocatalysts Based on Transition Metal Nitrides for the Rechargeable Zn-Air Battery. , 2020, 2, 1423-1434.  |      | 111       |
| 334 | Superior Carrier Lifetimes Exceeding 6 Åµs in Polycrystalline Halide Perovskites. Advanced Materials, 2020, 32, e2002585.  | 11.1 | 151       |
| 335 | Grain Boundary Defect Passivation of Triple Cation Mixed Halide Perovskite with Hydrazine-Based Aromatic Iodide for Efficiency Improvement. ACS Applied Materials & Interfaces, 2020, 12, 41312-41322.                           | 4.0  | 45        |
| 336 | Antimony doped lead-free double perovskites (Cs <sub>2</sub> NaBi <sub>1-x</sub> Sb <sub>x</sub> Cl <sub>6</sub> ) with enhanced light absorption and tunable emission. Journal of Materials Chemistry C, 2020, 8, 13603-13611.  | 2.7  | 45        |
| 337 | Gradient Engineered Light Absorption Layer for Enhanced Carrier Separation Efficiency in Perovskite Solar Cells. Nanoscale Research Letters, 2020, 15, 127.  | 3.1  | 2         |
| 338 | Antisolvents in Perovskite Solar Cells: Importance, Issues, and Alternatives. Advanced Materials Interfaces, 2020, 7, 2000950.   | 1.9  | 94        |
| 339 | Efficient Vacuum-Deposited Perovskite Solar Cells with Stable Cubic FA <sub>1-x</sub> MA <sub>x</sub> PbI <sub>3</sub> . ACS Energy Letters, 2020, 5, 3053-3061.   | 8.8  | 49        |
| 340 | Interfacial Strain Release from the WS <sub>2</sub> /CsPbBr <sub>3</sub> van der Waals Heterostructure for 1.7-V Voltage All-Inorganic Perovskite Solar Cells. Angewandte Chemie - International Edition, 2020, 59, 21997-22001. | 7.2  | 149       |
| 341 | Effect of Passivation on the Interface between Perovskite and Donor-Acceptor Copolymer-based Hole-transport Layer in Perovskite Solar Cells. Chemistry Letters, 2020, 49, 1341-1344.   | 0.7  | 6         |
| 342 | Interface passivation strategy improves the efficiency and stability of organic-inorganic hybrid metal halide perovskite solar cells. Journal of Materials Research, 2020, 35, 2166-2189.  | 1.2  | 4         |
| 343 | Defect Tolerance and Intolerance in Metal-Halide Perovskites. Advanced Energy Materials, 2020, 10, 2001959.  | 10.2 | 85        |
| 344 | Novel amphiphilic corannulene additive for moisture-resistant perovskite solar cells. Chemical Communications, 2020, 56, 11997-12000.  | 2.2  | 15        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 345 | Small Molecule Modulator at the Interface for Efficient Perovskite Solar Cells with High Short-Circuit Current Density and Hysteresis Free. <i>Advanced Electronic Materials</i> , 2020, 6, 2000604.                                   | 2.6  | 62        |
| 346 | Conformational and Compositional Tuning of Phenanthrocarbazole-Based Dopant-Free Hole-Transport Polymers Boosting the Performance of Perovskite Solar Cells. <i>Journal of the American Chemical Society</i> , 2020, 142, 17681-17692. | 6.6  | 83        |
| 347 | Ionic moieties in organic and hybrid semiconducting devices: influence on energy band structures and functions. <i>Journal of Materials Chemistry C</i> , 2020, 8, 13953-13971.  | 2.7  | 7         |
| 348 | Defect passivation strategies in perovskites for an enhanced photovoltaic performance. <i>Energy and Environmental Science</i> , 2020, 13, 4017-4056.  | 15.6 | 235       |
| 349 | Recombination junctions for efficient monolithic perovskite-based tandem solar cells: physical principles, properties, processing and prospects. <i>Materials Horizons</i> , 2020, 7, 2791-2809.                                       | 6.4  | 65        |
| 350 | Simultaneous hole transport and defect passivation enabled by a dopant-free single polymer for efficient and stable perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2020, 8, 21036-21043.                            | 5.2  | 23        |
| 351 | Precise Control of Perovskite Crystallization Kinetics via Sequential A-Site Doping. <i>Advanced Materials</i> , 2020, 32, e2004630.   | 11.1 | 122       |
| 352 | Modification Engineering in SnO <sub>2</sub> Electron Transport Layer toward Perovskite Solar Cells: Efficiency and Stability. <i>Advanced Functional Materials</i> , 2020, 30, 2004209.   | 7.8  | 98        |
| 353 | Recent Progress in Metal Halide Perovskite-Based Tandem Solar Cells. <i>Advanced Materials</i> , 2020, 32, e2002228.   | 11.1 | 39        |
| 354 | Towards commercialization: the operational stability of perovskite solar cells. <i>Chemical Society Reviews</i> , 2020, 49, 8235-8286.   | 18.7 | 371       |
| 355 | Improving the Fill Factor of Perovskite Solar Cells by Employing an Amine-tethered Diketopyrrolopyrrole-Based Polymer as the Dopant-free Hole Transport Layer. <i>ACS Applied Energy Materials</i> , 2020, 3, 9600-9609.               | 2.5  | 26        |
| 356 | Efficient and Stable All-Inorganic Perovskite Solar Cells. <i>Solar Rrl</i> , 2020, 4, 2000408.  | 3.1  | 43        |
| 357 | Poly(Ethylene Glycol) Diacrylate as the Passivation Layer for High-Performance Perovskite Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 45045-45055.  | 4.0  | 24        |
| 358 | Introducing Ion Migration and Light-Induced Secondary Ion Redistribution for Phase-Stable and High-Efficiency Inorganic Perovskite Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 40364-40371.                 | 4.0  | 21        |
| 359 | Molecular Design and Operational Stability: Toward Stable 3D/2D Perovskite Interlayers. <i>Advanced Science</i> , 2020, 7, 2001014.  | 5.6  | 43        |
| 360 | Effective Surface Treatment for High-Performance Inverted CsPbI <sub>2</sub> Br Perovskite Solar Cells with Efficiency of 15.92%. <i>Nano-Micro Letters</i> , 2020, 12, 170.   | 14.4 | 41        |
| 361 | Dual-Ion-Diffusion Induced Degradation in Lead-Free Cs <sub>2</sub> AgBiBr <sub>6</sub> Double Perovskite Solar Cells. <i>Advanced Functional Materials</i> , 2020, 30, 2002342.   | 7.8  | 86        |
| 362 | How machine learning can help select capping layers to suppress perovskite degradation. <i>Nature Communications</i> , 2020, 11, 4172.   | 5.8  | 75        |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 363 | Stress Formation During $\ln$ Interdiffusion in Thin-Film Perovskite modules with 99% geometrical fill factor using point contact interconnections design. Progress in Photovoltaics: Research and Applications, 2020, 28, 1120-1127. | 1.5  | 2         |
| 364 | Enhancing the Interface Contact of Stacking Perovskite Solar Cells with Hexamethylenediammonium Diodide-Modified PEDOT:PSS as an Electrode. ACS Applied Materials & Interfaces, 2020, 12, 42321-42327.                                | 4.4  | 21        |
| 366 | Importance of tailoring lattice strain in halide perovskite crystals. NPG Asia Materials, 2020, 12, .   | 3.8  | 88        |
| 367 | Deep Mining Stable and Nontoxic Hybrid Organic-Inorganic Perovskites for Photovoltaics via Progressive Machine Learning. ACS Applied Materials & Interfaces, 2020, 12, 57821-57831.   | 4.0  | 20        |
| 368 | Performance Promotion through Dual-Interface Engineering of CuSCN Layers in Planar Perovskite Solar Cells. Journal of Physical Chemistry C, 2020, 124, 27977-27984.   | 1.5  | 12        |
| 369 | Critical Role of Functional Groups in Defect Passivation and Energy Band Modulation in Efficient and Stable Inverted Perovskite Solar Cells Exceeding 21% Efficiency. ACS Applied Materials & Interfaces, 2020, 12, 57165-57173.      | 4.0  | 24        |
| 370 | Double Electron Transport Layer and Optimized CsPbI <sub>3</sub> Nanocrystal Emitter for Efficient Perovskite Light-Emitting Diodes. Journal of Physical Chemistry C, 2020, 124, 28277-28284.   | 1.5  | 25        |
| 371 | Highly Efficient and Air-Stable Heterostructured Perovskite Quantum Dot Solar Cells Using a Solid-State Cation-Exchange Reaction. ACS Applied Materials & Interfaces, 2020, 12, 57124-57133.  | 4.0  | 21        |
| 372 | Heat dissipation effects on the stability of planar perovskite solar cells. Energy and Environmental Science, 2020, 13, 5059-5067.  | 15.6 | 44        |
| 373 | Substrate-dependent Growth of CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> Films Deposited by Vacuum Evaporation. Journal of Physics: Conference Series, 2020, 1637, 012080.  | 0.3  | 2         |
| 374 | Introducing ammonium salt into hole transporting materials for perovskite solar cells. Chemical Communications, 2020, 56, 14471-14474.  | 2.2  | 14        |
| 375 | Recent Progress and Challenges of Electron Transport Layers in Organic-Inorganic Perovskite Solar Cells. Energies, 2020, 13, 5572.  | 1.6  | 66        |
| 376 | Methylamine-assisted growth of uniaxial-oriented perovskite thin films with millimeter-sized grains. Nature Communications, 2020, 11, 5402.   | 5.8  | 71        |
| 377 | Choose Your Own Adventure: Fabrication of Monolithic All-Perovskite Tandem Photovoltaics. Advanced Materials, 2020, 32, e2003312.   | 11.1 | 39        |
| 378 | Additive Engineering by Bifunctional Guanidine Sulfamate for Highly Efficient and Stable Perovskites Solar Cells. Small, 2020, 16, e2004877.  | 5.2  | 35        |
| 379 | Stable and Efficient Tin-Based Perovskite Solar Cell via Semiconducting-Insulating Structure. ACS Applied Energy Materials, 2020, 3, 10447-10452.   | 2.5  | 31        |
| 380 | Unraveling Doping Capability of Conjugated Polymers for Strategic Manipulation of Electric Dipole Layer toward Efficient Charge Collection in Perovskite Solar Cells. Advanced Functional Materials, 2020, 30, 2001560.               | 7.8  | 38        |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 381 | Monolithic Perovskite Tandem Solar Cells: A Review of the Present Status and Advanced Characterization Methods Toward 30% Efficiency. <i>Advanced Energy Materials</i> , 2020, 10, 1904102.                  | 10.2 | 321       |
| 382 | A Dopant-Free Hole Transporting Layer for Efficient and Stable Planar Perovskite Solar Cells. <i>Physica Status Solidi - Rapid Research Letters</i> , 2020, 14, 2000147.                                     | 1.2  | 3         |
| 383 | In Situ Study of Sputtering Nanometer-Thick Gold Films onto 100-nm-Thick Spiro-OMeTAD Films: Implications for Perovskite Solar Cells. <i>ACS Applied Nano Materials</i> , 2020, 3, 5987-5994.                | 2.4  | 10        |
| 384 | Stretchable Hole Extraction Layer for Improved Stability in Perovskite Solar Cells. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 8004-8010.   | 3.2  | 13        |
| 385 | Analysis of the Efficiency Losses in Hybrid Perovskite/PTAA Solar Cells with Different Molecular Weights: Morphology versus Kinetics. <i>ACS Applied Energy Materials</i> , 2020, 3, 6853-6859.              | 2.5  | 28        |
| 386 | Structured Perovskite Light Absorbers for Efficient and Stable Photovoltaics. <i>Advanced Materials</i> , 2020, 32, e1903937.  | 11.1 | 69        |
| 387 | Carbon nanotubes to outperform metal electrodes in perovskite solar cells via dopant engineering and hole-selectivity enhancement. <i>Journal of Materials Chemistry A</i> , 2020, 8, 11141-11147.           | 5.2  | 51        |
| 388 | Elucidating the role of $\text{TiCl}_4$ post-treatment on percolation of $\text{TiO}_2$ electron transport layer in perovskite solar cells. <i>Journal Physics D: Applied Physics</i> , 2020, 53, 385501.    | 1.3  | 6         |
| 389 | Tuning Surface Wettability of Buffer Layers by Incorporating Polyethylene Glycols for Enhanced Performance of Perovskite Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 26670-26679. | 4.0  | 20        |
| 390 | In Situ Formation of Compact $\text{PbI}_2$ Shell Boosts the Efficiency and Thermostability of Perovskite Solar Cells. <i>Small</i> , 2020, 16, e2001866.  | 5.2  | 5         |
| 391 | Perovskite solar cells prepared under infrared irradiation during fabrication process in air ambience. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 9535-9542.                  | 1.1  | 3         |
| 392 | Effect of Interfacial Layers on the Device Lifetime of Perovskite Solar Cells. <i>Small Methods</i> , 2020, 4, 2000065.  | 4.6  | 22        |
| 393 | Non-Conjugated Polymer Based on Polyethylene Backbone as Dopant-Free Hole-Transporting Material for Efficient and Stable Inverted Quasi-2D Perovskite Solar Cells. <i>Solar Rrl</i> , 2020, 4, 2000184.      | 3.1  | 12        |
| 394 | Bilateral Interface Engineering for Efficient and Stable Perovskite Solar Cells Using Phenylethylammonium Iodide. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 24827-24836.                     | 4.0  | 27        |
| 395 | Preventing phase segregation in mixed-halide perovskites: a perspective. <i>Energy and Environmental Science</i> , 2020, 13, 2024-2046.  | 15.6 | 221       |
| 396 | Challenges and approaches towards upscaling the assembly of hybrid perovskite solar cells. <i>Materials Advances</i> , 2020, 1, 292-309.   | 2.6  | 35        |
| 397 | Highly Stable and Efficient Perovskite Solar Cells with 22.0% Efficiency Based on Inorganic-Organic Dopant-Free Double Hole Transporting Layers. <i>Advanced Functional Materials</i> , 2020, 30, 1908462.   | 7.8  | 59        |
| 398 | Identifying, understanding and controlling defects and traps in halide perovskites for optoelectronic devices: a review. <i>Journal Physics D: Applied Physics</i> , 2020, 53, 373001.                       | 1.3  | 20        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 399 | Dual Interfacial Modification Engineering with 2D MXene Quantum Dots and Copper Sulphide Nanocrystals Enabled High-Performance Perovskite Solar Cells. <i>Advanced Functional Materials</i> , 2020, 30, 2003295.  | 7.8  | 100       |
| 400 | Enhanced near-ultraviolet and visible light absorption of organic-inorganic halide perovskites by co-doping with cesium and barium: Insight from first-principles calculations. <i>Journal of Solid State Chemistry</i> , 2020, 289, 121477.                  | 1.4  | 4         |
| 401 | Methylammonium Polyiodides in Perovskite Photovoltaics: From Fundamentals to Applications. <i>Frontiers in Chemistry</i> , 2020, 8, 418.  | 1.8  | 3         |
| 402 | Mixed single-layer and self-alignment technology of organic light-emitting diodes and multi-functional integration in organic devices. <i>Japanese Journal of Applied Physics</i> , 2020, 59, SO0802.   | 0.8  | 1         |
| 403 | Energetics and Energy Loss in 2D Ruddlesden-Popper Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2020, 10, 2000687.  | 10.2 | 68        |
| 404 | Formamidinium-Based Perovskite Solar Cells with Enhanced Moisture Stability and Performance via Confined Pressure Annealing. <i>Journal of Physical Chemistry C</i> , 2020, 124, 12249-12258.   | 1.5  | 23        |
| 405 | Exploring Structure-Property Relationships in a Bio-Inspired Family of Bipodal and Electronically-Coupled Bistriphenylamine Dyes for Dye-Sensitized Solar Cell Applications. <i>Molecules</i> , 2020, 25, 2260.   | 1.7  | 10        |
| 406 | Dion-Jacobson 2D-3D perovskite solar cells with improved efficiency and stability. <i>Nano Energy</i> , 2020, 75, 104892.   | 8.2  | 99        |
| 407 | Titanium Nitride Electron-Conductive Contact for Silicon Solar Cells By Radio Frequency Sputtering from a TiN Target. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 26177-26183.  | 4.0  | 27        |
| 408 | Solution-processed perovskite solar cells. <i>Journal of Central South University</i> , 2020, 27, 1104-1133.  | 1.2  | 34        |
| 409 | Stable and efficient air-processed perovskite solar cells employing low-temperature processed compact In <sub>2</sub> O <sub>3</sub> thin films as electron transport materials. <i>Journal of Alloys and Compounds</i> , 2020, 836, 155460.                  | 2.8  | 19        |
| 410 | Interfacial Modification through a Multifunctional Molecule for Inorganic Perovskite Solar Cells with over 18% Efficiency. <i>Solar Rrl</i> , 2020, 4, 2000205.   | 3.1  | 38        |
| 411 | Defect suppression and passivation for perovskite solar cells: from the birth to the lifetime operation. <i>EnergyChem</i> , 2020, 2, 100032.   | 10.1 | 22        |
| 412 | Enhanced efficiency and stability of p-i-n perovskite solar cells using PMMA doped PTAA as hole transport layers. <i>Synthetic Metals</i> , 2020, 265, 116428.  | 2.1  | 22        |
| 413 | Efficient and stable tin perovskite solar cells enabled by amorphous-polycrystalline structure. <i>Nature Communications</i> , 2020, 11, 2678.  | 5.8  | 143       |
| 414 | Non-Uniform Chemical Corrosion of Metal Electrode of n Type of Perovskite Solar Cells Caused by the Diffusion of CH <sub>3</sub> NH <sub>3</sub> I. <i>Energy Technology</i> , 2020, 8, 2000250.  | 1.8  | 13        |
| 415 | Large-scale synthesis of CH <sub>3</sub> NH <sub>3</sub> BF <sub>4</sub> crystal and its application on CH <sub>3</sub> NH <sub>3</sub> PbBr <sub>x</sub> (BF <sub>4</sub> )(3-x) perovskite thin films. <i>Chemical Physics Letters</i> , 2020, 754, 137638. | 1.2  | 8         |
| 416 | A self-powered, flexible photodetector based on perovskite nanowires with Ni-Al electrodes. <i>Journal of Alloys and Compounds</i> , 2020, 845, 155311.   | 2.8  | 23        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 417 | Unravelling the Mechanism of Ionic Fullerene Passivation for Efficient and Stable Methylammonium-Free Perovskite Solar Cells. ACS Energy Letters, 2020, 5, 2015-2022.  | 8.8  | 38        |
| 418 | A Thioxanthothioxanthene-based Hole Transporter with 2D Molecular Stacking for Efficient and Thermostable Perovskite Solar Cells. , 2020, 2, 691-698.  |      | 10        |
| 419 | Indium doped CsPbI <sub>3</sub> films for inorganic perovskite solar cells with efficiency exceeding 17%. Nano Research, 2020, 13, 2203-2208.  | 5.8  | 32        |
| 420 | Research progress on hybrid organic-inorganic perovskites for photo-applications. Chinese Chemical Letters, 2020, 31, 3055-3064.   | 4.8  | 52        |
| 421 | Critical review of recent progress of flexible perovskite solar cells. Materials Today, 2020, 39, 66-88.   | 8.3  | 169       |
| 422 | Surface modification of all-inorganic halide perovskite nanorods by a microscale hydrophobic zeolite for stable and sensitive laser humidity sensing. Nanoscale, 2020, 12, 13360-13367.                                  | 2.8  | 21        |
| 423 | Direct observation of continuous networks of "sol-gel" processed metal oxide thin film for organic and perovskite photovoltaic modules with long-term stability. Journal of Materials Chemistry A, 2020, 8, 18659-18667. | 5.2  | 6         |
| 424 | Challenges and strategies relating to device function layers and their integration toward high-performance inorganic perovskite solar cells. Nanoscale, 2020, 12, 14369-14404.   | 2.8  | 99        |
| 425 | Porous Anatase TiO <sub>2</sub> Nanocrystal Derived from the Metal-Organic Framework as Electron Transport Material for Carbon-Based Perovskite Solar Cells. ACS Applied Energy Materials, 2020, 3, 6180-6187.           | 2.5  | 20        |
| 426 | Interface Engineering Driven Stabilization of Halide Perovskites against Moisture, Heat, and Light for Optoelectronic Applications. Advanced Energy Materials, 2020, 10, 2000768.  | 10.2 | 62        |
| 427 | Effect of the incorporation of poly(ethylene oxide) copolymer on the stability of perovskite solar cells. Journal of Materials Chemistry C, 2020, 8, 9697-9706.  | 2.7  | 8         |
| 428 | Layered perovskite materials: key solutions for highly efficient and stable perovskite solar cells. Reports on Progress in Physics, 2020, 83, 086502.  | 8.1  | 48        |
| 429 | Exciton recombination mechanisms in solution grown single crystalline CsPbBr <sub>3</sub> perovskite. Journal of Luminescence, 2020, 226, 117471.  | 1.5  | 20        |
| 430 | Dual Interfacial Engineering Enables Efficient and Reproducible CsPbI <sub>2</sub> Br All-Inorganic Perovskite Solar Cells. ACS Applied Materials & Interfaces, 2020, 12, 31659-31666.                                   | 4.0  | 38        |
| 431 | Organic-inorganic hybrid perovskite electronics. Physical Chemistry Chemical Physics, 2020, 22, 13347-13357.   | 1.3  | 23        |
| 432 | Carrier transport composites with suppressed glass-transition for stable planar perovskite solar cells. Journal of Materials Chemistry A, 2020, 8, 14106-14113.  | 5.2  | 18        |
| 433 | Perovskite Test: A High Throughput Method to Screen Ambient Encapsulation Conditions. Energy Technology, 2020, 8, 2000041.   | 1.8  | 4         |
| 434 | Photon recycling in halide perovskite solar cells for higher efficiencies. MRS Bulletin, 2020, 45, 439-448.  | 1.7  | 20        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 435 | Post-treatment techniques for high-performance perovskite solar cells. MRS Bulletin, 2020, 45, 431-438.  | 1.7  | 11        |
| 436 | A Cu Doping Strategy to Enhance Photoelectric Performance of Self-Powered Hole-Conductor-Free Perovskite Photodetector for Optical Communication Applications. Advanced Materials Technologies, 2020, 5, 2000260.                            | 3.0  | 23        |
| 437 | Efficient and Stable Tin Perovskite Solar Cells Enabled by Graded Heterostructure of Light-Absorbing Layer. Solar Rrl, 2020, 4, 2000240.   | 3.1  | 53        |
| 438 | Single walled carbon nanotube incorporated Titanium dioxide and Poly(3-hexylthiophene) as electron and hole transport materials for perovskite solar cells. Materials Letters, 2020, 276, 128174.  | 1.3  | 8         |
| 439 | Spectrally robust series/parallel-connected triple-junction photovoltaic cells used for artificial photosynthesis. Journal of Applied Physics, 2020, 127, .  | 1.1  | 8         |
| 440 | Two-dimensional materials in perovskite solar cells. JPhys Energy, 2020, 2, 031003.  | 2.3  | 27        |
| 441 | Polymer hole-transport material improving thermal stability of inorganic perovskite solar cells. Frontiers of Optoelectronics, 2020, 13, 265-271.  | 1.9  | 10        |
| 442 | External quantum efficiency measurements used to study the stability of differently deposited perovskite solar cells. Journal of Applied Physics, 2020, 127, .   | 1.1  | 15        |
| 443 | Self-filtering narrowband high performance organic photodetectors enabled by manipulating localized Frenkel exciton dissociation. Nature Communications, 2020, 11, 2871.   | 5.8  | 131       |
| 444 | Influence of polytetrafluoroethylene (PTFE) on photovoltaic performance and perovskite solar cell stability. Sustainable Energy and Fuels, 2020, 4, 4257-4263.   | 2.5  | 13        |
| 445 | Ligand modification of Cu <sub>2</sub> ZnSnS <sub>4</sub> nanoparticles boosts the performance of low temperature paintable carbon electrode based perovskite solar cells to 17.71%. Journal of Materials Chemistry A, 2020, 8, 12080-12088. | 5.2  | 25        |
| 446 | Nanocarbon. , 2020, , 131-155.   |      | 0         |
| 447 | Tetrahydrofuran as Solvent for P3HT/F4-TCNQ Hole-Transporting Layer to Increase the Efficiency and Stability of FAPbI <sub>3</sub> -Based Perovskite Solar Cell. Journal of Physical Chemistry C, 2020, 124, 14099-14104.                    | 1.5  | 12        |
| 448 | Dimensional Mixing Increases the Efficiency of 2D/3D Perovskite Solar Cells. Journal of Physical Chemistry Letters, 2020, 11, 5115-5119.   | 2.1  | 34        |
| 449 | Improved stability and efficiency of polymer-based selenium solar cells through the usage of tin (iv) oxide in the electron transport layers and the analysis of aging dynamics. Physical Chemistry Chemical Physics, 2020, 22, 14838-14845. | 1.3  | 7         |
| 450 | Destructive reverse bias pinning in perovskite/silicon tandem solar modules caused by perovskite hysteresis under dynamic shading. Sustainable Energy and Fuels, 2020, 4, 4067-4075.   | 2.5  | 16        |
| 451 | Micro- and Nanopatterning of Halide Perovskites Where Crystal Engineering for Emerging Photoelectronics Meets Integrated Device Array Technology. Advanced Materials, 2020, 32, e2000597.  | 11.1 | 62        |
| 452 | PEDOT:PSS Metal Oxide Composite Electrode with Regulated Wettability and Work Function for High-Performance Inverted Perovskite Solar Cells. Advanced Optical Materials, 2020, 8, 2000216.   | 3.6  | 34        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 453 | Stabilizing High Efficiency Perovskite Solar Cells with 3D-2D Heterostructures. <i>Joule</i> , 2020, 4, 975-979.  | 11.7 | 37        |
| 454 | Revealing photoinduced bulk polarization and spin-orbit coupling effects in high-efficiency 2D/3D Pb <sup>2+</sup> -Sn alloyed perovskite solar cells. <i>Nano Energy</i> , 2020, 76, 104999.   | 8.2  | 20        |
| 455 | Boosting Efficiency and Stability of Planar Inverted (FAPbI <sub>3</sub> ) x (MAPbBr <sub>3</sub> ) <sup>1-3</sup> x Solar Cells via FAPbI <sub>3</sub> and MAPbBr <sub>3</sub> Crystal Powders. <i>Solar Rrl</i> , 2020, 4, 2000091. | 3.1  | 19        |
| 456 | Surface Ligands Management for Efficient CsPbBr <sub>3</sub> Perovskite Nanocrystal Solar Cells. <i>Solar Rrl</i> , 2020, 4, 2000102.   | 3.1  | 25        |
| 457 | A General Wet Transferring Approach for Diffusion-Facilitated Space-Confined Grown Perovskite Single-Crystalline Optoelectronic Thin Films. <i>Nano Letters</i> , 2020, 20, 2747-2755.  | 4.5  | 34        |
| 458 | Bifunctional Effects of Trichloro(octyl)silane Modification on the Performance and Stability of a Perovskite Solar Cell via Microscopic Characterization Techniques. <i>ACS Applied Energy Materials</i> , 2020, 3, 3302-3309.        | 2.5  | 11        |
| 459 | Grain Growth of MAPbI <sub>3</sub> via Diethylammonium Bromide Induced Grain Mergence. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 16707-16714.   | 4.0  | 10        |
| 460 | Toward perovskite nanocrystalline solar cells: progress and potential. <i>Journal of Materials Chemistry C</i> , 2020, 8, 5321-5334.  | 2.7  | 22        |
| 461 | Dynamic casting in combination with ramped annealing process for implementation of inverted planar Ag <sub>3</sub> BiI <sub>6</sub> rudorffite solar cells. <i>Journal of Power Sources</i> , 2020, 453, 227903.                      | 4.0  | 20        |
| 462 | Sustainable and flexible hydrovoltaic power generator for wearable sensing electronics. <i>Nano Energy</i> , 2020, 72, 104663.  | 8.2  | 103       |
| 463 | Temperature-Dependent Optical Band Gap in CsPbBr <sub>3</sub> , MAPbBr <sub>3</sub> , and FAPbBr <sub>3</sub> Single Crystals. <i>Journal of Physical Chemistry Letters</i> , 2020, 11, 2490-2496.                                    | 2.1  | 173       |
| 464 | Methylamine-Dimer-Induced Phase Transition toward MAPbI <sub>3</sub> Films and High-Efficiency Perovskite Solar Modules. <i>Journal of the American Chemical Society</i> , 2020, 142, 6149-6157.                                      | 6.6  | 59        |
| 465 | Chiral-perovskite optoelectronics. <i>Nature Reviews Materials</i> , 2020, 5, 423-439.  | 23.3 | 445       |
| 466 | How To Quantify the Efficiency Potential of Neat Perovskite Films: Perovskite Semiconductors with an Implied Efficiency Exceeding 28%. <i>Advanced Materials</i> , 2020, 32, e2000080.  | 11.1 | 134       |
| 467 | Impact of Urbach energy on open-circuit voltage deficit of thin-film solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2020, 210, 110502.  | 3.0  | 107       |
| 468 | Effect of the Hole Transporting/Active Layer Interface on the Perovskite Solar Cell Stability. <i>ACS Applied Energy Materials</i> , 2020, 3, 3282-3292.  | 2.5  | 29        |
| 469 | Self-Crystallized Multifunctional 2D Perovskite for Efficient and Stable Perovskite Solar Cells. <i>Advanced Functional Materials</i> , 2020, 30, 1910620.  | 7.8  | 68        |
| 470 | Toward Stable Perovskite Solar Cell Architectures: Robustness Against Temperature Variations of Real-World Conditions. <i>IEEE Journal of Photovoltaics</i> , 2020, 10, 777-784.  | 1.5  | 6         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 471 | Cesium carbonate modified electron transport layer for improving the photoelectric conversion efficiency of planar perovskite solar cells. <i>Materials Science in Semiconductor Processing</i> , 2020, 112, 105014. | 1.9  | 10        |
| 472 | Reducing energy loss and stabilising the perovskite/poly (3-hexylthiophene) interface through a polyelectrolyte interlayer. <i>Journal of Materials Chemistry A</i> , 2020, 8, 6546-6554.                            | 5.2  | 30        |
| 473 | Improved performance of lead-tin mixed perovskite solar cells with PEDOT:PSS treated by hydroquinone. <i>Solar Energy</i> , 2020, 201, 589-595.  | 2.9  | 17        |
| 474 | Stabilized and Operational PbI <sub>2</sub> Precursor Ink for Large-Scale Perovskite Solar Cells via Two-Step Blade-Coating. <i>Journal of Physical Chemistry C</i> , 2020, 124, 8129-8139.                          | 1.5  | 23        |
| 475 | Hybrid Perovskite/Organic Flexible Tandem Solar Cell Enabling Highly Efficient Electrocatalysis Overall Water Splitting. <i>Advanced Energy Materials</i> , 2020, 10, 2000361.                                       | 10.2 | 79        |
| 476 | Synthesis of a side-chain hole transporting polymer through Mitsunobu post-functionalization for efficient inverted perovskite solar cells. <i>Polymer Chemistry</i> , 2020, 11, 2883-2888.                          | 1.9  | 5         |
| 477 | Revealing the Mechanism of Doping of <i>spiro</i> -MeOTAD via Zn Complexation in the Absence of Oxygen and Light. <i>ACS Energy Letters</i> , 2020, 5, 1271-1277.  | 8.8  | 29        |
| 478 | Multi-component engineering to enable long-term operational stability of perovskite solar cells. <i>JPhys Energy</i> , 2020, 2, 024008.  | 2.3  | 13        |
| 479 | Facile Deposition of Mesoporous PbI <sub>2</sub> through DMF:DMSO Solvent Engineering for Sequentially Deposited Metal Halide Perovskites. <i>ACS Applied Energy Materials</i> , 2020, 3, 3358-3368.                 | 2.5  | 11        |
| 480 | Strongly Enhanced Photoluminescence and Photoconductivity in Erbium-Doped MAPbBr <sub>3</sub> Single Crystals. <i>Journal of Physical Chemistry C</i> , 2020, 124, 8992-8998.  | 1.5  | 26        |
| 481 | From Metallic Lead Films to Perovskite Solar Cells through Lead Conversion with Polyhalide Solutions. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 20456-20461.   | 4.0  | 12        |
| 482 | Spontaneously Self-Assembly of a 2D/3D Heterostructure Enhances the Efficiency and Stability in Printed Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2020, 10, 2000173.                                | 10.2 | 126       |
| 483 | Alkyl side-chain dependent self-organization of small molecule and its application in high-performance organic and perovskite solar cells. <i>Nano Energy</i> , 2020, 72, 104708.                                    | 8.2  | 20        |
| 484 | Interfacial Chemical Bridge Constructed by Zwitterionic Sulfamic Acid for Efficient and Stable Perovskite Solar Cells. <i>ACS Applied Energy Materials</i> , 2020, 3, 3186-3192.                                     | 2.5  | 37        |
| 485 | Reducing photovoltage loss at the anode contact of methylammonium-free inverted perovskite solar cells by conjugated polyelectrolyte doping. <i>Journal of Materials Chemistry A</i> , 2020, 8, 7309-7316.           | 5.2  | 28        |
| 486 | Synergistic Reinforcement of Built-in Electric Fields for Highly Efficient and Stable Perovskite Photovoltaics. <i>Advanced Functional Materials</i> , 2020, 30, 1909755.  | 7.8  | 47        |
| 487 | Self-Assembled Ionic Liquid for Highly Efficient Electron Transport Layer-Free Perovskite Solar Cells. <i>ChemSusChem</i> , 2020, 13, 2779-2785.   | 3.6  | 31        |
| 488 | Effective Carbon Composite Electrode for Low-Cost Perovskite Solar Cell with Inorganic CuIn <sub>0.75</sub> Ga <sub>0.25</sub> S <sub>2</sub> Hole Transport Material. <i>Solar Rrl</i> , 2020, 4, 1900564.          | 3.1  | 34        |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 489 | Dopant-free X-shaped D-A type hole-transporting materials for p-i-n perovskite solar cells. <i>Dyes and Pigments</i> , 2020, 178, 108334.  | 2.0  | 16        |
| 490 | Understanding of perovskite crystal growth and film formation in scalable deposition processes. <i>Chemical Society Reviews</i> , 2020, 49, 1653-1687.   | 18.7 | 364       |
| 491 | A-site Cation Engineering of Metal Halide Perovskites: Version 3.0 of Efficient Tin-Based Lead-Free Perovskite Solar Cells. <i>Advanced Functional Materials</i> , 2020, 30, 2000794.  | 7.8  | 81        |
| 492 | Impacts of the Hole Transport Layer Deposition Process on Buried Interfaces in Perovskite Solar Cells. <i>Cell Reports Physical Science</i> , 2020, 1, 100103.   | 2.8  | 17        |
| 493 | Metal-Free Hybrid Organic-Inorganic Perovskites for Photovoltaics. <i>Journal of Physical Chemistry Letters</i> , 2020, 11, 5938-5947.   | 2.1  | 12        |
| 494 | Effect of structural and temperature variations on perovskite/Mg <sub>2</sub> Si based monolithic tandem solar cell structure. <i>Applied Physics A: Materials Science and Processing</i> , 2020, 126, 1.                      | 1.1  | 25        |
| 495 | Improving the efficiency of perovskite solar cells by additive engineering with ditetrabutylammonium dichromate. <i>Organic Electronics</i> , 2020, 85, 105845.  | 1.4  | 5         |
| 496 | High-efficiency perovskite solar cells with poly(vinylpyrrolidone)-doped SnO <sub>2</sub> as an electron transport layer. <i>Materials Advances</i> , 2020, 1, 617-624.  | 2.6  | 30        |
| 497 | A piperidinium salt stabilizes efficient metal-halide perovskite solar cells. <i>Science</i> , 2020, 369, 96-102.  | 6.0  | 461       |
| 498 | <i>In Situ</i> Interface Engineering for Highly Efficient Electron-Transport-Layer-Free Perovskite Solar Cells. <i>Nano Letters</i> , 2020, 20, 5799-5806.   | 4.5  | 67        |
| 499 | Redox-inactive samarium(III) acetylacetonate as dopant enabling cation substitution and interfacial passivation for efficient and stable CsPbI <sub>2</sub> Br perovskite solar cells. <i>APL Materials</i> , 2020, 8, 071102. | 2.2  | 12        |
| 500 | Defect Passivation in Perovskite Solar Cells by Cyano-Based Conjugated Molecules for Improved Performance and Stability. <i>Advanced Functional Materials</i> , 2020, 30, 2002861.   | 7.8  | 87        |
| 501 | Significance of Ambient Temperature Control for Highly Reproducible Layered Perovskite Light-Emitting Diodes. <i>ACS Photonics</i> , 2020, 7, 2489-2497.   | 3.2  | 15        |
| 502 | Understanding the interplay of stability and efficiency in A-site engineered lead halide perovskites. <i>APL Materials</i> , 2020, 8, .  | 2.2  | 57        |
| 503 | Perovskite nanogels: synthesis, properties, and applications. <i>Journal of Materials Chemistry C</i> , 2020, 8, 12355-12379.  | 2.7  | 7         |
| 504 | Solar cell efficiency tables (version 56). <i>Progress in Photovoltaics: Research and Applications</i> , 2020, 28, 629-638.  | 4.4  | 461       |
| 505 | Compositional and Interface Engineering of Organic-Inorganic Lead Halide Perovskite Solar Cells. <i>IScience</i> , 2020, 23, 101359.   | 1.9  | 105       |
| 506 | Graded energy band engineering for efficient perovskite solar cells. <i>Nano Select</i> , 2020, 1, 152-168.  | 1.9  | 19        |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 507 | High-temperature induced iodide and bromide ions filling lattice for high efficient all-inorganic perovskite solar cells. <i>Journal of Alloys and Compounds</i> , 2020, 848, 156247.  | 2.8  | 11        |
| 508 | Combining Efficiency and Stability in Mixed Tin-Lead Perovskite Solar Cells by Capping Grains with an Ultrathin 2D Layer. <i>Advanced Materials</i> , 2020, 32, e1907058.  | 11.1 | 148       |
| 509 | A mixed hole transport material employing a highly planar conjugated molecule for efficient and stable perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2020, 8, 5163-5170.   | 5.2  | 40        |
| 510 | Inverted devices are catching up. <i>Nature Energy</i> , 2020, 5, 123-124.   | 19.8 | 14        |
| 511 | Band-Edge Luminescence from Oxide and Halide Perovskite Semiconductors. <i>Chemistry - an Asian Journal</i> , 2020, 15, 709-717.   | 1.7  | 6         |
| 512 | Sandwich-like mesoporous graphite-like carbon nitride (Meso-g-C <sub>3</sub> N <sub>4</sub> )/WP/Meso-g-C <sub>3</sub> N <sub>4</sub> laminated heterojunctions solar-driven photocatalysts. <i>Journal of Colloid and Interface Science</i> , 2020, 568, 255-263. | 5.0  | 25        |
| 513 | D <sup>1</sup> molecular semiconductors for perovskite solar cells: the superior role of helical <i>versus</i> planar linkers. <i>Chemical Science</i> , 2020, 11, 3418-3426.  | 3.7  | 30        |
| 514 | Interlayer-Sensitized Linear and Nonlinear Photoluminescence of Quasi-2D Hybrid Perovskites Using Aggregation-Induced Enhanced Emission Active Organic Cation Layers. <i>Advanced Functional Materials</i> , 2020, 30, 1909375.                                    | 7.8  | 21        |
| 515 | Influence of Functional Diamino Organic Cations on the Stability, Electronic Structure, and Carrier Transport Properties of Three-Dimensional Hybrid Halide Perovskite. <i>Journal of Physical Chemistry C</i> , 2020, 124, 6796-6810.                             | 1.5  | 12        |
| 516 | Defect Control Strategy by Bifunctional Thioacetamide at Low Temperature for Highly Efficient Planar Perovskite Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 12883-12891.  | 4.0  | 24        |
| 517 | Control of Crystal Symmetry Breaking with Halogen-Substituted Benzylammonium in Layered Hybrid Metal-Halide Perovskites. <i>Journal of the American Chemical Society</i> , 2020, 142, 5060-5067.   | 6.6  | 65        |
| 518 | Simplified Compact Perovskite Solar Cells with Efficiency of 19.6% via Interface Engineering. <i>Energy and Environmental Materials</i> , 2020, 3, 5-11.   | 7.3  | 10        |
| 519 | Advances in two-dimensional organic-inorganic hybrid perovskites. <i>Energy and Environmental Science</i> , 2020, 13, 1154-1186.   | 15.6 | 420       |
| 520 | Size-Dependent Pressure-Response of the Photoluminescence of CsPbBr <sub>3</sub> Nanocrystals. <i>Journal of Physical Chemistry Letters</i> , 2020, 11, 1975-1980.   | 2.1  | 35        |
| 521 | Effect of reabsorption and photon recycling on photoluminescence spectra and transients in lead-halide perovskite crystals. <i>JPhys Materials</i> , 2020, 3, 025003.  | 1.8  | 20        |
| 522 | Efficient Perovskite Solar Cells by Reducing Interface-Mediated Recombination: a Bulky Amine Approach. <i>Advanced Energy Materials</i> , 2020, 10, 2000197.   | 10.2 | 198       |
| 523 | Influence of Charge Transport Layers on Capacitance Measured in Halide Perovskite Solar Cells. <i>Joule</i> , 2020, 4, 644-657.  | 11.7 | 69        |
| 524 | Surface Engineering of Low-Temperature Processed Mesoporous TiO <sub>2</sub> via Oxygen Plasma for Flexible Perovskite Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 12648-12655.   | 4.0  | 33        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 525 | Semi-transparent perovskite solar cells with a cross-linked hole transport layer. <i>Nano Energy</i> , 2020, 71, 104635.   | 8.2  | 49        |
| 526 | Dopant-free Organic Hole-transporting Material for Efficient and Stable Inverted All-inorganic and Hybrid Perovskite Solar Cells. <i>Advanced Materials</i> , 2020, 32, e1908011.                                  | 11.1 | 195       |
| 527 | From Defects to Degradation: A Mechanistic Understanding of Degradation in Perovskite Solar Cell Devices and Modules. <i>Advanced Energy Materials</i> , 2020, 10, 1904054.  | 10.2 | 256       |
| 528 | Chemical stability for humidity control during the processing of solar cells with halide perovskites. <i>Materials Science in Semiconductor Processing</i> , 2020, 112, 105022.                                    | 1.9  | 3         |
| 529 | Enhanced stability and efficiency of perovskite solar cells via bifunctional group passivation with thiosalicylic acid. <i>Organic Electronics</i> , 2020, 81, 105681.   | 1.4  | 18        |
| 530 | Core/Shell Quantum Dots Solar Cells. <i>Advanced Functional Materials</i> , 2020, 30, 1908762.   | 7.8  | 98        |
| 531 | A review on perovskite solar cells: Evolution of architecture, fabrication techniques, commercialization issues and status. <i>Solar Energy</i> , 2020, 198, 665-688.  | 2.9  | 321       |
| 532 | Tailoring Perovskite Adjacent Interfaces by Conjugated Polyelectrolyte for Stable and Efficient Solar Cells. <i>Solar Rrl</i> , 2020, 4, 2000060.  | 3.1  | 23        |
| 533 | Reproducible Dry Stamping Transfer of PEDOT:PSS Transparent Top Electrode for Flexible Semitransparent Metal Halide Perovskite Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 10527-10534. | 4.0  | 40        |
| 534 | Molecularly engineered hole-transport material for low-cost perovskite solar cells. <i>Chemical Science</i> , 2020, 11, 2429-2439.   | 3.7  | 29        |
| 535 | How far are we from attaining 10-year lifetime for metal halide perovskite solar cells?. <i>Materials Science and Engineering Reports</i> , 2020, 140, 100545.   | 14.8 | 67        |
| 536 | Coupling halide perovskites with different materials: From doping to nanocomposites, beyond photovoltaics. <i>Progress in Materials Science</i> , 2020, 110, 100639.   | 16.0 | 38        |
| 537 | Solution-Processed Transparent Electrodes for Emerging Thin-Film Solar Cells. <i>Chemical Reviews</i> , 2020, 120, 2049-2122.  | 23.0 | 152       |
| 538 | Permanent Lattice Compression of Lead-Halide Perovskite for Persistently Enhanced Optoelectronic Properties. <i>ACS Energy Letters</i> , 2020, 5, 642-649.   | 8.8  | 52        |
| 539 | Halide perovskites: current issues and new strategies to push material and device stability. <i>JPhys Energy</i> , 2020, 2, 021005.  | 2.3  | 40        |
| 540 | Planar Mg <sub>x</sub> Zn <sub>1-x</sub> O-based perovskite solar cell with superior ultraviolet light stability. <i>Solar Energy Materials and Solar Cells</i> , 2020, 208, 110417.                               | 3.0  | 15        |
| 541 | Acetic Acid Assisted Crystallization Strategy for High Efficiency and Long-term Stable Perovskite Solar Cell. <i>Advanced Science</i> , 2020, 7, 1903368.  | 5.6  | 85        |
| 542 | Polaron hopping barriers and rates in semiconducting polymers. <i>Physical Chemistry Chemical Physics</i> , 2020, 22, 4032-4042.   | 1.3  | 7         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 543 | Molecular Doping for Hole Transporting Materials in Hybrid Perovskite Solar Cells. <i>Metals</i> , 2020, 10, 14.   | 1.0  | 9         |
| 544 | Crystallization tailoring of cesium/formamidinium double-cation perovskite for efficient and highly stable solar cells. <i>Journal of Energy Chemistry</i> , 2020, 48, 217-225.  | 7.1  | 45        |
| 545 | In Situ Observation of Vapor-Assisted 2D/3D Heterostructure Formation for Stable and Efficient Perovskite Solar Cells. <i>Nano Letters</i> , 2020, 20, 1296-1304.  | 4.5  | 65        |
| 546 | Large-Scale Synthesis of Uniform PbI <sub>2</sub> (DMSO) Complex Powder by Solvent Extraction Method for Efficient Metal Halide Perovskite Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 8233-8239. | 4.0  | 22        |
| 547 | Efficient CsSnI <sub>3</sub> -based inorganic perovskite solar cells based on a mesoscopic metal oxide framework incorporating a donor element. <i>Journal of Materials Chemistry A</i> , 2020, 8, 4118-4124.                | 5.2  | 75        |
| 548 | Development of Dopant-Free Organic Hole Transporting Materials for Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2020, 10, 1903326.   | 10.2 | 202       |
| 549 | Three-Dimensional Laser-Assisted Patterning of Blue-Emissive Metal Halide Perovskite Nanocrystals inside a Glass with Switchable Photoluminescence. <i>ACS Nano</i> , 2020, 14, 3150-3158.                                   | 7.3  | 102       |
| 550 | Hole Transport Materials in Conventional Structural (n-i-p) Perovskite Solar Cells: From Past to the Future. <i>Advanced Energy Materials</i> , 2020, 10, 1903403.   | 10.2 | 192       |
| 551 | High Electron Affinity Enables Fast Hole Extraction for Efficient Flexible Inverted Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2020, 10, 1903487.  | 10.2 | 210       |
| 552 | Surface Modification of TiO <sub>2</sub> for Perovskite Solar Cells. <i>Trends in Chemistry</i> , 2020, 2, 148-162.  | 4.4  | 91        |
| 553 | Surface charge density-dependent performance of Ni-Al layered double hydroxide-based flexible self-powered generators driven by natural water evaporation. <i>Nano Energy</i> , 2020, 70, 104502.                            | 8.2  | 55        |
| 554 | Fine Structure of the Optical Absorption Resonance in Cs <sub>2</sub> AgBiBr <sub>6</sub> Double Perovskite Thin Films. <i>ACS Energy Letters</i> , 2020, 5, 559-565.  | 8.8  | 45        |
| 555 | In Situ Passivation on Rear Perovskite Interface for Efficient and Stable Perovskite Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 7690-7700.   | 4.0  | 12        |
| 556 | Bottom-up synthesis of bright fluorescent, moisture-resistant methylammonium lead bromide@poly(3-bromothiophene). <i>New Journal of Chemistry</i> , 2020, 44, 2053-2058.   | 1.4  | 4         |
| 557 | Superior Textured Film and Process Tolerance Enabled by Intermediate-State Engineering for High-Efficiency Perovskite Solar Cells. <i>Advanced Science</i> , 2020, 7, 1903009.   | 5.6  | 22        |
| 558 | Graded Bandgap Perovskite with Intrinsic n-p Homojunction Expands Photon Harvesting Range and Enables All Transport Layer-Free Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2020, 10, 1903347.                 | 10.2 | 50        |
| 559 | Solution-Processable 2D Materials Applied in Light-Emitting Diodes and Solar Cells. <i>Advanced Materials Technologies</i> , 2020, 5, 1900972.   | 3.0  | 40        |
| 560 | A study on solution-processable tetrabenzomonoazaporphyrin hole transport material for perovskite solar cells. <i>Advances in Natural Sciences: Nanoscience and Nanotechnology</i> , 2020, 11, 015007.                       | 0.7  | 1         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 561 | Meta-Stable Molecular Configuration Enables Thermally Stable and Solution Processable Organic Charge Transporting Materials. <i>Advanced Functional Materials</i> , 2020, 30, 2000729.               | 7.8  | 3         |
| 562 | A Cross-Linked PCBM Interlayer for Efficient and UV-Stable Methylammonium-Free Perovskite Solar Cells. <i>Energy Technology</i> , 2020, 8, 2000224.  | 1.8  | 9         |
| 563 | Tuning spin-orbit coupling towards enhancing photocurrent in hybrid organic-inorganic perovskites by using mixed organic cations. <i>Organic Electronics</i> , 2020, 81, 105671.                     | 1.4  | 10        |
| 564 | Rapid Microwave Annealing Process of Hybrid Perovskites to Eliminate Miscellaneous Phase for High Performance Photovoltaics. <i>Advanced Science</i> , 2020, 7, 2000480.                             | 5.6  | 34        |
| 565 | Influence of Chloride/Iodide Ratio in MAPbI <sub>3</sub> -xCl <sub>x</sub> Perovskite Solar Devices: Case of Low Temperature Processable AZO Sub-Layer. <i>Energies</i> , 2020, 13, 1927.            | 1.6  | 11        |
| 566 | Photoactive Zn-Chlorophyll Hole Transporter-Sensitized Lead-Free Cs <sub>2</sub> AgBiBr <sub>6</sub> Perovskite Solar Cells. <i>Solar Rrl</i> , 2020, 4, 2000166.                                    | 3.1  | 58        |
| 567 | In Situ Analysis Reveals the Role of 2D Perovskite in Preventing Thermal-Induced Degradation in 2D/3D Perovskite Interfaces. <i>Nano Letters</i> , 2020, 20, 3992-3998.                              | 4.5  | 95        |
| 568 | In-Situ Electropolymerized Polyamines as Dopant-Free Hole-Transporting Materials for Efficient and Stable Inverted Perovskite Solar Cells. <i>ACS Applied Energy Materials</i> , 2020, 3, 5058-5066. | 2.5  | 26        |
| 569 | Visualizing the role of photoinduced ion migration on photoluminescence in halide perovskite grains. <i>Journal of Materials Chemistry C</i> , 2020, 8, 7509-7518.                                   | 2.7  | 14        |
| 570 | A Bioinspired Wireless Epidermal Photoreceptor for Artificial Skin Vision. <i>Advanced Functional Materials</i> , 2020, 30, 2000381.   | 7.8  | 24        |
| 571 | Phenylhydrazinium Iodide for Surface Passivation and Defects Suppression in Perovskite Solar Cells. <i>Advanced Functional Materials</i> , 2020, 30, 2000778.  | 7.8  | 103       |
| 572 | A Thermally Induced Perovskite Crystal Control Strategy for Efficient and Photostable Wide-Bandgap Perovskite Solar Cells. <i>Solar Rrl</i> , 2020, 4, 2000033.                                      | 3.1  | 22        |
| 573 | Halogen-containing semiconductors: From artificial photosynthesis to unconventional computing. <i>Coordination Chemistry Reviews</i> , 2020, 415, 213316.  | 9.5  | 21        |
| 574 | Highly Efficient Thermally Co-evaporated Perovskite Solar Cells and Mini-modules. <i>Joule</i> , 2020, 4, 1035-1053.   | 11.7 | 257       |
| 575 | Interfacial electric field enhanced charge density for robust triboelectric nanogenerators by tailoring metal/perovskite Schottky junction. <i>Nano Energy</i> , 2020, 73, 104747.                   | 8.2  | 42        |
| 576 | Growth control and defect passivation toward efficient and low-temperature processed carbon based CsPbI <sub>2</sub> Br <sub>2</sub> solar cell. <i>Organic Electronics</i> , 2020, 83, 105731.      | 1.4  | 24        |
| 577 | Vapor-deposited all inorganic CsPbBr <sub>3</sub> thin films and interface modification with C8-BTBT for high performance photodetector. <i>Results in Physics</i> , 2020, 17, 103087.               | 2.0  | 21        |
| 578 | Computational study of stack/terminal topologies for perovskite based bifacial tandem solar cells. <i>Solar Energy</i> , 2020, 203, 1-9.   | 2.9  | 15        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 579 | High-performance perovskite solar cells based on passivating interfacial and intergranular defects. <i>Solar Energy Materials and Solar Cells</i> , 2020, 212, 110555.                                      | 3.0  | 36        |
| 580 | Photoactivated transition metal dichalcogenides to boost electron extraction for all-inorganic tri-brominated planar perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2020, 8, 7784-7791.  | 5.2  | 31        |
| 581 | Aged sol-gel solution-processed texture tin oxide for high-efficient perovskite solar cells. <i>Nanotechnology</i> , 2020, 31, 315205.  | 1.3  | 8         |
| 582 | The growth of methylammonium lead iodide perovskites by close space vapor transport. <i>RSC Advances</i> , 2020, 10, 16125-16131.   | 1.7  | 11        |
| 583 | Passivating contacts and tandem concepts: Approaches for the highest silicon-based solar cell efficiencies. <i>Applied Physics Reviews</i> , 2020, 7, .   | 5.5  | 150       |
| 584 | A reaction-and-assembly approach using monoamine zinc porphyrin for highly stable large-area perovskite solar cells. <i>Science China Chemistry</i> , 2020, 63, 777-784.                                    | 4.2  | 19        |
| 585 | Pyridine Bridging Diphenylamine-Carbazole with Linking Topology as Rational Hole Transporter for Perovskite Solar Cells Fabrication. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 22881-22890. | 4.0  | 38        |
| 586 | Tightly Compacted Perovskite Laminates on Flexible Substrates via Hot-Pressing. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 1917.   | 1.3  | 2         |
| 587 | Poly(3-hexylthiophene)/Gold Nanorod Composites as Efficient Hole-Transporting Materials for Perovskite Solar Cells. <i>Solar Rrl</i> , 2020, 4, 2000109.  | 3.1  | 10        |
| 588 | High-Efficiency CsPbI <sub>2</sub> Br Perovskite Solar Cells with Dopant-Free Poly(3-hexylthiophene) Hole Transporting Layers. <i>Advanced Energy Materials</i> , 2020, 10, 2000501.                        | 10.2 | 69        |
| 589 | Morphology Control of Doped Spiro-MeOTAD Films for Air Stable Perovskite Solar Cells. <i>Small</i> , 2020, 16, e1907513.  | 5.2  | 16        |
| 590 | Additive-Assisted Hot-Casting Free Fabrication of Dion-Jacobson 2D Perovskite Solar Cell with Efficiency Beyond 16%. <i>Solar Rrl</i> , 2020, 4, 2000087.   | 3.1  | 49        |
| 591 | Large organic cation incorporation induces vertical orientation growth of Sn-based perovskites for high efficiency solar cells. <i>Chemical Engineering Journal</i> , 2020, 402, 125133.                    | 6.6  | 25        |
| 592 | Tungsten-Doped Zinc Oxide and Indium-Zinc Oxide Films as High-Performance Electron-Transport Layers in n-i-p Perovskite Solar Cells. <i>Polymers</i> , 2020, 12, 737.                                       | 2.0  | 10        |
| 593 | Spatially Resolved Performance Analysis for Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2020, 10, 1904001.   | 10.2 | 30        |
| 594 | Chlorinated Fullerene Dimers for Interfacial Engineering Toward Stable Planar Perovskite Solar Cells with 22.3% Efficiency. <i>Advanced Energy Materials</i> , 2020, 10, 2000615.                           | 10.2 | 76        |
| 595 | Superior Stability and Emission Quantum Yield (23% ± 3%) of Single-Layer 2D Tin Perovskite TEA <sub>2</sub> SnI <sub>4</sub> via Thiocyanate Passivation. <i>Small</i> , 2020, 16, e2000903.                | 5.2  | 19        |
| 596 | Vacancies substitution induced interfacial dipole formation and defect passivation for highly stable perovskite solar cells. <i>Chemical Engineering Journal</i> , 2020, 396, 125010.                       | 6.6  | 19        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 597 | Charge-transport layer engineering in perovskite solar cells. <i>Science Bulletin</i> , 2020, 65, 1237-1241.  | 4.3  | 115       |
| 598 | Zwitterion-Stabilizing Scalable Bladed $\pm$ -Phase Cs <sub>0.1</sub> FA <sub>0.9</sub> PbI <sub>3</sub> Films for Efficient Inverted Planar Perovskite Solar Cells. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 7020-7030. | 3.2  | 27        |
| 599 | Perovskite Solar Cells: A Porous Graphitic Carbon based Hole Transporter/Counter Electrode Material Extracted from an Invasive Plant Species <i>Eichhornia Crassipes</i> . <i>Scientific Reports</i> , 2020, 10, 6835.                      | 1.6  | 38        |
| 600 | Synchronous surface and bulk composition management for red-shifted light absorption and suppressed interfacial recombination in perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2020, 8, 9743-9752.                      | 5.2  | 22        |
| 601 | Perovskite CsPbBr <sub>3</sub> crystals: growth and applications. <i>Journal of Materials Chemistry C</i> , 2020, 8, 6326-6341.   | 2.7  | 87        |
| 602 | Ligand-Modulated Excess PbI <sub>2</sub> Nanosheets for Highly Efficient and Stable Perovskite Solar Cells. <i>Advanced Materials</i> , 2020, 32, e2000865.   | 11.1 | 136       |
| 603 | Accurately Stoichiometric Regulating Oxidation States in Hole Transporting Material to Enhance the Hole Mobility of Perovskite Solar Cells. <i>Solar Rrl</i> , 2020, 4, 2000127.  | 3.1  | 5         |
| 604 | Nickel oxide for inverted structure perovskite solar cells. <i>Journal of Energy Chemistry</i> , 2021, 52, 393-411.   | 7.1  | 132       |
| 605 | Biopolymer passivation for high-performance perovskite solar cells by blade coating. <i>Journal of Energy Chemistry</i> , 2021, 54, 45-52.  | 7.1  | 29        |
| 606 | Hydrazinium cation mixed FAPbI <sub>3</sub> -based perovskite with 1D/3D hybrid dimension structure for efficient and stable solar cells. <i>Chemical Engineering Journal</i> , 2021, 403, 125724.  | 6.6  | 33        |
| 607 | Multifunctional dopamine-assisted preparation of efficient and stable perovskite solar cells. <i>Journal of Energy Chemistry</i> , 2021, 54, 291-300.   | 7.1  | 42        |
| 608 | Interphases, Interfaces, and Surfaces of Active Materials in Rechargeable Batteries and Perovskite Solar Cells. <i>Advanced Materials</i> , 2021, 33, e1905245.   | 11.1 | 30        |
| 609 | A crosslinked polymer as dopant-free hole-transport material for efficient n-i-p type perovskite solar cells. <i>Journal of Energy Chemistry</i> , 2021, 55, 211-218.   | 7.1  | 29        |
| 610 | Improved interfacial property by small molecule ethanediamine for high performance inverted planar perovskite solar cells. <i>Journal of Energy Chemistry</i> , 2021, 54, 467-474.  | 7.1  | 12        |
| 611 | Natural passivation of the perovskite layer by oxygen in ambient air to improve the efficiency and stability of perovskite solar cells simultaneously. <i>Organic Electronics</i> , 2021, 88, 106007.                                       | 1.4  | 11        |
| 612 | Perovskite Passivation Strategies for Efficient and Stable Solar Cells. <i>Solar Rrl</i> , 2021, 5, .   | 3.1  | 23        |
| 613 | Enamine-Based Cross-Linkable Hole-Transporting Materials for Perovskite Solar Cells. <i>Solar Rrl</i> , 2021, 5, .  | 3.1  | 11        |
| 614 | Ultraviolet filtration and defect passivation for efficient and photostable CsPbBr <sub>3</sub> perovskite solar cells by interface engineering with ultraviolet absorber. <i>Chemical Engineering Journal</i> , 2021, 404, 126548.         | 6.6  | 29        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 615 | Minimizing Voltage Losses in Perovskite Solar Cells. <i>Small Structures</i> , 2021, 2, 2000050.  | 6.9 | 43        |
| 616 | A sulfur-rich small molecule as a bifunctional interfacial layer for stable perovskite solar cells with efficiencies exceeding 22%. <i>Nano Energy</i> , 2021, 79, 105462.  | 8.2 | 72        |
| 617 | Conjugated Polymers for Photon-to-Electron and Photon-to-Fuel Conversions. <i>ACS Applied Polymer Materials</i> , 2021, 3, 60-92.   | 2.0 | 43        |
| 618 | Acetone-assisted precursor engineering enables low-temperature fabrication of CsPbI <sub>2</sub> Br perovskite for efficient solar cells. <i>Journal of Power Sources</i> , 2021, 482, 228965.                                      | 4.0 | 31        |
| 619 | Revealing the Perovskite Film Formation Using the Gas Quenching Method by In Situ GIWAXS: Morphology, Properties, and Device Performance. <i>Advanced Functional Materials</i> , 2021, 31, 2007473.                                 | 7.8 | 40        |
| 620 | Laser writing of CsPbBr <sub>3</sub> nanocrystals mediated by closely-packed Au nanoislands. <i>Applied Surface Science</i> , 2021, 538, 148143.  | 3.1 | 9         |
| 621 | All-inorganic CsPbI <sub>3</sub> Quantum Dot Solar Cells with Efficiency over 16% by Defect Control. <i>Advanced Functional Materials</i> , 2021, 31, 2005930.  | 7.8 | 101       |
| 622 | Effects of guanidinium cations on structural, optoelectronic and photovoltaic properties of perovskites. <i>Journal of Energy Chemistry</i> , 2021, 58, 48-54.  | 7.1 | 21        |
| 623 | Engineering of dendritic dopant-free hole transport molecules: enabling ultrahigh fill factor in perovskite solar cells with optimized dendron construction. <i>Science China Chemistry</i> , 2021, 64, 41-51.                      | 4.2 | 55        |
| 624 | Composition optimization of lead-free double perovskite Cs <sub>2</sub> AgIn <sub>1-x</sub> Bi <sub>x</sub> Cl <sub>6</sub> for efficient and stable photoluminescence. <i>Journal of Alloys and Compounds</i> , 2021, 854, 156930. | 2.8 | 15        |
| 625 | Simultaneously enhanced moisture tolerance and defect passivation of perovskite solar cells with cross-linked grain encapsulation. <i>Journal of Energy Chemistry</i> , 2021, 56, 455-462.  | 7.1 | 31        |
| 626 | A charge-separated interfacial hole transport semiconductor for efficient and stable perovskite solar cells. <i>Organic Electronics</i> , 2021, 88, 105988.   | 1.4 | 4         |
| 627 | Spatial configuration engineering of perylene diimide-based non-fullerene electron transport materials for efficient inverted perovskite solar cells. <i>Journal of Energy Chemistry</i> , 2021, 56, 374-382.                       | 7.1 | 20        |
| 628 | Solar energy technologies: principles and applications. , 2021, , 3-42.   |     | 7         |
| 629 | Pyrene-Cored Hole-Transporting Materials for Efficient and Stable Perovskite Solar Cells. <i>Bulletin of the Chemical Society of Japan</i> , 2021, 94, 632-640.   | 2.0 | 5         |
| 630 | Recent progress of minimal voltage losses for high-performance perovskite photovoltaics. <i>Nano Energy</i> , 2021, 81, 105634.   | 8.2 | 48        |
| 631 | Mixed Group 14-15 Metalates as Model Compounds for Doped Lead Halide Perovskites. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 3906-3911.   | 7.2 | 11        |
| 632 | Two-dimensional halide perovskite-based solar cells: Strategies for performance and stability enhancement. <i>FlatChem</i> , 2021, 25, 100213.  | 2.8 | 4         |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 633 | Device Performance of Emerging Photovoltaic Materials (Version 1). <i>Advanced Energy Materials</i> , 2021, 11, 2002774.  | 10.2 | 93        |
| 634 | Light Stability Enhancement of Perovskite Solar Cells Using $\text{C}_{18}\text{F}_{19}\text{SiO}_2$ Perfluorooctyltriethoxysilane Passivation. <i>Solar Rrl</i> , 2021, 5, 2000650.  | 3.1  | 7         |
| 635 | Low-Temperature Deposited $\text{TiO}_2$ Nanopillars for Efficient and Flexible Perovskite Solar Cells. <i>Advanced Materials Interfaces</i> , 2021, 8, 2001512.  | 1.9  | 11        |
| 636 | A Review on Scaling Up Perovskite Solar Cells. <i>Advanced Functional Materials</i> , 2021, 31, 2008621.  | 7.8  | 143       |
| 637 | Self-Driven Perovskite Narrowband Photodetectors with Tunable Spectral Responses. <i>Advanced Materials</i> , 2021, 33, e2005557.   | 11.1 | 109       |
| 638 | Modeling Grain Boundaries in Polycrystalline Halide Perovskite Solar Cells. <i>Annual Review of Condensed Matter Physics</i> , 2021, 12, 95-109.  | 5.2  | 25        |
| 639 | Mechanisms and Suppression of Photoinduced Degradation in Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2021, 11, 2002326.   | 10.2 | 118       |
| 640 | Tailoring organic bulk-heterojunction for charge extraction and spectral absorption in $\text{CsPbBr}_3$ perovskite solar cells. <i>Science China Materials</i> , 2021, 64, 798-807.  | 3.5  | 17        |
| 641 | Direct Observation of Photoinduced Ion Migration in Lead Halide Perovskites. <i>Advanced Functional Materials</i> , 2021, 31, 2008777.  | 7.8  | 41        |
| 642 | In Quest of Environmentally Stable Perovskite Solar Cells: A Perspective. <i>Helvetica Chimica Acta</i> , 2021, 104, .  | 1.0  | 15        |
| 643 | Efficient designing of triphenylamine-based hole transport materials with outstanding photovoltaic characteristics for organic solar cells. <i>Journal of Materials Science</i> , 2021, 56, 5113-5131.  | 1.7  | 86        |
| 644 | Highly luminescent $\text{CH}_3\text{NH}_3\text{PbBr}_3$ quantum dots with 96.5% photoluminescence quantum yield achieved by synergistic combination of single-crystal precursor and capping ligand optimization. <i>Journal of Alloys and Compounds</i> , 2021, 859, 157842. | 2.8  | 5         |
| 645 | Ni,Ti-co-doped $\text{MoO}_2$ nanoparticles with high stability and improved conductivity for hole transporting material in planar metal halide perovskite solar cells. <i>Journal of Industrial and Engineering Chemistry</i> , 2021, 94, 376-383.                           | 2.9  | 8         |
| 646 | Low-temperature processed bipolar metal oxide charge transporting layers for highly efficient perovskite solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2021, 221, 110870.  | 3.0  | 12        |
| 647 | Conjugated polyelectrolyte doped perovskite films with enhanced photovoltaic performance and stability. <i>Chemical Engineering Journal</i> , 2021, 417, 128068.  | 6.6  | 8         |
| 648 | Surface Engineering of Ambient-Air-Processed Cesium Lead Triiodide Layers for Efficient Solar Cells. <i>Joule</i> , 2021, 5, 183-196.   | 11.7 | 308       |
| 649 | Multi-source cation/anion doping towards efficient carbon-based $\text{CsPbI}_2\text{Br}$ solar cells with superior open voltage up to 1.37V. <i>Solar Energy Materials and Solar Cells</i> , 2021, 221, 110918.  | 3.0  | 21        |
| 650 | Beyond 17% stable perovskite solar module via polaron arrangement of tuned polymeric hole transport layer. <i>Nano Energy</i> , 2021, 82, 105685.   | 8.2  | 28        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 651 | 9.7%-efficient Sb <sub>2</sub> (S,Se) <sub>3</sub> solar cells with a dithieno[3,2-b:2',3'-d]pyrrole-cored hole transporting material. <i>Energy and Environmental Science</i> , 2021, 14, 359-364.                        | 15.6 | 70        |
| 652 | Artemisinin-passivated mixed-cation perovskite films for durable flexible perovskite solar cells with over 21% efficiency. <i>Journal of Materials Chemistry A</i> , 2021, 9, 1574-1582.                                   | 5.2  | 126       |
| 653 | Gemischte Gruppe-15-Metallate als Modellverbindungen für dotierte Bleihalogenidperowskite. <i>Angewandte Chemie</i> , 2021, 133, 3952-3956.  | 1.6  | 0         |
| 654 | A Scalable Integrated Dopant-Free Heterostructure to Stabilize Perovskite Solar Cell Modules. <i>Advanced Energy Materials</i> , 2021, 11, 2003301.  | 10.2 | 43        |
| 655 | Insights into Large-Scale Fabrication Methods in Perovskite Photovoltaics. <i>Advanced Energy and Sustainability Research</i> , 2021, 2, 2000046.  | 2.8  | 27        |
| 656 | Transparent and Colored Solar Photovoltaics for Building Integration. <i>Solar Rrl</i> , 2021, 5, 2000614.   | 3.1  | 27        |
| 657 | Perovskite surface management by thiol and amine copper porphyrin for stable and clean solar cells. <i>Chemical Engineering Journal</i> , 2021, 409, 128167.   | 6.6  | 25        |
| 658 | Low-Cost Dopant Additive-Free Hole-Transporting Material for a Robust Perovskite Solar Cell with Efficiency Exceeding 21%. <i>ACS Energy Letters</i> , 2021, 6, 208-215.   | 8.8  | 67        |
| 659 | All-inorganic CsPbBr <sub>3</sub> perovskite: a promising choice for photovoltaics. <i>Materials Advances</i> , 2021, 2, 646-683.  | 2.6  | 100       |
| 660 | Lead or no lead? Availability, toxicity, sustainability and environmental impact of lead-free perovskite solar cells. <i>Journal of Materials Chemistry C</i> , 2021, 9, 67-76.  | 2.7  | 171       |
| 661 | Undoped 2,2',7,7'-tetrakis (N,N-p-dimethoxy-phenylamino)-9,9'-spirobifluorene and PbS binary hole-transporter for efficient and stable planar perovskite solar cells. <i>Journal of Power Sources</i> , 2021, 481, 229149. | 4.0  | 7         |
| 662 | Dual Interfacial Modification Engineering for Highly Efficient and Stable Perovskite Solar Cells. <i>Solar Rrl</i> , 2021, 5, 2000652.   | 3.1  | 4         |
| 663 | Defect mitigation using $\gamma$ -penicillamine for efficient methylammonium-free perovskite solar cells with high operational stability. <i>Chemical Science</i> , 2021, 12, 2050-2059.                                   | 3.7  | 88        |
| 664 | Conjugated copolymers as doping- and annealing-free hole transport materials for highly stable and efficient p-i-n perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2021, 9, 2269-2275.                   | 5.2  | 15        |
| 665 | A review on power conversion efficiency of lead iodide perovskite-based solar cells. <i>Materials Today: Proceedings</i> , 2021, 46, 5570-5574.  | 0.9  | 14        |
| 666 | Cross-linkable fullerene interfacial contacts for enhancing humidity stability of inverted perovskite solar cells. <i>Rare Metals</i> , 2021, 40, 1691-1697.   | 3.6  | 8         |
| 667 | Review on recent progress of lead-free halide perovskites in optoelectronic applications. <i>Nano Energy</i> , 2021, 80, 105526.   | 8.2  | 130       |
| 668 | Recent Advances in Carbon Nanotube Utilizations in Perovskite Solar Cells. <i>Advanced Functional Materials</i> , 2021, 31, 2004765.   | 7.8  | 37        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 669 | Highly efficient and stable perovskite solar cells with strong hydrophobic barrier via introducing poly(vinylidene fluoride) additive. <i>Journal of Energy Chemistry</i> , 2021, 57, 593-600.                     | 7.1  | 30        |
| 670 | Ambient Fabrication of Organic-Inorganic Hybrid Perovskite Solar Cells. <i>Small Methods</i> , 2021, 5, e2000744.  | 4.6  | 63        |
| 671 | Hybrid energy system based on solar cell and self-healing/self-cleaning triboelectric nanogenerator. <i>Nano Energy</i> , 2021, 79, 105394.  | 8.2  | 56        |
| 672 | Recent progress in the piezoelectricity of molecular ferroelectrics. <i>Materials Chemistry Frontiers</i> , 2021, 5, 44-59.  | 3.2  | 43        |
| 673 | Metal halide perovskites for light-emitting diodes. <i>Nature Materials</i> , 2021, 20, 10-21.   | 13.3 | 800       |
| 674 | SMART Perovskite Growth: Enabling a Larger Range of Process Conditions. <i>ACS Energy Letters</i> , 2021, 6, 650-658.  | 8.8  | 14        |
| 675 | Carbon nanotubes in high-performance perovskite photovoltaics and other emerging optoelectronic applications. <i>Journal of Applied Physics</i> , 2021, 129, .   | 1.1  | 15        |
| 676 | Anion Exchange-Induced Crystal Engineering via Hot-Pressing Sublimation Affording Highly Efficient and Stable Perovskite Solar Cells. <i>Solar Rrl</i> , 2021, 5, 2000729.   | 3.1  | 6         |
| 677 | Recent progress in meniscus coating for large-area perovskite solar cells and solar modules. <i>Sustainable Energy and Fuels</i> , 2021, 5, 1926-1951.   | 2.5  | 11        |
| 678 | Preparation and Properties of Films of Organic-Inorganic Perovskites MAPbX <sub>3</sub> (MA = CH <sub>3</sub> NH <sub>3</sub> ; X = Cl, I) Tj ETQq1 1 0,784314 $\mu\text{gBT}/\text{Over}$<br>0,2                  | 0,2  | 5         |
| 679 | Solution-processed two-dimensional materials for next-generation photovoltaics. <i>Chemical Society Reviews</i> , 2021, 50, 11870-11965.   | 18.7 | 96        |
| 680 | Two birds with one stone: dual grain-boundary and interface passivation enables >22% efficient inverted methylammonium-free perovskite solar cells. <i>Energy and Environmental Science</i> , 2021, 14, 5875-5893. | 15.6 | 180       |
| 681 | Revealing defective nanostructured surfaces and their impact on the intrinsic stability of hybrid perovskites. <i>Energy and Environmental Science</i> , 2021, 14, 1563-1572.                                      | 15.6 | 55        |
| 682 | Crystallization in one-step solution deposition of perovskite films: Upward or downward?. <i>Science Advances</i> , 2021, 7, .   | 4.7  | 165       |
| 683 | Chemical vapor deposition growth of phase-selective inorganic lead halide perovskite films for sensitive photodetectors. <i>Chinese Chemical Letters</i> , 2021, 32, 489-492.                                      | 4.8  | 22        |
| 684 | Printing High-Efficiency Perovskite Solar Cells in High-Humidity Ambient Environment An In Situ Guided Investigation. <i>Advanced Science</i> , 2021, 8, 2003359.  | 5.6  | 40        |
| 685 | Lessons learned from spiro-OMeTAD and PTAA in perovskite solar cells. <i>Energy and Environmental Science</i> , 2021, 14, 5161-5190.   | 15.6 | 255       |
| 687 | Interface of Sn-doped AgAlTe <sub>2</sub> and LiInTe <sub>2</sub> : A theoretical model of tandem intermediate band absorber. <i>Applied Physics Letters</i> , 2021, 118, .  | 1.5  | 6         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 688 | Elemental Pb initiated in situ Cl doping for improved photovoltaic performances of perovskite. Journal of Renewable and Sustainable Energy, 2021, 13, 013503.   | 0.8  | 3         |
| 689 | Low-Cost, High-Performance Organic Small Molecular Hole-Transporting Materials for Perovskite Solar Cells. Chinese Journal of Organic Chemistry, 2021, 41, 1447.  | 0.6  | 5         |
| 690 | Highly efficient and stable planar perovskite solar cells with $K_3[Fe(CN)_6]$ -doped spiro-OMeTAD. Journal of Materials Chemistry C, 2021, 9, 7726-7733.   | 2.7  | 20        |
| 691 | Nanoscale localized contacts for high fill factors in polymer-passivated perovskite solar cells. Science, 2021, 371, 390-395.   | 6.0  | 270       |
| 692 | Intact 2D/3D halide junction perovskite solar cells via solid-phase in-plane growth. Nature Energy, 2021, 6, 63-71.   | 19.8 | 365       |
| 693 | Synthesis of spirodithienogermole with triphenylamine units as a dopant-free hole-transporting material for perovskite solar cells. Journal of Materials Chemistry C, 2021, 9, 2001-2007.                                       | 2.7  | 7         |
| 694 | A tailored graft-type polymer as a dopant-free hole transport material in indoor perovskite photovoltaics. Journal of Materials Chemistry A, 2021, 9, 15294-15300.  | 5.2  | 27        |
| 695 | Improved efficiency and carrier dynamic transportation behavior in perovskite solar cells with $CuInS_2$ quantum dots as hole-transport materials. Dalton Transactions, 2021, 50, 8837-8844.                                    | 1.6  | 6         |
| 696 | Ambient processed (110) preferred $MAPbI_3$ thin films for highly efficient perovskite solar cells. Nanoscale Advances, 2021, 3, 2056-2064.   | 2.2  | 15        |
| 697 | Soft annealing effect on the properties of sputter grown $Cu_2ZnSnS_4$ (CZTS) thin films for solar cell applications. Materials Today: Proceedings, 2021, 34, 690-696.  | 0.9  | 5         |
| 698 | Polymeric hole-transporting material with a flexible backbone for constructing thermally stable inverted perovskite solar cells. Materials Chemistry Frontiers, 2021, 5, 7241-7250.   | 3.2  | 6         |
| 699 | A carbon-quantum-dot-hybridized $NiO_x$ hole-transport layer enables efficient and stable planar $CH_3NH_3PbI_3$ perovskite solar cells with high open-circuit voltage. Journal of Materials Chemistry C, 2021, 9, 12213-12223. | 2.7  | 7         |
| 700 | Co-evaporation of $CH_3NH_3PbI_3$ : How Growth Conditions Impact Phase Purity, Photostriction, and Intrinsic Stability. ACS Applied Materials & Interfaces, 2021, 13, 2642-2653.  | 4.0  | 14        |
| 701 | Polymers and interfacial modifiers for durable perovskite solar cells: a review. Journal of Materials Chemistry C, 2021, 9, 12509-12522.  | 2.7  | 18        |
| 702 | Proton sponge lead halides containing 1D polyoctahedral chains. CrystEngComm, 2021, 23, 1126-1139.  | 1.3  | 7         |
| 703 | Crystal Reorientation and Amorphization Induced by Stressing Efficient and Stable $CH_3NH_3PbI_3$ Perovskite Solar Cells. Advanced Energy and Sustainability Research, 2021, 2, 2000065.  | 2.8  | 20        |
| 704 | Ambient Prepared Mesoporous Perovskite Solar Cells with Longer Stability. Journal of Electronic Materials, 2021, 50, 1535-1543.   | 1.0  | 2         |
| 705 | Visualization of halide perovskite crystal growth processes by <i>in situ</i> heating WAXS measurements. Chemical Communications, 2021, 57, 2685-2688.  | 2.2  | 1         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 706 | Carbon-Based Printable Perovskite Solar Cells with a Mesoporous TiO <sub>2</sub> Electron Transporting Layer Derived from Metal-Organic Framework NH <sub>2</sub> -MIL-125. Energy Technology, 2021, 9, 2000957.                   | 1.8  | 11        |
| 707 | Cadmium doping for improving the efficiency and stability of carbon-based CsPbBr <sub>2</sub> all-inorganic perovskite solar cells. New Journal of Chemistry, 2021, 45, 9243-9250.   | 1.4  | 12        |
| 708 | Surface passivation of organometal halide perovskites by atomic layer deposition: an investigation of the mechanism of efficient inverted planar solar cells. Nanoscale Advances, 2021, 3, 2305-2315.                              | 2.2  | 25        |
| 709 | Drastic Change of Surface Morphology of Cesium-Formamidinium Perovskite Solar Cells by Antisolvent Processing. ACS Applied Energy Materials, 2021, 4, 1069-1077.   | 2.5  | 4         |
| 710 | Perovskite solar cells as modern nano tools and devices in solar power energy. , 2021, , 377-427.  |      | 5         |
| 711 | Selective Defect Passivation and Topographical Control of 4-Dimethylaminopyridine at Grain Boundary for Efficient and Stable Planar Perovskite Solar Cells. Advanced Energy Materials, 2021, 11, 2003382.                          | 10.2 | 82        |
| 712 | Trimethylsulfonium lead triiodide (TMSPbI <sub>3</sub> ) for moisture-stable perovskite solar cells. Sustainable Energy and Fuels, 2021, 5, 4327-4335.   | 2.5  | 11        |
| 713 | A dithieno[3,2- <i>a</i> :3- <i>ε</i> ,2- <i>ε</i> ][5,6,11,12]chrysene diimide based polymer as an electron transport layer for efficient inverted perovskite solar cells. Journal of Materials Chemistry C, 2022, 10, 2703-2710. | 2.7  | 2         |
| 714 | High-Quality Ruddlesden-Popper Perovskite Film Formation for High-Performance Perovskite Solar Cells. Advanced Materials, 2021, 33, e2002582.  | 11.1 | 182       |
| 715 | Boosting the performance of MA-free inverted perovskite solar cells via multifunctional ion liquid. Journal of Materials Chemistry A, 2021, 9, 12746-12754.  | 5.2  | 44        |
| 716 | Optoelectronic functional fibers: materials, fabrication, and application for smart textiles. Journal of Materials Chemistry C, 2021, 9, 439-455.  | 2.7  | 24        |
| 717 | Buried Interfaces in Halide Perovskite Photovoltaics. Advanced Materials, 2021, 33, e2006435.  | 11.1 | 214       |
| 718 | Water and oxygen co-induced microstructure relaxation and evolution in CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> . Physical Chemistry Chemical Physics, 2021, 23, 17242-17247.  | 1.3  | 5         |
| 719 | Highly stable and efficient cathode-buffer-layer-free inverted perovskite solar cells. Nanoscale, 2021, 13, 5652-5659.   | 2.8  | 7         |
| 720 | Perovskite solar cells. , 2021, , 249-281.   |      | 5         |
| 721 | Advances in SnO <sub>2</sub> -based perovskite solar cells: from preparation to photovoltaic applications. Journal of Materials Chemistry A, 2021, 9, 19554-19588.   | 5.2  | 88        |
| 722 | Highly Stable Ag-Au Core-Shell Nanowire Network for ITO-Free Flexible Organic Electrochromic Device. Advanced Functional Materials, 2021, 31, 2010022.   | 7.8  | 40        |
| 723 | Using steric hindrance to manipulate and stabilize metal halide perovskites for optoelectronics. Chemical Science, 2021, 12, 7231-7247.  | 3.7  | 31        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 724 | Improvement in performance of carbon-based perovskite solar cells by adding 1, 8-diiodooctane into hole transport layer 3-hexylthiophene. Wuli Xuebao/Acta Physica Sinica, 2021, 70, 198403-198403.  | 0.2  | 0         |
| 725 | Insights into iodoplumbate complex evolution of precursor solutions for perovskite solar cells: from aging to degradation. Journal of Materials Chemistry A, 2021, 9, 6732-6748.   | 5.2  | 26        |
| 726 | Modulation of perovskite crystallization processes towards highly efficient and stable perovskite solar cells with MXene quantum dot-modified SnO <sub>2</sub> . Energy and Environmental Science, 2021, 14, 3447-3454.                    | 15.6 | 115       |
| 727 | Efficient defect passivation with niacin for high-performance and stable perovskite solar cells. Journal of Materials Chemistry C, 0, , .  | 2.7  | 10        |
| 728 | A saddle-shaped <i>o</i> -tetraphenylene based molecular semiconductor with a high glass transition temperature for perovskite solar cells. Journal of Materials Chemistry A, 2021, 9, 9927-9936.  | 5.2  | 6         |
| 729 | Optimizing kesterite solar cells from Cu <sub>2</sub> ZnSnS <sub>4</sub> to Cu <sub>2</sub> CdGe(S,Se) <sub>4</sub> . Journal of Materials Chemistry A, 2021, 9, 9882-9897.  | 5.2  | 18        |
| 730 | Correlations between Electrochemical Ion Migration and Anomalous Device Behaviors in Perovskite Solar Cells. ACS Energy Letters, 2021, 6, 1003-1014.   | 8.8  | 39        |
| 731 | Implementing Dopant-Free Hole-Transporting Layers and Metal-Incorporated CsPbI <sub>2</sub> Br for Stable All-Inorganic Perovskite Solar Cells. ACS Energy Letters, 2021, 6, 778-788.  | 8.8  | 71        |
| 732 | Phosphine Oxide Derivative as a Passivating Agent to Enhance the Performance of Perovskite Solar Cells. ACS Applied Energy Materials, 2021, 4, 1259-1268.  | 2.5  | 11        |
| 733 | Europium ions doped WO <sub>x</sub> nanorods for dual interfacial modification facilitating high efficiency and stability of perovskite solar cells. Nano Energy, 2021, 80, 105564.  | 8.2  | 26        |
| 734 | Antisolvent engineering on low-temperature processed CsPbI <sub>3</sub> inorganic perovskites for improved performances of solar cells. Nanotechnology, 2021, 32, 185402.  | 1.3  | 11        |
| 735 | Device design for high-efficiency monolithic two-terminal, four-terminal mechanically stacked, and four-terminal optically coupled perovskite-silicon tandem solar cells. International Journal of Energy Research, 2021, 45, 10538-10545. | 2.2  | 15        |
| 736 | Capturing Mobile Lithium Ions in a Molecular Hole Transporter Enhances the Thermal Stability of Perovskite Solar Cells. Advanced Materials, 2021, 33, e2007431.  | 11.1 | 64        |
| 737 | Vertical 2D/3D Heterojunction of Tin Perovskites for Highly Efficient HTM-Free Perovskite Solar Cell. ACS Applied Energy Materials, 2021, 4, 2041-2048.  | 2.5  | 26        |
| 738 | Band Engineering via Gradient Molecular Dopants for CsFA Perovskite Solar Cells. Advanced Functional Materials, 2021, 31, 2010572.   | 7.8  | 12        |
| 739 | Stable tin perovskite solar cells enabled by widening the time window for crystallization. Science China Materials, 2021, 64, 1849-1857.   | 3.5  | 10        |
| 740 | High-Efficiency Quasi-2D Perovskite Solar Cells Incorporating 2,2'-Bimidazolium Cation. Solar Rrl, 2021, 5, 2000700.   | 3.1  | 9         |
| 741 | Fully Air-Processed Dynamic Hot-Air-Assisted M:CsPbI <sub>2</sub> Br (M: Eu <sup>2+</sup> , In <sup>3+</sup> ) for Stable Inorganic Perovskite Solar Cells. Matter, 2021, 4, 635-653.  | 5.0  | 109       |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 742 | Improving Holeâ€Conductorâ€Free Fully Printable Mesoscopic Perovskite Solar Cellsâ€™ Performance with Enhanced Openâ€Circuit Voltage via the Octyltrimethylammonium Chloride Additive. Solar Rrl, 2021, 5, 2000825.                      | 3.1  | 6         |
| 743 | Methylammonium Chloride reduces the bandgap width and trap densities for efficient perovskite photodetectors. Journal of Materials Science, 2021, 56, 9242-9253.   | 1.7  | 11        |
| 744 | Stability Improvement of Perovskite Solar Cells by Compositional and Interfacial Engineering. Chemistry of Materials, 2021, 33, 1540-1570.   | 3.2  | 65        |
| 745 | Fast Optical Reflectance Measurements during Spin Coating and Annealing of Organicâ€Inorganic Perovskite Precursor Solutions. Physica Status Solidi (B): Basic Research, 2021, 258, 2000479.   | 0.7  | 2         |
| 746 | Recent Progress in the Semiconducting Oxide Overlayer for Halide Perovskite Solar Cells. Advanced Energy Materials, 2021, 11, 2003119.   | 10.2 | 9         |
| 747 | Recent Progress in Perovskite Solar Cells Modified by Sulfur Compounds. Solar Rrl, 2021, 5, 2000713.   | 3.1  | 17        |
| 748 | Large-Grain Double Cation Perovskites with 18 Î¼s Lifetime and High Luminescence Yield for Efficient Inverted Perovskite Solar Cells. ACS Energy Letters, 2021, 6, 1045-1054.  | 8.8  | 54        |
| 749 | Side-Chain Engineering of Diketopyrrolopyrrole-Based Hole-Transport Materials to Realize High-Efficiency Perovskite Solar Cells. ACS Applied Materials & Interfaces, 2021, 13, 7405-7415.  | 4.0  | 27        |
| 750 | Intramolecular Electric Field Construction in Metal Phthalocyanine as Dopantâ€Free Hole Transporting Material for Stable Perovskite Solar Cells with >21â€™% Efficiency. Angewandte Chemie, 2021, 133, 6364-6369.                        | 1.6  | 11        |
| 751 | Intramolecular Electric Field Construction in Metal Phthalocyanine as Dopantâ€Free Hole Transporting Material for Stable Perovskite Solar Cells with >21â€™% Efficiency. Angewandte Chemie - International Edition, 2021, 60, 6294-6299. | 7.2  | 101       |
| 752 | Colorimetric Determination of Chloridion in Domestic Water Based on the Wavelength Shift of CsPbBr <sub>3</sub> Perovskite Nanocrystals via Halide Exchange. Journal of Analysis and Testing, 2021, 5, 3-10.                             | 2.5  | 17        |
| 753 | Efficient perovskite solar cells via improved carrier management. Nature, 2021, 590, 587-593.  | 13.7 | 1,972     |
| 754 | Elucidating Mechanisms behind Ambient Storage-Induced Efficiency Improvements in Perovskite Solar Cells. ACS Energy Letters, 2021, 6, 925-933.   | 8.8  | 52        |
| 755 | Factors influencing the nucleation and crystal growth of solution-processed organic lead halide perovskites: a review. Journal Physics D: Applied Physics, 2021, 54, 163001.   | 1.3  | 35        |
| 756 | Imideâ€Functionalized Triarylamineâ€Based Donorâ€Acceptor Polymers as Hole Transporting Layers for Highâ€Performance Inverted Perovskite Solar Cells. Advanced Functional Materials, 2021, 31, 2100332.                                  | 7.8  | 38        |
| 757 | Halogen Functionalization in the 2D Material Flatland: Strategies, Properties, and Applications. Small, 2021, 17, e2005640.  | 5.2  | 20        |
| 758 | Ambient-Air-Stable Lead-Free CsSn <sub>3</sub> Solar Cells with Greater than 7.5% Efficiency. Journal of the American Chemical Society, 2021, 143, 4319-4328.  | 6.6  | 105       |
| 759 | Using Social Media in Tourist Sentiment Analysis: A Case Study of Andalusia during the Covid-19 Pandemic. Sustainability, 2021, 13, 3836.  | 1.6  | 25        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 760 | Nonpolar Solvent-Dispersible Alkylated Reduced Graphene Oxide for Hole Transport Material in n-i-p Perovskite Solar Cells. <i>Solar Rrl</i> , 2021, 5, 2100087.   | 3.1  | 7         |
| 761 | Influence of donor units on spiro[fluorene-9,9'-xanthene]-based dopant-free hole transporting materials for perovskite solar cells. <i>Solar Energy</i> , 2021, 216, 180-187.   | 2.9  | 18        |
| 762 | Thermodynamic limit of tandem solar cells under different solar spectra and their perovskite top solar cell. <i>Optical Materials</i> , 2021, 113, 110819.  | 1.7  | 10        |
| 763 | Chirality-Dependent Circular Photogalvanic Effect in Enantiomorphic 2D Organic-Inorganic Hybrid Perovskites. <i>Advanced Materials</i> , 2021, 33, e2008611.  | 11.1 | 48        |
| 764 | Double-Layered SnO <sub>2</sub> /NH <sub>4</sub> Cl/SnO <sub>2</sub> for efficient planar perovskite solar cells with improved operational stability. <i>Nano Select</i> , 2021, 2, 1779-1787.  | 1.9  | 17        |
| 765 | Additive Engineering toward High-Performance Tin Perovskite Solar Cells. <i>Solar Rrl</i> , 2021, 5, 2100034.   | 3.1  | 34        |
| 766 | p-Type Charge Transfer Doping of Graphene Oxide with (NiCo) <sub>1-x</sub> Fe <sub>x</sub> O <sub>x</sub> for Air-Stable, All-Inorganic CsPbBr <sub>2</sub> Perovskite Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 10608-10613. | 7.2  | 89        |
| 767 | Commercial Carbon-Based all-Inorganic Perovskite Solar Cells with a High Efficiency of 13.81%: Interface Engineering and Photovoltaic Performance. <i>ACS Applied Energy Materials</i> , 2021, 4, 3255-3264.  | 2.5  | 12        |
| 768 | Lead-Free Cs <sub>2</sub> SnI <sub>6</sub> Perovskites for Optoelectronic Applications: Recent Developments and Perspectives. <i>Solar Rrl</i> , 2021, 5, 2000830.  | 3.1  | 25        |
| 769 | 3-[3-(4-chlorophenyl)-2-(4-fluorophenyl)-2H-isoindol-1-yl]-1-phenylpyrrolidine-2,5-dione as a candidate for solar cells applications. <i>Molecular Crystals and Liquid Crystals</i> , 2021, 718, 16-24.   | 0.4  | 0         |
| 770 | Strategies for High-Performance Large-Area Perovskite Solar Cells toward Commercialization. <i>Crystals</i> , 2021, 11, 295.  | 1.0  | 23        |
| 771 | Review of Interface Passivation of Perovskite Layer. <i>Nanomaterials</i> , 2021, 11, 775.  | 1.9  | 25        |
| 772 | Recycling and recovery of perovskite solar cells. <i>Materials Today</i> , 2021, 43, 185-197.   | 8.3  | 58        |
| 773 | Multifunctional CNT/TiO <sub>2</sub> additives in spiro-OMeTAD layer for highly efficient and stable perovskite solar cells. <i>EcoMat</i> , 2021, 3, e12099.   | 6.8  | 53        |
| 774 | Impact of Auger recombination on performance limitation of perovskite solar cell. <i>Solar Energy</i> , 2021, 217, 342-353.   | 2.9  | 27        |
| 775 | High performance perovskite LEDs via SPR and enhanced hole injection by incorporated MoS <sub>2</sub> . <i>Journal Physics D: Applied Physics</i> , 2021, 54, 214002.   | 1.3  | 8         |
| 776 | Perovskite with inhomogeneous composition: Presence of the Cl-rich layer improves the device performance. <i>Chemical Physics Letters</i> , 2021, 767, 138362.  | 1.2  | 3         |
| 777 | 2D Phase Purity Determines Charge-Transfer Yield at 3D/2D Lead Halide Perovskite Heterojunctions. <i>Journal of Physical Chemistry Letters</i> , 2021, 12, 3312-3320.   | 2.1  | 13        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 778 | Natural Clay-Based Materials for Energy Storage and Conversion Applications. <i>Advanced Science</i> , 2021, 8, e2004036.  | 5.6 | 56        |
| 779 | Origin of Efficiency and Stability Enhancement in High-Performing Mixed Dimensional 2D-3D Perovskite Solar Cells: A Review. <i>Advanced Functional Materials</i> , 2022, 32, 2009164.  | 7.8 | 96        |
| 780 | A Coadditive Strategy for Blocking Ionic Mobility in Methylammonium-Free Perovskite Solar Cells and High-Stability Achievement. <i>Solar Rrl</i> , 2021, 5, 2100010.   | 3.1 | 26        |
| 781 | <i>p</i> -Type Charge Transfer Doping of Graphene Oxide with (NiCo) <sub>1</sub> Fe <sub>y</sub> O <sub>x</sub> for Air-Stable, All-Inorganic CsPbI <sub>2</sub> Br Perovskite Solar Cells. <i>Angewandte Chemie</i> , 2021, 133, 10702-10707. | 1.6 | 6         |
| 782 | Recent developments in carbon nanotubes-based perovskite solar cells with boosted efficiency and stability. <i>Zeitschrift Fur Physikalische Chemie</i> , 2021, 235, 1539-1572.  | 1.4 | 18        |
| 783 | A Synergistic Precursor Regulation Strategy for Scalable Fabrication of Perovskite Solar Cells. <i>Physica Status Solidi - Rapid Research Letters</i> , 2021, 15, 2000613.   | 1.2 | 3         |
| 784 | One-Source Strategy Boosting Dopant-Free Hole Transporting Layers for Highly Efficient and Stable CsPbI <sub>2</sub> Br Perovskite Solar Cells. <i>Advanced Functional Materials</i> , 2021, 31, 2010696.                                      | 7.8 | 50        |
| 785 | Efficient strategies to improve the performance of 6,12-dihydroindeno[1,2-b]fluorine core based hole transport materials. <i>Solar Energy</i> , 2021, 217, 93-104.   | 2.9 | 5         |
| 786 | Origin, Influence, and Countermeasures of Defects in Perovskite Solar Cells. <i>Small</i> , 2021, 17, e2005495.  | 5.2 | 61        |
| 787 | Metal-Free Phthalocyanine as a Hole Transporting Material and a Surface Passivator for Efficient and Stable Perovskite Solar Cells. <i>Small Methods</i> , 2021, 5, e2001248.  | 4.6 | 33        |
| 788 | Ambient Stable and Efficient Monolithic Tandem Perovskite/PbS Quantum Dots Solar Cells via Surface Passivation and Light Management Strategies. <i>Advanced Functional Materials</i> , 2021, 31, 2010623.                                      | 7.8 | 44        |
| 789 | A patterned titania nanorod array enables high fill factor in perovskite solar cells. <i>Journal of Energy Chemistry</i> , 2021, 63, 391-392.  | 7.1 | 2         |
| 790 | Perspective on Predominant Metal Oxide Charge Transporting Materials for High-Performance Perovskite Solar Cells. <i>Frontiers in Materials</i> , 2021, 8, .   | 1.2 | 9         |
| 791 | Enhancement of the Photovoltaic Potential in Mimosa pudica-Based Dye for Sensitization of the Working Electrode in the Construction of Solar Cell. <i>Journal of Solar Energy Engineering, Transactions of the ASME</i> , 2021, 143, .         | 1.1 | 1         |
| 792 | Perovskite/InGaAs tandem cell exceeding 29% efficiency via optimizing spectral splitter based on RF sputtered ITO/Ag/ITO ultra-thin structure. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2021, 128, 114618.               | 1.3 | 8         |
| 793 | Mild water intake orients crystal formation imparting high tolerance on unencapsulated halide perovskite solar cells. <i>Cell Reports Physical Science</i> , 2021, 2, 100395.  | 2.8 | 8         |
| 794 | Efficient and Stable Perovskite Solar Cells Achieved by Using Bifunctional Interfacial Materials to Modify SnO <sub>2</sub> and MAPbI <sub>3</sub> Cl Simultaneously. <i>ACS Applied Energy Materials</i> , 2021, 4, 3794-3802.                | 2.5 | 10        |
| 795 | High-Efficiency, Low-Hysteresis Planar Perovskite Solar Cells by Inserting the NaBr Interlayer. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 20251-20259.   | 4.0 | 15        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 796 | Molecularly Engineered Cyclopenta[2,1- <i>b</i> ;3,4- <i>b'</i> ]dithiophene-Based Hole-Transporting Materials for High-Performance Perovskite Solar Cells with Efficiency over 19%. <i>ACS Applied Energy Materials</i> , 2021, 4, 4719-4728.   | 2.5  | 21        |
| 797 | Simulation of steady-state characteristics of heterojunction perovskite solar cells in wxAMPS. <i>Optik</i> , 2021, 232, 166382.   | 1.4  | 2         |
| 798 | Innovation of Materials, Devices, and Functionalized Interfaces in Organic Spintronics. <i>Advanced Functional Materials</i> , 2021, 31, 2100550.  | 7.8  | 47        |
| 799 | Perovskite Quantum Dots as Multifunctional Interlayers in Perovskite Solar Cells with Dopant-Free Organic Hole Transporting Layers. <i>Journal of the American Chemical Society</i> , 2021, 143, 5855-5866.                                      | 6.6  | 59        |
| 800 | In-Depth Comparative Study of Cathode Interfacial Layer for Stable Inverted Perovskite Solar Cell. <i>ChemSusChem</i> , 2021, 14, 2393-2400.   | 3.6  | 3         |
| 801 | Evident Enhancement of Efficiency and Stability in Perovskite Solar Cells with Triphenylamine-Based Macromolecules on the CuSCN Hole-Transporting Layer. <i>Journal of Electronic Materials</i> , 2021, 50, 3962-3971.                           | 1.0  | 11        |
| 802 | Current status and perspective of colored photovoltaic modules. <i>Wiley Interdisciplinary Reviews: Energy and Environment</i> , 2021, 10, e403.   | 1.9  | 15        |
| 803 | Chiral Perovskites for Next-Generation Photonics: From Chirality Transfer to Chiroptical Activity. <i>Advanced Materials</i> , 2021, 33, e2005760.   | 11.1 | 107       |
| 804 | Central-Core Engineering of Dopant-Free Hole Transport Materials for Efficient $\text{n}^+\text{p}$ Structured Perovskite Solar Cells. <i>Solar Rrl</i> , 2021, 5, 2100184.  | 3.1  | 14        |
| 805 | Light-Emitting Diodes with Manganese Halide Tetrahedron Embedded in Anti-Perovskites. <i>ACS Energy Letters</i> , 2021, 6, 1901-1911.  | 8.8  | 17        |
| 806 | Potential of $\text{AgBi}_4$ ruderfites for indoor photovoltaic energy harvesters in autonomous environmental nanosensors. <i>Japanese Journal of Applied Physics</i> , 2021, 60, SCCE06.  | 0.8  | 20        |
| 807 | Impact of P3HT Regioregularity and Molecular Weight on the Efficiency and Stability of Perovskite Solar Cells. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 5061-5073.  | 3.2  | 29        |
| 808 | Molecular Engineering of Polymeric Hole-Transporting Materials for Efficient and Stable Perovskite Solar Cells. <i>ACS Applied Energy Materials</i> , 2021, 4, 3526-3534.  | 2.5  | 5         |
| 809 | Economic Convenience of Hybrid Thermoelectric-Photovoltaic Solar Harvesters. <i>ACS Applied Energy Materials</i> , 2021, 4, 4029-4037.   | 2.5  | 12        |
| 810 | Passivation of Bulk and Interface Defects in Sputtered- $\text{NiO}_x$ -Based Planar Perovskite Solar Cells: A Facile Interfacial Engineering Strategy with Alkali Metal Halide Salts. <i>ACS Applied Energy Materials</i> , 2021, 4, 4530-4540. | 2.5  | 25        |
| 811 | Structural Stability of Formamidinium- and Cesium-Based Halide Perovskites. <i>ACS Energy Letters</i> , 2021, 6, 1942-1969.  | 8.8  | 76        |
| 812 | Slot-die coating large-area formamidinium-cesium perovskite film for efficient and stable parallel solar module. <i>Science Advances</i> , 2021, 7, .  | 4.7  | 165       |
| 813 | Fully Inorganic $\text{CsSn}_3$ Mesoporous Perovskite Solar Cells with High Efficiency and Stability via Coadditive Engineering. <i>Solar Rrl</i> , 2021, 5, 2100069.  | 3.1  | 29        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 814 | When iodide meets bromide: Halide mixing facilitates the light-induced decomposition of perovskite absorber films. <i>Nano Energy</i> , 2021, 86, 106082.  | 8.2  | 12        |
| 815 | Aqueous solution processed tetrasulphonated copper phthalocyanine (TS-CuPc):MoO <sub>3</sub> as an efficient hole transporting layer in organic solar cells. <i>Materials Science in Semiconductor Processing</i> , 2021, 125, 105637.             | 1.9  | 9         |
| 816 | Perovskite solar cell with improved performance passivated by all inorganic perovskite quantum dots. <i>Journal of Physics: Conference Series</i> , 2021, 1885, 022019.  | 0.3  | 1         |
| 817 | Solution processing of polymer solar cells: towards continuous vacuum-free production. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 11367-11392.  | 1.1  | 1         |
| 818 | Quantum Dots for Photovoltaics: A Tale of Two Materials. <i>Advanced Energy Materials</i> , 2021, 11, 2100354.   | 10.2 | 77        |
| 819 | A simple one-step method with wide processing window for high-quality perovskite mini-module fabrication. <i>Joule</i> , 2021, 5, 958-974.   | 11.7 | 55        |
| 820 | Cost-effective liquid-junction solar devices with plasma-implanted Ni/TiN/CNF hierarchically structured nanofibers. <i>Journal of Electroanalytical Chemistry</i> , 2021, 887, 115167.   | 1.9  | 10        |
| 821 | Enhanced Efficiency and Stability of NiO <sub>x</sub> -Based Perovskite Solar Cells Using [6,6]-Phenyl-C <sub>61</sub> -butyric Acid Methyl-Doped Poly(9-vinylcarbazole)-Modified Layer. <i>ACS Applied Energy Materials</i> , 2021, 4, 3812-3821. | 2.5  | 10        |
| 822 | SnO <sub>2</sub> /2D-Bi <sub>2</sub> O <sub>2</sub> Se new hybrid electron transporting layer for efficient and stable perovskite solar cells. <i>Chemical Engineering Journal</i> , 2021, 410, 128436.  | 6.6  | 32        |
| 823 | Chemical Insights into Interfacial Effects in Inorganic Nanomaterials. <i>Advanced Materials</i> , 2021, 33, e2006159.   | 11.1 | 22        |
| 824 | Multiple functional groups synergistically improve the performance of inverted planar perovskite solar cells. <i>Nano Energy</i> , 2021, 82, 105742.   | 8.2  | 79        |
| 825 | Passivation functionalized phenothiazine-based hole transport material for highly efficient perovskite solar cell with efficiency exceeding 22%. <i>Chemical Engineering Journal</i> , 2021, 410, 128328.  | 6.6  | 83        |
| 826 | Development of perovskite solar cells with >25% conversion efficiency. <i>Joule</i> , 2021, 5, 1033-1035.  | 11.7 | 137       |
| 827 | Unified theory for light-induced halide segregation in mixed halide perovskites. <i>Nature Communications</i> , 2021, 12, 2687.  | 5.8  | 70        |
| 828 | Ultrafast two-photon optical switch using single crystal hybrid halide perovskites. <i>Optica</i> , 2021, 8, 735.  | 4.8  | 10        |
| 829 | Reactive modification of zinc oxide with methylammonium iodide boosts the operational stability of perovskite solar cells. <i>Nano Energy</i> , 2021, 83, 105774.  | 8.2  | 22        |
| 830 | Operationally Stable Perovskite Light Emitting Diodes with High Radiance. <i>Advanced Optical Materials</i> , 2021, 9, 2100586.  | 3.6  | 13        |
| 831 | Phonon-Limited Mobility and Electron-Phonon Coupling in Lead-Free Halide Double Perovskites. <i>Journal of Physical Chemistry Letters</i> , 2021, 12, 4474-4482.   | 2.1  | 30        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 832 | A Review of Integrated Systems Based on Perovskite Solar Cells and Energy Storage Units: Fundamental, Progresses, Challenges, and Perspectives. <i>Advanced Science</i> , 2021, 8, 2100552.             | 5.6  | 19        |
| 833 | Interfacial stabilization for inverted perovskite solar cells with long-term stability. <i>Science Bulletin</i> , 2021, 66, 991-1002.   | 4.3  | 45        |
| 834 | Chalcogenide perovskites for photovoltaics: current status and prospects. <i>JPhys Energy</i> , 2021, 3, 034010.  | 2.3  | 30        |
| 835 | Defect Passivation in Lead-Halide Perovskite Nanocrystals and Thin Films: Toward Efficient LEDs and Solar Cells. <i>Angewandte Chemie</i> , 2021, 133, 21804-21828.                                     | 1.6  | 76        |
| 836 | Achieving Resistance against Moisture and Oxygen for Perovskite Solar Cells with High Efficiency and Stability. <i>Chemistry of Materials</i> , 2021, 33, 4269-4303.                                    | 3.2  | 51        |
| 837 | High-Performance Planar Heterojunction Perovskite Solar Cells Based on BaCl <sub>2</sub> Additive and Power Conversion Efficiency of Over 21%. <i>Advanced Electronic Materials</i> , 2021, 7, 2100165. | 2.6  | 5         |
| 838 | Optimized bandgaps of top and bottom subcells for bifacial two-terminal tandem solar cells under different back irradiances. <i>Solar Energy</i> , 2021, 220, 163-174.                                  | 2.9  | 12        |
| 839 | Evaporation Deposition Strategies for All-Inorganic CsPb(I <sub>1-x</sub> Br <sub>x</sub> ) <sub>3</sub> Perovskite Solar Cells: Recent Advances and Perspectives. <i>Solar Rrl</i> , 2021, 5, 2100172. | 3.1  | 24        |
| 840 | Understanding the Effects of Fluorine Substitution in Lithium Salt on Photovoltaic Properties and Stability of Perovskite Solar Cells. <i>ACS Energy Letters</i> , 2021, 6, 2218-2228.                  | 8.8  | 51        |
| 841 | Subcell Operation and Long-Term Stability Analysis of Perovskite-Based Tandem Solar Cells Using a Bichromatic Light Emitting Diode Light Source. <i>Solar Rrl</i> , 2021, 5, 2100311.                   | 3.1  | 9         |
| 842 | Progress of Perovskite Solar Modules. <i>Advanced Energy and Sustainability Research</i> , 2021, 2, 2000051.  | 2.8  | 19        |
| 843 | In-Situ and Reversible Enhancement of Photoluminescence from CsPbBr <sub>3</sub> Nanoplatelets by Electrical Bias. <i>Advanced Optical Materials</i> , 2021, 9, 2100346.                                | 3.6  | 7         |
| 844 | Mechanism and Timescales of Reversible p-Doping of Methylammonium Lead Triiodide by Oxygen. <i>Advanced Materials</i> , 2021, 33, e2100211.   | 11.1 | 17        |
| 845 | Highly efficient and stable carbon-based perovskite solar cells with the polymer hole transport layer. <i>Solar Energy</i> , 2021, 220, 491-497.  | 2.9  | 15        |
| 846 | Femtosecond Quantum Dynamics of Excited-State Evolution of Halide Perovskites: Quantum Chaos of Molecular Cations. <i>Journal of Physical Chemistry C</i> , 2021, 125, 10676-10684.                     | 1.5  | 1         |
| 847 | Improving perovskite solar cell performance by compositional engineering via triple-mixed cations. <i>Solar Energy</i> , 2021, 220, 412-417.  | 2.9  | 11        |
| 848 | Water Stable Haloplumbate Modulation for Efficient and Stable Hybrid Perovskite Photovoltaics. <i>Advanced Energy Materials</i> , 2021, 11, 2101082.  | 10.2 | 21        |
| 849 | A brief review of hole transporting materials commonly used in perovskite solar cells. <i>Rare Metals</i> , 2021, 40, 2712-2729.  | 3.6  | 138       |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 850 | Polymeric Dopant-Free Hole Transporting Materials for Perovskite Solar Cells: Structures and Concepts towards Better Performances. <i>Polymers</i> , 2021, 13, 1652.  | 2.0  | 24        |
| 851 | Stable tin perovskite solar cells developed via additive engineering. <i>Science China Materials</i> , 2021, 64, 2645-2654.   | 3.5  | 15        |
| 852 | Solar photovoltaics is ready to power a sustainable future. <i>Joule</i> , 2021, 5, 1041-1056.  | 11.7 | 265       |
| 853 | Charge transporting materials for perovskite solar cells. <i>Rare Metals</i> , 2021, 40, 2690-2711.   | 3.6  | 23        |
| 854 | Exceeding 19% efficiency for inverted perovskite solar cells used conventional organic small molecule TPD as hole transport layer. <i>Applied Physics Letters</i> , 2021, 118, .                                      | 1.5  | 8         |
| 855 | 3D/2D passivation as a secret to success for polycrystalline thin-film solar cells. <i>Joule</i> , 2021, 5, 1057-1073.  | 11.7 | 48        |
| 856 | Modified P3HT materials as hole transport layers for flexible perovskite solar cells. <i>Journal of Power Sources</i> , 2021, 494, 229735.  | 4.0  | 23        |
| 857 | Opportunities and challenges of inorganic perovskites in high-performance photodetectors. <i>Journal Physics D: Applied Physics</i> , 2021, 54, 293002.   | 1.3  | 35        |
| 858 | Layered Perovskites in Solar Cells: Structure, Optoelectronic Properties, and Device Design. <i>Advanced Energy Materials</i> , 2021, 11, 2003877.  | 10.2 | 49        |
| 859 | Defect Passivation in Lead-Halide Perovskite Nanocrystals and Thin Films: Toward Efficient LEDs and Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 21636-21660.                            | 7.2  | 183       |
| 860 | Controlled growth of perovskite KMnF <sub>3</sub> upconverting nanocrystals for near-infrared light-sensitive perovskite solar cells and photodetectors. <i>Journal of Materials Science</i> , 2021, 56, 14207-14221. | 1.7  | 11        |
| 861 | The selection strategy of ammonium-group organic salts in vapor deposited perovskites: From dimension regulation to passivation. <i>Nano Energy</i> , 2021, 84, 105893.   | 8.2  | 19        |
| 862 | Plasma Oxidized Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene as Electron Transport Layer for Efficient Perovskite Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 32495-32502.          | 4.0  | 41        |
| 863 | Additive-Assisted Interfacial Engineering for Efficient Carbon-Based Perovskite Solar Cell Incorporated Dopant-Free Polymeric Hole Conductor PBDT(S)-T1. <i>ACS Applied Energy Materials</i> , 2021, 4, 5821-5829.    | 2.5  | 10        |
| 864 | Electronic structure of P3HT film oxidized by ultraviolet-ozone treatment. <i>Journal of the Korean Physical Society</i> , 2021, 79, 70.  | 0.3  | 1         |
| 865 | Device Architecture Engineering: Progress toward Next Generation Perovskite Solar Cells. <i>Advanced Functional Materials</i> , 2021, 31, 2103121.  | 7.8  | 41        |
| 866 | Low-cost Cu-based inorganic hole transporting materials in perovskite solar cells: Recent progress and state-of-art developments. <i>Materials Today Chemistry</i> , 2021, 20, 100427.                                | 1.7  | 12        |
| 867 | Low Temperature Processed Fully Printed Efficient Planar Structure Carbon Electrode Perovskite Solar Cells and Modules. <i>Advanced Energy Materials</i> , 2021, 11, 2101219.   | 10.2 | 52        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 868 | Perovskite Quantum Dot Solar Cells: An Overview of the Current Advances and Future Perspectives. Solar Rrl, 2021, 5, 2100205.   | 3.1  | 12        |
| 869 | Dopant-Free Hole-Transporting Material with Enhanced Intermolecular Interaction for Efficient and Stable Perovskite Solar Cells. Advanced Energy Materials, 2021, 11, 2100967.                                      | 10.2 | 51        |
| 870 | Electrical Loss Management by Molecularly Manipulating Dopant-Free Poly(3-hexylthiophene) towards 16.93% CsPbI <sub>2</sub> Br Solar Cells. Angewandte Chemie, 2021, 133, 16524-16529.                              | 1.6  | 18        |
| 871 | Effective Piezo-Phototronic Enhancement of Flexible Photodetectors Based on 2D Hybrid Perovskite Ferroelectric Single-Crystalline Thin Films. Advanced Materials, 2021, 33, e2101263.                               | 11.1 | 53        |
| 872 | Additive Engineering by 6-Aminoquinoline Monohydrochloride for High-Performance Perovskite Solar Cells. ACS Applied Energy Materials, 2021, 4, 7083-7090.   | 2.5  | 9         |
| 873 | Investigating the effect of different Perovskite/Silicon interfaces on the intrinsic stresses. , 2021, , .  |      | 0         |
| 874 | Multiple-Defect Management for Efficient Perovskite Photovoltaics. ACS Energy Letters, 2021, 6, 2404-2412.  | 8.8  | 74        |
| 875 | Two-dimensional perovskites for photovoltaics. Materials Today Nano, 2021, 14, 100117.  | 2.3  | 27        |
| 876 | Plasmonic dye-sensitized solar cells through collapsible gold nanofingers. Nanotechnology, 2021, 32, 355301.  | 1.3  | 3         |
| 877 | High-Performance Graphene/GaN Solar Cell Prepared by Interfacial Chemical Modification with Poly(3,4-ethylenedioxythiophene):Poly(styrenesulfonate). Energy Technology, 2021, 9, 2100122.                           | 1.8  | 1         |
| 878 | A Pyrrole-Bridged Bis(oxa[5]helicene)-Based Molecular Semiconductor for Efficient and Durable Perovskite Solar Cells: Microscopic Insights. , 2021, 3, 947-955.   |      | 11        |
| 879 | Reduced Defects and Enhanced Performance of (FAPbI <sub>3</sub> ) <sub>0.97</sub> (MAPbBr <sub>3</sub> ) <sub>0.03</sub> -Based Perovskite Solar Cells by Trimesic Acid Additives. ACS Omega, 2021, 6, 16151-16158. | 1.6  | 7         |
| 880 | Molecular designing of triphenylamine-based hole-transporting materials for perovskite solar cells. Solar Energy, 2021, 221, 536-544.   | 2.9  | 19        |
| 881 | Improving UV stability of perovskite solar cells without sacrificing efficiency through light trapping regulated spectral modification. Science Bulletin, 2021, 66, 2362-2368.                                      | 4.3  | 14        |
| 882 | Cyclopentadiene-Based Hole-Transport Material for Cost-Reduced Stabilized Perovskite Solar Cells with Power Conversion Efficiencies Over 23%. Advanced Energy Materials, 2021, 11, 2003953.                         | 10.2 | 24        |
| 883 | Multication perovskite 2D/3D interfaces form via progressive dimensional reduction. Nature Communications, 2021, 12, 3472.  | 5.8  | 89        |
| 884 | Interfacial Defect Passivation and Stress Release via Multi-Active-Site Ligand Anchoring Enables Efficient and Stable Methylammonium-Free Perovskite Solar Cells. ACS Energy Letters, 2021, 6, 2526-2538.           | 8.8  | 170       |
| 885 | Review on Efficiency Enhancement Using Natural Extract Mediated Dye-Sensitized Solar Cell for Sustainable Photovoltaics. Energy Technology, 2021, 9, 2001058.   | 1.8  | 12        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 886 | Exploring Transport Behavior in Hybrid Perovskites Solar Cells via Machine Learning Analysis of Environmental-Dependent Impedance Spectroscopy. <i>Advanced Science</i> , 2021, 8, e2002510.                          | 5.6  | 23        |
| 887 | Recent advances on interface engineering of perovskite solar cells. <i>Nano Research</i> , 2022, 15, 85-103.  | 5.8  | 59        |
| 888 | Tailored Key Parameters of Perovskite for High-Performance Photovoltaics. <i>Accounts of Materials Research</i> , 2021, 2, 447-457.   | 5.9  | 5         |
| 889 | Electrical Loss Management by Molecularly Manipulating Dopant-free Poly(3-hexylthiophene) towards 16.93% CsPbI <sub>2</sub> Br Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 16388-16393. | 7.2  | 57        |
| 890 | Recent Progress on Formamidinium-Dominated Perovskite Photovoltaics. <i>Advanced Energy Materials</i> , 2022, 12, 2100690.  | 10.2 | 45        |
| 891 | Design and Optimization of Low Lead Content- Based Mixed Sn and Pb Perovskite Solar Cell for 19.46% Efficiency. , 2021, , .   |      | 4         |
| 892 | Current Development toward Commercialization of Metal-Halide Perovskite Photovoltaics. <i>Advanced Optical Materials</i> , 2021, 9, 2100390.  | 3.6  | 15        |
| 893 | Recent Progress on Perovskite Surfaces and Interfaces in Optoelectronic Devices. <i>Advanced Materials</i> , 2021, 33, e2006004.  | 11.1 | 86        |
| 894 | Device Optimization of PIN Structured Perovskite Solar Cells: Impact of Design Variants. <i>ACS Applied Electronic Materials</i> , 2021, 3, 3509-3520.  | 2.0  | 15        |
| 895 | Advances in cesium lead iodide perovskite solar cells: Processing science matters. <i>Materials Today</i> , 2021, 47, 156-169.  | 8.3  | 25        |
| 896 | Effect of parasitic absorption of the plasmonic cubic nanoparticles on the performance of a plasmonic assisted halide thin-film perovskite solar cell. <i>Solar Energy</i> , 2021, 223, 293-301.                      | 2.9  | 16        |
| 897 | Importance of methylammonium iodide partial pressure and evaporation onset for the growth of co-evaporated methylammonium lead iodide absorbers. <i>Scientific Reports</i> , 2021, 11, 15299.                         | 1.6  | 15        |
| 898 | Influence of the Electric Potential on Charge Extraction and Interface Recombination in Perovskite Solar Cells. <i>Physical Review Applied</i> , 2021, 16, .  | 1.5  | 12        |
| 899 | Multifunctional Conjugated Ligand Engineering for Stable and Efficient Perovskite Solar Cells. <i>Advanced Materials</i> , 2021, 33, e2100791.  | 11.1 | 99        |
| 900 | Poly(3-alkylthiophene) Films as Solvent-Processable Photoelectrocatalysts for Efficient Oxygen Reduction to Hydrogen Peroxide. <i>Advanced Energy and Sustainability Research</i> , 2021, 2, 2100103.                 | 2.8  | 4         |
| 901 | Up-Scalable Fabrication of SnO <sub>2</sub> with Multifunctional Interface for High Performance Perovskite Solar Modules. <i>Nano-Micro Letters</i> , 2021, 13, 155.  | 14.4 | 40        |
| 902 | Perovskite crystals redissolution strategy for affordable, reproducible, efficient and stable perovskite photovoltaics. <i>Materials Today</i> , 2021, 50, 199-223.   | 8.3  | 43        |
| 903 | Scalable Blade Coating: A Technique Accelerating the Commercialization of Perovskite-Based Photovoltaics. <i>Energy Technology</i> , 2021, 9, 2100204.  | 1.8  | 9         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 904 | Selenophene-Based Hole-Transporting Materials for Perovskite Solar Cells. <i>ChemPlusChem</i> , 2021, 86, 1006-1013.   | 1.3  | 7         |
| 905 | Solvent Engineering for Controlled Crystallization and Growth of All-Inorganic Pb-Free Rudorffite Absorbers of Perovskite Solar Cells. <i>Inorganic Chemistry</i> , 2021, 60, 11110-11119.         | 1.9  | 6         |
| 906 | Carrier management makes perovskite solar cells approaching Shockley-Queisser limit. <i>Science Bulletin</i> , 2021, 66, 1372-1374.  | 4.3  | 12        |
| 907 | 2D/3D perovskite engineering eliminates interfacial recombination losses in hybrid perovskite solar cells. <i>CheM</i> , 2021, 7, 1903-1916.   | 5.8  | 108       |
| 908 | Chirality-Dependent Second-Order Nonlinear Optical Effect in 1D Organic-Inorganic Hybrid Perovskite Bulk Single Crystal. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 20021-20026. | 7.2  | 100       |
| 909 | Solvent-Vapor Atmosphere Controls the in Situ Crystallization of Perovskites. , 2021, 3, 1172-1180.  |      | 7         |
| 910 | Interfacial Molecular Doping and Energy Level Alignment Regulation for Perovskite Solar Cells with Efficiency Exceeding 23%. <i>ACS Energy Letters</i> , 2021, 6, 2690-2696.                       | 8.8  | 96        |
| 911 | Co-Evaporated MAPbI <sub>3</sub> with Graded Fermi Levels Enables Highly Performing, Scalable, and Flexible Perovskite Solar Cells. <i>Advanced Functional Materials</i> , 2021, 31, 2103252.      | 7.8  | 40        |
| 912 | Chirality-Dependent Second-Order Nonlinear Optical Effect in 1D Organic-Inorganic Hybrid Perovskite Bulk Single Crystal. <i>Angewandte Chemie</i> , 2021, 133, 20174-20179.                        | 1.6  | 8         |
| 913 | Distinctive Spectroscopic Characteristics Observed in Colloidal Perovskite CsPbBr <sub>3</sub> Quantum Dot. <i>Applied Science and Convergence Technology</i> , 2021, 30, 107-110.                 | 0.3  | 1         |
| 914 | Interfaces and Interfacial Carrier Dynamics in Perovskites. <i>Journal of Physical Chemistry C</i> , 2021, 125, 15113-15124.   | 1.5  | 8         |
| 915 | Unraveling the surface state of photovoltaic perovskite thin film. <i>Matter</i> , 2021, 4, 2417-2428.   | 5.0  | 22        |
| 916 | The Main Progress of Perovskite Solar Cells in 2020-2021. <i>Nano-Micro Letters</i> , 2021, 13, 152.   | 14.4 | 250       |
| 917 | Defect Passivation of Perovskite Films for Highly Efficient and Stable Solar Cells. <i>Solar Rrl</i> , 2021, 5, 2100295.   | 3.1  | 58        |
| 918 | Low temperature open-air plasma deposition of amorphous tin oxide for perovskite solar cells. <i>Thin Solid Films</i> , 2021, 730, 138708.   | 0.8  | 6         |
| 919 | Engineering long-term stability into perovskite solar cells via application of a multi-functional TFSI-based ionic liquid. <i>Cell Reports Physical Science</i> , 2021, 2, 100475.                 | 2.8  | 25        |
| 920 | Zwitterionic Ionic Liquid Confer Defect Tolerance, High Conductivity, and Hydrophobicity toward Efficient Perovskite Solar Cells Exceeding 22% Efficiency. <i>Solar Rrl</i> , 2021, 5, 2100352.    | 3.1  | 35        |
| 921 | A novel, flexible dual-mode power generator adapted for wide dynamic range of the aqueous salinity. <i>Nano Energy</i> , 2021, 85, 105970.   | 8.2  | 41        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 922 | 1,10-Phenanthroline as an Efficient Bifunctional Passivating Agent for MAPbI <sub>3</sub> Perovskite Solar Cells. ACS Applied Materials & Interfaces, 2021, 13, 32894-32905.  | 4.0  | 13        |
| 923 | Controllable Synthesis and Performance Modulation of 2D Covalent Organic Frameworks. Small, 2021, 17, e2100918.   | 5.2  | 27        |
| 924 | Efficient and stable inverted perovskite solar cells with very high fill factors via incorporation of star-shaped polymer. Science Advances, 2021, 7, .   | 4.7  | 195       |
| 925 | Elucidating the Spatial Dynamics of Charge Carriers in Quasi-Two-Dimensional Perovskites. ACS Applied Materials & Interfaces, 2021, 13, 35133-35141.  | 4.0  | 12        |
| 926 | Effective Interface Defect Passivation via Employing 1-Methylbenzimidazole for Highly Efficient and Stable Perovskite Solar Cells. ChemSusChem, 2021, 14, 3147-3154.  | 3.6  | 10        |
| 927 | Tailoring of a Phenothiazine Core for Electrical Conductivity and Thermal Stability: Hole-Selective Layers in Perovskite Solar Cells. ACS Applied Materials & Interfaces, 2021, 13, 33311-33320.                    | 4.0  | 20        |
| 928 | A Review on Emerging Barrier Materials and Encapsulation Strategies for Flexible Perovskite and Organic Photovoltaics. Advanced Energy Materials, 2021, 11, 2101383.  | 10.2 | 57        |
| 929 | Stability of Perovskite Solar Cells: Degradation Mechanisms and Remedies. Frontiers in Electronics, 2021, 2, .  | 2.0  | 75        |
| 930 | Synergistical Dipole-Dipole Interaction Induced Self-Assembly of Phenoxazine-Based Hole-Transporting Materials for Efficient and Stable Inverted Perovskite Solar Cells. Angewandte Chemie, 2021, 133, 20600-20605. | 1.6  | 11        |
| 931 | CuI/Spiro-OMeTAD Double-Layer Hole Transport Layer to Improve Photovoltaic Performance of Perovskite Solar Cells. Coatings, 2021, 11, 978.  | 1.2  | 5         |
| 932 | Thermally stable poly-Si tunnel junctions enabling next-generation high-efficiency Si solar cells. Progress in Photovoltaics: Research and Applications, 2022, 30, 85-95.   | 4.4  | 2         |
| 933 | Lewis Base Passivation Mediates Charge Transfer at Perovskite Heterojunctions. Journal of the American Chemical Society, 2021, 143, 12230-12243.  | 6.6  | 36        |
| 935 | Recent Progress on Metal Halide Perovskite Solar Minimodules. Solar Rrl, 2022, 6, 2100458.  | 3.1  | 21        |
| 936 | Enhancing the Phase Stability of Formamidinium Lead Triiodide by Addition of Calcium Chloride. ECS Journal of Solid State Science and Technology, 2021, 10, 085002.   | 0.9  | 1         |
| 937 | <i>m</i> -Phenylenediammonium as a New Spacer for Dion-Jacobson Two-Dimensional Perovskites. Journal of the American Chemical Society, 2021, 143, 12063-12073.  | 6.6  | 71        |
| 938 | Sandwiched electrode buffer for efficient and stable perovskite solar cells with dual back surface fields. Joule, 2021, 5, 2148-2163.   | 11.7 | 63        |
| 939 | Surface plasmon enhanced single-mode lasing of all inorganic perovskite microdisks. Journal of Luminescence, 2021, 236, 118093.   | 1.5  | 1         |
| 940 | Metal Oxide-Induced Instability and Its Mitigation in Halide Perovskite Solar Cells. Journal of Physical Chemistry Letters, 2021, 12, 8495-8506.  | 2.1  | 22        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 941 | Highly efficient Cesium Titanium (IV) Bromide perovskite solar cell and its point defect investigation: A computational study. <i>Superlattices and Microstructures</i> , 2021, 156, 106946.  | 1.4  | 13        |
| 942 | Immediate and Temporal Enhancement of Power Conversion Efficiency in Surface-Passivated Perovskite Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 39178-39185.  | 4.0  | 10        |
| 943 | Multifunctional Molecule Engineered SnO <sub>2</sub> for Perovskite Solar Cells with High Efficiency and Reduced Lead Leakage. <i>Solar Rrl</i> , 2021, 5, 2100464.   | 3.1  | 26        |
| 944 | Combined Bulk and Surface Passivation in Dimensionally Engineered 2D-3D Perovskite Films via Chlorine Diffusion. <i>Advanced Functional Materials</i> , 2021, 31, 2104251.  | 7.8  | 37        |
| 945 | Grain Boundaries in Methylammonium Lead Halide Perovskites Facilitate Water Diffusion. <i>Advanced Energy and Sustainability Research</i> , 2021, 2, 2100087.   | 2.8  | 9         |
| 946 | The Non-Innocent Role of Hole-Transporting Materials in Perovskite Solar Cells. <i>Solar Rrl</i> , 2021, 5, 2100514.  | 3.1  | 18        |
| 947 | Surface modulation of halide perovskite films for efficient and stable solar cells. <i>Chinese Physics B</i> , 2022, 31, 037303.  | 0.7  | 3         |
| 948 | Synergistical Dipole-Dipole Interaction Induced Self-Assembly of Phenoxazine-Based Hole-Transporting Materials for Efficient and Stable Inverted Perovskite Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 20437-20442.                            | 7.2  | 66        |
| 949 | Chlorides, other Halides, and Pseudo-Halides as Additives for the Fabrication of Efficient and Stable Perovskite Solar Cells. <i>ChemSusChem</i> , 2021, 14, 3665-3692.   | 3.6  | 14        |
| 950 | Photocatalytic Dry Reforming of Methane for Efficient CO <sub>2</sub> Reduction and Solar Energy Storage. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 11635-11651.  | 3.2  | 25        |
| 951 | Enhance efficiency in flat and nano roughness surface perovskite solar cells with the use of index near zero materials filter. <i>Optical and Quantum Electronics</i> , 2021, 53, 1.  | 1.5  | 2         |
| 952 | Robust Unencapsulated Perovskite Solar Cells Protected by a Fluorinated Fullerene Electron Transporting Layer. <i>ACS Energy Letters</i> , 2021, 6, 3376-3385.  | 8.8  | 27        |
| 953 | All-inorganic CsPbBr <sub>3</sub> perovskite solar cells with enhanced efficiency by exploiting lone pair electrons via passivation of crystal boundary using carbon nitride (g-C <sub>3</sub> N <sub>4</sub> ) nanosheets. <i>Materials Today Energy</i> , 2021, 21, 100782. | 2.5  | 15        |
| 954 | Elastic Lattice and Excess Charge Carrier Manipulation in 1D-3D Perovskite Solar Cells for Exceptionally Long-Term Operational Stability. <i>Advanced Materials</i> , 2021, 33, e2105170.   | 11.1 | 78        |
| 955 | Hole-Transport-Underlayer-Induced Crystallization Management of Two-Dimensional Perovskites for High-Performance Inverted Solar Cells. <i>ACS Applied Energy Materials</i> , 2021, 4, 10574-10583.  | 2.5  | 9         |
| 956 | Bulky organic cations engineered lead-halide perovskites: a review on dimensionality and optoelectronic applications. <i>Materials Today Energy</i> , 2021, 21, 100759.   | 2.5  | 24        |
| 957 | Heterostructural perovskite solar cell constructed with Li-doped p-MAPbI <sub>3</sub> /n-TiO <sub>2</sub> PN junction. <i>Solar Energy</i> , 2021, 226, 446-454.  | 2.9  | 7         |
| 958 | Interface passivation engineering for hybrid perovskite solar cells. <i>Materials Reports Energy</i> , 2021, 1, 100060.   | 1.7  | 19        |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 959 | Efficient perovskite solar mini-modules fabricated via bar-coating using 2-methoxyethanol-based formamidinium lead tri-iodide precursor solution. <i>Joule</i> , 2021, 5, 2420-2436.  | 11.7 | 85        |
| 960 | Spiro-OMeTAD:Sb <sub>2</sub> S <sub>3</sub> Hole Transport Layer with Triple Functions of Overcoming Lithium Salt Aggregation, Long-Term High Conductivity, and Defect Passivation for Perovskite Solar Cells. <i>Solar Rrl</i> , 2021, 5, 2100622. | 3.1  | 30        |
| 961 | All-Inorganic p-n Heterojunction Solar Cells by Solution Combustion Synthesis Using N-type FeMnO <sub>3</sub> Perovskite Photoactive Layer. <i>Frontiers in Chemistry</i> , 2021, 9, 754487.  | 1.8  | 6         |
| 962 | Molecular passivation of MAPbI <sub>3</sub> perovskite films follows the Langmuir adsorption rule. <i>Applied Physics Letters</i> , 2021, 119, .  | 1.5  | 8         |
| 963 | The Trapped Charges at Grain Boundaries in Perovskite Solar Cells. <i>Advanced Functional Materials</i> , 2021, 31, 2107125.  | 7.8  | 47        |
| 964 | Multifunctional 2D perovskite capping layer using cyclohexylmethylammonium bromide for highly efficient and stable perovskite solar cells. <i>Materials Today Physics</i> , 2021, 21, 100543.   | 2.9  | 14        |
| 965 | Quantum Dots Encapsulated by ZrO <sub>2</sub> Enhance the Stability of Perovskite Solar Cells. <i>Advanced Materials Interfaces</i> , 2021, 8, 2100776.   | 1.9  | 3         |
| 966 | Series Resistance Modulation for Large-Area Fully Printable Mesoscopic Perovskite Solar Cells. <i>Solar Rrl</i> , 2022, 6, 2100554.   | 3.1  | 13        |
| 967 | Cyclohexylammonium-Based 2D/3D Perovskite Heterojunction with Funnel-Like Energy Band Alignment for Efficient Solar Cells (23.91%). <i>Advanced Energy Materials</i> , 2021, 11, 2102236.   | 10.2 | 77        |
| 968 | Removal of residual compositions by powder engineering for high efficiency formamidinium-based perovskite solar cells with operation lifetime over 2000 h. <i>Nano Energy</i> , 2021, 87, 106152.   | 8.2  | 41        |
| 969 | Boosting interfacial charge transfer by constructing rare earth-doped WO <sub>x</sub> nanorods/SnO <sub>2</sub> hybrid electron transport layer for efficient perovskite solar cells. <i>Materials Today Energy</i> , 2021, 21, 100724.             | 2.5  | 8         |
| 970 | Efficient and Stable 2D@3D/2D Perovskite Solar Cells Based on Dual Optimization of Grain Boundary and Interface. <i>ACS Energy Letters</i> , 2021, 6, 3614-3623.  | 8.8  | 113       |
| 971 | Additive engineering for stable halide perovskite solar cells. <i>Journal of Energy Chemistry</i> , 2021, 60, 599-634.  | 7.1  | 59        |
| 972 | Learning from hole-transporting polymers in regular perovskite solar cells to construct efficient conjugated polyelectrolytes for inverted devices. <i>Chemical Engineering Journal</i> , 2021, 420, 129735.  | 6.6  | 8         |
| 973 | Tailoring the mercaptan ligands for high performance inverted perovskite solar cells with efficiency exceeding 21%. <i>Journal of Energy Chemistry</i> , 2021, 60, 169-177.   | 7.1  | 17        |
| 974 | Dual-Passivation Strategy for Improved Ambient Stability of Perovskite Solar Cells. <i>ACS Applied Energy Materials</i> , 2021, 4, 10025-10032.   | 2.5  | 13        |
| 975 | Bifunctional Graphene Oxide Hole-Transporting and Barrier Layers for Transparent Bifacial Flexible Perovskite Solar Cells. <i>ACS Applied Energy Materials</i> , 2021, 4, 8824-8831.  | 2.5  | 8         |
| 976 | Design of Superhydrophobic Surfaces for Stable Perovskite Solar Cells with Reducing Lead Leakage. <i>Advanced Energy Materials</i> , 2021, 11, 2102281.   | 10.2 | 58        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 977 | Interfaces and Interfacial Layers in Inorganic Perovskite Solar Cells. <i>Angewandte Chemie</i> , 2021, 133, 26644-26657.  | 1.6 | 14        |
| 978 | Toward Commercialization of Efficient and Stable Perovskite Solar Modules. <i>Solar Rrl</i> , 2022, 6, 2100600.  | 3.1 | 16        |
| 979 | Double-layered hole transport material of CuInS <sub>2</sub> /Spiro for highly efficient and stable perovskite solar cells. <i>Organic Electronics</i> , 2021, 96, 106249.   | 1.4 | 12        |
| 980 | Antioxidation and Energy-Level Alignment for Improving Efficiency and Stability of Hole Transport Layer-Free and Methylammonium-Free Tin-Lead Perovskite Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 45059-45067. | 4.0 | 18        |
| 981 | Multiple-Function Surface Engineering of SnO <sub>2</sub> Nanoparticles to Achieve Efficient Perovskite Solar Cells. <i>Journal of Physical Chemistry Letters</i> , 2021, 12, 9142-9148.   | 2.1 | 19        |
| 982 | On the Origin of Room-Temperature Amplified Spontaneous Emission in CsPbBr <sub>3</sub> Single Crystals. <i>Chemistry of Materials</i> , 2021, 33, 7185-7193.  | 3.2 | 9         |
| 983 | Interfaces and Interfacial Layers in Inorganic Perovskite Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 26440-26453.   | 7.2 | 69        |
| 984 | Understanding degradation mechanisms of perovskite solar cells due to electrochemical metallization effect. <i>Solar Energy Materials and Solar Cells</i> , 2021, 230, 111278.   | 3.0 | 20        |
| 985 | Simultaneous Improvement of the Power Conversion Efficiency and Stability of Perovskite Solar Cells by Doping PMMA Polymer in Spiro-OMeTAD-Based Hole-Transporting Layer. <i>Solar Rrl</i> , 2021, 5, 2100408.                               | 3.1 | 14        |
| 986 | A critical review of materials innovation and interface stabilization for efficient and stable perovskite photovoltaics. <i>Nano Energy</i> , 2021, 87, 106141.  | 8.2 | 28        |
| 987 | Defect Passivation for Perovskite Solar Cells: from Molecule Design to Device Performance. <i>ChemSusChem</i> , 2021, 14, 4354-4376.   | 3.6 | 43        |
| 988 | Stability Issues of Perovskite Solar Cells: A Critical Review. <i>Energy Technology</i> , 2021, 9, 2100560.  | 1.8 | 31        |
| 989 | Favorable grain growth of thermally stable formamidinium-methylammonium perovskite solar cells by hydrazine chloride. <i>Chemical Engineering Journal</i> , 2022, 430, 132730.   | 6.6 | 21        |
| 990 | Interfacial-engineering enhanced performance and stability of ZnO nanowire-based perovskite solar cells. <i>Nanotechnology</i> , 2021, 32, 475204.   | 1.3 | 18        |
| 991 | Quasiparticle Band Structure and Phonon-Induced Band Gap Renormalization of the Lead-Free Halide Double Perovskite Cs <sub>2</sub> InAgCl <sub>6</sub> . <i>Journal of Physical Chemistry C</i> , 2021, 125, 21689-21700.                    | 1.5 | 13        |
| 992 | Interface Passivation of Inverted Perovskite Solar Cells by Dye Molecules. <i>ACS Applied Energy Materials</i> , 2021, 4, 9525-9533.   | 2.5 | 10        |
| 993 | Multiphoton upconversion and non-resonant optical nonlinearity in perovskite quantum dot doped glasses. <i>Optics Letters</i> , 2021, 46, 5216.  | 1.7 | 10        |
| 994 | Light management in highly-textured perovskite solar cells: From full-device ellipsometry characterization to optical modelling for quantum efficiency optimization. <i>Solar Energy Materials and Solar Cells</i> , 2021, 230, 111144.      | 3.0 | 8         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 995  | Perspective: approaches for layers above the absorber in perovskite solar cells for semitransparent and tandem applications. <i>Materials Today Energy</i> , 2021, 21, 100729.  | 2.5 | 5         |
| 996  | Grazing-incidence X-ray diffraction tomography for characterizing organic thin films. <i>Journal of Applied Crystallography</i> , 2021, 54, 1327-1339.  | 1.9 | 5         |
| 997  | Numerical simulation of Cs <sub>2</sub> AgBiBr <sub>6</sub> -based perovskite solar cell with ZnO nanorod and P3HT as the charge transport layers. <i>Physica B: Condensed Matter</i> , 2021, 618, 413187.  | 1.3 | 47        |
| 998  | Efficient and stable perovskite solar cells via organic surfactant interfacial passivation. <i>Solar Energy</i> , 2021, 227, 438-446.   | 2.9 | 2         |
| 999  | Efficient Sb <sub>2</sub> (S,Se) <sub>3</sub> /Zn(O,S) solar cells with high open-circuit voltage by controlling sulfur content in the absorber-buffer layers. <i>Solar Energy</i> , 2021, 227, 606-615.  | 2.9 | 32        |
| 1000 | Toward high efficiency for long-term stable Cesium doped hybrid perovskite solar cells via effective light management strategy. <i>Journal of Power Sources</i> , 2021, 510, 230410.  | 4.0 | 4         |
| 1001 | Ambient-air fabrication of stable mixed cation perovskite planar solar cells with efficiencies exceeding 22% using a synergistic mixed antisolvent with complementary properties. <i>Nano Energy</i> , 2021, 89, 106387.  | 8.2 | 14        |
| 1002 | Unraveling the hysteretic behavior at double cations-double halides perovskite - electrode interfaces. <i>Nano Energy</i> , 2021, 89, 106428.   | 8.2 | 11        |
| 1003 | Organic nanocrystals induced surface passivation towards high-efficiency and stable perovskite solar cells. <i>Nano Energy</i> , 2021, 89, 106445.  | 8.2 | 19        |
| 1004 | Dopant-free polymer/2D/3D perovskite solar cells with high stability. <i>Nano Energy</i> , 2021, 90, 106521.  | 8.2 | 19        |
| 1005 | Introduction of 4-hydroxybenzaldehyde as interface modifier with multidimensional defects passivation effect for high-performance perovskite solar cells. <i>Applied Surface Science</i> , 2021, 570, 151259.   | 3.1 | 9         |
| 1006 | Quest for robust electron transporting materials towards efficient, hysteresis-free and stable perovskite solar cells. <i>Renewable and Sustainable Energy Reviews</i> , 2021, 152, 111689.   | 8.2 | 12        |
| 1007 | Methylammonium- and bromide-free perovskites enable efficient and stable photovoltaics. <i>Journal of Energy Chemistry</i> , 2021, 63, 12-24.   | 7.1 | 1         |
| 1008 | Reducing carrier transport barrier in anode interface enables efficient and stable inverted mesoscopic methylammonium-free perovskite solar cells. <i>Chemical Engineering Journal</i> , 2021, 425, 131499.   | 6.6 | 17        |
| 1009 | Simultaneously enhanced efficiency and ambient stability of inorganic perovskite solar cells by employing tetramethylammonium chloride additive in CsPbI <sub>2</sub> Br. <i>Journal of Materials Science and Technology</i> , 2022, 102, 224-231.              | 5.6 | 22        |
| 1010 | Functional molecule modified SnO <sub>2</sub> nanocrystal films toward efficient and moisture-stable perovskite solar cells. <i>Journal of Alloys and Compounds</i> , 2022, 890, 161912.  | 2.8 | 5         |
| 1011 | Preparation of Micron-sized Methylamine-PbCl <sub>3</sub> perovskite grains by controlling phase transition engineering for selective Ultraviolet-harvesting transparent photovoltaics. <i>Journal of Colloid and Interface Science</i> , 2022, 607, 1083-1090. | 5.0 | 3         |
| 1012 | Self-woven monolayer polyionic mesh to achieve highly efficient and stable inverted perovskite solar cells. <i>Chemical Engineering Journal</i> , 2022, 428, 132074.  | 6.6 | 19        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1013 | Highly stable perovskite solar cells with a novel Ni-based metal organic complex as dopant-free hole-transporting material. <i>Journal of Energy Chemistry</i> , 2022, 65, 312-318.   | 7.1  | 11        |
| 1014 | A strategic review on processing routes towards scalable fabrication of perovskite solar cells. <i>Journal of Energy Chemistry</i> , 2022, 64, 538-560.   | 7.1  | 33        |
| 1015 | A synopsis of progressive transition in precursor inks development for metal halide perovskites-based photovoltaic technology. <i>Journal of Materials Chemistry A</i> , 2021, 9, 26650-26668.                                      | 5.2  | 6         |
| 1016 | Metal Halide Perovskite/2D Material Heterostructures: Syntheses and Applications. <i>Small Methods</i> , 2021, 5, e2000937.   | 4.6  | 24        |
| 1017 | Improved photovoltage of printable perovskite solar cells via Nb <sup>5+</sup> doped SnO <sub>2</sub> compact layer. <i>Nanotechnology</i> , 2021, 32, 145403.  | 1.3  | 7         |
| 1018 | Quantifying the energy loss for a perovskite solar cell passivated with acetamidine halide. <i>Journal of Materials Chemistry A</i> , 2021, 9, 4781-4788.   | 5.2  | 21        |
| 1019 | Low-temperature sprayed carbon electrode in modular HTL-free perovskite solar cells: a comparative study on the choice of carbon sources. <i>Journal of Materials Chemistry C</i> , 2021, 9, 3546-3554.                             | 2.7  | 16        |
| 1020 | Enhanced Moisture and Water Resistance in Inverted Perovskite Solar Cells by Poly(3-hexylthiophene). <i>ACS Applied Energy Materials</i> , 2021, 4, 1815-1823.  | 2.5  | 20        |
| 1021 | Reduced energy loss enabled by thiophene-based interlayers for high performance and stable perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2021, 9, 4138-4149.  | 5.2  | 80        |
| 1022 | Strategies of modifying spiro-OMeTAD materials for perovskite solar cells: a review. <i>Journal of Materials Chemistry A</i> , 2021, 9, 4589-4625.  | 5.2  | 149       |
| 1023 | Spontaneous interface engineering for dopant-free poly(3-hexylthiophene) perovskite solar cells with efficiency over 24%. <i>Energy and Environmental Science</i> , 2021, 14, 2419-2428.  | 15.6 | 152       |
| 1024 | Electrolytes, Dyes, and Perovskite Materials in Third Generation Photovoltaic Cells. , 2022, , 621-634.   |      | 7         |
| 1025 | Low-cost, universal light-harvesting coating layer for thin film solar cells by employing micro-prism films. <i>Applied Physics Letters</i> , 2021, 118, 023301.  | 1.5  | 1         |
| 1026 | Homogeneous doping of entire perovskite solar cells <i>via</i> alkali cation diffusion from the hole transport layer. <i>Journal of Materials Chemistry A</i> , 2021, 9, 9266-9271.   | 5.2  | 8         |
| 1027 | The crucial roles of the configurations and electronic properties of organic hole-transporting molecules to the photovoltaic performance of perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2021, 9, 18148-18163. | 5.2  | 24        |
| 1028 | Nanoscale interfacial engineering enables highly stable and efficient perovskite photovoltaics. <i>Energy and Environmental Science</i> , 2021, 14, 5552-5562.  | 15.6 | 69        |
| 1029 | Recent Advances and Perspectives on Powder-Based Halide Perovskite Film Processing. <i>Advanced Functional Materials</i> , 2021, 31, 2007350.   | 7.8  | 33        |
| 1030 | Colorful Perovskite Solar Cells: Progress, Strategies, and Potentials. <i>Journal of Physical Chemistry Letters</i> , 2021, 12, 1321-1329.  | 2.1  | 39        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1031 | Rational design of D-heteroatom hole-transporting materials for efficient perovskite solar cells. <i>Materials Chemistry Frontiers</i> , 2021, 5, 7824-7832.   | 3.2  | 3         |
| 1032 | Small Molecules with Controllable Molecular Weights Passivate Surface Defects in Air-Stable Perovskite Solar Cells. <i>Advanced Electronic Materials</i> , 2021, 7, 2000870.   | 2.6  | 18        |
| 1033 | Towards Simplifying the Device Structure of High-Performance Perovskite Solar Cells. <i>Advanced Functional Materials</i> , 2020, 30, 2000863.   | 7.8  | 67        |
| 1034 | Promoting Energy Efficiency via a Self-Adaptive Evaporative Cooling Hydrogel. <i>Advanced Materials</i> , 2020, 32, e1907307.  | 11.1 | 151       |
| 1035 | Tailored Amphiphilic Molecular Mitigators for Stable Perovskite Solar Cells with 23.5% Efficiency. <i>Advanced Materials</i> , 2020, 32, e1907757.   | 11.1 | 303       |
| 1036 | Perovskite Quantum Wells Formation Mechanism for Stable Efficient Perovskite Photovoltaics: A Real-Time Phase-Transition Study. <i>Advanced Materials</i> , 2021, 33, e2006238.  | 11.1 | 30        |
| 1037 | Crystallization Control of Methylammonium-Free Perovskite in Two-Step Deposited Printable Triple-Mesoscopic Solar Cells. <i>Solar Rrl</i> , 2020, 4, 2000455.  | 3.1  | 24        |
| 1038 | Cesium-Trifluoroacetate Doped MA/FA-Based Perovskite Solar Cells with Inverted Planar Structure. <i>Journal of Electronic Materials</i> , 2020, 49, 7144-7152.   | 1.0  | 3         |
| 1039 | Ionic liquids engineering for high-efficiency and stable perovskite solar cells. <i>Chemical Engineering Journal</i> , 2020, 398, 125594.  | 6.6  | 85        |
| 1040 | Role of various transport layer and electrode materials in enhancing performance of stable environment-friendly Cs <sub>2</sub> TiBr <sub>6</sub> solar cell. <i>Optik</i> , 2020, 217, 164805.  | 1.4  | 27        |
| 1041 | Enhanced carrier separation efficiency and performance in planar-structure perovskite solar cells through an interfacial modifying layer of ultrathin mesoporous TiO <sub>2</sub> . <i>Journal of Power Sources</i> , 2020, 465, 228251. | 4.0  | 14        |
| 1042 | Well-ordered vertically aligned ZnO nanorods arrays for high-performance perovskite solar cells. <i>Materials Research Bulletin</i> , 2020, 130, 110935.   | 2.7  | 35        |
| 1044 | Resolving Spectral Mismatch Errors for Perovskite Solar Cells in Commercial Class AAA Solar Simulators. <i>Journal of Physical Chemistry Letters</i> , 2020, 11, 3782-3788.  | 2.1  | 10        |
| 1045 | Scalable fabrication and coating methods for perovskite solar cells and solar modules. <i>Nature Reviews Materials</i> , 2020, 5, 333-350.   | 23.3 | 568       |
| 1046 | Suppression of surface defects to achieve hysteresis-free inverted perovskite solar cells via quantum dot passivation. <i>Journal of Materials Chemistry A</i> , 2020, 8, 5263-5274.   | 5.2  | 67        |
| 1047 | Application of small molecules based on a dithienogermole core in bulk heterojunction organic solar cells and perovskite solar cells. <i>Materials Chemistry Frontiers</i> , 2020, 4, 2168-2175.   | 3.2  | 8         |
| 1048 | Roadmap on organic-inorganic hybrid perovskite semiconductors and devices. <i>APL Materials</i> , 2021, 9, .   | 2.2  | 102       |
| 1049 | Hole transport free flexible perovskite solar cells with cost-effective carbon electrodes. <i>Nanotechnology</i> , 2021, 32, 105205.   | 1.3  | 7         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1050 | Theoretical investigation of halide perovskites for solar cell and optoelectronic applications*. Chinese Physics B, 2020, 29, 108401.   | 0.7 | 15        |
| 1051 | Recent progress in developing efficient monolithic all-perovskite tandem solar cells. Journal of Semiconductors, 2020, 41, 051201.  | 2.0 | 19        |
| 1052 | Numerical simulation analysis of effect of energy band alignment and functional layer thickness on the performance for perovskite solar cells with Cd <sub>1-x</sub> Zn <sub>x</sub> S electron transport layer. Materials Research Express, 2020, 7, 105906. | 0.8 | 8         |
| 1053 | Metal oxide charge transport layers in perovskite solar cells—optimising low temperature processing and improving the interfaces towards low temperature processed, efficient and stable devices. JPhys Energy, 2021, 3, 012004.                              | 2.3 | 11        |
| 1054 | Temporally decoherent and spatially coherent vibrations in metal halide perovskites. Physical Review B, 2020, 102, .  | 1.1 | 7         |
| 1055 | Excitonic enhancement of optical nonlinearities in perovskite single crystals. Physical Review Materials, 2019, 3, .  | 0.3 | 1         |
| 1056 | Large thermal expansion leads to negative thermo-optic coefficient of halide perovskite. Physical Review Applied, 2020, 13, 011101.   | 0.9 | 12        |
| 1058 | Vapor-assisted deposition of highly efficient, stable black-phase FAPbI <sub>3</sub> perovskite solar cells. Science, 2020, 370, .  | 6.0 | 530       |
| 1059 | Quantum dot-modified titanium dioxide nanoparticles as an energy-band tunable electron-transporting layer for open air-fabricated planar perovskite solar cells. Nanomaterials and Nanotechnology, 2020, 10, 184798042096163.                                 | 1.2 | 10        |
| 1060 | Sb2S3 Thickness-Related Photocurrent and Optoelectronic Processes in TiO2/Sb2S3/P3HT Planar Hybrid Solar Cells. Nanoscale Research Letters, 2019, 14, 325.  | 3.1 | 10        |
| 1061 | Design and simulation of perovskite solar cells with Gaussian structured gradient-index optics. Optics Letters, 2019, 44, 4865.   | 1.7 | 8         |
| 1062 | Exciton photoluminescence of CsPbBr <sub>3</sub> @SiO <sub>2</sub> quantum dots and its application as a phosphor material in light-emitting devices. Optical Materials Express, 2020, 10, 1007.  | 1.6 | 12        |
| 1063 | Research progress in large-area perovskite solar cells. Photonics Research, 2020, 8, A1.  | 3.4 | 37        |
| 1064 | Two-step solvent post-treatment on PTAA for highly efficient and stable inverted perovskite solar cells. Photonics Research, 2020, 8, A39.  | 3.4 | 34        |
| 1065 | Maximizing the external radiative efficiency of hybrid perovskite solar cells. Pure and Applied Chemistry, 2020, 92, 697-706.   | 0.9 | 9         |
| 1066 | Gel Permeation Chromatography Purification Process for Highly Efficient Perovskite Nanocrystal Light-Emitting Devices. Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi], 2020, 33, 393-397.   | 0.1 | 7         |
| 1067 | ORGANIC-INORGANIC PEROVSKITE CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> : MORPHOLOGICAL, STRUCTURAL AND PHOTOELECTROPHYSICAL PROPERTIES. Ukrainian Chemical Journal, 2019, 85, 31-41.   | 0.3 | 2         |
| 1068 | Recent Advancements in Crystalline Pb-Free Halide Double Perovskites. Crystals, 2020, 10, 62.   | 1.0 | 41        |



| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1069 | High-Performance and Hysteresis-Free Perovskite Solar Cells Based on Rare-Earth-Doped SnO <sub>2</sub> Mesoporous Scaffold. <i>Research</i> , 2019, 2019, 4049793.  | 2.8  | 35        |
| 1070 | High throughput screening of novel tribromide perovskite materials for high-photovoltage solar cells. <i>Journal of Materials Chemistry A</i> , 2021, 9, 25502-25512.   | 5.2  | 8         |
| 1071 | Designs from single junctions, heterojunctions to multijunctions for high-performance perovskite solar cells. <i>Chemical Society Reviews</i> , 2021, 50, 13090-13128.  | 18.7 | 91        |
| 1072 | Surface recrystallized stable 2D/3D graded perovskite solar cells for efficiency beyond 21%. <i>Journal of Materials Chemistry A</i> , 2021, 9, 26069-26076.  | 5.2  | 36        |
| 1073 | Research Progress of Hole Transport Materials Based on Spiro Aromatic-Skeleton in Perovskite Solar Cells. <i>Acta Chimica Sinica</i> , 2021, 79, 1181.  | 0.5  | 5         |
| 1074 | Optimization of Tunnel Junction for Perovskite/Tunnel Oxide Passivated Contact (TOPCon) Tandem Solar Cells. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2021, 218, 2100562.   | 0.8  | 6         |
| 1075 | A comprehensive review on defect passivation and gradient energy alignment strategies for highly efficient perovskite solar cells. <i>Journal Physics D: Applied Physics</i> , 2022, 55, 043001.  | 1.3  | 9         |
| 1076 | Layered Dionâ€“Jacobson-Type Chalcogenide Perovskite CsLaM <sub>2</sub> X <sub>7</sub> (M = Ta/Nb; X) Tj ETQq1 1 0.784314 rg BT<br>ACS Applied Materials & Interfaces, 2021, 13, 48971-48980.   | 4.0  | 3         |
| 1077 | Unveiling the Effect of Potassium Treatment on the Mesoporous TiO <sub>2</sub> / Perovskite Interface in Perovskite Solar Cells. <i>ACS Applied Energy Materials</i> , 2021, 4, 11488-11495.  | 2.5  | 13        |
| 1078 | Perovskite solar cells with atomically coherent interlayers on SnO <sub>2</sub> electrodes. <i>Nature</i> , 2021, 598, 444-450.   | 13.7 | 2,065     |
| 1079 | Ultrafast Response (<math>\sim 1 \mu\text{s}</math>) Perovskite Ultraviolet Photodetector via Ballâ€“Milling Pretreated Singleâ€“Source Vapor Deposition. <i>Advanced Materials Technologies</i> , 2022, 7, 2100392.                                | 3.0  | 9         |
| 1080 | ITO/SnO <sub>2</sub> Interface Defect Passivation via Atomic Layer Deposited Al <sub>2</sub> O <sub>3</sub> for Highâ€“Efficiency Perovskite Solar Cells. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2021, 218, 2100406. | 0.8  | 3         |
| 1081 | A Peryleneâ€“Based Conjugated Polymer Endows Perovskite Solar Cells with 85â€“C Durability: The Control of Gas Permeation. <i>Advanced Functional Materials</i> , 2022, 32, 2108855.  | 7.8  | 19        |
| 1082 | Upscaling Solutionâ€“Processed Perovskite Photovoltaics. <i>Advanced Energy Materials</i> , 2021, 11, 2101973.  | 10.2 | 46        |
| 1083 | The renaissance of polythiophene organic solar cells. <i>Trends in Chemistry</i> , 2021, 3, 1074-1087.  | 4.4  | 64        |
| 1084 | A Highâ€“Performance Photodetector Based on 1D Perovskite Radial Heterostructure. <i>Advanced Optical Materials</i> , 2021, 9, 2101504.   | 3.6  | 8         |
| 1085 | Material Evolution with Nanotechnology, Nanoarchitectonics, and Materials Informatics: What will be the Next Paradigm Shift in Nanoporous Materials?. <i>Advanced Materials</i> , 2022, 34, e2107212.   | 11.1 | 81        |
| 1086 | Ambient-environment processed perovskite solar cells: A review. <i>Materials Today Physics</i> , 2021, 21, 100557.  | 2.9  | 12        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1087 | Improved Operational Stability of Perovskite Solar Cells via Au Barrier Layer Incorporation. ACS Applied Energy Materials, 2021, 4, 11062-11068.   | 2.5  | 9         |
| 1088 | All-Inorganic CsPbI <sub>2</sub> Br Perovskite Solar Cells: Recent Developments and Challenges. Energy Technology, 2021, 9, 2100691.   | 1.8  | 11        |
| 1089 | Improved Photostability of Metal Halide Perovskites by microstructure modulation for Photovoltaic Application. Organic Electronics, 2021, 101, 106380.                                   | 1.4  | 1         |
| 1090 | Low-Bandgap Organic Bulk-Heterojunction Enabled Efficient and Flexible Perovskite Solar Cells. Advanced Materials, 2021, 33, e2105539.   | 11.1 | 89        |
| 1091 | Super Flexible Transparent Conducting Oxide-Free Organic-Inorganic Hybrid Perovskite Solar Cells with 19.01% Efficiency (Active Area = 1 cm <sup>2</sup> ). Solar Rrl, 2021, 5, 2100733. | 3.1  | 10        |
| 1092 | Recycling lead and transparent conductors from perovskite solar modules. Nature Communications, 2021, 12, 5859.  | 5.8  | 69        |
| 1093 | Optimal Interfacial Band Bending Achieved by Fine Energy Level Tuning in Mixed-Halide Perovskite Solar Cells. ACS Energy Letters, 2021, 6, 3970-3981.                                    | 8.8  | 18        |
| 1094 | Stable perovskite solar cells with efficiency of 22.6% via quinoxaline-based polymeric hole transport material. Science China Chemistry, 2021, 64, 2035-2044.                            | 4.2  | 28        |
| 1095 | Electrode metallization for scaled perovskite/silicon tandem solar cells: Challenges and opportunities. Progress in Photovoltaics: Research and Applications, 2023, 31, 429-442.         | 4.4  | 18        |
| 1096 | Dopant-Free Hole Transporting Material Based on Nonconjugated Adamantane for High-Performance Perovskite Solar Cells. Frontiers in Chemistry, 2021, 9, 746365.                           | 1.8  | 3         |
| 1097 | Progress in flexible perovskite solar cells with improved efficiency. Journal of Semiconductors, 2021, 42, 101605.   | 2.0  | 16        |
| 1098 | Advancing 2D Perovskites for Efficient and Stable Solar Cells: Challenges and Opportunities. Advanced Materials, 2022, 34, e2105849.   | 11.1 | 104       |
| 1099 | Defect passivation of perovskites in high efficiency solar cells. JPhys Energy, 2021, 3, 042003.   | 2.3  | 13        |
| 1100 | Atomic Level Insights into Metal Halide Perovskite Materials by Scanning Tunneling Microscopy and Spectroscopy. Angewandte Chemie - International Edition, 2022, 61, .                   | 7.2  | 3         |
| 1101 | Atomic level insights into metal halide perovskite materials by scanning tunneling microscopy and spectroscopy. Angewandte Chemie, 2022, 134, e202112352.                                | 1.6  | 0         |
| 1102 | Key photovoltaic parameters of organohalide lead perovskite quantum dot intermediate band solar cell: A numerical investigation. Materials Today Communications, 2021, 29, 102884.       | 0.9  | 1         |
| 1103 | A new and simple method for simulation of lattice mismatch on the optical properties of solar cells: A combination of DFT and FDTD simulations. Solar Energy, 2021, 230, 166-176.        | 2.9  | 5         |
| 1104 | Ultrafast photophysics of metal halide perovskite multiple quantum wells: device implications and reconciling band alignment. , 2019, , .  |      | 0         |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1105 | Electronic and magnetic properties of $ABO_3$ perovskites (A - Ca, Ce, Y, Na; B - Ti, Nb, Fe, Mn). <i>Tj ETQq0,0,0 rgBT /Overlock 1</i>   |      |           |
| 1106 | Combining Efficiency and Stability in Mixed Tin-Lead Perovskite Solar Cells by Capping Grains with an Ultra-thin 2D layer. , 2020, , .  |      | 4         |
| 1107 | Capping Layers Design Guidelines for Stable Perovskite Solar Cells via Machine Learning. , 2020, , .  |      | 1         |
| 1108 | Dead-bolt type design for efficient and stable perovskite solar cells. , 2020, , .  |      | 0         |
| 1109 | Optimizing the Performance of Organic-Based Perovskite on Crystalline Silicon. , 2020, , .  |      | 2         |
| 1110 | Going beyond Alchemy: In-situ Analysis of Perovskite Growth by Optical Reflectance. , 2020, , .   |      | 0         |
| 1111 | Device Simulation of Poly (3-Hexylthiophene) HTL Based Single and Double Halide Perovskite Solar Cells. , 2020, , .   |      | 1         |
| 1112 | Novel Firing Stable $n^+/p^+$ Polysilicon Tunnel Junction and its Successful Device Integration. , 2020, , .  |      | 0         |
| 1113 | Inorganic charge transport materials for high reliable perovskite solar cells. <i>Ceramist</i> , 2020, 23, 145-165.   | 0.0  | 1         |
| 1114 | On-device lead-absorbing tapes for sustainable perovskite solar cells. <i>Nature Sustainability</i> , 2021, 4, 1038-1041.   | 11.5 | 53        |
| 1115 | Efficient and stable mesoscopic perovskite solar cell in high humidity by localized Dion-Jacobson 2D-3D heterostructures. <i>Nano Energy</i> , 2022, 91, 106666.  | 8.2  | 42        |
| 1116 | Phthalide and 1-octadecane Synergistic Optimization for Highly Efficient and Stable Perovskite Solar Cells. <i>Small</i> , 2021, 17, e2103336.  | 5.2  | 23        |
| 1117 | Synergetic Co-Modulation of Crystallization and Co-Passivation of Defects for $FAPbI_3$ Perovskite Solar Cells. <i>Advanced Functional Materials</i> , 2022, 32, 2108567.                                   | 7.8  | 38        |
| 1118 | Progress in Perovskite Solar Cells towards Commercialization—A Review. <i>Materials</i> , 2021, 14, 6569.   | 1.3  | 10        |
| 1119 | Improvement of quality and stability of $MAPbI_3$ films grown by post annealing under high pressure argon atmosphere. <i>Journal Physics D: Applied Physics</i> , 2021, 54, 075101.                         | 1.3  | 2         |
| 1120 | The Promise of Perovskite Solar Cells. , 2022, , 388-404.   |      | 3         |
| 1121 | Development of encapsulation strategies towards the commercialization of perovskite solar cells. <i>Energy and Environmental Science</i> , 2022, 15, 13-55.   | 15.6 | 158       |
| 1122 | Enhancing the stability of perovskite quantum dots $CsPbX_3$ (X=Cl, Br, I) by encapsulation in porous $Y_2O_3$ nanoparticles for WLED applications. <i>Materials Research Bulletin</i> , 2022, 146, 111592. | 2.7  | 12        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1123 | Healing soft interface for stable and high-efficiency all-inorganic CsPbI <sub>2</sub> Br <sub>2</sub> perovskite solar cells enabled by S-benzylisothiourea hydrochloride. <i>Chemical Engineering Journal</i> , 2022, 430, 132781.         | 6.6  | 22        |
| 1124 | Stability study of organometal halide perovskite and its enhanced X-ray scintillation from the incorporation of anodic TiO <sub>2</sub> nanotubes. <i>RSC Advances</i> , 2020, 10, 43773-43782.  | 1.7  | 2         |
| 1125 | A tailored spacer molecule in 2D/3D heterojunction for ultralow-voltage-loss and stable perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2021, 9, 26829-26838.  | 5.2  | 10        |
| 1126 | Influence of low-energy ammonia ion/group diffusion on electrical properties of indium tin oxide film. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2020, 69, 236801.  | 0.2  | 0         |
| 1127 | Characteristics of Perovskite Solar Cell with Nano-Structured MoO <sub>3</sub> Hole Transfer Layer Prepared by Hydrothermal Synthesis. <i>Korean Journal of Materials Research</i> , 2020, 30, 81-86.  | 0.1  | 0         |
| 1128 | Double-layered Halide Architecture Mixed Perovskite Solar Cell probed by Ultrafast Transient Absorption Spectroscopy. , 2021, , .  |      | 0         |
| 1129 | Deciphering the effect of replacing thiophene with selenophene in diketopyrrolopyrrole (DPP)-based low cost hole transport materials on the performance of perovskite solar cells. <i>Sustainable Energy and Fuels</i> , 2021, 5, 5994-6003. | 2.5  | 6         |
| 1133 | Bifunctional spiro-fluorene/heterocycle cored hole-transporting materials: Role of the heteroatom on the photovoltaic performance of perovskite solar cells. <i>Chemical Engineering Journal</i> , 2022, 431, 133371.                        | 6.6  | 11        |
| 1134 | An intermediate phase stability for high performance of perovskite solar cells. <i>Matter</i> , 2021, 4, 3377-3378.  | 5.0  | 2         |
| 1137 | Homologous Bromides Treatment for Improving the Open-Circuit Voltage of Perovskite Solar Cells. <i>Advanced Materials</i> , 2022, 34, e2106280.  | 11.1 | 26        |
| 1138 | Can Laminated Carbon Challenge Gold? Toward Universal, Scalable, and Low-Cost Carbon Electrodes for Perovskite Solar Cells. <i>Advanced Materials Technologies</i> , 2022, 7, 2101148.   | 3.0  | 14        |
| 1139 | Improved Efficiency of Perovskite Solar Cells with Low-Temperature-Processed Carbon by Introduction of a Doping-Free Polymeric Hole Conductor. <i>Solar Rrl</i> , 2022, 6, 2100773.  | 3.1  | 6         |
| 1140 | Enhanced photovoltaic performance of SnO <sub>2</sub> based flexible perovskite solar cells via introducing interfacial dipolar layer and defect passivation. <i>Journal of Power Sources</i> , 2022, 519, 230814.                           | 4.0  | 8         |
| 1141 | Efficiency improvement for perovskite-inspired Cs <sub>3</sub> Sb <sub>2</sub> I <sub>9</sub> solar cells using P3HT as the hole transport material. <i>Sustainable Energy and Fuels</i> , 2021, 6, 217-222.                                 | 2.5  | 25        |
| 1142 | Interfacial fracture of hybrid organic-inorganic perovskite solar cells. <i>Extreme Mechanics Letters</i> , 2022, 50, 101515.  | 2.0  | 7         |
| 1143 | Ionic liquids for advanced materials. <i>Materials Today Nano</i> , 2022, 17, 100159.  | 2.3  | 69        |
| 1144 | Construction of nanostructured CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> layer for high-performance perovskite solar cells by Ar plasma etching. <i>Materials Research Bulletin</i> , 2022, 147, 111666.                              | 2.7  | 7         |
| 1145 | Updated Progresses in Perovskite Solar Cells. <i>Chinese Physics Letters</i> , 2021, 38, 107801.   | 1.3  | 11        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1146 | Surface-Structured Cocatalyst Foils Unraveling a Pathway to High-Performance Solar Water Splitting. <i>Advanced Energy Materials</i> , 2022, 12, 2102752.  | 10.2 | 11        |
| 1147 | MXene-Based Materials for Solar Cell Applications. <i>Nanomaterials</i> , 2021, 11, 3170.  | 1.9  | 19        |
| 1148 | Methodologies for >30% Efficient Perovskite Solar Cells via Enhancement of Voltage and Fill Factor. <i>Solar Rrl</i> , 2022, 6, 2100767.   | 3.1  | 21        |
| 1149 | Forest-like Laser-Induced Graphene Film with Ultrahigh Solar Energy Utilization Efficiency. <i>ACS Nano</i> , 2021, 15, 19490-19502.   | 7.3  | 90        |
| 1150 | High-efficiency planar heterojunction perovskite solar cell produced by using 4-morpholine ethane sulfonic acid sodium salt doped SnO <sub>2</sub> . <i>Journal of Colloid and Interface Science</i> , 2022, 609, 547-556. | 5.0  | 13        |
| 1151 | Donor-Acceptor Type Polymer Bearing Carbazole Side Chain for Efficient Dopant-Free Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2022, 12, 2102697.   | 10.2 | 51        |
| 1152 | Current status and trends of carbon-based electrodes for fully solution-processed perovskite solar cells. <i>Journal of Energy Chemistry</i> , 2022, 68, 222-246.  | 7.1  | 29        |
| 1153 | A Phenanthrocarbazole-Based Dopant-Free Hole-Transport Polymer with Noncovalent Conformational Locking for Efficient Perovskite Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .                | 7.2  | 47        |
| 1154 | Phenanthrocarbazole-Based Dopant-Free Hole-Transport Polymer with Noncovalently Conformational Locking for Efficient Perovskite Solar Cells. <i>Angewandte Chemie</i> , 0, .   | 1.6  | 3         |
| 1155 | Effect of alloying on the carrier dynamics in high-performance perovskite solar cells. <i>Journal of Energy Chemistry</i> , 2022, 68, 267-274.   | 7.1  | 2         |
| 1156 | Composited Film of Poly(3,4-ethylenedioxythiophene) and Graphene Oxide as Hole Transport Layer in Perovskite Solar Cells. <i>Polymers</i> , 2021, 13, 3895.  | 2.0  | 4         |
| 1157 | The roles of black phosphorus in performance enhancement of halide perovskite solar cells. <i>Journal of Energy Chemistry</i> , 2022, 67, 672-683.   | 7.1  | 6         |
| 1158 | Recent Issues and Configuration Factors in Perovskite-Silicon Tandem Solar Cells towards Large Scaling Production. <i>Nanomaterials</i> , 2021, 11, 3186.  | 1.9  | 10        |
| 1159 | Efficient and stable all-inorganic Sb <sub>2</sub> (S, Se) <sub>3</sub> solar cells via manipulating energy levels in MnS hole transporting layers. <i>Science Bulletin</i> , 2022, 67, 263-269.                           | 4.3  | 28        |
| 1160 | Role of conducting polymers in enhancing the stability and performance of perovskite solar cells: a brief review. <i>Materials Today Sustainability</i> , 2022, 17, 100090.  | 1.9  | 20        |
| 1161 | Stabilization Techniques of Lead Halide Perovskite for Photovoltaic Applications. <i>Solar Rrl</i> , 2022, 6, .  | 3.1  | 8         |
| 1162 | Spontaneous Construction of Multidimensional Heterostructure Enables Enhanced Hole Extraction for Inorganic Perovskite Solar Cells to Exceed 20% Efficiency. <i>Advanced Energy Materials</i> , 2022, 12, 2103007.         | 10.2 | 42        |
| 1163 | Hole transporting materials in inorganic CsPbI <sub>3</sub> ~Br solar cells: Fundamentals, criteria and opportunities. <i>Materials Today</i> , 2022, 52, 250-268.   | 8.3  | 20        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1164 | Interfacial Passivation and Energy Level Alignment Regulation for Self-Powered Perovskite Photodetectors with Enhanced Performance and Stability. <i>Advanced Materials Interfaces</i> , 2022, 9, 2101766.                                      | 1.9  | 6         |
| 1165 | Probing the Origin of the Open Circuit Voltage in Perovskite Quantum Dot Photovoltaics. <i>ACS Nano</i> , 2021, 15, 19334-19344.  | 7.3  | 18        |
| 1166 | Intramolecular Noncovalent Interaction-Enabled Dopant-Free Hole-Transporting Materials for High-Performance Inverted Perovskite Solar Cells. <i>Angewandte Chemie</i> , 2022, 134, .  | 1.6  | 18        |
| 1167 | Intramolecular Noncovalent Interaction-Enabled Dopant-Free Hole-Transporting Materials for High-Performance Inverted Perovskite Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2022, 61, e202113749.                           | 7.2  | 72        |
| 1168 | Charge Transport Layers in Halide Perovskite Photonic Devices. , 2021, , 1-32.  |      | 0         |
| 1170 | Dynamics of photoconversion processes: the energetic cost of lifetime gain in photosynthetic and photovoltaic systems. <i>Chemical Society Reviews</i> , 2021, 50, 13372-13409.   | 18.7 | 10        |
| 1171 | Design of dopant-free small molecular hole transport materials for perovskite solar cells: a viewpoint from defect passivation. <i>Journal of Materials Chemistry A</i> , 2022, 10, 1150-1178.  | 5.2  | 44        |
| 1172 | Temperature-insensitive Efficient Inorganic Perovskite Photovoltaics by Bulk Heterojunctions. <i>Advanced Materials</i> , 2022, , 2108357.  | 11.1 | 9         |
| 1173 | High-Hole-Mobility Metal-Organic Framework as Dopant-Free Hole Transport Layer for Perovskite Solar Cells. <i>Nanoscale Research Letters</i> , 2022, 17, 6.   | 3.1  | 7         |
| 1174 | The Effect of Energy Level of Transport Layer on the Performance of Ambient Air Prepared Perovskite Solar Cell: A SCAPS-1D Simulation Study. <i>Crystals</i> , 2022, 12, 68.  | 1.0  | 13        |
| 1175 | Surface molecular engineering of CsPbBr <sub>3</sub> perovskite nanosheets for high-performance photodetector. <i>Composites Communications</i> , 2022, 29, 101032.   | 3.3  | 7         |
| 1176 | Size-tunable MoS <sub>2</sub> nanosheets for controlling the crystal morphology and residual stress in sequentially deposited perovskite solar cells with over 22.5% efficiency. <i>Journal of Materials Chemistry A</i> , 2022, 10, 3605-3617. | 5.2  | 15        |
| 1177 | Synthesis and characterization of polypyrrole encapsulated formamidinium lead bromide crystals for fluorescence memory recovery. <i>Journal of Molecular Liquids</i> , 2022, 349, 118485.   | 2.3  | 9         |
| 1178 | A counter electrode modified with renewable carbonized biomass for an all-inorganic CsPbBr <sub>3</sub> perovskite solar cell. <i>Journal of Alloys and Compounds</i> , 2022, 902, 163725.  | 2.8  | 11        |
| 1179 | Mixing halogens improves the passivation effects of amine halide on perovskite. <i>Electrochimica Acta</i> , 2022, 405, 139782.   | 2.6  | 2         |
| 1180 | Study on bandgap predications of ABX <sub>3</sub> -type perovskites by machine learning. <i>Organic Electronics</i> , 2022, 101, 106426.  | 1.4  | 21        |
| 1181 | Neutron irradiated perovskite films and solar cells on PET substrates. <i>Nano Energy</i> , 2022, 93, 106879.   | 8.2  | 15        |
| 1182 | Dual interfacial modification to improve the performance of CsPbBr <sub>3</sub> perovskite solar cells. <i>Materials Science in Semiconductor Processing</i> , 2022, 141, 106450.   | 1.9  | 4         |



| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1183 | 2D perovskite or organic material matter? Targeted growth for efficient perovskite solar cells with efficiency exceeding 24%. <i>Nano Energy</i> , 2022, 94, 106914.  | 8.2 | 31        |
| 1184 | Sodium fluoride sacrificing layer concept enables high-efficiency and stable methylammonium lead iodide perovskite solar cells. <i>Journal of Materials Science and Technology</i> , 2022, 113, 138-146.                                    | 5.6 | 32        |
| 1185 | A holistic sunscreen interface strategy to effectively improve the performance of perovskite solar cells and prevent lead leakage. <i>Chemical Engineering Journal</i> , 2022, 433, 134566.   | 6.6 | 20        |
| 1186 | Low-Dimensional Lead-Free Perovskite Variants for X-Ray Detection. <i>SSRN Electronic Journal</i> , 0, , .  | 0.4 | 0         |
| 1187 | Surface Passivation Toward Efficient and Stable Perovskite Solar Cells. <i>Energy and Environmental Materials</i> , 2023, 6, .  | 7.3 | 46        |
| 1188 | Quasi-Two-Dimensional Perovskite Solar Cells with Efficiency Exceeding 22%. <i>ACS Energy Letters</i> , 2022, 7, 757-765.   | 8.8 | 114       |
| 1189 | Effect of Fluorine Substitution in a Hole Dopant on the Photovoltaic Performance of Perovskite Solar Cells. <i>ACS Energy Letters</i> , 2022, 7, 741-748.   | 8.8 | 14        |
| 1190 | Perovskite Nanowires for Next-Generation Optoelectronic Devices: Lab to Fab. <i>ACS Applied Energy Materials</i> , 2022, 5, 1342-1377.  | 2.5 | 9         |
| 1191 | Vacuum Quenching for Large-Area Perovskite Film Deposition. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 2949-2957.  | 4.0 | 15        |
| 1192 | Development of formamidinium lead iodide-based perovskite solar cells: efficiency and stability. <i>Chemical Science</i> , 2022, 13, 2167-2183.   | 3.7 | 37        |
| 1193 | Leverage of Pyridine Isomer on Phenothiazine Core: Organic Semiconductors as Selective Layers in Perovskite Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 5729-5739.   | 4.0 | 7         |
| 1194 | Simultaneously Mitigating Anion and Cation Defects Both in Bulk and Interface for High-Effective Perovskite Solar Cells. <i>Solar Rrl</i> , 2022, 6, .  | 3.1 | 2         |
| 1195 | Interface Regulation by an Ultrathin Wide-Bandgap Halide for Stable and Efficient Inverted Perovskite Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 6702-6713.   | 4.0 | 6         |
| 1196 | Progress and challenges on scaling up of perovskite solar cell technology. <i>Sustainable Energy and Fuels</i> , 2022, 6, 243-266.  | 2.5 | 59        |
| 1197 | Face-on oriented hydrophobic conjugated polymers as dopant-free hole-transport materials for efficient and stable perovskite solar cells with a fill factor approaching 85%. <i>Journal of Materials Chemistry A</i> , 2022, 10, 3409-3417. | 5.2 | 19        |
| 1198 | Plasmonic-“perovskite solar cells, light emitters, and sensors. <i>Microsystems and Nanoengineering</i> , 2022, 8, 5.   | 3.4 | 41        |
| 1199 | Fully Scalable and Stable CsPbI <sub>2</sub> Br Solar Cells Realized by an All-Spray-Coating Process. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 7926-7935.  | 4.0 | 18        |
| 1200 | Inverted Planar Perovskite Solar Cells with High Electrical Conductivity and Efficiency by KBr-Doped PEDOT:PSS. <i>ECS Journal of Solid State Science and Technology</i> , 2022, 11, 025005.  | 0.9 | 3         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1201 | Organometal halide perovskite photovoltaics. , 2022, , 273-317.  |      | 1         |
| 1202 | Large-area perovskite solar cells employing spiro-Naph hole transport material. Nature Photonics, 2022, 16, 119-125.   | 15.6 | 123       |
| 1203 | Facile Surface Engineering of Composite Electron Transport Layer for Highly Efficient Perovskite Solar Cells with a Fill Factor Exceeding 81%. Advanced Materials Interfaces, 2022, 9, .                 | 1.9  | 2         |
| 1204 | Defects and stability of perovskite solar cells: a critical analysis. Materials Chemistry Frontiers, 2022, 6, 400-417.   | 3.2  | 68        |
| 1205 | Orientation Control of 2D Perovskite in 2D/3D Heterostructure by Templated Growth on 3D Perovskite. , 2022, 4, 378-384.  |      | 15        |
| 1206 | Acetone complexes for high-performance perovskite photovoltaics with reduced nonradiative recombination. Materials Advances, 2022, 3, 2047-2055.   | 2.6  | 2         |
| 1207 | Metastable Dion-Jacobson 2D structure enables efficient and stable perovskite solar cells. Science, 2022, 375, 71-76.  | 6.0  | 216       |
| 1208 | Tunable engineering of photo- and electro-induced carrier dynamics in perovskite photoelectronic devices. Science China Materials, 2022, 65, 855-875.  | 3.5  | 9         |
| 1209 | Surface Passivation Using 2D Perovskites toward Efficient and Stable Perovskite Solar Cells. Advanced Materials, 2022, 34, e2105635.   | 11.1 | 221       |
| 1210 | All-inorganic perovskite nanocrystals: next-generation scintillation materials for high-resolution X-ray imaging. Nanoscale Advances, 2022, 4, 680-696.  | 2.2  | 43        |
| 1211 | Stability Improvement of Perovskite Solar Cells by the Moisture-Resistant PMMA:Spiro-OMeTAD Hole Transport Layer. Polymers, 2022, 14, 343.   | 2.0  | 14        |
| 1212 | Reversible Phase Transitions of all Inorganic Copper-Based Perovskites: Water-Triggered Fluorochromism for Advanced Anticounterfeiting Applications. ACS Applied Electronic Materials, 2022, 4, 225-232. | 2.0  | 15        |
| 1213 | Self-Assembled Donor-acceptor Dyad Molecules Stabilize the Heterojunction of Inverted Perovskite Solar Cells and Modules. ACS Applied Materials & Interfaces, 2022, 14, 6794-6800.                       | 4.0  | 16        |
| 1214 | Atomically Resolved Electrically Active Intragrain Interfaces in Perovskite Semiconductors. Journal of the American Chemical Society, 2022, 144, 1910-1920.  | 6.6  | 37        |
| 1215 | Chemical Polishing of Perovskite Surface Enhances Photovoltaic Performances. Journal of the American Chemical Society, 2022, 144, 1700-1708.   | 6.6  | 88        |
| 1216 | Theoretical impacts of single band gap grading of perovskite and valence band offset of perovskite/hole transport layer interface on its solar cell performances. Solar Energy, 2022, 231, 684-693.      | 2.9  | 3         |
| 1217 | Centimetre-scale perovskite solar cells with fill factors of more than 86 per cent. Nature, 2022, 601, 573-578.  | 13.7 | 137       |
| 1218 | Bi(trifluoromethyl) Benzoic Acid-Assisted Shallow Defect Passivation for Perovskite Solar Cells with an Efficiency Exceeding 21%. ACS Applied Materials & Interfaces, 2022, 14, 3930-3938.               | 4.0  | 21        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1219 | Toward stable lead halide perovskite solar cells: A knob on the A/X sites components. IScience, 2022, 25, 103599.  | 1.9 | 13        |
| 1220 | Effects of potassium treatment on SnO <sub>2</sub> electron transport layers for improvements of perovskite solar cells. Solar Energy, 2022, 233, 353-362.   | 2.9 | 18        |
| 1221 | Halide Ions Distribution and Charge Dynamics in Mixed-Halide Perovskites. Physica Status Solidi - Rapid Research Letters, 2022, 16, .  | 1.2 | 3         |
| 1222 | Review on efficiency improvement effort of perovskite solar cell. Solar Energy, 2022, 233, 421-434.  | 2.9 | 74        |
| 1223 | Dual Modification Engineering via Lanthanide-Based Halide Quantum Dots and Black Phosphorus Enabled Efficient Perovskite Solar Cells with High Open-Circuit Voltage of 1.235 V. Advanced Functional Materials, 2022, 32, .   | 7.8 | 22        |
| 1224 | A cascade bilayer electron transport layer toward efficient and stable Ruddlesden-Popper perovskite solar cells. International Journal of Energy Research, 2022, 46, 8229-8239.  | 2.2 | 9         |
| 1225 | Coordination polymers for emerging molecular devices. Chemical Physics Reviews, 2022, 3, .   | 2.6 | 15        |
| 1226 | Emission properties of sequentially deposited ultrathin CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> /MoS <sub>2</sub> heterostructures. Current Applied Physics, 2022, 36, 27-33.   | 1.1 | 8         |
| 1227 | Two-dimensional perovskites: Impacts of species, components, and properties of organic spacers on solar cells. Nano Today, 2022, 43, 101394.   | 6.2 | 58        |
| 1228 | Surface reconstruction strategy improves the all-inorganic CsPbI <sub>3</sub> based perovskite solar cells and photodetectors performance. Nano Energy, 2022, 94, 106960.  | 8.2 | 35        |
| 1229 | Multi-cation hybrid stannic oxide electron transport layer for high-efficiency perovskite solar cells. Journal of Colloid and Interface Science, 2022, 614, 415-424.   | 5.0 | 9         |
| 1230 | Phenylfluorenamine-functionalized poly(N-vinylcarbazole)s as dopant-free polymer hole-transporting materials for inverted quasi-2D perovskite solar cells. Journal of Energy Chemistry, 2022, 69, 123-131.   | 7.1 | 7         |
| 1231 | Bulky ammonium iodide and in-situ formed 2D Ruddlesden-Popper layer enhances the stability and efficiency of perovskite solar cells. Journal of Colloid and Interface Science, 2022, 614, 247-255.   | 5.0 | 12        |
| 1232 | Dual bulk and interface engineering with ionic liquid for enhanced performance of ambient-processed inverted CsPbI <sub>3</sub> perovskite solar cells. Journal of Materials Science and Technology, 2022, 114, 165-171.   | 5.6 | 14        |
| 1235 | Inhibiting Ion Migration by Guanidinium Cation Doping for Efficient Perovskite Solar Cells with Enhanced Operational Stability. Solar Rrl, 2022, 6, .<br>Formation of $\text{Bi}^{\cdot}$ Dimers in Heavily $\text{Bi}^{\cdot}$ -Doped Lead Halide Perovskites: Origin of Carrier Density Saturation. Physical Review Applied, 2022, 17, . | 3.1 | 5         |
| 1236 | Formation of $\text{Bi}^{\cdot}$ Dimers in Heavily $\text{Bi}^{\cdot}$ -Doped Lead Halide Perovskites: Origin of Carrier Density Saturation. Physical Review Applied, 2022, 17, .  | 1.5 | 1         |
| 1237 | Improving Hole Transport and Extraction by Interface Engineering in Perovskite Solar Cells. Energy Technology, 0, , 2101002.   | 1.8 | 1         |
| 1238 | Three dimensional fluorene-based polyamides facile to transfer ion designed for near-infrared electrochromic application and detection for explosive. Chemical Engineering Journal, 2022, 437, 135108.   | 6.6 | 17        |



| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1258 | CeTaN <sub>3</sub> and CeNbN <sub>3</sub> : Prospective Nitride Perovskites with Optimal Photovoltaic Band Gaps. <i>Chemistry of Materials</i> , 2022, 34, 2107-2122.  | 3.2  | 13        |
| 1259 | Recombination Pathways in Perovskite Solar Cells. <i>Advanced Materials Interfaces</i> , 2022, 9, .  | 1.9  | 20        |
| 1260 | Unravelling Structure and Formation Mechanisms of Ruddlesden–Popper-Phase-like Nanodomains in Inorganic Lead Halide Perovskites. <i>Journal of Physical Chemistry Letters</i> , 2022, 13, 2117-2123.               | 2.1  | 3         |
| 1261 | Ultraviolet Photocatalytic Degradation of Perovskite Solar Cells: Progress, Challenges, and Strategies. <i>Advanced Energy and Sustainability Research</i> , 2022, 3, .  | 2.8  | 16        |
| 1262 | Application of metal halide perovskite photodetectors. <i>Journal of Semiconductors</i> , 2022, 43, 020203.  | 2.0  | 7         |
| 1263 | Interfacial Energy Band Alignment Enables the Reduction of Potential Loss for Hole-Conductor-Free Printable Mesoscopic Perovskite Solar Cells. <i>Journal of Physical Chemistry Letters</i> , 2022, 13, 2144-2149. | 2.1  | 10        |
| 1264 | Sustainable Green Process for Environmentally Viable Perovskite Solar Cells. <i>ACS Energy Letters</i> , 2022, 7, 1154-1177.   | 8.8  | 43        |
| 1265 | Construction of Stable Donor–Acceptor Type Covalent Organic Frameworks as Functional Platform for Effective Perovskite Solar Cell Enhancement. <i>Advanced Functional Materials</i> , 2022, 32, .                  | 7.8  | 46        |
| 1266 | Recent Developments in Upscalable Printing Techniques for Perovskite Solar Cells. <i>Advanced Science</i> , 2022, 9, e2200308.   | 5.6  | 40        |
| 1267 | Are Metal Halide Perovskite Solar Cells Ready for Space Applications?. <i>Journal of Physical Chemistry Letters</i> , 2022, 13, 2908-2920.   | 2.1  | 16        |
| 1268 | Neutral-Colored Semitransparent Perovskite Solar Cells with Aperture Ratios Controlled via Laser Patterning. <i>ACS Applied Energy Materials</i> , 2022, 5, 3660-3667.   | 2.5  | 7         |
| 1269 | Understanding Instability in Formamidinium Lead Halide Perovskites: Kinetics of Transformative Reactions at Grain and Subgrain Boundaries. <i>ACS Energy Letters</i> , 2022, 7, 1534-1543.                         | 8.8  | 45        |
| 1270 | Low-Temperature-Processed Stable Perovskite Solar Cells and Modules: A Comprehensive Review. <i>Advanced Energy Materials</i> , 2022, 12, .  | 10.2 | 38        |
| 1271 | Organic Semiconductors for Room-Temperature Spin Valves. , 2022, 4, 805-814.   |      | 8         |
| 1272 | Chlorobenzenesulfonic Potassium Salts as the Efficient Multifunctional Passivator for the Buried Interface in Regular Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2022, 12, .                       | 10.2 | 119       |
| 1273 | Proton-Induced in situ defect passivation for highly efficient wide-bandgap inverted perovskite solar cells. <i>Informa Mater Jly</i> , 2022, 4, .   | 8.5  | 27        |
| 1274 | Electrodeposition as a Versatile Preparative Tool for Perovskite Photovoltaics: Aspects of Metallization and Selective Contacts/Active Layer Formation. <i>Solar Rrl</i> , 0, , 2100993.                           | 3.1  | 7         |
| 1275 | Pyrene-Based Dopant-Free Hole-Transport Polymers with Fluorine Induced Favorable Molecular Stacking Enable Efficient Perovskite Solar Cells. <i>Angewandte Chemie</i> , 0, , .                                     | 1.6  | 4         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1276 | Poly(4-bis(4-butylphenyl)phenyl)benzidine as Interfacial Passivator for Dopant-Free P3HT Hole Transport Layer-Based Perovskite Solar Cell in Regular Mesoscopic Architecture. <i>Energy Technology</i> , 2022, 10, .                 | 1.8  | 2         |
| 1277 | Efficient and stable TiO <sub>2</sub> nanorod array structured perovskite solar cells in air: Co-passivation and synergistic mechanism. <i>Ceramics International</i> , 2022, 48, 17950-17959.                                       | 2.3  | 9         |
| 1278 | Temperature-Dependent Optical Properties of Perovskite Quantum Dots with Mixed-A-Cations. <i>Micromachines</i> , 2022, 13, 457.  | 1.4  | 5         |
| 1279 | Flexible Perovskite Solar Cells: From Materials and Device Architectures to Applications. <i>ACS Energy Letters</i> , 2022, 7, 1412-1445.  | 8.8  | 54        |
| 1280 | Influence of Halide Choice on Formation of Low-Dimensional Perovskite Interlayer in Efficient Perovskite Solar Cells. <i>Energy and Environmental Materials</i> , 2022, 5, 670-682.  | 7.3  | 9         |
| 1281 | Stability-limiting heterointerfaces of perovskite photovoltaics. <i>Nature</i> , 2022, 605, 268-273.   | 13.7 | 229       |
| 1282 | Pyrene-Based Dopant-Free Hole Transport Polymers with Fluorine-Induced Favorable Molecular Stacking Enable Efficient Perovskite Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .                          | 7.2  | 31        |
| 1283 | Block Copolymer Nanopatterning for Nonsemiconductor Device Applications. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 12011-12037.  | 4.0  | 36        |
| 1284 | Controlling the Decomposition of Hybrid Perovskite by a Dithienopyrrole-Based Hole Transport Layer toward Thermostable Solar Cells. , 2022, 4, 600-608.  |      | 1         |
| 1286 | Sulfides as a new class of stable cost-effective materials compared to organic/inorganic hole transport materials for perovskite solar cells. <i>Ceramics International</i> , 2022, , .  | 2.3  | 4         |
| 1287 | Insights from scalable fabrication to operational stability and industrial opportunities for perovskite solar cells and modules. <i>Cell Reports Physical Science</i> , 2022, 3, 100827.   | 2.8  | 16        |
| 1288 | Structural stability and optical properties of tin-based iodide perovskite. <i>Japanese Journal of Applied Physics</i> , 2022, 61, 031003.   | 0.8  | 4         |
| 1289 | Bulk lead-free perovskite crystal variants for X-ray detection. <i>Radiation Physics and Chemistry</i> , 2022, , 110111.   | 1.4  | 0         |
| 1290 | Asymmetric organic diammonium salt buried in SnO <sub>2</sub> layer enables fast carrier transfer and interfacial defects passivation for efficient perovskite solar cells. <i>Chemical Engineering Journal</i> , 2022, 442, 136291. | 6.6  | 37        |
| 1291 | Plasmonic Local Heating Induced Strain Modulation for Enhanced Efficiency and Stability of Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2022, 12, .  | 10.2 | 18        |
| 1292 | Modeling and numerical simulation of high efficiency perovskite solar cell with three active layers. <i>Solar Energy</i> , 2022, 236, 724-732.   | 2.9  | 21        |
| 1293 | Damp heat-stable perovskite solar cells with tailored-dimensionality 2D/3D heterojunctions. <i>Science</i> , 2022, 376, 73-77.   | 6.0  | 366       |
| 1294 | Design Strategies of Hole Transport Materials by Electronic and Steric Controls for n-i-p Perovskite Solar Cells. <i>ChemSusChem</i> , 2022, , .   | 3.6  | 5         |



| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1295 | Modulated crystal growth enables efficient and stable perovskite solar cells in humid air. <i>Chemical Engineering Journal</i> , 2022, 442, 136267.                             | 6.6  | 9         |
| 1296 | Ionic Liquid-Tuned Crystallization for Stable and Efficient Perovskite Solar Cells. <i>Solar Rrl</i> , 2022, 6, .   | 3.1  | 10        |
| 1297 | Structural, electronic and optoelectronic properties of asymmetric organic ligands in Dion-Jacobson phase perovskites. <i>Solid State Communications</i> , 2022, 350, 114761.   | 0.9  | 4         |
| 1298 | Quantum-size-tuned heterostructures enable efficient and stable inverted perovskite solar cells. <i>Nature Photonics</i> , 2022, 16, 352-358.                                   | 15.6 | 233       |
| 1299 | Multi-functional cyclic ammonium chloride additive for efficient and stable air-processed perovskite solar cells. <i>Journal of Power Sources</i> , 2022, 531, 231243.          | 4.0  | 10        |
| 1300 | A facile strategy for high performance air-processed perovskite solar cells with dopant-free poly(3-hexylthiophene) hole transporter. <i>Solar Energy</i> , 2022, 237, 153-160. | 2.9  | 2         |
| 1301 | All green solvent engineering of organic-inorganic hybrid perovskite layer for high-performance solar cells. <i>Chemical Engineering Journal</i> , 2022, 437, 135458.           | 6.6  | 28        |
| 1302 | Recent progress of perovskite devices fabricated using thermal evaporation method: Perspective and outlook. <i>Materials Today Advances</i> , 2022, 14, 100232.                 | 2.5  | 28        |
| 1303 | Performance investigation of experimentally fabricated lead iodide perovskite solar cell via numerical analysis. <i>Materials Research Bulletin</i> , 2022, 151, 111802.        | 2.7  | 12        |
| 1304 | Stronger binding force improving surface passivation of perovskites for High-Performance inverted solar cells. <i>Chemical Engineering Journal</i> , 2022, 440, 135974.         | 6.6  | 18        |
| 1305 | Are Perovskite Solar Cell Potential-Induced Degradation Proof?. <i>Solar Rrl</i> , 2022, 6, .   | 3.1  | 14        |
| 1306 | Simple Polythiophene Solar Cells Approaching 10% Efficiency via Carbon Chain Length Modulation of Poly(3-alkylthiophene). <i>Macromolecules</i> , 2022, 55, 133-145.            | 2.2  | 33        |
| 1307 | Inkjet-Printed Electron Transport Layers for Perovskite Solar Cells. <i>Materials</i> , 2021, 14, 7525.   | 1.3  | 4         |
| 1308 | Interfacial defect passivation by novel phosphonium salts yields 22% efficiency perovskite solar cells: Experimental and theoretical evidence. <i>EcoMat</i> , 2022, 4, .       | 6.8  | 35        |
| 1309 | Novel perovskite solar cell with Distributed Bragg Reflector. <i>PLoS ONE</i> , 2021, 16, e0259778.   | 1.1  | 8         |
| 1310 | Design of a highly efficient FeS <sub>2</sub> -based dual-heterojunction thin film solar cell. <i>International Journal of Green Energy</i> , 2022, 19, 1531-1542.              | 2.1  | 17        |
| 1311 | Multi-Level Passivation of MAPbI <sub>3</sub> Perovskite for Efficient and Stable Photovoltaics. <i>Advanced Functional Materials</i> , 2022, 32, .                             | 7.8  | 36        |
| 1312 | Electronic Structure of (Organic)Inorganic Metal Halide Perovskites: The Dilemma of Choosing the Right Functional. <i>Advanced Theory and Simulations</i> , 2022, 5, .          | 1.3  | 9         |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1313 | Solar-Driven Simultaneous Electrochemical CO <sub>2</sub> Reduction and Water Oxidation Using Perovskite Solar Cells. <i>Energies</i> , 2022, 15, 270.  | 1.6  | 6         |
| 1314 | In Situ Stabilized CsPbI <sub>3</sub> for Air-Fabricated Inverted Inorganic Perovskite Photovoltaics with Wide Humidity Operating Window. <i>Advanced Functional Materials</i> , 2022, 32, .  | 7.8  | 29        |
| 1315 | Chalcogenide Perovskites: Tantalizing Prospects, Challenging Materials. <i>Advanced Optical Materials</i> , 2022, 10, .   | 3.6  | 58        |
| 1316 | Unveiling White Light Emission of a One-Dimensional Cu(I)-Based Organometallic Halide toward Single-Phase Light-Emitting Diode Applications. <i>Journal of Physical Chemistry Letters</i> , 2021, 12, 12345-12351.                          | 2.1  | 17        |
| 1317 | Improved Performance of Perovskite Solar Cells by Suppressing the Energy-Level Shift of the PEDOT:PSS Hole Transport Layer. <i>ACS Applied Energy Materials</i> , 2021, 4, 14590-14598.   | 2.5  | 4         |
| 1318 | Polymethyl Methacrylate as an Interlayer Between the Halide Perovskite and Copper Phthalocyanine Layers for Stable and Efficient Perovskite Solar Cells. <i>Advanced Functional Materials</i> , 2022, 32, .                                 | 7.8  | 30        |
| 1319 | Phase Control of Cs <sub>4</sub> PbBr <sub>6</sub> Derivatives to Suppress OD Cs <sub>4</sub> PbBr <sub>6</sub> for High-Efficiency and Stable All-Inorganic CsPbBr <sub>3</sub> Perovskite Solar Cells. <i>Small</i> , 2022, 18, e2106323. | 5.2  | 27        |
| 1320 | Inorganic-Cation Pseudohalide 2D Cs <sub>2</sub> Pb(SCN) <sub>2</sub> Br <sub>2</sub> Perovskite Single Crystal. <i>Advanced Materials</i> , 2022, 34, e2104782.  | 11.1 | 20        |
| 1321 | Graphene-Based Assemblies for Moist-Electric Generation. <i>Frontiers in Energy Research</i> , 2021, 9, .   | 1.2  | 6         |
| 1322 | Stable and Efficient Pb-Ni Binary Metal Perovskite Solar Cells. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 17112-17119.  | 3.2  | 5         |
| 1323 | Recent Progress of Critical Interface Engineering for Highly Efficient and Stable Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2022, 12, .  | 10.2 | 78        |
| 1324 | Understanding the Limitations of Charge Transporting Layers in Mixed Lead-Tin Halide Perovskite Solar Cells. <i>Advanced Energy and Sustainability Research</i> , 2022, 3, .  | 2.8  | 13        |
| 1325 | Interface compatibility: how to outperform classical spiro-OMeTAD in perovskite solar cells with carbazole derivatives. <i>Journal of Materials Chemistry C</i> , 2022, 10, 7680-7689.  | 2.7  | 9         |
| 1326 | Triarylamine/Bithiophene Copolymer with Enhanced Quinoidal Character as Hole-Transporting Material for Perovskite Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .   | 7.2  | 29        |
| 1327 | Avoiding Structural Collapse to Reduce Lead Leakage in Perovskite Photovoltaics. <i>Angewandte Chemie</i> , 2022, 134, .  | 1.6  | 6         |
| 1328 | Energy Transfer between Size-Controlled CsPbI <sub>3</sub> Quantum Dots for Light-Emitting Diode Application. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 17691-17697.  | 4.0  | 9         |
| 1329 | Perovskite synthesizability using graph neural networks. <i>Npj Computational Materials</i> , 2022, 8, .  | 3.5  | 16        |
| 1330 | Building Bulk Heterojunction to Enhance Hole Extraction for High-Performance Printable Carbon-Based Perovskite Solar Cells. <i>Solar Rrl</i> , 2022, 6, .   | 3.1  | 6         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1331 | Triarylamine/Bithiophene Copolymer with Enhanced Quinoidal Character as Hole-Transporting Material for Perovskite Solar Cells. <i>Angewandte Chemie</i> , 2022, 134, .   | 1.6  | 2         |
| 1332 | Stable perovskite solar cells with 23.12% efficiency and area over 1 cm <sup>2</sup> by an all-in-one strategy. <i>Science China Chemistry</i> , 2022, 65, 1321-1329.  | 4.2  | 25        |
| 1333 | Avoiding Structural Collapse to Reduce Lead Leakage in Perovskite Photovoltaics. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .  | 7.2  | 21        |
| 1334 | Identifying the potentials for charge transport layers free n-p homojunction-based perovskite solar cells. <i>Solar Energy</i> , 2022, 238, 69-77.   | 2.9  | 12        |
| 1335 | Nacre inspired robust self-encapsulating flexible perovskite photodetector. <i>Nano Energy</i> , 2022, 98, 107254.   | 8.2  | 17        |
| 1336 | Potassium chloride templated $\pm$ -FAPbI <sub>3</sub> perovskite crystal growth for efficient planar perovskite solar cells. <i>Organic Electronics</i> , 2022, 106, 106527.  | 1.4  | 5         |
| 1338 | Rational Design on Chemical Regulation of Interfacial Microstress Engineering by Matching Young's Modulus in a CsPbBr <sub>3</sub> Perovskite Film with Mechanical Compatibility toward Enhanced Photoelectric Conversion Efficiency. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 20257-20267. | 4.0  | 8         |
| 1339 | A nanofibrillar conjugated polymer film as an interface layer for high-performance CsPbBr <sub>2</sub> solar cells with efficiency exceeding 11%. <i>Sustainable Energy and Fuels</i> , 2022, 6, 2692-2699.  | 2.5  | 4         |
| 1340 | Structure-property relationships of diketopyrrolopyrrole- and thienoacene-based A-type hole transport materials for efficient perovskite solar cells. <i>New Journal of Chemistry</i> , 0, .   | 1.4  | 0         |
| 1341 | Surface fluoride management for enhanced stability and efficiency of halide perovskite solar cells via a thermal evaporation method. <i>Journal of Materials Chemistry A</i> , 2022, 10, 12882-12889.  | 5.2  | 5         |
| 1342 | Inhibition of Pb <sub>2</sub> -induced defects by doping MABr for high-performance perovskite solar cells. <i>Nanoscale</i> , 2022, 14, 7203-7210.   | 2.8  | 12        |
| 1343 | Progress of defect and defect passivation in perovskite solar cells. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2022, 71, 166801.  | 0.2  | 1         |
| 1344 | Efficient and Stable FA-Rich Perovskite Photovoltaics: From Material Properties to Device Optimization. <i>Advanced Energy Materials</i> , 2022, 12, .   | 10.2 | 16        |
| 1345 | Discovery of Pb-free hybrid organic-inorganic 2D perovskites using a stepwise optimization strategy. <i>Npj Computational Materials</i> , 2022, 8, .   | 3.5  | 9         |
| 1346 | Inventions, Innovations and New Technologies. <i>Solar Compass</i> , 2022, , 100012.   | 0.5  | 0         |
| 1347 | Simulation of the photovoltaic performance of a perovskite solar cell based on methylammonium lead iodide. <i>Optical and Quantum Electronics</i> , 2022, 54, .  | 1.5  | 6         |
| 1348 | Microscopic Interfacial Charge Transfer at Perovskite/Hole Transport Layer Interfaces Clarified Using Pattern-Illumination Time-Resolved Phase Microscopy. <i>Journal of Physical Chemistry C</i> , 2022, 126, 7548-7555.  | 1.5  | 1         |
| 1349 | Rational selection of the polymeric structure for interface engineering of perovskite solar cells. <i>Joule</i> , 2022, 6, 1032-1048.  | 11.7 | 72        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1350 | Efficient p-doping of P3HT for hole transporting materials in perovskite solar cells. <i>Rare Metals</i> , 2022, 41, 2575-2581.  | 3.6  | 5         |
| 1351 | Perovskite Single-Crystal Solar Cells: Advances and Challenges. <i>Solar Rrl</i> , 2022, 6, .  | 3.1  | 19        |
| 1352 | Defect Passivation through (±-Methylguanido)acetic Acid in Perovskite Solar Cell for High Operational Stability. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 20848-20855.                                      | 4.0  | 8         |
| 1353 | One-dimensional perovskite-based Li-ion battery anodes with high capacity and cycling stability. <i>Journal of Energy Chemistry</i> , 2022, 72, 73-80.   | 7.1  | 8         |
| 1354 | A Rolling-Mode Al/CsPbBr <sub>3</sub> Schottky Junction Direct-Current Triboelectric Nanogenerator for Harvesting Mechanical and Solar Energy. <i>Advanced Energy Materials</i> , 2022, 12, .                                | 10.2 | 35        |
| 1355 | Basic understanding of perovskite solar cells and passivation mechanism. <i>AIP Advances</i> , 2022, 12, .   | 0.6  | 13        |
| 1356 | Formation of a Secondary Phase in Thermally Evaporated MAPbI <sub>3</sub> and Its Effects on Solar Cell Performance. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 34269-34280.                                  | 4.0  | 5         |
| 1357 | Pyridine Derivatives™ Surface Passivation Enables Efficient and Stable Carbon-Based Perovskite Solar Cells. , 2022, 4, 1101-1111.  |      | 30        |
| 1358 | A multifunctional piperidine-based modulator for printable mesoscopic perovskite solar cells. <i>Chemical Engineering Journal</i> , 2022, 446, 136967.   | 6.6  | 13        |
| 1359 | A Doped Hole Transport Layer Qualified for 100°C-Tolerant Perovskite Solar Cells. <i>Advanced Optical Materials</i> , 0, , 2200515.  | 3.6  | 0         |
| 1360 | Probing Ultrafast Interfacial Carrier Dynamics in Metal Halide Perovskite Films and Devices by Transient Reflection Spectroscopy. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 34281-34290.                     | 4.0  | 5         |
| 1361 | Enantiomorphic Single Crystals of Linear Lead(II) Bromide Perovskitoids with White Circularly Polarized Emission. <i>Angewandte Chemie</i> , 0, , .  | 1.6  | 3         |
| 1362 | Charge-Selective, Narrow-Gap Indium Arsenide Quantum Dot Layer for Highly Stable and Efficient Organic Photovoltaics. <i>Advanced Energy Materials</i> , 2022, 12, .   | 10.2 | 14        |
| 1363 | All-Inorganic Perovskite Solar Cells: Recent Advancements and Challenges. <i>Nanomaterials</i> , 2022, 12, 1651.   | 1.9  | 20        |
| 1364 | Flexible perovskite solar cells: Material selection and structure design. <i>Applied Physics Reviews</i> , 2022, 9, .  | 5.5  | 19        |
| 1365 | Perovskite solar cells by vapor deposition based and assisted methods. <i>Applied Physics Reviews</i> , 2022, 9, .   | 5.5  | 33        |
| 1366 | Interfacial passivation by polylactic acid in perovskite solar cells. <i>Organic Electronics</i> , 2022, 106, 106543.  | 1.4  | 4         |
| 1367 | Study of DMSO concentration on the optical and structural properties of perovskite CH <sub>3</sub> NH <sub>3</sub> PbI <sub>3</sub> and its use in solar cells. <i>Journal of Solid State Chemistry</i> , 2022, 312, 123158. | 1.4  | 6         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1368 | A multifunctional interlayer for highly stable and efficient perovskite solar cells based on pristine poly(3-hexylthiophene). <i>Chemical Engineering Journal</i> , 2022, 444, 136644.              | 6.6 | 17        |
| 1369 | Bromide complimented methylammonium-free wide bandgap perovskite solar modules with high efficiency and stability. <i>Chemical Engineering Journal</i> , 2022, 445, 136626.                         | 6.6 | 12        |
| 1370 | Enantiomorphic Single Crystals of Linear Lead(II) Bromide Perovskitoids with White Circularly Polarized Emission. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .                    | 7.2 | 22        |
| 1371 | Micro-Nano Structure Functionalized Perovskite Optoelectronics: From Structure Functionalities to Device Applications. <i>Advanced Functional Materials</i> , 2022, 32, .                           | 7.8 | 25        |
| 1372 | Defective MWCNT Enabled Dual Interface Coupling for Carbon-Based Perovskite Solar Cells with Efficiency Exceeding 22%. <i>Advanced Functional Materials</i> , 2022, 32, .                           | 7.8 | 35        |
| 1373 | Ultrafast Carrier Dynamics in Wide Band Gap Mixed-Cation Perovskites: Influence of the Cs Cation. <i>Journal of Physical Chemistry C</i> , 2022, 126, 8787-8793.                                    | 1.5 | 3         |
| 1374 | Synergistic Effect between NiO <sub>x</sub> and P3HT Enabling Efficient and Stable Hole Transport Pathways for Regular Perovskite Photovoltaics. <i>Advanced Functional Materials</i> , 2022, 32, . | 7.8 | 17        |
| 1375 | A review on high performance photovoltaic cells and strategies for improving their efficiency. <i>Frontiers in Energy</i> , 2022, 16, 548-580.  | 1.2 | 3         |
| 1376 | Highly Crystalline Graphene as the Atomic 2D Blanket of a Perovskite Absorber for Enhanced Photovoltaic Performance. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 24864-24874.         | 4.0 | 3         |
| 1377 | Ionic Dopant-Free Polymer Alloy Hole Transport Materials for High-Performance Perovskite Solar Cells. <i>Journal of the American Chemical Society</i> , 2022, 144, 9500-9509.                       | 6.6 | 85        |
| 1378 | Challenges of Scalable Development for Perovskite/Silicon Tandem Solar Cells. <i>ACS Applied Energy Materials</i> , 2022, 5, 6499-6515.   | 2.5 | 10        |
| 1379 | Characterization of interfaces: Lessons from the past for the future of perovskite solar cells. <i>Journal of Semiconductors</i> , 2022, 43, 051202.  | 2.0 | 6         |
| 1380 | Reconfiguring perovskite interface via R4NBr addition reaction toward efficient and stable FAPbI <sub>3</sub> -based solar cells. <i>Science China Chemistry</i> , 2022, 65, 1185-1195.             | 4.2 | 5         |
| 1381 | Superfast crystalline powder synthetic strategy toward scale-up of perovskite solar cells. <i>Materials Today Energy</i> , 2022, 27, 101049.  | 2.5 | 4         |
| 1382 | Machine learning enabled development of unexplored perovskite solar cells with high efficiency. <i>Nano Energy</i> , 2022, 99, 107394.  | 8.2 | 27        |
| 1383 | Long term stability assessment of perovskite solar cell via recycling of metal contacts under ambient conditions. <i>Materials Letters</i> , 2022, 322, 132490.                                     | 1.3 | 4         |
| 1384 | Lewis base governing superficial proton behavior of hybrid perovskite: Basicity dependent passivation strategy. <i>Chemical Engineering Journal</i> , 2022, 446, 137033.                            | 6.6 | 26        |
| 1385 | Empowering Photovoltaics with Smart Light Management Technologies. , 2022, , 1165-1248.   |     | 1         |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1386 | Molecular Engineering for Function-Tailored Interface Modifier in High-Performance Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2022, 12, .   | 10.2 | 16        |
| 1387 | Toward Efficient Perovskite Solar Cells: Progress, Strategies, and Perspectives. <i>ACS Energy Letters</i> , 2022, 7, 2084-2091.  | 8.8  | 68        |
| 1388 | A Thiophene Based Dopant-Free Hole-Transport Polymer for Efficient and Stable Perovskite Solar Cells. <i>Macromolecular Research</i> , 2022, 30, 391-396.   | 1.0  | 5         |
| 1389 | One-step precipitation of stable perovskite CsPbBr <sub>3</sub> quantum dots in silicate glass by picosecond laser pulses. <i>Optical Materials Express</i> , 2022, 12, 2260.   | 1.6  | 6         |
| 1390 | Backbone Randomization in Conjugated Polymer-Based Hole-Transport Materials to Enhance the Efficiencies of Perovskite Solar Cells. <i>Chemistry of Materials</i> , 2022, 34, 4856-4864.   | 3.2  | 11        |
| 1391 | Alkyl Diamine-Induced (100)-Preferred Crystal Orientation for Efficient Pb-Sn Perovskite Solar Cells. <i>ACS Applied Energy Materials</i> , 2022, 5, 6936-6942.   | 2.5  | 12        |
| 1392 | Steady-State Transporting Properties of Halide Perovskite Thin Films under 1 sun through Photo-Hall Effect Measurement. <i>Journal of Physical Chemistry C</i> , 0, , .   | 1.5  | 2         |
| 1393 | An Innovative Anode Interface Combination for Perovskite Solar Cells with Improved Efficiency, Stability, and Reproducibility. <i>Solar Rrl</i> , 2022, 6, .  | 3.1  | 3         |
| 1394 | Over 24% efficient MA-free CsxFA1 <sup>n</sup> xPbX <sub>3</sub> perovskite solar cells. <i>Joule</i> , 2022, 6, 1344-1356.   | 11.7 | 58        |
| 1395 | Modulating crystal growth of formamidinium <sup>+</sup> caesium perovskites for over 200 cm <sup>2</sup> photovoltaic sub-modules. <i>Nature Energy</i> , 2022, 7, 528-536.   | 19.8 | 89        |
| 1396 | High-purity synthesis of all-inorganic CsPbBr <sub>3</sub> perovskite powder assisted by solubilizing organic ligand and its application to perovskite solar cells. <i>International Journal of Energy Research</i> , 0, , .          | 2.2  | 3         |
| 1397 | Elucidating Diiodomethane-Induced Improvement in Photonicallly Cured MAPbI <sub>3</sub> Solar Cells. <i>ACS Applied Energy Materials</i> , 2022, 5, 7328-7334.  | 2.5  | 3         |
| 1398 | Morphology modulated brookite TiO <sub>2</sub> and BaSnO <sub>3</sub> as alternative electron transport materials for enhanced performance of carbon perovskite solar cells. <i>Chemical Engineering Journal</i> , 2022, 446, 137378. | 6.6  | 20        |
| 1399 | Ionic liquid-mediated reconstruction of perovskite surface for highly efficient photovoltaics. <i>Chemical Engineering Journal</i> , 2022, 446, 137351.   | 6.6  | 5         |
| 1400 | Light absorption enhancement in thin film GaAs solar cells using dielectric nanoparticles. <i>Scientific Reports</i> , 2022, 12, .  | 1.6  | 10        |
| 1401 | Perovskite-based tandem solar cells: Device architecture, stability, and economic perspectives. <i>Renewable and Sustainable Energy Reviews</i> , 2022, 165, 112553.  | 8.2  | 16        |
| 1402 | Cesium acetate-assisted crystallization for high-performance inverted CsPbI <sub>3</sub> perovskite solar cells. <i>Nanotechnology</i> , 2022, 33, 375205.  | 1.3  | 7         |
| 1405 | Oriented Organization of Poly(3-Hexylthiophene) for Efficient and Stable Antimony Sulfide Solar Cells. <i>Energy and Environmental Materials</i> , 2023, 6, .   | 7.3  | 2         |



| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1406 | Integration of two-dimensional materials-based perovskite solar panels into a stand-alone solar farm. <i>Nature Energy</i> , 2022, 7, 597-607.   | 19.8 | 66        |
| 1407 | 2D Material and Perovskite Heterostructure for Optoelectronic Applications. <i>Nanomaterials</i> , 2022, 12, 2100.   | 1.9  | 13        |
| 1408 | Estimation of annual energy generation of perovskite/crystalline Si tandem solar cells with different configurations in central part of Japan. <i>Renewable Energy</i> , 2022, 195, 896-905.   | 4.3  | 1         |
| 1409 | The effect of chloride atoms to induce organohalide perovskite intermediate crystal phase: a simulation rationale. <i>Applied Physics Express</i> , 2022, 15, 075504.  | 1.1  | 2         |
| 1410 | Universal Surface Passivation of Organic-Inorganic Halide Perovskite Films by Tetraoctylammonium Chloride for High-Performance and Stable Perovskite Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 28044-28059. | 4.0  | 15        |
| 1411 | Basic Amino Acids Modulated Neutral-pH PEDOT:PSS for Stable Blue Perovskite Light-Emitting Diodes. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 28133-28144.  | 4.0  | 18        |
| 1412 | Synergistic bonding stabilized interface for perovskite solar cells with over 24% efficiency. <i>Nano Energy</i> , 2022, 100, 107518.  | 8.2  | 18        |
| 1413 | Amorphous TiO <sub>2</sub> film with fiber like structure: An ideal candidate for ETL of perovskite solar cells. <i>Materials Letters</i> , 2022, 324, 132684.   | 1.3  | 2         |
| 1414 | Coordination Modulated Passivation for Stable Organic-Inorganic Perovskite Solar Cells. <i>SSRN Electronic Journal</i> , 0, , .  | 0.4  | 0         |
| 1415 | Charge transport materials for mesoscopic perovskite solar cells. <i>Journal of Materials Chemistry C</i> , 2022, 10, 11063-11104.   | 2.7  | 10        |
| 1416 | Recent advances in dopant-free organic hole-transporting materials for efficient, stable and low-cost perovskite solar cells. <i>Energy and Environmental Science</i> , 2022, 15, 3630-3669.   | 15.6 | 58        |
| 1417 | Tailoring Defects Regulation in Air-Fabricated CsPb <sub>3</sub> Perovskite Solar Cells with $V_{oc}$ of 1.225 V. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 30937-30945.   | 4.0  | 15        |
| 1418 | Enhanced Thermal Stability of Low-Temperature Processed Carbon-Based Perovskite Solar Cells by a Combined Antisolvent/Polymer Deposition Method. <i>Energy Technology</i> , 2022, 10, .  | 1.8  | 3         |
| 1419 | Inkjet Printing Efficient Defined-Pixel Matrix Perovskite Light-Emitting Diodes with a Polar Polymer Modification Layer. <i>Advanced Materials Technologies</i> , 2022, 7, .   | 3.0  | 9         |
| 1420 | Oxide/Halide/Oxide Architecture for High Performance Semi-Transparent Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2022, 12, .   | 10.2 | 11        |
| 1421 | Predicting the formation of fractionally doped perovskite oxides by a function-confined machine learning method. <i>Communications Materials</i> , 2022, 3, .  | 2.9  | 7         |
| 1422 | Homochiral Hybrid Organic-Inorganic Cadmium Chlorides Directed by Enantiopure Amino Acids. <i>Inorganic Chemistry</i> , 2022, 61, 11032-11035.   | 1.9  | 14        |
| 1423 | Polyaniline/Nickle oxide hole transport layers to increase stability and efficiency of regular perovskite solar cells. <i>International Journal of Energy Research</i> , 2022, 46, 17285-17294.  | 2.2  | 4         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1424 | A charge transfer framework that describes supramolecular interactions governing structure and properties of 2D perovskites. <i>Nature Communications</i> , 2022, 13, .                                      | 5.8  | 16        |
| 1425 | Perovskite and Polymeric Solar Cells: A Comparison of Advances and Key Challenges. <i>Energy Technology</i> , 2022, 10, .  | 1.8  | 1         |
| 1426 | CuGaO <sub>2</sub> Nanosheet Arrays as the Hole-Transport Layer in Inverted Perovskite Solar Cells. <i>ACS Applied Nano Materials</i> , 2022, 5, 10055-10063.  | 2.4  | 9         |
| 1427 | Recent defect passivation drifts and role of additive engineering in perovskite photovoltaics. <i>Nano Energy</i> , 2022, 101, 107579.   | 8.2  | 46        |
| 1428 | Progress and challenges of halide perovskite-based solar cell- a brief review. <i>Materials Science in Semiconductor Processing</i> , 2022, 150, 106953.   | 1.9  | 22        |
| 1429 | A Conductive Molecular Semiconductor Composite with Over 160°C Glass Transition Temperature for Heat-Resistant Perovskite Solar Cells. <i>Advanced Electronic Materials</i> , 0, , 2200425.                  | 2.6  | 2         |
| 1430 | Brominated Polythiophene Reduces the Efficiency-Stability-Cost Gap of Organic and Quantum Dot Hybrid Solar Cells. <i>Advanced Energy Materials</i> , 2022, 12, .   | 10.2 | 17        |
| 1431 | Solution-Processed SnO <sub>2</sub> Quantum Dots for the Electron Transport Layer of Flexible and Printed Perovskite Solar Cells. <i>Nanomaterials</i> , 2022, 12, 2615.                                     | 1.9  | 12        |
| 1432 | Progress on strategies to control the built-in electric field of perovskite solar cells. <i>Chinese Science Bulletin</i> , 2023, 68, 39-52.  | 0.4  | 2         |
| 1433 | Optically and Mechanically Engineered Anti-Reflective Film for Highly Efficient Rigid and Flexible Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2022, 12, .                                    | 10.2 | 17        |
| 1434 | Simultaneously Suppressing Charge Recombination and Decomposition of Perovskite Solar Cells by Conjugated Covalent Organic Frameworks. <i>Advanced Energy Materials</i> , 2022, 12, .                        | 10.2 | 23        |
| 1435 | Management of Donor and Acceptor Building Blocks in Dopant-Free Polymer Hole Transport Materials for High-Performance Perovskite Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2022, 61, . | 7.2  | 39        |
| 1436 | Photo Stabilization of p-n Perovskite Solar Cells with Bathocuproine: MXene. <i>Small</i> , 2022, 18, .  | 5.2  | 8         |
| 1437 | Enhanced Efficiency and Stability of n-p Perovskite Solar Cells by Incorporation of Fluorinated Graphene in the Spiro-OMeTAD Hole Transport Layer. <i>Advanced Energy Materials</i> , 2022, 12, .            | 10.2 | 41        |
| 1438 | Fill Factor Losses and Deviations from the Superposition Principle in Lead Halide Perovskite Solar Cells. <i>Solar Rrl</i> , 2022, 6, .  | 3.1  | 22        |
| 1439 | 24.11% High Performance Perovskite Solar Cells by Dual Interfacial Carrier Mobility Enhancement and Charge-Carrier Transport Balance. <i>Advanced Energy Materials</i> , 2022, 12, .                         | 10.2 | 21        |
| 1440 | Progress of Solution-Processed Metal Oxides as Charge Transport Layers towards Efficient and Stable Perovskite Solar Cells and Modules. <i>Materials Today Nano</i> , 2022, , 100252.                        | 2.3  | 2         |
| 1441 | Management of Donor and Acceptor Building Blocks in Dopant-Free Polymer Hole Transport Materials for High-Performance Perovskite Solar Cells. <i>Angewandte Chemie</i> , 2022, 134, .                        | 1.6  | 1         |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1443 | Integrated Ideal Bandgap Perovskite/Bulk Heterojunction Solar Cells with Efficiencies > 24%. <i>Advanced Materials</i> , 2022, 34, .  | 11.1 | 23        |
| 1444 | Coordination modulated passivation for stable organic-inorganic perovskite solar cells. <i>Chemical Engineering Journal</i> , 2023, 451, 138740.  | 6.6  | 12        |
| 1445 | Dopant-free small molecule hole transport materials based on triphenylamine derivatives for perovskite solar cells. <i>Chinese Journal of Chemical Engineering</i> , 2022, 50, 29-42.   | 1.7  | 2         |
| 1446 | High-efficiency Sb <sub>2</sub> (S,Se) <sub>3</sub> solar cells with MoO <sub>3</sub> as a hole-transport layer. <i>Journal of Alloys and Compounds</i> , 2022, 927, 166842.  | 2.8  | 7         |
| 1447 | Passivation of perovskite layer surface states with pyridine in flexible and printed perovskite solar cells. <i>Flexible and Printed Electronics</i> , 2022, 7, 035012.   | 1.5  | 2         |
| 1448 | Gain and loss energy generation of perovskite/sc-Si tandem solar cells with series and parallel configurations compared with sc-Si solar cell under real environmental factors based on detailed balance limit. <i>Optical Materials</i> , 2022, 132, 112789.   | 1.7  | 0         |
| 1449 | 2D Ruddlesden-Popper perovskite ferroelectric film for high-performance, self-powered and ultra-stable UV photodetector boosted by ferro-pyro-phototronic effect and surface passivation. <i>Nano Energy</i> , 2022, 102, 107714.   | 8.2  | 14        |
| 1450 | Efficient surface treatment based on an ionic imidazolium hexafluorophosphate for improving the efficiency and stability of perovskite solar cells. <i>Applied Surface Science</i> , 2022, 604, 154486.   | 3.1  | 4         |
| 1451 | Estimation of performance limit for bifacial single-junction solar cell. <i>Optics and Laser Technology</i> , 2022, 156, 108500.  | 2.2  | 1         |
| 1452 | Fabrication and Modification Strategies of Metal Halide Perovskite Absorbers. <i>Journal of Renewable Materials</i> , 2023, 11, 61-77.  | 1.1  | 1         |
| 1453 | Impacts of 0D Cs <sub>4</sub> PbI <sub>6</sub> phase in all-inorganic CsPbI <sub>3</sub> perovskites on their physical, optical properties and photovoltaic performances. <i>Thin Solid Films</i> , 2022, 759, 139485.  | 0.8  | 0         |
| 1454 | Improving the order of crystalline regions of poly(3-hexylthiophene) by crystallization from the self-nucleation domains. <i>Thermochimica Acta</i> , 2022, 717, 179352.  | 1.2  | 1         |
| 1455 | Correlation between detailed balance limit and actual environmental factors for perovskite/crystalline Si tandem solar cells with different structures. <i>Materials Science in Semiconductor Processing</i> , 2022, 152, 107085.   | 1.9  | 2         |
| 1456 | Hole transport free carbon-based high thermal stability CsPb <sub>1.2</sub> Br <sub>1.8</sub> solar cells with an amorphous InGaZnO <sub>4</sub> electron transport layer. <i>Physical Chemistry Chemical Physics</i> , 2022, 24, 18896-18904.  | 1.3  | 2         |
| 1457 | Understanding the role of inorganic carrier transport layer materials and interfaces in emerging perovskite solar cells. <i>Journal of Materials Chemistry C</i> , 2022, 10, 15725-15780.   | 2.7  | 17        |
| 1458 | Simultaneous ambient long-term conductivity promotion, interfacial modification, ion migration inhibition and anti-deliqescence by MWCNT:NiO in spiro-OMeTAD for perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2022, 10, 22592-22604.   | 5.2  | 9         |
| 1459 | Growth optimization of single-phase novel colloidal perovskite Cs <sub>3</sub> Bi <sub>2</sub> I <sub>9</sub> nanocrystals and Cs <sub>3</sub> Bi <sub>2</sub> I <sub>9</sub> @SiO <sub>2</sub> core-shell nanocomposites for bio-medical application. <i>Biomaterials Science</i> , 2022, 10, 5956-5967. | 2.6  | 5         |
| 1460 | Perovskite-transition metal dichalcogenides heterostructures: recent advances and future perspectives. , 2022, 1, 220006-220006.  |      | 17        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1461 | Recent advances of crosslinkable organic semiconductors in achieving solution-processed and stable optoelectronic devices. <i>Journal of Materials Chemistry A</i> , 2022, 10, 18542-18576.  | 5.2  | 12        |
| 1462 | Governing Pbl<sub>6</sub> octahedral frameworks for high-stability perovskite solar modules. <i>Energy and Environmental Science</i> , 2022, 15, 4404-4413.  | 15.6 | 14        |
| 1463 | The Versatility of Polymers in Perovskite Solar Cells. <i>Journal of Materials Chemistry C</i> , 0, , .  | 2.7  | 2         |
| 1464 | Lamination methods for the fabrication of perovskite and organic photovoltaics. <i>Materials Horizons</i> , 2022, 9, 2473-2495.  | 6.4  | 6         |
| 1465 | Stable perovskite solar cells with 25.17% efficiency enabled by improving crystallization and passivating defects synergistically. <i>Energy and Environmental Science</i> , 2022, 15, 4700-4709.                                  | 15.6 | 86        |
| 1466 | Effects of Thin Film Morphology of Polymer Hole Transfer Material on Photovoltaic Performance of Perovskite Solar Cells. <i>Celal Bayar Universitesi Fen Bilimleri Dergisi</i> , 0, , .  | 0.1  | 0         |
| 1467 | Surface-Plasmonic-Coupled Photodetector Based on MAPbl<sub>3</sub> Perovskites with Au Nanoparticles: Significantly Enhanced Photoluminescence and Photodetectivity. <i>ACS Applied Electronic Materials</i> , 2022, 4, 4560-4568. | 2.0  | 5         |
| 1468 | Recent Progress on Heterojunction Engineering in Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2023, 13, .  | 10.2 | 23        |
| 1469 | Impact of Polymeric Hole-Selective Layers on Chemical Inductance in Inverted Perovskite Solar Cells. <i>Energy Technology</i> , 0, , 2200624.  | 1.8  | 1         |
| 1470 | Balancing Lattice Strain by Embedded Ionic Liquid for the Stabilization of Formamidinium-Based Perovskite Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 43298-43307.                                      | 4.0  | 4         |
| 1471 | Configurable Organic Charge Carriers toward Stable Perovskite Photovoltaics. <i>Chemical Reviews</i> , 2022, 122, 14954-14986.   | 23.0 | 26        |
| 1472 | Comparative architecture in monolithic perovskite/silicon tandem solar cells. <i>Science China: Physics, Mechanics and Astronomy</i> , 2023, 66, .   | 2.0  | 3         |
| 1473 | Bilayer metal halide perovskite for efficient and stable solar cells and modules. <i>Materials Futures</i> , 2022, 1, 042102.  | 3.1  | 19        |
| 1474 | Stabilization of Perovskite Solar Cells: Recent Developments and Future Perspectives. <i>Advanced Materials</i> , 2022, 34, .  | 11.1 | 67        |
| 1475 | Enabling full-scale grain boundary mitigation in polycrystalline perovskite solids. <i>Science Advances</i> , 2022, 8, .   | 4.7  | 34        |
| 1476 | Molecular Regulation of Perylenediimide and Fluorene-Based Cathode Interfacial Materials for Efficient Inverted Perovskite Solar Cells. <i>Advanced Materials Interfaces</i> , 2022, 9, .  | 1.9  | 5         |
| 1477 | Fluorination of Carbazole-Based Polymeric Hole-Transporting Material Improves Device Performance of Perovskite Solar Cells with Fill Factor up to 82%. <i>ACS Applied Energy Materials</i> , 2022, 5, 12049-12058.                 | 2.5  | 5         |
| 1478 | Advances and challenges in understanding the microscopic structure-“property”-performance relationship in perovskite solar cells. <i>Nature Energy</i> , 2022, 7, 794-807.   | 19.8 | 89        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1479 | Recent Progress on Defect Passivation of All-Inorganic Halide Perovskite Solar Cells. <i>Advanced Materials Interfaces</i> , 2022, 9, .   | 1.9  | 9         |
| 1480 | Transporting holes stably under iodide invasion in efficient perovskite solar cells. <i>Science</i> , 2022, 377, 1227-1232.   | 6.0  | 75        |
| 1481 | Defect Passivation via Isoxazole Doping in Perovskite Solar Cells. <i>ACS Omega</i> , 2022, 7, 34278-34285.   | 1.6  | 2         |
| 1482 | Interfaced Structures between Halide Perovskites: From Basics to Construction to Optoelectronic Applications. <i>Advanced Energy Materials</i> , 2023, 13, .  | 10.2 | 6         |
| 1483 | Self-Powered and Low-Noise Perovskite Photodetector Enabled by a Novel Dopant-Free Hole-Transport Material with Bottom Passivation for Underwater Blue Light Communications. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 46809-46818. | 4.0  | 5         |
| 1484 | Scalable Two-Step Production of High-Efficiency Perovskite Solar Cells and Modules. <i>Solar Rrl</i> , 2023, 7, .   | 3.1  | 14        |
| 1485 | Defect Passivation by a Sulfur-Containing Lewis Base for Efficient Printable Mesoscopic Perovskite Solar Cells. <i>Solar Rrl</i> , 2022, 6, .   | 3.1  | 5         |
| 1486 | Interfacial Engineering for High-Performance PTAA-Based Inverted 3D Perovskite Solar Cells. <i>Solar Rrl</i> , 2022, 6, .   | 3.1  | 5         |
| 1487 | Facile Synthesized Acetamidine Thiocyanate with Synergistic Passivation and Crystallization for Efficient Perovskite Solar Cells. <i>Solar Rrl</i> , 2022, 6, .   | 3.1  | 5         |
| 1488 | Improving the efficiency and stability of perovskite solar cell through tetrabutylammonium hexafluorophosphate post-treatment assisted top surface defect passivation. <i>Solar Energy Materials and Solar Cells</i> , 2022, 248, 112011.           | 3.0  | 4         |
| 1489 | Organic-Inorganic Hybrid Devices Perovskite-Based Devices. , 2022, , 283-307.   |      | 0         |
| 1490 | Energy Technology Based on Conductive Polymers. , 2022, , 205-273.  |      | 0         |
| 1491 | Performance limitations imposed by the TCO heterojunction in high efficiency perovskite solar cells. <i>Energy and Environmental Science</i> , 2022, 15, 5202-5216.   | 15.6 | 7         |
| 1492 | Unveiling Ultrafast Carrier Extraction in Highly Efficient 2D/3D Bilayer Perovskite Solar Cells. <i>ACS Photonics</i> , 2022, 9, 3584-3591.   | 3.2  | 5         |
| 1493 | MXene Based Nanocomposites for Recent Solar Energy Technologies. <i>Nanomaterials</i> , 2022, 12, 3666.   | 1.9  | 3         |
| 1494 | Signaling pathways and therapeutic interventions in gastric cancer. <i>Signal Transduction and Targeted Therapy</i> , 2022, 7, .  | 7.1  | 54        |
| 1495 | Light-tunable three-phase coexistence in mixed halide perovskites. <i>Physical Review B</i> , 2022, 106, .  | 1.1  | 0         |
| 1496 | éçáé«ç³á@šæ€šáé³èf1/2ç”µæ±á¼€áçš,,ãĤE-ç%o©é’™é’çÿç³á@š æ€šæá†ç-ç¥. <i>Science China Materials</i> , 2022, 65, 3190-3201.  |      |           |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1497 | High-Performance Inverted Perovskite Solar Cells Enhanced via Partial Replacement of Dimethyl Sulfoxide with <i>N</i> -Methyl-2-Pyrrolidinone. <i>Solar Rrl</i> , 2022, 6, .   | 3.1  | 5         |
| 1498 | Novel broad spectral response perovskite solar cells: A review of the current status and advanced strategies for breaking the theoretical limit efficiency. <i>Journal of Materials Science and Technology</i> , 2023, 140, 33-57.   | 5.6  | 5         |
| 1499 | Active Manipulation of Luminescent Dynamics via Au NPs/CsPbBr <sub>3</sub> Interfacial Engineering. <i>Laser and Photonics Reviews</i> , 2023, 17, .   | 4.4  | 6         |
| 1500 | Elucidating the Origins of High Preferential Crystal Orientation in Quasi-2D Perovskite Solar Cells. <i>Advanced Materials</i> , 2023, 35, .   | 11.1 | 8         |
| 1501 | Water-Repelling Dopant-Free Hole-Transporting Materials for Stable and Efficient Planar Perovskite Solar Cells. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 14948-14954.  | 3.2  | 7         |
| 1502 | Sandwich-structured ion exchange membrane/cotton fabric based flexible high-efficient and constant electricity generator. <i>Polymer</i> , 2022, 261, 125411.  | 1.8  | 2         |
| 1503 | High-Efficiency Perovskite Solar Cells with Sputtered Metal Contacts. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 50731-50738.   | 4.0  | 0         |
| 1504 | Photo-induced force microscopy applied to electronic devices and biosensors. <i>Materials Today: Proceedings</i> , 2023, 72, 3904-3910.  | 0.9  | 0         |
| 1505 | Side chain engineering and film uniformity: two key parameters for the rational design of dopant-free polymeric hole transport materials for efficient and stable perovskite solar cells. <i>Materials Today Chemistry</i> , 2022, 26, 101218.   | 1.7  | 3         |
| 1506 | Benzotriazole based polymers with different side chains employed as dopant-free hole-transporting materials for high-efficiency perovskite solar cells. <i>Journal of Materials Chemistry C</i> , 2022, 10, 17734-17742.   | 2.7  | 3         |
| 1507 | Simultaneous interfacial and bulk defect passivation and interface energy band alignment optimization via In(SCN <sub>2</sub> H <sub>4</sub> ) <sub>3</sub> Cl <sub>3</sub> diffusion doping for inverted perovskite solar cells. <i>Chemical Engineering Journal</i> , 2023, 454, 140160. | 6.6  | 5         |
| 1508 | Additive Engineering of the CuSCN Hole Transport Layer for High-Performance Perovskite Semitransparent Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 52223-52232.   | 4.0  | 8         |
| 1509 | Cutting-Edge Studies Toward Commercialization of Large Area Solution-Processed Perovskite Solar Cells. <i>Advanced Materials Technologies</i> , 2023, 8, .   | 3.0  | 4         |
| 1510 | Recent advances in developing high-performance organic hole transporting materials for inverted perovskite solar cells. <i>Frontiers of Optoelectronics</i> , 2022, 15, .  | 1.9  | 19        |
| 1511 | Recent progress in perovskite solar cells: from device to commercialization. <i>Science China Chemistry</i> , 2022, 65, 2369-2416.   | 4.2  | 53        |
| 1512 | Formation of Highly Efficient Perovskite Solar Cells by Applying Li-Doped CuSCN Hole Conductor and Interface Treatment. <i>Nanomaterials</i> , 2022, 12, 3969.   | 1.9  | 0         |
| 1513 | Dual-Phase Stabilized Perovskite Nanowires for Reduced Defects and Longer Carrier Lifetime. <i>Advanced Functional Materials</i> , 2023, 33, .   | 7.8  | 3         |
| 1514 | Constructing molecular bridge for high-efficiency and stable perovskite solar cells based on P3HT. <i>Nature Communications</i> , 2022, 13, .  | 5.8  | 30        |



| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1515 | Surface Decoration of Peptide Nanoparticles Enables Efficient Therapy toward Osteoporosis and Diabetes. <i>Advanced Functional Materials</i> , 0, , 2210627.   | 7.8  | 1         |
| 1516 | The Electronic Properties of a 2D Ruddlesden-Popper Perovskite and its Energy Level Alignment with a 3D Perovskite Enable Interfacial Energy Transfer. <i>Advanced Functional Materials</i> , 2023, 33, .                                | 7.8  | 14        |
| 1517 | Solvent choice enables 2D:3D bilayers toward stable perovskite solar cells. <i>Joule</i> , 2022, 6, 2454-2457.   | 11.7 | 2         |
| 1518 | Control of perovskite film crystallization and growth direction to target homogeneous monolithic structures. <i>Nature Communications</i> , 2022, 13, .  | 5.8  | 25        |
| 1519 | Conformal Imidazolium 1D Perovskite Capping Layer Stabilized 3D Perovskite Films for Efficient Solar Modules. <i>Advanced Science</i> , 2022, 9, .   | 5.6  | 11        |
| 1520 | Recent progress of scalable perovskite solar cells and modules. , 2022, 1, 100010.   |      | 14        |
| 1521 | Initializing film homogeneity to retard phase segregation for stable perovskite solar cells. <i>Science</i> , 2022, 378, 747-754.  | 6.0  | 81        |
| 1522 | Advanced phase change hydrogel integrating metal-organic framework for self-powered thermal management. <i>Nano Energy</i> , 2023, 105, 108009.  | 8.2  | 13        |
| 1523 | Suppressing ion migration in metal halide perovskite via interstitial doping with a trace amount of multivalent cations. <i>Nature Materials</i> , 2022, 21, 1396-1402.  | 13.3 | 74        |
| 1524 | Underlying Interface Defect Passivation and Charge Transfer Enhancement via Sulfonated Hole-Transporting Materials for Efficient Inverted Perovskite Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 53331-53339. | 4.0  | 5         |
| 1525 | Exploring the fluorination effect mechanism on charge transport in organic solar cells. <i>Solar Energy</i> , 2022, 248, 160-170.  | 2.9  | 6         |
| 1526 | Cyano-4-Pentylbiphenyl dopant strategy for P3HT-Based CsPbI <sub>3</sub> perovskite solar cells with a record efficiency and preeminent stability. <i>Chemical Engineering Journal</i> , 2023, 455, 140831.                              | 6.6  | 8         |
| 1527 | Improving efficiency of polymer hole transport layer based perovskite solar cells via interfacial modification. <i>Synthetic Metals</i> , 2023, 292, 117247.   | 2.1  | 1         |
| 1529 | Finite perovskite hierarchical structures via ligand confinement leading to efficient inverted perovskite solar cells. <i>Energy and Environmental Science</i> , 2023, 16, 557-564.  | 15.6 | 20        |
| 1530 | Over 25% efficiency and stable bromine-free RbCsFAMA-based quadruple cation perovskite solar cells enabled by an aromatic zwitterion. <i>Journal of Materials Chemistry A</i> , 2023, 11, 1170-1179.                                     | 5.2  | 12        |
| 1531 | Interface engineering of organic hole transport layer with facile molecular doping for highly efficient perovskite solar cells. <i>Journal of Power Sources</i> , 2023, 556, 232428.   | 4.0  | 3         |
| 1532 | ZnPc/CsPbBr <sub>3</sub> QDs collaborative interface modification to improve the performance of CsPbBr <sub>3</sub> perovskite solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2023, 251, 112157.                           | 3.0  | 2         |
| 1533 | Enhancing the efficiency and stability of 2D-3D perovskite solar cells with embedded interface passivation with diammonium cation spacer. <i>Solar Energy Materials and Solar Cells</i> , 2023, 251, 112135.                             | 3.0  | 4         |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1534 | Chemical approaches for electronic doping in photovoltaic materials beyond crystalline silicon. <i>Chemical Society Reviews</i> , 2022, 51, 10016-10063.  | 18.7 | 11        |
| 1535 | Universal surface tailoring of perovskite nanocrystals <i>via</i> organic pseudohalide ligands applicable to green and blue light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2022, 10, 18226-18233.                       | 2.7  | 0         |
| 1536 | Highly Improved Efficiency and Stability of 2D Perovskite Solar Cells via Bifunctional Inorganic Salt KPF <sub>6</sub> Modified NiO <i>x</i> Hole Transport Layer. <i>Advanced Energy and Sustainability Research</i> , 0, , 2200151.     | 2.8  | 2         |
| 1537 | Scalable Production of High Performance Flexible Perovskite Solar Cells via Film-Growth-Megasonic-Spray-Coating System. <i>International Journal of Precision Engineering and Manufacturing - Green Technology</i> , 2023, 10, 1223-1234. | 2.7  | 3         |
| 1538 | Recent Progress Toward Commercialization of Flexible Perovskite Solar Cells: From Materials and Structures to Mechanical Stabilities. <i>Advanced Energy and Sustainability Research</i> , 2023, 4, .                                     | 2.8  | 10        |
| 1539 | Boosting radiation of stacked halide layer for perovskite solar cells with efficiency over 25%. <i>Joule</i> , 2023, 7, 112-127.  | 11.7 | 27        |
| 1540 | Comparative study of hole transporting layers commonly used in high-efficiency perovskite solar cells. <i>Journal of Materials Science</i> , 2022, 57, 21172-21191.   | 1.7  | 5         |
| 1541 | Deciphering the Morphology Change and Performance Enhancement for Perovskite Solar Cells Induced by Surface Modification. <i>Advanced Science</i> , 2023, 10, .   | 5.6  | 5         |
| 1542 | Nexuses Between the Chemical Design and Performance of Small Molecule Dopant-Free Hole Transporting Materials in Perovskite Solar Cells. <i>Small</i> , 2023, 19, .   | 5.2  | 19        |
| 1543 | METAL OXIDE ELECTRON TRANSPORT MATERIALS IN PEROVSKITE SOLAR CELLS: A REVIEW. <i>European Journal of Materials Science and Engineering</i> , 2022, 7, 225-260.  | 0.3  | 0         |
| 1544 | Laser-Triggered Vapor-Phase Anion Exchange on All-Inorganic Perovskites for Multicolor Patterns and Microfabrications. <i>Advanced Optical Materials</i> , 2023, 11, .  | 3.6  | 9         |
| 1545 | Modulating Residual Lead Iodide via Functionalized Buried Interface for Efficient and Stable Perovskite Solar Cells. <i>ACS Energy Letters</i> , 2023, 8, 666-676.  | 8.8  | 34        |
| 1546 | An Overview of Current Printing Technologies for Large-Scale Perovskite Solar Cell Development. <i>Energies</i> , 2023, 16, 190.  | 1.6  | 3         |
| 1547 | Nucleation Regulation and Anchoring of Halide Ions in All-Inorganic Perovskite Solar Cells Assisted by CuInSe <sub>2</sub> Quantum Dots. <i>Advanced Functional Materials</i> , 2023, 33, .   | 7.8  | 4         |
| 1548 | Reconstructing the amorphous and defective surface for efficient and stable perovskite solar cells. <i>Science China Materials</i> , 0, , .   | 3.5  | 2         |
| 1549 | Solar utilization beyond photosynthesis. <i>Nature Reviews Chemistry</i> , 2023, 7, 91-105.   | 13.8 | 54        |
| 1550 | Engineering Stable Lead-Free Tin Halide Perovskite Solar Cells: Lessons from Materials Chemistry. <i>Advanced Materials</i> , 2023, 35, .   | 11.1 | 13        |
| 1551 | Recent Progress and Challenges of Bismuth-Based Halide Perovskites for Emerging Optoelectronic Applications. <i>Advanced Optical Materials</i> , 2023, 11, .  | 3.6  | 19        |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1552 | Recent progress in perovskite solar cells: material science. <i>Science China Chemistry</i> , 2023, 66, 10-64.   | 4.2  | 53        |
| 1553 | Thermally Stable Perovskite Solar Cells by All-Vacuum Deposition. <i>ACS Applied Materials &amp; Interfaces</i> , 2023, 15, 772-781.   | 4.0  | 7         |
| 1554 | Butanediammonium Salt Additives for Increasing Functional and Operando Stability of Light-Harvesting Materials in Perovskite Solar Cells. <i>Nanomaterials</i> , 2022, 12, 4357.   | 1.9  | 2         |
| 1555 | Key role of residual lead iodide in two-step processed perovskite layer for high performance perovskite solar cells. <i>Applied Physics Letters</i> , 2023, 122, .   | 1.5  | 2         |
| 1556 | Semitransparent Perovskite Solar Cells for Building Integrated Photovoltaics: Recent Advances. <i>Energies</i> , 2023, 16, 889.  | 1.6  | 10        |
| 1557 | Unraveling Its Intrinsic Role of CH <sub>3</sub> NH <sub>3</sub> Cl Doping for Efficient Enhancement of Perovskite Solar Cells from Fine Insight by Ultrafast Charge Transfer Dynamics. <i>Solar Rrl</i> , 2023, 7, .          | 3.1  | 4         |
| 1558 | Stacking Interactions and Photovoltaic Performance of Cs <sub>2</sub> AgBiBr <sub>6</sub> Perovskite. <i>Solar Rrl</i> , 2023, 7, .  | 3.1  | 4         |
| 1559 | Extending the Absorption Spectra and Enhancing the Charge Extraction by the Organic Bulk Heterojunction for CsPbBr <sub>3</sub> Perovskite Solar Cells. <i>ACS Sustainable Chemistry and Engineering</i> , 2023, 11, 718-725.  | 3.2  | 6         |
| 1560 | Toward commercialization with lightweight, flexible perovskite solar cells for residential photovoltaics. <i>Joule</i> , 2023, 7, 257-271.   | 11.7 | 23        |
| 1561 | The rise of halide perovskite semiconductors. <i>Light: Science and Applications</i> , 2023, 12, .   | 7.7  | 26        |
| 1562 | Understanding the Degradation Factors, Mechanism and Initiatives for Highly Efficient Perovskite Solar Cells. <i>ChemNanoMat</i> , 2023, 9, .  | 1.5  | 5         |
| 1563 | Surface-modification-induced synergies of crystal growth and defect passivation toward CsPbI <sub>2</sub> Br solar cells with efficiency exceeding 17%. <i>Chemical Engineering Journal</i> , 2023, 457, 141300.               | 6.6  | 6         |
| 1564 | Room temperature slot-die coated perovskite layer modified with sulfonyl-Î³-AApeptide for high performance perovskite solar devices. <i>Chemical Engineering Journal</i> , 2023, 457, 141199.                                  | 6.6  | 7         |
| 1565 | Heterocyclic amino acid molecule as a multifunctional interfacial bridge for improving the efficiency and stability of quadruple cation perovskite solar cells. <i>Nano Energy</i> , 2023, 107, 108154.                        | 8.2  | 23        |
| 1566 | Modification of perovskite/HTL interface with cooperative polymers bilayer (PTB7-Th/P3HT) to improve perovskite solar cell efficiency and stability. <i>Materials Science in Semiconductor Processing</i> , 2023, 157, 107309. | 1.9  | 1         |
| 1567 | A Complete Picture of Cation Dynamics in Hybrid Perovskite Materials from Solid-State NMR Spectroscopy. <i>Journal of the American Chemical Society</i> , 2023, 145, 978-990.  | 6.6  | 6         |
| 1568 | Recent Advances and Challenges toward Efficient Perovskite/Organic Integrated Solar Cells. <i>Energies</i> , 2023, 16, 266.  | 1.6  | 6         |
| 1569 | Dopant-Free Two-Dimensional Hole Transport Small Molecules Enable Efficient Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2023, 13, .   | 10.2 | 20        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1570 | Halide-based perovskites in photonics: From photocatalysts to highly efficient optoelectronic devices. , 2023, , 547-600.  |     | 1         |
| 1571 | Spectral Splitting as a Route to Promote Total Efficiency of Hybrid Photovoltaic Thermal with a Halide Perovskite Cell. Solar Rrl, 0, , 2201072.   | 3.1 | 1         |
| 1572 | Synergistic Effects of Interfacial Energy Level Regulation and Stress Relaxation via a Buried Interface for Highly Efficient Perovskite Solar Cells. ACS Nano, 2023, 17, 2802-2812.            | 7.3 | 19        |
| 1573 | Improving Ultraviolet Stability of Perovskite Solar Cells via Singlet Fission<br><sc>Downâ€Conversion</sc> <sup>â€</sup>. Chinese Journal of Chemistry, 2023, 41, 1057-1065.                   | 2.6 | 7         |
| 1574 | Development of Indium-Tin Oxide Thin Films on PAMAM Dendrimer Layers for Perovskite Solar Cells Application. Minerals, Metals and Materials Series, 2023, , 27-38.                             | 0.3 | 0         |
| 1575 | 2D Covalent Organic Frameworks Based on Heteroacene Units. Small, 2023, 19, .  | 5.2 | 11        |
| 1576 | Fast and Balanced Charge Transport Enabled by Solutionâ€Processed Metal Oxide Layers for Efficient andâ€Stable Inverted Perovskite Solar Cells. Energy and Environmental Materials, 2024, 7, . | 7.3 | 0         |
| 1577 | Looking for a Safe Bridge: Synthesis of P3HT-Bridge-TBO Block-Copolymers and Their Performance in Perovskite Solar Cells. Organics, 2023, 4, 97-108.   | 0.6 | 1         |
| 1578 | P3HT vs Spiro-OMeTAD as a hole transport layer for halide perovskite indoor photovoltaics and self-powering of motion sensors. JPhys Materials, 2023, 6, 024004.                               | 1.8 | 1         |
| 1579 | Device Structures of Perovskite Solar Cells: A Critical Review. Physica Status Solidi (A) Applications and Materials Science, 2023, 220, .   | 0.8 | 3         |
| 1580 | Alkyl Chain Lengthâ€Dependent Amineâ€Induced Crystallization for Efficient Interface Passivation of Perovskite Solar Cells. Advanced Materials Interfaces, 2023, 10, .                         | 1.9 | 3         |
| 1581 | Highly Stable Perovskite Solar Cells by Reducing Residual <sc>Waterâ€Induced</sc> Decomposition of Perovskite. Chinese Journal of Chemistry, 2023, 41, 1594-1602.                              | 2.6 | 1         |
| 1582 | Symmetric acridine bridging hole transport material for perovskite solar cell. Dyes and Pigments, 2023, 213, 111158.   | 2.0 | 0         |
| 1583 | Removing residual PbI2 on the perovskite surface for efficient solar cells. Chemical Engineering Journal, 2023, 464, 142720.   | 6.6 | 6         |
| 1584 | Improving the stability and performance of hybrid perovskite solar cells based on 1D/3D mixed-dimensional structure by multiple cation doping. Optical Materials, 2023, 139, 113781.           | 1.7 | 1         |
| 1585 | Enhanced moisture-resistant and highly efficient perovskite solar cells via surface treatment with long-chain alkylammonium iodide. Applied Surface Science, 2023, 623, 157003.                | 3.1 | 2         |
| 1586 | Femtosecond laser direct-writing of perovskite nanocrystals in glasses. Journal of Non-Crystalline Solids: X, 2023, 18, 100182.  | 0.5 | 0         |
| 1587 | Efficient planar mixed-cation perovskite photovoltaics with low-temperature-processed indium sulfide as electron transport material. Solid-State Electronics, 2023, 204, 108640.               | 0.8 | 0         |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1588 | Surface Passivation of Organic-Inorganic Hybrid Perovskites with Methylhydrazine Iodide for Enhanced Photovoltaic Device Performance. <i>Inorganics</i> , 2023, 11, 168.  | 1.2  | 6         |
| 1589 | Solvent engineering towards scalable fabrication of high-quality perovskite films for efficient solar modules. <i>Journal of Energy Chemistry</i> , 2023, 80, 689-710.  | 7.1  | 16        |
| 1590 | Reduced hysteresis and enhanced air stability of low-temperature processed carbon-based perovskite solar cells by surface modification. <i>Electrochimica Acta</i> , 2023, 443, 141935.   | 2.6  | 12        |
| 1591 | Instability of solution-processed perovskite films: origin and mitigation strategies. <i>Materials Futures</i> , 2023, 2, 012102.   | 3.1  | 11        |
| 1592 | A Polymer Strategy toward High-Performance Multifunctional Perovskite Optoelectronics: From Polymer Matrix to Device Applications. <i>Advanced Optical Materials</i> , 2023, 11, .  | 3.6  | 4         |
| 1593 | Orientated crystallization of FA-based perovskite via hydrogen-bonded polymer network for efficient and stable solar cells. <i>Nature Communications</i> , 2023, 14, .  | 5.8  | 66        |
| 1594 | Highly Efficient and Stable FA-Based Quasi-2D Ruddlesden-Popper Perovskite Solar Cells by the Incorporation of $\text{F}^{\text{2-}}$ Fluorophenylethanamine Cations. <i>Advanced Materials</i> , 2023, 35, .   | 11.1 | 23        |
| 1595 | Shedding Light on the Moisture Stability of Halide Perovskite Thin Films. <i>Energy Technology</i> , 2023, 11, .  | 1.8  | 14        |
| 1596 | Scanning Electrochemical Microscope Studies of Charge Transfer Kinetics at the Interface of the Perovskite/Hole Transport Layer. <i>Journal of Nanotechnology</i> , 2023, 2023, 1-12.   | 1.5  | 0         |
| 1597 | Graphene-Like Monoelemental 2D Materials for Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2023, 13, .   | 10.2 | 13        |
| 1598 | Halogenated Hole-Transport Molecules with Enhanced Isotropic Coordination Capability Enable Improved Interface and Light Stability of Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2023, 13, .  | 10.2 | 14        |
| 1599 | Orientation control of two-dimensional perovskite $(\text{CH}_3)_3(\text{CH}_2)_3\text{NH}_3(\text{CH}_3)_2(\text{CH}_3)_3\text{NH}_3(\text{CH}_3)_3\text{NH}_3(\text{CH}_3)_1\text{Pb}_n\text{I}_{3n+1}$ ( $n = 2$ ) thin films by thermal annealing. <i>Japanese Journal of Applied Physics</i> , 2023, 62, SK1007. | 0.8  | 1         |
| 1600 | Zirconia Spacer: Preparation by Low Temperature Spray-coating and Application in Triple-layer Perovskite Solar Cells. <i>Wuji Cailiao Xuebao/Journal of Inorganic Materials</i> , 2023, 38, 213.  | 0.6  | 0         |
| 1601 | Photoluminescence Characterization of Halide Perovskite Films according to Measuring Conditions. <i>Korean Journal of Materials Research</i> , 2022, 32, 419-424.   | 0.1  | 0         |
| 1602 | Expanding the low-dimensional interface engineering toolbox for efficient perovskite solar cells. <i>Nature Energy</i> , 2023, 8, 284-293.  | 19.8 | 23        |
| 1603 | Facet Engineering for Decelerated Carrier Cooling in Polyhedral Perovskite Nanocrystals. <i>Nano Letters</i> , 2023, 23, 1946-1953.   | 4.5  | 6         |
| 1604 | <i>In Situ</i> and <i>Operando</i> Characterizations of Metal Halide Perovskite and Solar Cells: Insights from Lab-Sized Devices to Upscaling Processes. <i>Chemical Reviews</i> , 2023, 123, 3160-3236.  | 23.0 | 15        |
| 1605 | Theoretical Selection of 2D Perovskite for Constructing Efficient Heterojunction Solar Cells. , 2023, 5, 970-978.   |      | 5         |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1606 | Low-cost and LiTFSI-free diphenylamine-substituted hole transporting materials for highly efficient perovskite solar cells and modules. <i>Materials Chemistry Frontiers</i> , 2023, 7, 2241-2250.  | 3.2  | 2         |
| 1607 | Surface in situ reconstruction of inorganic perovskite films enabling long carrier lifetimes and solar cells with 21% efficiency. <i>Nature Energy</i> , 2023, 8, 372-380.  | 19.8 | 76        |
| 1608 | Metal-Organic Framework Materials in Perovskite Solar Cells: Recent Advancements and Perspectives. <i>Small</i> , 2023, 19, .   | 5.2  | 24        |
| 1609 | Strain-Induced Modification of Photoluminescence in Quasi-2D Perovskite Thin Films. <i>Journal of Physical Chemistry C</i> , 2023, 127, 6371-6379.  | 1.5  | 1         |
| 1610 | Anti-corrosion strategy to improve the stability of perovskite solar cells. <i>Nanoscale</i> , 2023, 15, 8473-8490.   | 2.8  | 2         |
| 1611 | Explainable machine learning for predicting the band gaps of ABX <sub>3</sub> perovskites. <i>Materials Science in Semiconductor Processing</i> , 2023, 161, 107427.  | 1.9  | 4         |
| 1612 | Clinical Characterization and Outcomes of Patients with Hypercreatinemia Affected by COVID-19. <i>Healthcare (Switzerland)</i> , 2023, 11, 944.   | 1.0  | 0         |
| 1613 | Charge transport modelling of perovskite solar cells accounting for non-Boltzmann statistics in organic and highly-doped transport layers. <i>JPhys Energy</i> , 2023, 5, 025007.   | 2.3  | 0         |
| 1614 | Enhancement of photovoltaic performance of solvent-free dye-sensitized solar cells with doped poly(3-hexylthiophene). <i>Journal of Industrial and Engineering Chemistry</i> , 2023, 123, 428-435.  | 2.9  | 1         |
| 1615 | Highly Efficient 2D/3D Mixed-Dimensional Cs <sub>2</sub> PbI <sub>2</sub> Cl <sub>2</sub> /CsPbI <sub>2.5</sub> Br <sub>0.5</sub> Perovskite Solar Cells Prepared by Methanol/Isopropanol Treatment. <i>Nanomaterials</i> , 2023, 13, 1239. | 1.9  | 4         |
| 1616 | Mapping the pathways of photo-induced ion migration in organic-inorganic hybrid halide perovskites. <i>Nature Communications</i> , 2023, 14, .  | 5.8  | 15        |
| 1617 | Transport Layer Material and Thickness Optimization of Cs <sub>2</sub> TiBr <sub>6</sub> Based Solar Cell. , 2022, , .  |      | 0         |
| 1618 | Highly Stable n-i-p Structured Formamidinium Tin Triiodide Solar Cells through the Stabilization of Surface Sn <sup>2+</sup> Cations. <i>Advanced Functional Materials</i> , 2023, 33, .  | 7.8  | 3         |
| 1619 | How organic chemistry can affect perovskite photovoltaics. <i>Cell Reports Physical Science</i> , 2023, 4, 101358.  | 2.8  | 5         |
| 1620 | Organic ligands/dyes as photon-downshifting materials for clean energy. , 2023, , 265-280.  |      | 0         |
| 1621 | Two-Dimensional Hybrid Dion-Jacobson Germanium Halide Perovskites. <i>Chemistry of Materials</i> , 2023, 35, 3265-3275.   | 3.2  | 15        |
| 1622 | Numerical Analysis in DFT and SCAPS-1D on the Influence of Different Charge Transport Layers of CsPbBr <sub>3</sub> Perovskite Solar Cells. <i>Energy &amp; Fuels</i> , 2023, 37, 6078-6098.  | 2.5  | 61        |
| 1623 | The role of different dopants of Spiro-OMeTAD hole transport material on the stability of perovskite solar cells: A mini review. <i>Vacuum</i> , 2023, 214, 112076.   | 1.6  | 9         |



| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1624 | Carbon-Based Sb <sub>2</sub> (S, Se) <sub>3</sub> Solar Cells. <i>Inorganics</i> , 2023, 11, 159.  | 1.2  | 5         |
| 1625 | Numerical Analysis of Stable (FAPbI <sub>3</sub> ) <sub>0.85</sub> (MAPbBr <sub>3</sub> ) <sub>0.15</sub> -Based Perovskite Solar Cell with TiO <sub>2</sub> /ZnO Double Electron Layer. <i>Nanomaterials</i> , 2023, 13, 1313.          | 1.9  | 8         |
| 1626 | Efficient and stable perovskite solar cells by build-in $\bar{\Gamma}$ -columns and ionic interfaces in covalent organic frameworks. <i>Nano Research</i> , 2023, 16, 9387-9397.   | 5.8  | 2         |
| 1627 | Spontaneous Internal Encapsulation via Dual Interfacial Perovskite Heterojunction Enables Highly Efficient and Stable Perovskite Solar Cells. <i>Nano Letters</i> , 2023, 23, 3484-3492.   | 4.5  | 8         |
| 1628 | Dynamic self-assembly of small molecules enables the spontaneous fabrication of hole conductors at perovskite/electrode interfaces for over 22% stable inverted perovskite solar cells. <i>Materials Horizons</i> , 2023, 10, 2609-2617. | 6.4  | 10        |
| 1629 | Preparation and performance of CsPbBr <sub>3</sub> nanocrystals in a fluorophosphate glass matrix. <i>Journal of Nanoparticle Research</i> , 2023, 25, .   | 0.8  | 1         |
| 1630 | Binary hole transport layer enables stable perovskite solar cells with PCE exceeding 24%. , 2023, 1, 100004.   |      | 9         |
| 1631 | Bifunctional hole-shuttle molecule for improved interfacial energy level alignment and defect passivation in perovskite solar cells. <i>Nature Energy</i> , 2023, 8, 515-525.  | 19.8 | 51        |
| 1632 | Nanographene Coupled with Interfacial Pyrene Derivatives for Thermally Stable Perovskite Solar Cells. <i>ACS Energy Letters</i> , 2023, 8, 2267-2275.  | 8.8  | 4         |
| 1633 | Seed-Assisted Growth of Tin Oxide Transport Layer for Efficient Perovskite Solar Cells. <i>Solar Rrl</i> , 2023, 7, .  | 3.1  | 3         |
| 1634 | Understanding the impact of surface roughness: changing from FTO to ITO to PEN/ITO for flexible perovskite solar cells. <i>Scientific Reports</i> , 2023, 13, .  | 1.6  | 7         |
| 1635 | æMetal Halide Perovskite Solar Modules: The Challenge of Upscaling and Commercializing This Technologyæ, 2023, , 297-321.  |      | 0         |
| 1636 | Advances in Organometallic Perovskites Enabled Radiation Detection Technologies. , 2023, , 111-140.  |      | 0         |
| 1637 | Hybrid composites for optoelectronics. , 2023, , 253-276.  |      | 0         |
| 1638 | A simulation study of all inorganic lead-free CsSnBr <sub>3</sub> tin halide perovskite solar cell. <i>Materials Today: Proceedings</i> , 2023, , .  | 0.9  | 4         |
| 1654 | é™é'çÿå±,å³é³ç”µæ±äç”µè¼¼è¼¼“ææ—™çš,ç”ç©¶è¿å±. <i>Science China Materials</i> , 2023, 66, 2107-2127.   | 3.5  | 1         |
| 1655 | Tunable Molecular Packing of Dopant-Free Hole-Transport Polymers for Perovskite Solar Cells. <i>ACS Energy Letters</i> , 2023, 8, 2878-2885.   | 8.8  | 10        |
| 1658 | Development of less toxic perovskite materials for solar cell applications. , 2023, , 645-669.   |      | 0         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1707 | Focus on perovskite emitters in blue light-emitting diodes. Light: Science and Applications, 2023, 12, .  | 7.7 | 14        |
| 1749 | Influence of Cu/In loading ratio in grain size of the CuInS <sub>2</sub> films for CuInS <sub>2</sub> -based solar cells. , 2023, , .   |     | 0         |
| 1783 | Solution fabrication methods and optimization strategies of CsPbBr <sub>3</sub> perovskite solar cells. Journal of Materials Chemistry C, 0, , .  | 2.7 | 0         |
| 1798 | Dimensional Engineering of 2D/3D Perovskite Halides for Efficient and Stable Solar Cells. Indian Institute of Metals Series, 2024, , 431-456.   | 0.2 | 0         |
| 1806 | A review on conventional perovskite solar cells with organic dopant-free hole transport materials: roles of chemical structure and interfacial materials in efficient devices. Journal of Materials Chemistry C, 0, , . | 2.7 | 0         |
| 1819 | Solution-Processed Organic LEDs and Perovskite LEDs. , 2024, , 239-282.   |     | 0         |
| 1833 | The impact of moisture on the stability and degradation of perovskites in solar cells. Materials Advances, 2024, 5, 2200-2217.  | 2.6 | 0         |
| 1855 | Metal Halide Perovskite Solar Modules: Manufacturing and Performance. , 2024, , 309-323.  |     | 0         |
| 1864 | Analysis of Maximum Power Point Tracking Methods for the Perovskite Solar Cells. , 2023, , .  |     | 0         |