

New mite parasites of African birds (Myobiidae, Cheylet

Parasitology

49, 416-438

DOI: [10.1017/s0031182000026950](https://doi.org/10.1017/s0031182000026950)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Morphology and Biology of a Nest-Producing Mite, <i>Bakericheyla chanayi</i> (Acarina: Cheyletidae). <i>Annals of the Entomological Society of America</i> , 1969, 62, 858-863.	2.5	3
2	Acarines Associated with Cliff Swallow Communities in Northwest Texas. <i>Southwestern Naturalist</i> , 1976, 21, 275.	0.1	3
3	Notes on some poorly known species of the genus <i>Neochyletiella</i> Baker, 1949 (Acari, Cheyletidae) with a key to the genus. <i>Systematic Parasitology</i> , 1980, 2, 25-39.	1.1	4
4	A review of the European Harpirhynchidae (Acari, Prostigmata) with the description of a new species. <i>Acta Parasitologica</i> , 2006, 51, .	1.1	9
5	Phylogenetic position of the mite family Myobiidae within the infraorder Eleutherengona (Acariformes) and origins of parasitism in eleutherengone mites. <i>Zoologischer Anzeiger</i> , 2008, 247, 15-45.	0.9	66
6	New Species of Parasitic Quill Mites of the Genus <i>Picobia</i> (Acari: Syringophilidae: Picobiinae) From North American Birds. <i>Journal of Medical Entomology</i> , 2010, 47, 727-742.	1.8	7
7	New Species of Parasitic Quill Mites of the Genus <i>Picobia</i> (Acari: Syringophilidae: Picobiinae) From North American Birds. <i>Journal of Medical Entomology</i> , 2010, 47, 727-742.	1.8	6
8	Quill mites (Acari: Syringophilidae) associated with galliform birds (Aves: Galliformes). <i>Zootaxa</i> , 2011, 2966, 13.	0.5	5
9	Quill mites (Acari: Syringophilidae) of the Palaearctic region. <i>Zootaxa</i> , 2011, 2840, 1.	0.5	102
10	Mites of the genus <i>Neharpyrhynchus</i> Fain (Acariformes, Harpirhynchidae) from Neotropical birds. <i>ZooKeys</i> , 2011, 89, 15-31.	1.1	9
11	New records and new species of mites of the subfamily Harpirhynchinae (Acariformes: Harpirhynchidae) from Neotropical birds. <i>ZooKeys</i> , 2011, 89, 15-31.	1.1	342
12	Mites of the Subfamily Harpirhynchinae (Acariformes: Harpirhynchidae) From North American Birds. <i>Journal of Medical Entomology</i> , 2013, 50, 501-509.	1.8	10
13	A review of the subfamily Harpyalpinae Fain, 1972 (Acariformes: Harpirhynchidae) from North American Birds. <i>Journal of Medical Entomology</i> , 2013, 50, 501-509.	0.5	3
14	Two new species of quill mites of the family Syringophilidae (Acariformes: Cheyletoidea) associated with treronine doves (Columbiformes: Columbidae: Treroninae). <i>Zootaxa</i> , 2014, 3846, 293-300.	0.5	13
15	A review of mites of the subfamily Picobiinae Johnston & Kethley, 1973 (Prostigmata: Syringophilidae) from North American Birds. <i>Journal of Medical Entomology</i> , 2013, 50, 501-509.	1.1	9
16	Two New Species of the Subfamily Harpirhynchinae (Acari: Harpirhynchidae) from African Birds. <i>Annales Zoologici</i> , 2014, 64, 479-483.	0.8	2
17	A review of the mite subfamily Harpirhynchinae (Acariformes: Harpirhynchidae) parasites of New World birds (Aves: Neognathae). <i>Zootaxa</i> , 2015, 4023, 1-130.	0.5	4
18	A review of the quill mites of the genus <i>Gunabopicobia</i> Skoracki and Hromada (Acariformes: Syringophilidae) from North American Birds. <i>Journal of Acarology</i> , 2018, 44, 288-299.	0.7	7

#	ARTICLE	IF	CITATIONS
19	Phylogeny of quill mites of the family Syringophilidae (Acari: Prostigmata) based on their external morphology. <i>European Journal of Entomology</i> , 2013, 110, 663-675.	1.2	9
20	A review of picobiine mites (Acari: Syringophilidae: Picobiinae) parasitising African birds. <i>Folia Parasitologica</i> , 2013, 60, 192-212.	1.3	18
21	Global Studies of the Host-Parasite Relationships between Ectoparasitic Mites of the Family Syringophilidae and Birds of the Order Columbiformes. <i>Animals</i> , 2021, 11, 3392.	2.3	7