

CITATION REPORT

List of articles citing

The role of testicular vascular anatomy in the salvage of high undescended testes

DOI: 10.1111/j.1445-2197.1959.tb03826.x
ANZ Journal of Surgery, 1959, 29, 92-106.

Source: <https://exaly.com/paper-pdf/7406106/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
307	UNDESCENDED TESTES ¹ . 1966 , 2, 36-48		1
306	Vascularization of the testis with ileal seromuscular grafts. 1969 , 102, 454-64		1
305	Combined transpyeloureterostomy and ipsilateral pyeloureterostomy and orchiopexy by testicular artery transection: treatment in a case of prune belly syndrome. 1973 , 110, 596-8		1
304	4. UNDESCENDED TESTIS (CRYPTORCHIDISM). 1973 , 62, 16-17		
303	Orchidopessi Nel Testicolo Ritenuto Alto Con Sezione Del Funicolo. 1976 , 43, 183-188		
302	Clinical and cytogenetic studies in undescended testes. 1976 , 65, 553-8		12
301	Division of spermatic vessels in orchiopexy: radionuclide evidence of preservation of testicular circulation. 1977 , 118, 447-9		25
300	The undescended testis. 1978 , 15, 1-56		19
299	Orchiopexy in prepubertal boys. Five-year survey. 1978 , 12, 509-13		7
298	The impalpable testis: a rational approach to management. 1978 , 120, 515-20		159
297	Management of the abdominal undescended testicle. 1979 , 122, 76-9		70
296	Impalpable testes: observations based on 208 consecutive operations for undescended testes. 1980 , 124, 379-81		26
295	Orchiopexy using microvascular surgical technique. 1980 , 123, 435-6		11
294	Results of the use of autotransplantation of the intraabdominal testis using microsurgical vascular anastomosis. 1980 , 15, 92-6		22
293	Abdominal wall reconstruction in the prune belly syndrome. 1981 , 16, 960-4		27
292	Surgical correction and rehabilitation for children with "Prune-belly" syndrome. 1981 , 193, 757-62		19
291	63. Operationstechnik, Fehler und Gefahren bei der chirurgischen Behandlung des Hodenhochstandes. 1983 , 361, 367-369		

290	Case profile: testicular collateral circulation. 1983 , 21, 319	
289	Testicular autotransplantation in children. 1983 , 145, 514-9	24
288	Transection of the spermatic vessels (Bevan's technique): an experimental study. 1983 , 130, 1223-7	6
287	Surgical correction of the failed orchiopexy. 1983 , 130, 955-7	30
286	Location and fate of the nonpalpable testis in children. 1983 , 129, 1204-6	59
285	The role of the epididymis in testicular descent. 1983 , 129, 1207-8	50
284	Microsurgical testis autotransplantation. A critical review. 1983 , 9, 129-32	17
283	Microvascular surgical orchiopexy in the treatment of high-lying undescended testes. 1984 , 56, 326-9	19
282	Preliminary ligation of the gonadal vessels prior to orchidopexy for the intra-abdominal testicle. 1984 , 2, 266-268	101
281	Microdissection and radiographic studies of the arterial vasculature of the human testes. 1984 , 19, 297-301	37
280	Optimal treatment of children with undescended testes. 1984 , 131, 734-5	21
279	Effect of experimental microvascular orchidopexy on spermatogenic cell differentiation in the testes of the dog. 1984 , 39, 21-4	3
278	Bilateral rectus femoris pedicle flaps for detrusor augmentation in the prune belly syndrome. 1985 , 134, 1202-5	25
277	Controllo a Distanza Del Testicolo Autotrapiantato. 1985 , 52, 181-188	
276	Testicular function after orchiopexy. 1985 , 26, 281-5	2
275	Orchiopexy. <i>ANZ Journal of Surgery</i> , 1986 , 56, 879-80	1
274	Spermatic vessel ligation (Fowler-Stephens maneuver): experimental results with regard to fertility. 1986 , 136, 211-3	29
273	Total abdominal wall reconstruction in the prune belly syndrome. 1986 , 136, 282-5	36

272	Technique of orchiopexy. Mobilization of cord length. 1987 , 21, 255-60		
271	Cryptorchidism: isolated and associated with other genitourinary defects. 1987 , 34, 1033-53		30
270	The diagnosis and treatment of infants with intersex abnormalities. 1987 , 34, 1333-48		9
269	Major ambulatory surgery of the pediatric patient. 1987 , 67, 805-17		2
268	Testicular undescent and torsion. 1987 , 34, 1305-17		12
267	Laparoscopy in the management of the nonpalpable testis. 1987 , 138, 382-4		70
266	Survey: localization and operation for nonpalpable testes. 1987 , 30, 193-8		19
265	Microvascular orchiopexy. 1987 , 146 Suppl 2, S51-2		6
264	The venous hilum of the testis and epididymis: anatomic aspect. 1988 , 10, 233-42		2
263	Unusual complication of the Fowler-Stephens orchidopexy. 1988 , 23, 381		2
262	The undescended testis. Hormonal and surgical management. 1988 , 68, 983-1005		84
261	Testicular Blood Supply with a View to Surgical Treatment. 1989 , 47-52		
260	Continent urinary diversion in a patient with prune belly syndrome and urethral atresia. <i>ANZ Journal of Surgery</i> , 1989 , 59, 283-6	1	2
259	Orchiopexy of the high undescended testis by division of the spermatic vessels: a critical review of 38 selected transections. 1989 , 141, 1416-9		44
258	Recovery of testicular blood flow following ligation of testicular vessels. 1989 , 142, 549-52; discussion 572		39
257	Significance of epididymal and ductal anomalies associated with testicular maldescent. 1989 , 142, 556-8; discussion 572		72
256	The prune belly syndrome: a comprehensive approach to management. 1989 , 142, 802-5		44
255	Undescended testes remain a dilemma despite recent advances in research. <i>ANZ Journal of Surgery</i> , 1990 , 60, 429-39	1	15

254	Effects of spermatic vascular division for correction of the high undescended testis on testicular function. 1990 , 160, 506-10	32
253	A novel technique for reconstruction of the abdominal wall in the prune belly syndrome. 1991 , 146, 639-40	45
252	Clinical significance of intratesticular arterial anatomy. 1991 , 145, 777-9	43
251	Testicular artery ramification within the inguinal canal. 1992 , 147, 1290-2	25
250	Two-stage Fowler-Stephens orchiopexy in the management of intra-abdominal testes. 1992 , 148, 1239-41	61
249	Laparoendoscopic Surgical Management of the Abdominal/Transinguinal Undescended Testicle. 1992 , 6, 159-163	63
248	Effects of multiple injections of HCG on testis blood flow. 1992 , 40, 81-3	10
247	Fertility after simulated Fowler-Stephens orchiopexy in rats. 1992 , 163, 270-2	11
246	The laparoscope and the undescended testis. 1992 , 27, 89-92	21
245	Laparoscopy for the impalpable testes: experience with 53 testes. 1992 , 27, 175-8; discussion 179	37
244	A study of warm testicular ischaemia and paternity in rats. 1993 , 8, 41-44	2
243	Zur Frage der Reoperation des Maldescensus testis. 1993 , 25, 408-409	
242	Experimental approaches towards testicular autotransplantation. 1993 , 152 Suppl 2, S47-9	2
241	Fowler-Stephens orchiopexy in a patient with prune belly syndrome and segmental atretic vas deferens. 1993 , 41, 130-1	2
240	Effectiveness of laparoscopic varicocelectomy. 1993 , 42, 544-7	54
239	Laparoscopic management of the impalpable abdominal testis. 1993 , 42, 574-8; discussion 578-9	23
238	Therapeutic laparoscopy for intra-abdominal testes. 1993 , 42, 182-8	59
237	A case of testicle replantation. 1993 , 150, 1507-8	17

236	Ureteral obstruction due to compression by the vas deferens following Fowler-Stephens orchiopexy. 1993 , 149, 94-5		4
235	Laparoscopic orchiopexy for the intra-abdominal testis. 1994 , 152, 1257-8		11
234	Laparoscopic stage 2 Fowler-Stephens orchiopexy. 1994 , 152, 1253-6		60
233	Approaches to orchidopexy. 1995 , 75, 693-6		6
232	The prune-belly syndrome: current insights. 1995 , 9, 770-8		35
231	Effect of Human Chorionic Gonadotropin Before Spermatic Vessel Ligation in the Prepubertal Rat Testis. 1995 , 154, 738-740		5
230	Mixed Gonadal Dysgenesis and Dysgenetic Male Pseudohermaphroditism. 1995 , 153, 1267-1273		30
229	Treatment of High Undescended Testes by Low Spermatic Vessel Ligation: An Alternative to the Fowler-Stephens Technique. 1996 , 156, 799-803		50
228	Benefits and Afterthoughts of Laparoscopy for the Nonpalpable Testis. 1996 , 156, 795-798		21
227	Laparoscopy in the diagnosis and treatment of cryptorchidism. 1996 , 63, 389-393		
226	Surgical management of persistent müllerian duct syndrome. 1997 , 49, 941-5		73
225	Laparoscopic-Guided Second-Stage Fowler-Stephens Procedure for Nonpalpable Testis in Children. 1997 , 1, 43-46		
224	Revascularization of the testis following inadvertent division of the testicular vessels during hernia repair. <i>ANZ Journal of Surgery</i> , 1997 , 67, 140-1	1	2
223	The effects of extensive vas mobilization on testicular histology during orchiopexy. 1998 , 30, 165-70		3
222	Management of the impalpable testis: the role of laparoscopy. 1998 , 79, 419-22		26
221	Laparoscopic orchiopexy: procedure of choice for the nonpalpable testis?. 1998 , 159, 2132-5		79
220	ORCHIOPEXY FOR IMPALPABLE TESTIS. 1998 , 160, 2457-2460		13
219	Germ cells may survive clipping and division of the spermatic vessels in surgery for intra-abdominal testes. 1999 , 162, 872-4		17

218	ARTERIAL SUPPLY OF THE HUMAN FETAL TESTIS DURING ITS MIGRATION. 1999 , 161, 1603-1605	24
217	Maldeszensus testis [Eine historische Rckschau ber die operative Versorgung. 2000 , 40, 543-549	1
216	Hodenhochstand [Standards und Perspektiven. 2000 , 40, 110-112	
215	Cryptorchidism: fowler-stephens procedure or autotransplantation-a new experimental model. 2000 , 56, 886-90	7
214	Laparoscopic management of the undescended testicle. 2001 , 28, 23-9, vii-viii	10
213	Abdominoplastia por plicatura anterior longitudinal na sndrome de prune belly: experincia inicial do hospital municipal Jesus. 2001 , 28, 173-179	2
212	The effects of one- and two-stage orchiopexy on postoperative serum testosterone levels and testicular volume in adult patients with bilateral nonpalpable testes. 2002 , 12, 327-31	3
211	Laparoscopy-assisted orchidopexy: an ideal treatment for children with intra-abdominal testes. 2002 , 16, 659-62	28
210	Recovery of Spermatogenesis by High Dose Gonadotropin-Releasing Hormone Analogue Treatment in Rat Cryptorchid Testis after Orchiopexy. 2002 , 168, 1279-1283	11
209	Criptorquidia. 2002 , 34, 1-8	
208	Emerging trends in the management of the impalpable testis. 1999 , 86, 1280-3	13
207	Unilateral spermatic vessel ligation in prepubertal rats decreases microvascular blood flow to ipsilateral testis postpubertally. 2003 , 19, 395-9	7
206	The undescended testis: changes over the past several decades. 2003 , 92 Suppl 1, 12-4	4
205	Laparoscopic orchiopexy: report of 203 cases with review of diagnosis, operative technique, and lessons learned. 2003 , 17, 365-8	50
204	Continent catheterizable urinary conduit constructed from defunctionalized colon. 2003 , 38, E15-6	3
203	Persistent Mllerian duct syndrome: a surgical approach. 2003 , 49, 479-82	4
202	One-stage Fowler-Stephens orchidopexy for impalpable undescended testis. 2004 , 173, 18-9	12
201	Revascularization of the testis using a vascular induction technique: a potential approach for staged orchiopexy in high-undescended testis. 2004 , 32, 1-8	4

200	Volumetric and histological findings in intra-abdominal testes before and after division of spermatic vessels. 2004 , 171, 2430-3	29
199	Long-term outcome of Fowler-Stephens orchiopexy in boys with prune-belly syndrome. 2004 , 171, 1666-9	19
198	[Importance of the testicular artery: histo-functional approach and comparison between juvenile and adult rats]. 2004 , 88, 31-4	3
197	Successful outpatient management of the nonpalpable intra-abdominal testis with staged Fowler-Stephens orchiopexy. 2004 , 172, 2399-401	34
196	Cryptorchidism: diagnosis, treatment, and long-term prognosis. 2004 , 31, 469-80, viii-ix	57
195	The effects of local and sustained release of fibroblast growth factor on testicular blood flow and morphology in spermatic artery--and vein-ligated rats. 2004 , 39, 709-16	13
194	[Laparoscopic surgery for undescended testicles]. 2004 , 11, 315-8	5
193	Two-Stage Laparoscopic Orchidopexy with Gubernacular Preservation: Preliminary Report of a New Approach to the Intra-Abdominal Testis. 2004 , 8, 250-253	6
192	Laparoscopy for impalpable testes. 2005 , 95, 704-8	27
191	Correct answers to multiple choice questions appearing in the European Urology Update Series 2005. 2005 , 96, 1193-1208	
190	Unilateral absence of the testis. Eight cases of true monorchism. 1961 , 48, 601-8	29
189	Impalpable testis: testicular vessel division in treatment. 1991 , 78, 1111-2	17
188	Chirurgische Therapie des Hodenhochstands. 2005 , 153, 444-450	7
187	Prepubertal unilateral spermatic vessel ligation decreases haploid cell population of ipsilateral testis postpubertally in rats. 2005 , 21, 360-3	4
186	Pre-ischemic administration of nitric oxide synthase inhibitors reduced germ cell apoptosis after spermatic vessel ligation in the rat testis. 2005 , 75, 70-4	1
185	Autorevascularization of the testicle and spermatic vessels by bladder pedicle flap: an experimental study. 2005 , 40, 1295-300	2
184	Vascular anatomy of normal and undescended testes: surgical assessment of anastomotic channels between testicular and deferential arteries. 2005 , 66, 854-7	26
183	The effect of spermatic vessel ligation on testicular nitric oxide levels and germ cell-specific apoptosis in rat testis. 2005 , 106, 459-66	33

182	Long-term effect of pentoxifylline and NG-nitro-L-arginine methyl ester on testicular function in spermatic artery ligation. 2006 , 40, 12-6	4
181	Single stage Fowler-Stephens orchidopexy: a preferred alternative in the treatment of nonpalpable testes. 2006 , 22, 759-61	9
180	Minimal Access Surgery in the Neonate. 2006 , 7, e400-e409	4
179	Two-stage Fowler-Stephens orchidopexy preserving the gubernacular vessels and a purely laparoscopic second stage. 2007 , 17, 101-7	23
178	Collateral circulation after spermatic vessel ligation for abdominal testis and its impact on staged laparoscopically assisted orchiopexy. 2007 , 17, 124-7	11
177	Surgical treatment of undescended testes. 2007 , 96, 631-7	51
176	Die Therapie des Maldescensus testis. 2007 , 155, 1085-1096	3
175	[Testicular perfusion injury. Cytokines and cell adhesion molecules in humans]. 2007 , 46, 1033-40	3
174	Genitale chirurgie bij jongens met disorders of sex development. 2008 , 76, 121-129	6
173	Management of boys with nonpalpable undescended testis. 2008 , 5, 252-60	26
172	Inguinal Canal Dilatation: A Novel Technique for the Repair of Failed Testicular Descent despite Hormonal Treatment. 2008 , 74, 69-72	1
171	The undescended testis: diagnosis, treatment and long-term consequences. 2009 , 106, 527-32	55
170	Is the Fowler-Stephens procedure still indicated for the treatment of nonpalpable intraabdominal testis?. 2009 , 44, 1999-2003	13
169	Long-term outcome of laparoscopic Fowler-Stephens orchiopexy in boys with intra-abdominal testis. 2009 , 181, 1851-6	39
168	Cryptorchidism with short spermatic vessels: staged orchiopexy preserving spermatic vessels. 2009 , 182, 1163-7	21
167	Laparoscopy for the impalpable testes: experience with 80 intra-abdominal testes. 2009 , 5, 389-92	14
166	Open versus laparoscopic staged Fowler-Stephens orchiopexy: impact of long loop vas. 2009 , 182, 2435-9	32
165	Orchiopexy for intra-abdominal testes: factors predicting success. 2009 , 182, 1917-20	26

164	An evolution of orchiopexy: historical aspect. 2010 , 51, 155-60	13
163	Testicular histology after intestinal pedicle flap (cecum) apposition in rats. 2010 , 25, 241-8	
162	PRUNE-BELLY SYNDROME. 2010 , 425-436	2
161	UNDESCENDED TESTES AND TESTICULAR TUMORS. 2010 , 676-686	
160	LAPAROSCOPY IN PEDIATRIC UROLOGY. 2010 , 92-107	1
159	Spermatogenesis after 1-stage fowler-stephens orchiopexy in experimental cryptorchid rat model. 2010 , 183, 2380-4	3
158	Laparoscopic Stephen-Fowler stage procedure: appropriate management for high intra-abdominal testes. 2010 , 20, 183-5	5
157	Laparoscopic manoeuvre for orchidopexy in high intra-abdominal testes when cremasteric artery is present. 2010 , 6, 2-5	1
156	The value of laparoscopy in the management of non-palpable testis. 2010 , 6, 550-4	28
155	Surgical options in disorders of sex development (dsd) with ambiguous genitalia. 2010 , 24, 311-24	56
154	Is staging beneficial for Fowler-Stephens orchiopexy? A systematic review. 2010 , 183, 2012-8	54
153	Laparoscopic orchiopexy for non-palpable testes: outcome of two techniques. 2011 , 7, 178-81	28
152	Laparoscopic single-stage Fowler-Stephens orchidopexy in a case of orchidogastric fusion. 2011 , 78, 687-8	4
151	Single- vs. Two-Stage Fowler-Stephens Orchidopexy: Are Two Operations Better than One? A Retrospective, Single-Institution Critical Analysis. 2011 , 5, 12-17	2
150	Laparoscopic management of impalpable testes: comparison of different techniques. 2011 , 27, 1327-30	17
149	[Cryptorchidism and infertility from the perspective of interdisciplinary guidelines]. 2011 , 50, 20-5	1
148	[Analysis of laparoscopic orchidopexy in intra-abdominal testis]. 2011 , 50, 573-8	5
147	The Undescended Testis Management: Microsurgery and Laparoscopy. 2011 , 295-300	

146	History of Pediatric Surgery. 2012 , 3-17	2
145	Undescended Testis, Torsion, and Varicocele. 2012 , 1003-1019	7
144	Laparoscopic classification of the impalpable testis. 2012 , 8, 116-122	9
143	Testicule non descendu. 2012 , 7, 1-11	2
142	Cryptorchidie. Ectopie testiculaire. 2012 , 5, 1-9	1
141	Diagnosis and Management of Cryptorchidism. 2012 , 11, 2-9	8
140	Feasibility and safety of monopolar diathermy as an alternative to clip ligation in laparoscopic Fowler-Stephens orchiopexy. 2012 , 47, 1907-12	7
139	Criptorquidia. Ectopia testicular. 2012 , 44, 1-10	
138	Testículo no descendido. 2012 , 47, 1-11	
137	Cirugía de la criptorquidia. 2012 , 44, 1-9	
136	Chirurgia del testicolo non disceso. 2012 , 12, 1-8	
135	Management of boys with nonpalpable undescended testes. 2012 , 23, 103-106	3
134	Megaureter and Prune-Belly Syndrome. 2012 , 1497-1514	
133	The prune belly syndrome: report of a rare case and review of literature. 2012 , 35, 241-243	1
132	Acute testicular ischemia caused by incarcerated inguinal hernia. 2012 , 42, 196-200	12
131	The utility of ultrasonography in the management of undescended testis in a developing country. 2013 , 37, 1121-4	11
130	Two-Step Fowler-Stephens orchiopexy for intra-abdominal testes: a 28-year single institution experience. 2013 , 190, 1371-6	16
129	The intra-abdominal testis: lessons from the past, and ideas for the future. 2013 , 29, 1039-45	14

128	Is it necessary to close the peritoneum over the deep inguinal ring during laparoscopic orchidopexy?. 2013 , 9, 157-60	11
127	Laparoscopic orchiopexy for intra-abdominal testes-a single institution review. 2013 , 23, 481-3	10
126	Bilateral spermatic cord en bloc ligation by laparoendoscopic single-site surgery: preliminary experience compared to conventional laparoscopy. 2014 , 14, 83	3
125	Testicular rerouting by modified Prentiss maneuver: usefulness in bilateral synchronous orchidopexy for high inguinal undescended testes. 2014 , 49, 1311-4	5
124	Testicular atrophy after attempted pediatric orchidopexy for true undescended testis. 2014 , 49, 317-22	29
123	Testicular outcome following laparoscopic second stage Fowler-Stephens orchidopexy. 2014 , 10, 186-92	30
122	Surgical approach to the palpable undescended testis. 2014 , 30, 707-13	11
121	Orchidopexy without ligation of the processus vaginalis is not associated with an increased risk of inguinal hernia. 2014 , 18, 339-42	12
120	Interventions for undescended testes in children. 2014 ,	1
119	What is the ideal surgical approach for intra-abdominal testes? A systematic review. 2015 , 31, 327-38	22
118	Is Stephen-fowler staged approach the correct answer for orchidopexy in a peeping testis?. 2015 , 20, 100-1	
117	Laparoscopic Orchiopexy Requiring Vascular Division: A Randomized Study Comparing the Primary and Two-Stage Approaches. 2015 , 25, 536-9	7
116	Orchidopexy and orchidectomy. 2015 , 200-215	
115	Undescended testis - current trends and guidelines: a review of the literature. 2016 , 12, 667-77	59
114	Management of undescended testes: European Association of Urology/European Society for Paediatric Urology Guidelines. 2016 , 12, 335-343	87
113	Prune Belly Syndrome. 2016 , 197-213	1
112	Pediatric Urology for the General Surgeon. 2016 , 96, 545-65	
111	Classification and Causes of Undescended Testes in Humans. 2016 , 45-67	0

110	International Consultation on Urological Diseases: Congenital Anomalies of the Genitalia in Adolescence. 2016 , 94, 288-310	12
109	Operative Treatment. 2016 , 123-148	
108	[Undescended testis: current treatment guidelines]. 2016 , 55, 10-8	1
107	Staged laparoscopic traction-orchiopey for intraabdominal testis (Shehata technique): Stretching the limits for preservation of testicular vasculature. 2016 , 51, 211-5	25
106	Efficacy of single-stage and two-stage Fowler-Stephens laparoscopic orchidopexy in the treatment of intraabdominal high testis. 2017 , 40, 490-494	7
105	Beware the Looping Vas Deferens in Orchidopexy. 2017 , 104, 194-195	3
104	Staged Fowler-Stephens and Single-stage Laparoscopic Orchiopexy for Intra-abdominal Testes: Is There a Difference? A Single Institution Experience. 2017 , 101, 104-110	10
103	Cryptorchidism: A practical review for all community healthcare providers. 2017 , 11, S26-S32	12
102	Canadian Urological Association-Pediatric Urologists of Canada (CUA-PUC) guideline for the diagnosis, management, and followup of cryptorchidism. 2017 , 11, E251-E260	29
101	Laparoscopic one-stage Fowler-Stephens orchiopexy preserving gubernaculum. 2017 , 43, 75-78	3
100	Current management of non-palpable testes: a literature review and clinical results. 2016 , 5, 233-239	11
99	Evaluation of two-staged Fowler-Stephens laparoscopic orchidopexy (FSLO) for intra-abdominal testes (IAT). 2018 , 34, 97-103	5
98	Surgical Considerations of Testicular Maldescent. 2018 , 281-292	
97	Laparoscopic Management of the Undescended Testicle. 2018 , 1344-1352	
96	Evaluation of Fowler-Stephens orchiopexy for high-level intra-abdominal cryptorchidism: A systematic review and meta-analysis. 2018 , 60, 74-87	9
95	Initial laparoscopy and optimized approach for unilateral nonpalpable testis: review of 8-year single-center experience. 2018 , 50, 2139-2144	2
94	[Undescended testis: current pathways of diagnostics and treatment]. 2018 , 160, 58-61	1
93	Prune-Belly Syndrome. 2019 , 459-468	

92	Testicular Volume Changes in Laparoscopic Staged Fowler-Stephens Orchiopexy: Studying the Impact of Testicular Vessel Division. 2019 , 127, 113-118	3
91	The distribution of nerves supplying the testis, epididymis and accessory sex glands of <i>Suncus murinus</i> . 2019 , 94, 128-135	4
90	Successful outcomes in adolescent varicocele treatment with high-level laparoscopic varicocelectomy. 2020 , 55, 1610-1612	2
89	Revisiting the success rate of one-stage Fowler-Stephens orchiopexy with postoperative Doppler ultrasound and long-term follow-up: a 15-year single-surgeon experience. 2020 , 16, 48-54	2
88	Retrospective analysis of testicular outcomes following laparoscopic two-stage Fowler Stephens orchidopexy. 2020 , 55, 300-303	4
87	Laparoscopic 1st stage orchiopexy using antiadherent sheet for high abdominal testis. 2020 , 60, 101545	
86	Laparoscopic staged spermatic vessel-sparing procedure for intra-abdominal undescended testis. 2020 , 2, 111-116	0
85	Diagnosis and treatment of the intra-abdominal gonad in the pediatric population: Testes, ovaries, dysgenetic gonads, streaks, and ovotestes. 2020 , 55, 2480-2491	1
84	["Uncomplicated" inguinal testis : How practicable are the guidelines?]. 2020 , 59, 300-306	
83	How far can one-stage laparoscopic Fowler-Stephens orchiopexy be implemented in intra-abdominal testes with short spermatic vessels?. 2020 , 16, 197.e1-197.e7	3
82	Successful in vitro fertilization in a 30 years old man with bilateral abdominal cryptorchidism. 2020 , 31, 101173	1
81	A comparative study between two techniques of laparoscopic orchiopexy for intra-abdominal testis. 2021 , 37, 261-266	0
80	Bauchwand. 2021 , 147-174	
79	Laparoscopic Fowler-Stephens orchidopexy for intra-abdominal cryptorchid testis: a single institution experience. 2021 , 42,	1
78	Laparoscopic staged management of high intrabdominal testis: A prospective randomized study. 2021 , 56, 2385-2391	0
77	Fowler-Stephens orchiopexy: Recovery of presumed atrophy at post-pubertal follow-up. 2021 , 56, 1472-1473	
76	Staged Fowler Stephens, Who Requires a Third Procedure?. 2021 , 22, 32	
75	A historical view of orchidopexy - past to present. 2021 , 128, 155-157	

74	Comparison of Two Types of Staged Laparoscopic Orchiopexy for High Intra-Abdominal Testes in Children: A Retrospective Study From a Single Center. 2021 , 9, 677955	0
73	The top 100 cited articles in pediatric urology: A bibliometric analysis. 2021 , 17, 709.e1-709.e12	0
72	Two Stage Laparoscopic Assisted Fowler-Stephens Orchidopexy. 2021 , 205-209	
71	Testicles: Undescended, Retractable, and Ascended. 2011 , 203-215	1
70	Microvascular autotransplantation of intra-abdominal testes. 1989 , 23, 115-25	17
69	Undescended Testis, Torsion, and Varicocele. 2006 , 1193-1214	9
68	Prune-Belly Syndrome. 2012 , 3310-3324.e3	5
67	Abnormalities of the Testis and Scrotum and Their Surgical Management. 2012 , 3557-3596.e13	13
66	Hernias and Congenital Groin Problems in Infants and Children. 2013 , 628-636	1
65	Testicular Descent: Normal and Abnormal. 1978 , 5, 223-235	15
64	Effect of human chorionic gonadotropin before spermatic vessel ligation in the prepubertal rat testis. 1995 , 154, 738-40	1
63	Benefits and afterthoughts of laparoscopy for the nonpalpable testis. 1996 , 156, 795-8; discussion 798	6
62	LAPAROSCOPIC ORCHIOPEXY. 1998 , 2132-2135	7
61	. 1997 , 7, 156-158	4
60	The undescended testis. 1988 , 17, 39, 42-6	2
59	Groin exploration for the nonpalpable testes: a single center experience. 2015 , 21, 56-9	1
58	Laparoscopy in the Evaluation of Impalpable Testes and Its Short-term Outcomes: A 7 YearsP Experience. 2017 , 22, 232-236	1
57	Clinical outcomes of laparoscopic treatment of non-palpable testis in children at a tertiary pediatric surgery center.	

- 56 Benigne testikuläre Fehlbildungen und Erkrankungen des Kindesalters. **2001**, 460-494 1
- 55 Recovery of Spermatogenesis by High Dose Gonadotropin-Releasing Hormone Analogue Treatment in Rat Cryptorchid Testis after Orchiopexy. **2002**, 1279-1283
- 54 The Role of Laparoscopy in Pediatric Urology. **2003**, 133-142
- 53 Nonpalpable Undescended Testis. **2005**, 291-296
- 52 Megaureter and Prune-Belly Syndrome. **2006**, 1771-1790 1
- 51 Laparoscopic Orchiopexy. **2007**, 297-307
- 50 Orquidopexia laparoscópica*. **2008**, 297-307
- 49 Bibliography. **2009**, 873-923
- 48 Bauchwand. **2010**, 155-181
- 47 Noninfertility Scrotal Microsurgery. **2013**, 109-119
- 46 High Undescended Testis Treatment with Distal Espermatic Vessel Ligation (Koff-Sethi Technique). **2014**, 05, 258-263
- 45 Anomalies of the Male Genitalia. **1968**, 287-306
- 44 Orchiopexy and the Use of a Testicular Prosthesis for the Undescended Testicle. **1980**, 31-37
- 43 I. Microchirurgia in Andrologia. **1984**, 51, 25-34
- 42 The Surgical Management of Male Infertility. **1984**, 199-214
- 41 Medikamentöse Beeinflussung der Rezirkulation des Rattenhodens nach Torsion. **1985**, 266-272
- 40 Zur Verlängerung der Ischämietoleranz des Rattenhodens. **1985**, 273-279
- 39 Erkrankungen des Hodens, des Skrotums und des Samenstrangs. **1992**, 725-735

- 38 Benigne testikuläre Fehlbildungen und Erkrankungen des Kindesalters. **1993**, 449-491
- 37 Operative Therapy for Male Infertility. **1996**, 313-322
- 36 ARTERIAL SUPPLY OF THE HUMAN FETAL TESTIS DURING ITS MIGRATION. **1999**, 1603-1605
- 35 Hodendystopie: Korrekturstrategien. **2015**, 1-11
- 34 Hodendystopie: Korrekturstrategien. **2016**, 1153-1161
- 33 Cryptorchidism and Retractable Testis. **2016**, 347-354
- 32 Undescended Testis: Laparoscopic Fowler-Stephens Orchidopexy. **2017**, 241-252
- 31 Bipolar diathermy as another method for testicular vascular division in laparoscopic two-stage Fowler-Stephens orchidopexy. **2018**, 14, 218-221
- 30 Long loop vas deferens: A rare entity: Case report and review of literature. **2019**, 29, 17 1
- 29 Ciriğeri de la criptorquidia. **2019**, 51, 1-10
- 28 Nonpalpable Testislerde Tanı ve Tedavi: Laparoskopik; Tek Merkez Klinik Sonuçları. **2019**, 10
- 27 Surgical Treatment of Cryptorchidism. **1983**, 115-126
- 26 Orchidopexy. **2020**, 705-712
- 25 Laparoscopic Orchiopexy. **2020**, 277-290
- 24 A PRACTICAL APPROACH TO SOME OF THE PROBLEMS OF MALDESCENT OF THE TESTIS. **1964**, 2, 135-9
- 23 Anomalies Associated with Cryptorchidism. **1982**, 9, 339-347 30
- 22 Technique of Orchiopexy. **1982**, 9, 421-427 7
- 21 Laparoscopy and Fowler-Stephens Orchiopexy in the Management of the Impalpable Testis. **1989**, 16, 399-411 32

20	Complications of Orchiopexy. 1983 , 10, 537-541	3
19	Management of the undescended testis. 1973 , 108, 1129-31	
18	The impalpable testis. 1995 , 77, 3-6	11
17	Laparoscopic orchidopexy: one-stage alternative for non-palpable testes. 1996 , 78, 115-8	9
16	A simple alternative technique of orchiopexy for high undescended testis. 1998 , 80, 69-71	8
15	The role of laparoscopy in children with groin problems. 2014 , 3, 418-28	1
14	Testicular arteries anatomy applied to fowler-sthephens surgery in high undescended testis - a narrative review. 2022 , 48, 8-17	1
13	Modified traction technique for intraabdominal testes with short vessels.. 2022 ,	1
12	Open Versus Laparoscopic Gubernaculum-Sparing Second-Stage Fowler-Stephens Orchiopexy for Intra-Abdominal Testis: A Long-Term Study.. 2022 ,	
11	Hodendystopie: Korrekturstrategien. 2022 , 1-9	
10	The role of laparoscopy in non-palpable undescended testicle: Analysis and review of the experience from two cities in Sudan. 2022 , 19, 127	
9	The Management of Intraabdominal Testis: A Survey of the World Federation of Associations of Pediatric Surgeons (WOFAPS) Practices. 10,	0
8	A patent processus vaginalis is a requirement for a laparoscopic orthotopic staged spermatic vessel-sparing procedure for intra-abdominal undescended testis.	
7	Maldescensus testis und Leistenhernie. 2022 , 1-11	0
6	Robot-assisted Laparoscopic Orchiopexy: A Comparative Analysis to Laparoscopic Orchiopexy.	0
5	Trends in the treatment of undescended testes: a pediatric tertiary care center experience from Croatia. 2022 , 5, e000461	0
4	Chirurgia del testicolo non disceso. 2019 , 19, 1-9	0
3	Prune-Belly-Syndrom. 2022 , 1-9	0

- 2 Vital dye lymphoscintigraphy: An answer to decision making between single or two-stage laparoscopic Fowler-Stephens orchidopexy intraoperatively. ○
- 1 Compared outcomes of high-level cryptorchidism managed by Fowler-Stephens orchiopexy versus the Shehata technique: A systematic review and meta-analysis. **2023**, ○