

<scp>ASVCP</scp> Guidelines: Principles of Quality Assurance
Veterinary Clinical Pathology (version 3.0)

Veterinary Clinical Pathology

48, 542-618

DOI: 10.1111/vcp.12810

Citation Report

#	ARTICLE	IF	CITATIONS
1	Quality Assurance: A Practical Overview for In-House Labs. <i>Advances in Small Animal Medicine and Surgery</i> , 2020, 33, 1-3.	0.0	0
2	Evaluation of Urinary Big Endothelin-1 in Feline Spontaneous CKD. <i>Animals</i> , 2020, 10, 2144.	1.0	2
3	The Canine Erythrocyte Sedimentation Rate (ESR): Evaluation of a Point-of-Care Testing Device (MINIPET) Tj ETQq0.0.0 rgBT /Overlock 1	0.6	5
5	Analytical performance and method comparison of a quantitative point-of-care immunoassay for measurement of bile acids in cats and dogs. <i>Journal of Veterinary Diagnostic Investigation</i> , 2021, 33, 35-46.	0.5	3
6	OUP accepted manuscript. <i>ILAR Journal</i> , 2021, , .	1.8	2
7	Quality Management for In-Clinic Laboratories: The total quality management system and quality plan. <i>Journal of the American Veterinary Medical Association</i> , 2021, 258, 55-61.	0.2	6
8	Standard operating procedures. <i>Journal of the American Veterinary Medical Association</i> , 2021, 258, 477-481.	0.2	8
9	A comparison study between the results of the Siemens ADVIA 120 analyzer and the manual method for differential leukocyte counts in sheep. <i>Veterinary Clinical Pathology</i> , 2021, 50, 203-208.	0.3	2
10	Equipment maintenance and instrument performance. <i>Journal of the American Veterinary Medical Association</i> , 2021, 258, 725-731.	0.2	6
11	Differential white blood cell counts in rabbits: a comparison of the Advia 2120 and a manual method. <i>Journal of Veterinary Diagnostic Investigation</i> , 2021, 33, 670-676.	0.5	0
12	Validation of the Sysmex XNâ€V hematology analyzer for canine specimens. <i>Veterinary Clinical Pathology</i> , 2021, 50, 184-197.	0.3	15
13	Validation study of canine urine cortisol measurement with the Immulite 2000 Xpi cortisol immunoassay. <i>Journal of Veterinary Diagnostic Investigation</i> , 2021, 33, 1052-1068.	0.5	10
14	Reference Intervals for Selected Hematology and Clinical Chemistry Measurands in Temminck's Pangolin (<i>Smutsia temminckii</i>). <i>Frontiers in Veterinary Science</i> , 2021, 8, 654529.	0.9	7
15	Comparison of STAâ€NeoPTimal (Stago) and STAâ€Neoplastine CI Plus (Stago) thromboplastin reagents using a STA Satellite Max analyzer to measure prothrombin times in dogs. <i>Veterinary Clinical Pathology</i> , 2021, 50, 348-353.	0.3	1
16	Validation study of canine serum cortisol measurement with the Immulite 2000â€Xpi cortisol immunoassay. <i>Journal of Veterinary Diagnostic Investigation</i> , 2021, 33, 844-863.	0.5	10
17	A novel canine nuclear magnetic resonance spectroscopyâ€based metabolomics platform: Validation and sample handling. <i>Veterinary Clinical Pathology</i> , 2021, 50, 410-426.	0.3	14
18	Effect of age, sex, and body size on the blood biochemistry and physiological constants of dogs from 4 wk. to &t;â€52 wk. of age. <i>BMC Veterinary Research</i> , 2021, 17, 265.	0.7	8
19	Validation of a commercial human ELISA to measure hyaluronic acid concentration in feline plasma. <i>Journal of Veterinary Diagnostic Investigation</i> , 2021, , 104063872110447.	0.5	0

#	ARTICLE	IF	CITATIONS
20	Anemia in salmon aquaculture: Scotland as a case study. <i>Aquaculture</i> , 2022, 546, 737313.	1.7	7
21	Scientific and Regulatory Policy Committee Points to Consider: Biological Sample Retention From Nonclinical Toxicity Studies. <i>Toxicologic Pathology</i> , 2021, , 019262332110491.	0.9	0
22	Postmortem Vitreous Humor Analysis in Dogs, Cats and Horses. <i>Journal of Analytical Toxicology</i> , 2020, , .	1.7	2
23	Practices to Optimize Generation, Interpretation, and Reporting of Pathology Data From Toxicity Studies. , 2022, , 1029-1076.		0
24	Comparison of a point-of-care serum amyloid A analyzer frequently used in equine practice with 2 turbidimetric immunoassays used in human and veterinary medicine. <i>Journal of Veterinary Diagnostic Investigation</i> , 2022, 34, 42-53.	0.5	6
25	Method comparison for serum protein electrophoretic M α protein quantification: Agarose gel electrophoresis and capillary zone electrophoresis in canine and feline sera. <i>Veterinary Clinical Pathology</i> , 2021, 50, 543-550.	0.3	4
26	Biochemical and Hematologic Reference Intervals for Anesthetized, Female, Juvenile Yorkshire Swine. <i>Journal of the American Association for Laboratory Animal Science</i> , 2022, 61, 21-30.	0.6	2
27	Effects of EDTA on chemiluminescent immunoassay measurement of ACTH, cortisol, and thyroid hormones in dogs. <i>Domestic Animal Endocrinology</i> , 2022, 79, 106707.	0.8	2
28	Visible Near-Infrared Platelets Count: Towards Thrombocytosis Point-of-Care Diagnosis. , 2021, 5, .		1
29	Measurement and clinical applications of C-reactive protein in gastrointestinal diseases of dogs. <i>Veterinary Clinical Pathology</i> , 2022, 50, 29-36.	0.3	10
30	Evaluation of the scil vCell 5, a novel laser- and impedance-based point-of-care hematology analyzer, for use in dogs and cats. <i>Journal of Veterinary Diagnostic Investigation</i> , 2022, , 104063872210836.	0.5	1
31	Total observed error, total allowable error, and QC rules for canine serum and urine cortisol achievable with the Immulite 2000 Xpi cortisol immunoassay. <i>Journal of Veterinary Diagnostic Investigation</i> , 2022, 34, 246-257.	0.5	5
32	METHOD COMPARISON FOR MEASUREMENT OF SYMMETRIC DIMETHYLARGININE IN TIGERS (PANTHERA) Tj ETQq0 0 0 rgBT /Overlock 1	0.3	1
34	Establishment of biochemical reference values for backyard chickens in Colorado (<i>Gallus gallus) Tj ETQq1 1 0.784314 rgBT /Overlock 0.3	0.3	3
35	Comparison of the Results of Automatic Blood Analyser and Manual Peripheral Smear Method in Total and Differential Leukocyte Count in Goats. <i>Harran Üniversitesi Veteriner Fakültesi Dergisi</i> , 0, , .	0.1	0
36	Evaluation of a point-of-care benchtop analyzer for quantitative measurement of C-reactive protein in canine serum and plasma. <i>Veterinary Clinical Pathology</i> , 2022, , .	0.3	0
37	SHORT-TERM BIOLOGICAL VARIABILITY OF HEMATOLOGY PARAMETERS IN THE BEARDED DRAGON (POGONA) Tj ETQq0 0 0 rgBT /Overlock 0.3	0.3	1
38	Comparison of a handheld point-of-care analyzer with a benchtop point-of-care chemistry analyzer for measurement of blood glucose concentration in client-owned ferrets (<i>Mustela putorius furo</i>). <i>Journal of Exotic Pet Medicine</i> , 2022, , .	0.2	1

#	ARTICLE	IF	CITATIONS
39	Hematology and Plasma Chemistry Reference Values in Nursehound Shark (<i>Scyliorhinus Stellaris</i>) Maintained Under Human Care. <i>Frontiers in Veterinary Science</i> , 0, 9, .	0.9	2
40	Verification of the fCAL turbo immunoturbidimetric assay for measurement of the fecal calprotectin concentration in dogs and cats. <i>Journal of Veterinary Diagnostic Investigation</i> , 2022, 34, 813-824.	0.5	6
41	Analytical validation of a portable human Accu-Chek glucometer in honeybee hemolymph. <i>Journal of Veterinary Diagnostic Investigation</i> , 2022, 34, 789-795.	0.5	2
42	Blood metabolic and physiological profiles of Bama miniature pigs at different growth stages. <i>Porcine Health Management</i> , 2022, 8, .	0.9	2
43	Diagnostic utility and validity of 1,2-o-dilauryl-rac-glycero-3-glutaric acid-(6- TM -methylresorufin) ester (DGGR) lipase activity in horses with colic. <i>Veterinary Journal</i> , 2022, 288, 105887.	0.6	1
44	Advanced diagnostic techniques. , 2023, , 618-664.		0
45	Quality management recommendations for veterinary diagnostic cytopathology services. , 2023, , 706-712.		0
46	HEMATOLOGY AND PLASMA BIOCHEMISTRY REFERENCE VALUES OF JUVENILE UNDULATE RAYS (RAJA) Tj ETQq1 1 0.784314 rgBT /Over	0.3	1
47	Markers of inflammation in free-living African elephants (<i>Loxodonta africana</i>): Reference intervals and diagnostic performance of acute phase reactants. <i>Veterinary Clinical Pathology</i> , 2023, 52, 75-86.	0.3	1
48	Quality Assurance for Veterinary In-Clinic Laboratories. <i>Veterinary Clinics of North America - Small Animal Practice</i> , 2022, , .	0.5	1
49	Acute phase reactants in nondomesticated mammals—A veterinary clinical pathology perspective. <i>Veterinary Clinical Pathology</i> , 2023, 52, 19-36.	0.3	0
50	Increasing the data on elasmobranch plasma protein electrophoresis: electrophoretogram reference values determination in the undulate skate (<i>Raja Undulata</i>) and the nursehound shark (<i>Scyliorhinus</i>) Tj ETQq1 1 0.784314 rgBT /Over	0.3	1
51	Use of urinalysis during baseline diagnostics in dogs and cats: an open survey. <i>Journal of Small Animal Practice</i> , 0, , .	0.5	1
53	Spurious capillary zone electrophoresis pattern in hypercholesterolemic dogs. <i>Journal of Veterinary Diagnostic Investigation</i> , 0, , 104063872211418.	0.5	0
55	Submitting High-Quality Clinical Pathology Samples for Best Results. <i>Veterinary Clinics of North America - Food Animal Practice</i> , 2023, 39, 33-47.	0.5	0
56	Dataset of Partial Analytical Validation of the 1,2-O-Dilauryl-Rac-Glycero-3-Glutaric Acid-(6- ² -Methylresorufin) Ester (DGGR) Lipase Assay in Equine Plasma. <i>Data</i> , 2023, 8, 50.	1.2	0
57	EVALUATION OF $\hat{2}$ -HYDROXYBUTYRATE, AMINO ACIDS, AND SELECTED CHEMISTRY VALUES IN THE PLASMA OF FREE-RANGING RED-TAILED HAWKS (<i>BUTEO JAMAICENSIS</i>). <i>Journal of Zoo and Wildlife Medicine</i> , 2023, 54, .	0.3	0
58	Analytical performance evaluation of two automated urine sediment analysers using two levels of commercially available quality control material. <i>Journal of Small Animal Practice</i> , 0, , .	0.5	0

#	ARTICLE	IF	CITATIONS
---	---------	----	-----------