

SphereReID: Deep hypersphere manifold embedding fo

Journal of Visual Communication and Image Representation
60, 51-58

DOI: [10.1016/j.jvcir.2019.01.010](https://doi.org/10.1016/j.jvcir.2019.01.010)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Person Re-Identification Based on DropEasy Method. IEEE Access, 2019, 7, 97021-97031.	2.6	3
2	Pedestrian re-Identification Based on Tree Branch Network with Local and Global Learning. , 2019, , .		9
3	Centralized embedding hypersphere feature learning for person re-identification. Imaging Science Journal, 2019, 67, 295-304.	0.2	0
4	AlignedReID++: Dynamically matching local information for person re-identification. Pattern Recognition, 2019, 94, 53-61.	5.1	152
5	Person Re-Identification via Group Symmetry Theory. IEEE Access, 2019, 7, 133686-133693.	2.6	3
6	Bag of Tricks and a Strong Baseline for Deep Person Re-Identification. , 2019, , .		712
7	Spectral Feature Transformation for Person Re-Identification. , 2019, , .		78
8	Attentional Part-based Network for Person Re-identification. , 2019, , .		1
9	Data-Driven Logical Topology Inference for Managing Safety and Re-Identification of Patients Through Multi-Cameras IoT. IEEE Access, 2019, 7, 159466-159478.	2.6	6
10	Grafted network for person re-identification. Signal Processing: Image Communication, 2020, 80, 115674.	1.8	4
11	Multi-scale multi-patch person re-identification with exclusivity regularized softmax. Neurocomputing, 2020, 382, 64-70.	3.5	19
12	A Strong Baseline and Batch Normalization Neck for Deep Person Re-Identification. IEEE Transactions on Multimedia, 2020, 22, 2597-2609.	5.2	323
13	Multi-Proxy Constraint Loss for Vehicle Re-Identification. Sensors, 2020, 20, 5142.	2.1	2
14	VARID: Viewpoint-Aware Re-Identification of Vehicle Based on Triplet Loss. IEEE Transactions on Intelligent Transportation Systems, 2022, 23, 1381-1390.	4.7	21
15	Modality-transfer generative adversarial network and dual-level unified latent representation for visible thermal Person re-identification. Visual Computer, 2022, 38, 279-294.	2.5	16
16	Further Non-local and Channel Attention Networks for Vehicle Re-identification. , 2020, , .		10
17	Deep Classification Consistency for Person Re-Identification. IEEE Access, 2020, 8, 191683-191693.	2.6	0
18	Vehicle and Person Re-Identification With Support Neighbor Loss. IEEE Transactions on Neural Networks and Learning Systems, 2022, 33, 826-838.	7.2	14

#	ARTICLE	IF	CITATIONS
19	A Novel Soft Margin Loss Function for Deep Discriminative Embedding Learning. IEEE Access, 2020, 8, 202785-202794.	2.6	7
20	Person Re-Identification across Data Distributions Based on General Purpose DNN Object Detector. Algorithms, 2020, 13, 343.	1.2	7
21	A heterogeneous branch and multi-level classification network for person re-identification. Neurocomputing, 2020, 404, 61-69.	3.5	7
22	Multi-Resolution Overlapping Stripes Network for Person Re-Identification. , 2020, , .		1
23	STNReID: Deep Convolutional Networks With Pairwise Spatial Transformer Networks for Partial Person Re-Identification. IEEE Transactions on Multimedia, 2020, 22, 2905-2913.	5.2	74
24	Person Re-Identification with Feature Pyramid Optimization and Gradual Background Suppression. Neural Networks, 2020, 124, 223-232.	3.3	18
25	Learning refined attribute-aligned network with attribute selection for person re-identification. Neurocomputing, 2020, 402, 124-133.	3.5	23
26	Vehicle Re-Identification Using Distance-Based Global and Partial Multi-Regional Feature Learning. IEEE Transactions on Intelligent Transportation Systems, 2021, 22, 1276-1286.	4.7	23
27	A deep person re-identification model with multi visual-semantic information embedding. Multimedia Tools and Applications, 2021, 80, 6853-6870.	2.6	0
28	Learning generalizable deep feature using triplet-batch-center loss for person re-identification. Science China Information Sciences, 2021, 64, 1.	2.7	4
29	Learning Modal-Invariant Angular Metric by Cyclic Projection Network for VIS-NIR Person Re-Identification. IEEE Transactions on Image Processing, 2021, 30, 8019-8033.	6.0	25
30	Building Computationally Efficient and Well-Generalizing Person Re-Identification Models with Metric Learning. , 2021, , .		5
31	Revisiting Loss Functions for Person Re-identification. Lecture Notes in Computer Science, 2021, , 30-42.	1.0	1
32	Deep Top-rank Counter Metric for Person Re-identification. , 2021, , .		1
33	MoRe: A Large-Scale Motorcycle Re-Identification Dataset. , 2021, , .		3
34	HLFNet: High-low Frequency Network for Person Re-Identification. IEEE Signal Processing Letters, 2021, 28, 1140-1144.	2.1	1
35	Global Contrastive Person Re-identification. Journal of Physics: Conference Series, 2021, 1757, 012035.	0.3	1
36	Attribute-Aligned Domain-Invariant Feature Learning for Unsupervised Domain Adaptation Person Re-Identification. IEEE Transactions on Information Forensics and Security, 2021, 16, 1480-1494.	4.5	62

#	ARTICLE	IF	CITATIONS
37	Dually Distribution Pulling Network for Cross-Resolution Person Reidentification. IEEE Transactions on Cybernetics, 2022, 52, 12016-12027.	6.2	2
38	Person Re-Identification Based on Mutual Learning With Embedded Noise Block. IEEE Access, 2021, 9, 129229-129239.	2.6	2
39	Vehicle Re-Identification Model Based on Optimized DenseNet121 with Joint Loss. Computers, Materials and Continua, 2021, 67, 3933-3948.	1.5	42
40	Not 3D Re-ID: Simple Single Stream 2D Convolution for Robust Video Re-identification. , 2021, , .		4
41	Bi-Directional Exponential Angular Triplet Loss for RGB-Infrared Person Re-Identification. IEEE Transactions on Image Processing, 2021, 30, 1583-1595.	6.0	43
42	Margin CosReid Network for Pedestrian Re-Identification. Applied Sciences (Switzerland), 2021, 11, 1775.	1.3	0
43	Person Re-Identification from different views based on dynamic linear combination of distances. Multimedia Tools and Applications, 2021, 80, 17685-17704.	2.6	3
44	Model Latent Views With Multi-Center Metric Learning for Vehicle Re-Identification. IEEE Transactions on Intelligent Transportation Systems, 2021, 22, 1919-1931.	4.7	25
45	Person re-identification: Implicitly defining the receptive fields of deep learning classification frameworks. Pattern Recognition Letters, 2021, 145, 23-29.	2.6	4
46	Towards Accurate Visual and Natural Language-Based Vehicle Retrieval Systems. , 2021, , .		10
47	Cross adversarial consistency self-prediction learning for unsupervised domain adaptation person re-identification. Information Sciences, 2021, 559, 46-60.	4.0	22
48	A Multi-task Deep Network for video-based Person Re-identification. , 2021, , .		0
49	Angular Triplet Loss-based Camera Network for ReID. , 2021, , .		1
50	Angular regularization for unsupervised domain adaption on person re-identification. Neural Computing and Applications, 2021, 33, 17041.	3.2	1
51	GPS-ReID: A Benchmark for Cross-Modal Pedestrian Retrieval. , 2021, , .		0
52	Multi-Domain Synchronous Refinement Network for Unsupervised Cross-Domain Person Re-Identification. , 2021, , .		0
53	Speech emotion recognition using recurrent neural networks with directional self-attention. Expert Systems With Applications, 2021, 173, 114683.	4.4	71
54	Learning deep part-aware embedding for person retrieval. Pattern Recognition, 2021, 116, 107938.	5.1	22

#	ARTICLE	IF	CITATIONS
55	AutoLoss: Automated Loss Function Search in Recommendations. , 2021, , .		23
56	Part Uncertainty Estimation Convolutional Neural Network For Person Re-Identification. , 2021, , .		2
57	Multi-level feature extraction network for person re-identification. Journal of Intelligent and Fuzzy Systems, 2021, 41, 4187-4201.	0.8	0
58	Norm-Aware Embedding for Efficient Person Search and Tracking. International Journal of Computer Vision, 2021, 129, 3154-3168.	10.9	8
59	Occluded person re-identification based on differential attention siamese network. Applied Intelligence, 2022, 52, 7407-7419.	3.3	1
60	Equidistant distribution loss for person re-identification. Neurocomputing, 2021, 455, 255-264.	3.5	3
61	Internal and external spatial-temporal constraints for person reidentification. Journal of Visual Communication and Image Representation, 2021, 80, 103302.	1.7	3
62	Multi-view feature fusion for person re-identification. Knowledge-Based Systems, 2021, 229, 107344.	4.0	6
63	Learning discriminative region representation for person retrieval. Pattern Recognition, 2022, 121, 108229.	5.1	17
64	A deep multi-feature distance metric learning method for pedestrian re-identification. Multimedia Tools and Applications, 2021, 80, 23113-23131.	2.6	6
65	Deep Learning for Person Re-Identification: A Survey and Outlook. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2022, 44, 2872-2893.	9.7	686
66	A Few-Shot Learning Method Using Feature Reparameterization and Dual-Distance Metric Learning for Object Re-Identification. IEEE Access, 2021, 9, 133650-133662.	2.6	3
67	The Devil Is in the Details: Self-supervised Attention for Vehicle Re-identification. Lecture Notes in Computer Science, 2020, , 369-386.	1.0	74
68	Compact Network Training for Person ReID. , 2020, , .		10
69	Circle-Based Ratio Loss for Person Reidentification. Complexity, 2020, 2020, 1-11.	0.9	1
70	MVAD-Net: Learning View-Aware and Domain-Invariant Representation for Baggage Re-identification. Lecture Notes in Computer Science, 2021, , 142-153.	1.0	1
71	Not All Data Matters: An Efficient Approach to Multi-Domain Learning in Vehicle Re-Identification. , 2021, , .		0
72	MSO: Multi-Feature Space Joint Optimization Network for RGB-Infrared Person Re-Identification. , 2021, , .		27

#	ARTICLE	IF	CITATIONS
73	Similarity Metric Learning. , 2021, , 103-125.		1
74	Unsupervised Domain Adaptation for Person Re-Identification with Few and Unlabeled Target Data. Lecture Notes in Computer Science, 2020, , 357-373.	1.0	0
75	Self-intersection Attention Pooling Based Classification for Rock Recognition. , 2020, , .		1
76	Enabling Open-Set Person Re-Identification for Real-World Scenarios. Journal of Image and Graphics(United Kingdom), 2020, , 26-36.	3.1	8
77	PhD Learning: Learning with Pompeiu-hausdorff Distances for Video-based Vehicle Re-Identification. , 2021, , .		11
78	Pair-based Uncertainty and Diversity Promoting Early Active Learning for Person Re-identification. ACM Transactions on Intelligent Systems and Technology, 2020, 11, 1-15.	2.9	19
79	A Fully Autonomous Person Re-Identification System. , 2021, , .		0
80	Discriminative Spatial Feature Learning for Person Re-Identification. , 2020, , .		4
81	Joint Bilateral-Resolution Identity Modeling for Cross-Resolution Person Re-Identification. International Journal of Computer Vision, 2022, 130, 136-156.	10.9	8
82	Re-Identification in Urban Scenarios: A Review of Tools and Methods. Applied Sciences (Switzerland), 2021, 11, 10809.	1.3	1
83	Loss function search for person re-identification. Pattern Recognition, 2022, 124, 108432.	5.1	11
85	TriEP: Expansion-Pool TriHard Loss for Person Re-Identification. Neural Processing Letters, 2022, 54, 2413-2432.	2.0	3
86	A semi-automated system for person re-identification adaptation to cross-outfit and cross-posture scenarios. Applied Intelligence, 0, , 1.	3.3	0
87	Person re-identification based on deep learning “ An overview. Journal of Visual Communication and Image Representation, 2022, 82, 103418.	1.7	7
88	Automated rock mass condition assessment during TBM tunnel excavation using deep learning. Scientific Reports, 2022, 12, 1722.	1.6	6
89	Learning compact and representative features for cross-modality person re-identification. World Wide Web, 2022, 25, 1649-1666.	2.7	12
90	Identity-Unrelated Information Decoupling Model for Vehicle Re-Identification. IEEE Transactions on Intelligent Transportation Systems, 2022, 23, 19001-19015.	4.7	19
91	SphereFace Revived: Unifying Hyperspherical Face Recognition. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2023, 45, 2458-2474.	9.7	11

#	ARTICLE	IF	CITATIONS
92	Multi-stage attention network for video-based person re-identification. IET Computer Vision, 0, , .	1.3	1
93	VSLN: View-aware sphere learning network for cross-view vehicle re-identification. International Journal of Intelligent Systems, 2022, 37, 6631-6651.	3.3	5
94	Clustering Matters: Sphere Feature for Fully Unsupervised Person Re-identification. ACM Transactions on Multimedia Computing, Communications and Applications, 2022, 18, 1-18.	3.0	12
95	An End-to-end Heterogeneous Restraint Network for RGB-D Cross-modal Person Re-identification. ACM Transactions on Multimedia Computing, Communications and Applications, 2022, 18, 1-22.	3.0	3
96	Self-Regulation for Semantic Segmentation. , 2021, , .		18
97	Learning discriminative and generalizable features with multi-branch for person re-identification. Journal of Intelligent and Fuzzy Systems, 2022, 42, 5987-6001.	0.8	6
98	LRHW-AP: Using ranking-based metric as loss for Person Re-Identification. Journal of Visual Communication and Image Representation, 2022, , 103517.	1.7	1
99	MsKAT: Multi-Scale Knowledge-Aware Transformer for Vehicle Re-Identification. IEEE Transactions on Intelligent Transportation Systems, 2022, 23, 19557-19568.	4.7	9
100	Mutual prediction learning and mixed viewpoints for unsupervised-domain adaptation person re-identification on blockchain. Simulation Modelling Practice and Theory, 2022, 119, 102568.	2.2	10
101	Norm-Aware Margin Assignment for Person Re-Identification. IEEE Signal Processing Letters, 2022, 29, 1292-1296.	2.1	1
102	Triplet penalty matters: penalty metric space triplet loss for person re-identification. Journal of Ambient Intelligence and Humanized Computing, 0, , .	3.3	0
103	Keypoint Message Passing for Video-Based Person Re-identification. Proceedings of the AAAI Conference on Artificial Intelligence, 2022, 36, 239-247.	3.6	5
104	Gaussian-based probability fusion for person re-identification with Taylor angular margin loss. Neural Computing and Applications, 2022, 34, 20639-20653.	3.2	2
105	AutoLoss-GMS: Searching Generalized Margin-based Softmax Loss Function for Person Re-identification. , 2022, , .		15
106	Learning comprehensive global features in person re-identification: Ensuring discriminativeness of more local regions. Pattern Recognition, 2023, 134, 109068.	5.1	10
107	Exploring the Effectiveness of Appearance Descriptor in DeepSORT. , 2022, , .		0
108	DMM: Dual-Modal Model for Person Re-Identification. , 2022, , .		1
109	ABOS: an attention-based one-stage framework for person search. Eurasip Journal on Wireless Communications and Networking, 2022, 2022, , .	1.5	1

#	ARTICLE	IF	CITATIONS
110	Improving Performance in Person Reidentification Using Adaptive Multiple Loss Baseline. Information (Switzerland), 2022, 13, 453.	1.7	0
111	Specialized re-ranking: A novel retrieval-verification framework for cloth changing person re-identification. Pattern Recognition, 2023, 134, 109070.	5.1	5
112	Hyperspherical Learning in Multi-Label Classification. Lecture Notes in Computer Science, 2022, , 38-55.	1.0	1
113	An Efficient Person Clustering Algorithm for Open Checkout-free Groceries. Lecture Notes in Computer Science, 2022, , 17-33.	1.0	2
114	Camera-specific Informative Data Augmentation Module for Unbalanced Person Re-identification. , 2022, , .		2
115	Camera-aware representation learning for person re-identification. Neurocomputing, 2023, 518, 155-164.	3.5	8
116	V2ReID: Vision-Outlooker-Based Vehicle Re-Identification. Sensors, 2022, 22, 8651.	2.1	1
117	Self-supervised acoustic representation learning via acoustic-embedding memory unit modified space autoencoder for underwater target recognition. Journal of the Acoustical Society of America, 2022, 152, 2905-2915.	0.5	6
118	A deep learning loss based on additive cosine margin: Application to fashion style and face recognition. Applied Soft Computing Journal, 2022, 131, 109776.	4.1	2
119	Bi-level deep mutual learning assisted multi-task network for occluded person re-identification. IET Image Processing, 2023, 17, 979-987.	1.4	2
120	Joint Discriminative and Metric Embedding Learning for Person Re-identification. Lecture Notes in Computer Science, 2022, , 165-178.	1.0	1
121	Using attention LSGB network for facial expression recognition. Pattern Analysis and Applications, 2023, 26, 543-553.	3.1	1
122	Overview of deep learning based pedestrian attribute recognition and re-identification. Heliyon, 2022, 8, e12086.	1.4	3
123	Towards Homogeneous Modality Learning and Multi-Granularity Information Exploration for Visible-Infrared Person Re-Identification. IEEE Journal on Selected Topics in Signal Processing, 2023, 17, 545-559.	7.3	8
124	Exploring High-Order Spatio-Temporal Correlations From Skeleton for Person Re-Identification. IEEE Transactions on Image Processing, 2023, 32, 949-963.	6.0	4
125	Diff attention: A novel attention scheme for person re-identification. Computer Vision and Image Understanding, 2023, 228, 103623.	3.0	5
126	LocalOptReID: Person re-identification using optimal alignment of local features. , 2022, , .		0
127	A Double Stream Person Re-Identification Method Based on Attention Mechanism and Multi-Scale Feature Fusion. IEEE Access, 2023, 11, 14612-14620.	2.6	1

#	ARTICLE	IF	CITATIONS
128	Searching Parameterized Retrieval & Verification Loss for Re-Identification. IEEE Journal on Selected Topics in Signal Processing, 2023, 17, 560-574.	7.3	0
129	Semi-supervised Person Re-identification Method Based on Voting Algorithm. Lecture Notes in Electrical Engineering, 2023, , 722-732.	0.3	0
130	Visual-Textual Alignment for Generalizable Person Reidentification in Internet of Things. IEEE Internet of Things Journal, 2023, 10, 13865-13875.	5.5	1
131	Research on Multiple Targets Pedestrian Reidentification with Night Scene Image Enhancement. , 2022, , .		0
132	Spectrum-irrelevant fine-grained representation for visible-infrared person re-identification. Computer Vision and Image Understanding, 2023, 232, 103703.	3.0	2
141	A survey on pedestrian re-identification using surveillance system based on deep convolutional neural network. AIP Conference Proceedings, 2023, , .	0.3	0
142	LFLD: A Lightweight Facial Landmark Detector Based on Auxiliary Heatmap. , 2023, , .		0
144	Centroid Tuple Loss for Person Re-Identification. Lecture Notes on Data Engineering and Communications Technologies, 2024, , 274-283.	0.5	0