CITATION REPORT List of articles citing

Carbon-Oxygen-Bridged Ladder-Type Building Blocks for Highly Efficient Nonfullerene Acceptors

DOI: 10.1002/adma.201804790 Advanced Materials, 2019, 31, e1804790.

Source: https://exaly.com/paper-pdf/74731766/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
126	Imide-Functionalized Heteroarene-Based n-Type Terpolymers Incorporating Intramolecular Noncovalent SulfurDxygen Interactions for Additive-Free All-Polymer Solar Cells. <i>Advanced Functional Materials</i> , 2019 , 29, 1903970	15.6	45
125	Tuning of the conformation of asymmetric nonfullerene acceptors for efficient organic solar cells. 2019 , 7, 22279-22286		47
124	A two-dimensional halogenated thiophene side-chain strategy for balancing Voc and Jsc and improving efficiency of non-fullerene small molecule acceptor-based organic solar cells. 2019 , 7, 20274:	-20284	. 27
123	Star-Shaped Fused-Ring Electron Acceptors with a -Symmetric and Electron-Rich Benzotri(cyclopentadithiophene) Core for Efficient Nonfullerene Organic Solar Cells. <i>ACS Applied Materials & Amp; Interfaces</i> , 2019 , 11, 28115-28124	9.5	13
122	Ternary organic solar cells with J71 as donor and alloyed acceptors exhibiting 13.16% efficiency. 2019 , 63, 103888		23
121	Enhancing the Photovoltaic Performance of Ladder-Type Dithienocyclopentacarbazole-Based Nonfullerene Acceptors through Fluorination and Side-Chain Engineering. <i>Chemistry of Materials</i> , 2019 , 31, 5953-5963	9.6	35
120	Impact of the Siloxane-Terminated Side Chain on Photovoltaic Performances of the Dithienylbenzodithiophene-Difluorobenzotriazole-Based Wide Band Gap Polymer Donor in Non-Fullerene Polymer Solar Cells. <i>ACS Applied Materials & Diterfaces</i> , 2019 , 11, 29094-29104	9.5	22
119	Terpolymer Strategy toward High-Efficiency Polymer Solar Cells: Integrating Symmetric Benzodithiophene and Asymmetrical Thieno[2,3-f]benzofuran Segments. <i>Chemistry of Materials</i> , 2019 , 31, 6163-6173	9.6	39
118	Simultaneous improvement of three parameters using a binary processing solvent system approach in as-cast non-fullerene solar cells. 2019 , 7, 25978-25984		9
117	Black Phosphorous Quantum Dots Sandwiched Organic Solar Cells. 2019, 15, e1903977		22
116	Enhancing the Performance of a Fused-Ring Electron Acceptor by Unidirectional Extension. 2019 , 141, 19023-19031		102
115	P3HT-Based Polymer Solar Cells with 8.25% Efficiency Enabled by a Matched Molecular Acceptor and Smart Green-Solvent Processing Technology. <i>Advanced Materials</i> , 2019 , 31, e1906045	24	88
114	Conjugation-Curtailing of Benzodithionopyran-Cored Molecular Acceptor Enables Efficient Air-Processed Small Molecule Solar Cells. 2019 , 15, e1902656		11
113	A Wide-Band Gap Copolymer Donor for Efficient Fullerene-Free Solar Cells. 2019 , 4, 14800-14804		3
112	Reversible Chemical Reactivity of Non-Fullerene Acceptors for Organic Solar Cells under Acidic and Basic Environment. 2019 , 2, 7602-7608		31
111	Panchromatic Ternary Organic Solar Cells with Porphyrin Dimers and Absorption-Complementary Benzodithiophene-based Small Molecules. <i>ACS Applied Materials & District Materials</i> (2019), 11, 6283-6291	9.5	34
110	Alkoxythiophene and alkylthiothiophene Ebridges enhance the performance of ADA electron acceptors. <i>Materials Chemistry Frontiers</i> , 2019 , 3, 492-495	7.8	16

109	Flexible nonfullerene organic solar cells based on embedded silver nanowires with an efficiency up to 11.6%. 2019 , 7, 1989-1995		50	
108	High-performance wide-bandgap copolymers with dithieno[3,2-b:2?,3?-d]pyridin-5(4H)-one units. <i>Materials Chemistry Frontiers</i> , 2019 , 3, 399-402	7.8	16	
107	Star-shaped magnesium tetraethynylporphyrin bearing four peripheral electron-accepting diketopyrrolopyrrole functionalities for organic solar cells. 2019 , 7, 4072-4083		17	
106	Synergistic Effects of Side-Chain Engineering and Fluorination on Small Molecule Acceptors to Simultaneously Broaden Spectral Response and Minimize Voltage Loss for 13.8% Efficiency Organic Solar Cells. 2019 , 3, 1900169		19	
105	Single-Junction Polymer Solar Cells with 16.35% Efficiency Enabled by a Platinum(II) Complexation Strategy. <i>Advanced Materials</i> , 2019 , 31, e1901872	24	447	
104	Design of wide-bandgap polymers with deeper ionization potential enables efficient ternary non-fullerene polymer solar cells with 13% efficiency. 2019 , 7, 14153-14162		21	
103	Impact of the Bonding Sites at the Inner or Outer Bridged Positions for Non-Fullerene Acceptors. <i>ACS Applied Materials & District Acceptors</i> , 11, 19444-19451	9.5	20	
102	Inverted Ternary Organic Photovoltaics with Alloyed Acceptor Exhibiting 12.29% Efficiency. 2019 , 13, 1900217		2	
101	A wide-bandgap DA copolymer donor based on a chlorine substituted acceptor unit for high performance polymer solar cells. 2019 , 7, 14070-14078		51	
100	Correlating the electron-donating core structure with morphology and performance of carbon oxygen-bridged ladder-type non-fullerene acceptor based organic solar cells. 2019 , 61, 318-326		32	
99	Improved photovoltaic performance of a nonfullerene acceptor based on a benzo[b]thiophene fused end group with extended £conjugation. 2019 , 7, 9822-9830		27	
98	A fused-ring non-fullerene acceptor based on a benzo[1,2-b:4,5-b?]dithiophene central core with a thieno[3,2-b]thiophene side-chain for highly efficient organic solar cells. 2019 , 7, 10905-10911		13	
97	Ternary polymer solar cells with alloyed donor achieving 14.13% efficiency and 78.4% fill factor. 2019 , 60, 768-774		101	
96	An easily available near-infrared absorbing non-fullerene photovoltaic electron acceptor with indeno[1,2-b]indole as the central core. 2019 , 166, 467-472		6	
95	Dihydropyreno[1,2-b:6,7-b?]dithiophene based electron acceptors for high efficiency as-cast organic solar cells. 2019 , 7, 5943-5948		16	
94	One key issue in characterization of organic solar cells with solution processed interfacial layers. 2019 , 21, 5790-5795		2	
93	Achieving high-performance non-halogenated nonfullerene acceptor-based organic solar cells with 13.7% efficiency via a synergistic strategy of an indacenodithieno[3,2-b]selenophene core unit and non-halogenated thiophene-based terminal group. 2019 , 7, 24389-24399		30	
92	A wide-bandgap copolymer donor based on a phenanthridin-6(5H)-one unit. <i>Materials Chemistry</i> Frontiers, 2019 , 3, 2686-2689	7.8	3	

91	Enhancing the efficiency of PTB7-Th:COi8DFIC-based ternary solar cells with versatile third components. 2019 , 6, 041405	15
90	Ladder-Type Nonacyclic Arene Bis(thieno[3,2-b]thieno)cyclopentafluorene as a Promising Building Block for Non-Fullerene Acceptors. 2019 , 14, 1814-1822	28
89	18% Efficiency organic solar cells. 2020 , 65, 272-275	1625
88	A new fluorinated pyran-bridged A-D-A type small molecular acceptor for organic solar cells. 2020 , 175, 108165	13
87	A 2.16 LeV bandgap polymer donor gives 16% power conversion efficiency. 2020 , 65, 179-181	61
86	A critical review on semitransparent organic solar cells. 2020 , 78, 105376	133
85	Over 16% efficiency from thick-film organic solar cells. 2020 , 65, 1979-1982	41
84	Review on smart strategies for achieving highly efficient ternary polymer solar cells. 2020 , 8, 090703	10
83	Efficient organic solar cells with the active layer fabricated from glovebox to ambient condition. 2020 , 117, 133301	6
82	Material perceptions and advances in molecular heteroacenes for organic solar cells. 2020 , 13, 4738-4793	22
81	Fused-ring bislactone building blocks for polymer donors. 2020 , 65, 1792-1795	16
80	Silicon and oxygen synergistic effects for the discovery of new high-performance nonfullerene acceptors. 2020 , 11, 5814	21
79	Effects of Fluorination Position on Fused-Ring Electron Acceptors. 2020 , 1, 2000006	4
78	Multiple conformation locks gift polymer donor high efficiency. 2020 , 77, 105161	27
77	Hole (donor) and electron (acceptor) transporting organic semiconductors for bulk-heterojunction solar cells. 2020 , 2, 100042	25
76	EConjugated polymers and molecules enabling small photon energy loss simultaneously with high efficiency in organic photovoltaics. 2020 , 8, 20213-20237	16
75	New High-Bandgap 8,10-Dihydro-9H-Bistieno[2?,3?:7.8;3?,2?:5.6]Naphtho[2,3-d] Imidazole-9-One-Based DonorAcceptor Copolymers for Nonfullerene Polymer Solar Cells. 2020 , 8, 2000611	2
74	A Critical Review on Efficient Thick-Film Organic Solar Cells. 2020 , 4, 2000364	57

(2020-2020)

73	Isomerization Strategy of Nonfullerene Small-Molecule Acceptors for Organic Solar Cells. <i>Advanced Functional Materials</i> , 2020 , 30, 2004477	31
72	Axisymmetric and Asymmetric Naphthalene-Bisthienothiophene Based Nonfullerene Acceptors: On Constitutional Isomerization and Photovoltaic Performance. 2020 , 3, 5734-5744	10
71	Modulation of J-Aggregation of Nonfullerene Acceptors toward Near-Infrared Absorption and Enhanced Efficiency. 2020 , 53, 3747-3755	24
70	A nonfullerene acceptor incorporating a dithienopyran fused backbone for organic solar cells with efficiency over 14%. 2020 , 75, 104988	18
69	n-Type Molecular Photovoltaic Materials: Design Strategies and Device Applications. 2020 , 142, 11613-11628	3 130
68	2-Dimensional cross-shaped tetrathienonaphthalene-based ladder-type acceptor for high-efficiency organic solar cells. 2020 , 8, 12141-12148	12
67	Black phosphorous quantum dots as an effective interlayer modifier in polymer solar cells. <i>Solar Energy</i> , 2020 , 206, 670-676	13
66	High-Performance All-Polymer Solar Cells Enabled by n-Type Polymers with an Ultranarrow Bandgap Down to 1.28 eV. <i>Advanced Materials</i> , 2020 , 32, e2001476	56
65	With PBDB-T as the Donor, the PCE of Non-Fullerene Organic Solar Cells Based on Small Molecule INTIC Increased by 52.4. 2020 , 13,	5
64	Fused-ring phenazine building blocks for efficient copolymer donors. <i>Materials Chemistry Frontiers</i> , 2020 , 4, 1454-1458	11
63	Fluorinated pyrazine-based DA conjugated polymers for efficient non-fullerene polymer solar cells. 2020 , 8, 7083-7089	6
62	Over 15.7% Efficiency of Ternary Organic Solar Cells by Employing Two Compatible Acceptors with Similar LUMO Levels. 2020 , 16, e2000441	45
61	Achieving 17.4% Efficiency of Ternary Organic Photovoltaics with Two Well-Compatible Nonfullerene Acceptors for Minimizing Energy Loss. 2020 , 10, 2001404	115
60	Effects of linking units on fused-ring electron acceptor dimers. 2020 , 8, 13735-13741	7
59	The role of connectivity in significant bandgap narrowing for fused-pyrene based non-fullerene acceptors toward high-efficiency organic solar cells. 2020 , 8, 5995-6003	8
58	Highly efficient quaternary organic photovoltaics by optimizing photogenerated exciton distribution and active layer morphology. 2020 , 70, 104496	70
57	Alloy-like ternary polymer solar cells with over 17.2% efficiency. 2020 , 65, 538-545	180
56	Over 14.5% efficiency and 71.6% fill factor of ternary organic solar cells with 300 nm thick active layers. 2020 , 13, 958-967	148

55	A Benzo[1,2-b:4,5-cftDithiophene-4,8-Dione-Based Polymer Donor Achieving an Efficiency Over 16. <i>Advanced Materials</i> , 2020 , 32, e1907059	24	51
54	Asymmetric Acceptors with Fluorine and Chlorine Substitution for Organic Solar Cells toward 16.83% Efficiency. <i>Advanced Functional Materials</i> , 2020 , 30, 2000456	15.6	117
53	The rational and effective design of nonfullerene acceptors guided by a semi-empirical model for an organic solar cell with an efficiency over 15%. 2020 , 8, 9726-9732		29
52	Solution-Processed Polymer Solar Cells with over 17% Efficiency Enabled by an Iridium Complexation Approach. 2020 , 10, 2000590		93
51	A 3D nonfullerene electron acceptor with a 9,9?-bicarbazole backbone for high-efficiency organic solar cells. 2020 , 84, 105784		3
50	An efficient medium-bandgap nonfullerene acceptor for organic solar cells. 2020 , 8, 8857-8861		11
49	Highly efficient polymer solar cells with improved molecular stacking and appropriate active layer morphology by side chain engineering of small molecular acceptors. 2021 , 271, 116625		5
48	A Pyrrole-Fused Asymmetrical Electron Acceptor for Polymer Solar Cells with Approaching 16% Efficiency. 2021 , 2, 2000052		8
47	Synergy strategy to the flexible alkyl and chloride side-chain engineered quinoxaline-based DA conjugated polymers for efficient non-fullerene polymer solar cells. <i>Materials Chemistry Frontiers</i> , 2021 , 5, 1906-1916	7.8	5
46	Energy-level modulation of coumarin-based molecular donors for efficient all small molecule fullerene-free organic solar cells. 2021 , 9, 1563-1573		9
45	Nonfullerene acceptors from thieno[3,2-b]thiophene-fused naphthalene donor core with six-member-ring connection for efficient organic solar cells. 2021 , 185, 108892		5
44	Chlorinated Benzo[1,2-b:4,5-cfdithiophene-4,8-dione Polymer Donor: A Small Atom Makes a Big Difference. 2021 , 8, 2003641		10
43	A History and Perspective of Non-Fullerene Electron Acceptors for Organic Solar Cells. 2021 , 11, 20035	570	141
42	Non-fullerene-based organic photodetectors for infrared communication. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 2375-2380	7.1	12
41	Nonfullerene electron acceptors with electron-deficient units containing cyano groups for organic solar cells. <i>Materials Chemistry Frontiers</i> , 2021 , 5, 5549-5572	7.8	7
40	Inorganic perovskite/organic tandem solar cells with efficiency over 20%. <i>Journal of Semiconductors</i> , 2021 , 42, 020501	2.3	12
39	Molecular Origin of CarbonDxygen-Bridge Isomerization Induced Reverse Aggregation Ability in AcceptorDonorAcceptor Electron Acceptors for Organic Solar Cells. 2021, 5, 2000780		1
38	Carbon-Bridged 1,2-Bis(2-thienyl)ethylene: An Extremely Electron Rich Dithiophene Building Block Enabling Electron Acceptors with Absorption above 1000 nm for Highly Sensitive NIR Photodetectors. 2021 , 143, 4281-4289		24

(2021-2021)

37	Toward Real Setting Applications of Organic and Perovskite Solar Cells: A Comparative Review. 2021 , 9, 2000901		11
36	Efficient Hole Transfer via Delocalized Excited State in Small Molecular Acceptor: A Comparative Study on Photodynamics of PM6:Y6 and PM6:ITIC Organic Photovoltaic Blends. <i>Advanced Functional Materials</i> , 2021 , 31, 2102764	15.6	8
35	Exploring the Charge Dynamics and Energy Loss in Ternary Organic Solar Cells with a Fill Factor Exceeding 80%. 2021 , 11, 2101338		21
34	18.69% PCE from organic solar cells. <i>Journal of Semiconductors</i> , 2021 , 42, 060502	2.3	58
33	Role of acceptor guests in tuning optoelectronic properties of benzothiadiazole core based non-fullerene acceptors for high-performance bulk-heterojunction organic solar cells. 2021 , 27, 226		15
32	Layer-by-layer slot-die coated high-efficiency organic solar cells processed using twin boiling point solvents under ambient condition. 2021 , 14, 4236		10
31	Polymer acceptors for all-polymer solar cells. <i>Journal of Semiconductors</i> , 2021 , 42, 080202	2.3	6
30	Fluorine functionalized asymmetric indo [2,3-b]quinoxaline framework based D-A copolymer for fullerene polymer solar cells. 2021 , 95, 106194		1
29	Integration of buildings with third-generation photovoltaic solar cells: a review. 2021, 5, 505-526		1
28	Naphthalene-fused octacyclic electron-donating central core constructs non-fullerene acceptors for organic solar cells. <i>Chemical Engineering Journal</i> , 2021 , 425, 130618	14.7	1
27	An A-D-D-A-type small-molecule electron acceptor with chlorine substitution for high-efficiency polymer solar cells. 2021 , 99, 106329		
26	Low-bandgap nonfullerene acceptor based on thieno[3,2-b]indole core for highly efficient binary and ternary organic solar cells. <i>Chemical Engineering Journal</i> , 2022 , 427, 131674	14.7	10
25	Over 17.7% efficiency ternary-blend organic solar cells with low energy-loss and good thickness-tolerance. <i>Chemical Engineering Journal</i> , 2022 , 428, 129276	14.7	66
24	Efficient ternary polymer solar cell using wide bandgap conjugated polymer donor with two non-fullerene small molecule acceptors enabled power conversion efficiency of 16% with low energy loss of 0.47 eV. <i>Nano Select</i> , 2021 , 2, 1326-1335	3.1	1
23	A chlorinated copolymer donor demonstrates a 18.13% power conversion efficiency. <i>Journal of Semiconductors</i> , 2021 , 42, 010501	2.3	81
22	Isomeric Effect in Unidirectionally Extended Fused-Ring Electron Acceptors. <i>Chemistry of Materials</i> , 2021 , 33, 441-451	9.6	3
21	J71-based ternary organic photovoltaics exhibiting 13.65% efficiency. <i>Sustainable Energy and Fuels</i> , 2020 , 4, 3979-3984	5.8	7
20	Controlled Assembly of Conjugated Ladder Molecules with Different Bridging Structures toward Optoelectronic Application. <i>ACS Applied Materials & Description (Control of the Control of t</i>	9.5	Ο

19	Modulating Crystal Packing, Film Morphology, and Photovoltaic Performance of Selenophene-Containing Acceptors through a Combination of Skeleton Isomeric and Regioisomeric Strategies. ACS Applied Materials & Samp; Interfaces, 2021, 13, 50163-50175	9.5	3
18	Isomeric Fluorene-based Heteroundecenes with Different Side Chains Anchoring Positions for Small Molecule Acceptors. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2022 , 37, 136-147	1	
17	Advanced nanomaterials utilized as top transparent electrodes in semi-transparent photovoltaic. <i>Colloids and Interface Science Communications</i> , 2022 , 46, 100563	5.4	3
16	Molecular optimization of incorporating pyran fused acceptordonordicceptor type acceptors enables over 15% efficiency in organic solar cells. <i>Journal of Materials Chemistry C</i> , 2022 , 10, 1977-1983	7.1	1
15	Enabling high-performance, centimeter-scale organic solar cells through three-dimensional charge transport. <i>Cell Reports Physical Science</i> , 2022 , 100761	6.1	O
14	Effect of fluorine atoms on the dielectric constants, optoelectronic properties and charge carrier kinetic characteristics of indacenodithieno[3,2-b]thiophene based non-fullerene acceptors for efficient organic solar cells. <i>Solar Energy</i> , 2022 , 236, 206-214	6.8	1
13	P3HT-Based Organic Solar Cells with a Photoresponse to 1000 nm Enabled by Narrow Band Gap Nonfullerene Acceptors with High HOMO Levels <i>ACS Applied Materials & Distributed Section</i> , 13, 6145	8 7- &14	195
12	Low-bandgap small molecule acceptors with asymmetric side chains. <i>Materials Chemistry Frontiers</i> ,	7.8	
11	A chlorinated lactone polymer donor featuring high performance and low cost. <i>Journal of Semiconductors</i> , 2022 , 43, 050501	2.3	2
10	Recent Progress of Y6-Derived Asymmetric Fused Ring Electron Acceptors. <i>Advanced Functional Materials</i> , 2205115	15.6	18
9	Benzotriazole-Based Non-Fused Ring Acceptors for Efficient and Thermally Stable Organic Solar Cells. <i>Macromolecular Rapid Communications</i> , 2200530	4.8	2
8	A 4-Arm Small Molecule Acceptor with High Photovoltaic Performance. <i>Angewandte Chemie</i> ,	3.6	O
7	A 4-Arm Small Molecule Acceptor with High Photovoltaic Performance.		O
6	Semitransparent organic solar cells with light utilization efficiency of 4% using fused-cyclopentadithiophene based near-infrared polymer donor. 2023 , 452, 139423		O
5			
	Photonic crystal for efficiency enhancement of the semitransparent organic solar cells. 2022 , 97, 10580	6	Ο
4	Photonic crystal for efficiency enhancement of the semitransparent organic solar cells. 2022 , 97, 10580 Facile access to high-performance organic solar cells through an A-D1-D2-A type unfused non-fullerene acceptors. 2022 , 110785	6	0
3	Facile access to high-performance organic solar cells through an A-D1-D2-A type unfused	6	

Improved Open-Circuit Voltage of AZO/CsPbBr3/Carbon Structure Perovskite Solar Cells by an Al-Doped ZnO Electron Transport Layer. **2023**, 127, 7492-7500

О