

Optimizing ANN models with PSO for predicting short

Engineering With Computers

36, 823-837

DOI: [10.1007/s00366-019-00733-0](https://doi.org/10.1007/s00366-019-00733-0)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Estimating PM10 Concentration from Drilling Operations in Open-Pit Mines Using an Assembly of SVR and PSO. Applied Sciences (Switzerland), 2019, 9, 2806. | 1.3 | 35 |
| 2 | Predicting blast-induced peak particle velocity using BGAMs, ANN and SVM: a case study at the Nui Beo open-pit coal mine in Vietnam. Environmental Earth Sciences, 2019, 78, 1. | 1.3 | 34 |
| 3 | A Comparative Study of PSO-ANN, GA-ANN, ICA-ANN, and ABC-ANN in Estimating the Heating Load of Buildingsâ€™ Energy Efficiency for Smart City Planning. Applied Sciences (Switzerland), 2019, 9, 2630. | 1.3 | 205 |
| 4 | Estimating the Heating Load of Buildings for Smart City Planning Using a Novel Artificial Intelligence Technique PSO-XGBoost. Applied Sciences (Switzerland), 2019, 9, 2714. | 1.3 | 87 |
| 5 | Development of Two Novel Hybrid Prediction Models Estimating Ultimate Bearing Capacity of the Shallow Circular Footing. Applied Sciences (Switzerland), 2019, 9, 4594. | 1.3 | 8 |
| 6 | Predicting Heating Load in Energy-Efficient Buildings Through Machine Learning Techniques. Applied Sciences (Switzerland), 2019, 9, 4338. | 1.3 | 27 |
| 7 | Application of Three Metaheuristic Techniques in Simulation of Concrete Slump. Applied Sciences (Switzerland), 2019, 9, 4340. | 1.3 | 19 |
| 8 | A Novel Hybrid Model for Predicting Blast-Induced Ground Vibration Based on k-Nearest Neighbors and Particle Swarm Optimization. Scientific Reports, 2019, 9, 13971. | 1.6 | 48 |
| 9 | A comparison of advanced computational models and experimental techniques in predicting blast-induced ground vibration in open-pit coal mine. Acta Geophysica, 2019, 67, 1025-1037. | 1.0 | 45 |
| 10 | Application of a Hybrid Artificial Neural Network-Particle Swarm Optimization (ANN-PSO) Model in Behavior Prediction of Channel Shear Connectors Embedded in Normal and High-Strength Concrete. Applied Sciences (Switzerland), 2019, 9, 5534. | 1.3 | 197 |
| 11 | A Novel Artificial Intelligence Technique to Estimate the Gross Calorific Value of Coal Based on Meta-Heuristic and Support Vector Regression Algorithms. Applied Sciences (Switzerland), 2019, 9, 4868. | 1.3 | 27 |
| 12 | A Novel Artificial Intelligence Approach to Predict Blast-Induced Ground Vibration in Open-Pit Mines Based on the Firefly Algorithm and Artificial Neural Network. Natural Resources Research, 2020, 29, 723-737. | 2.2 | 89 |
| 13 | Novel Soft Computing Model for Predicting Blast-Induced Ground Vibration in Open-Pit Mines Based on Particle Swarm Optimization and XGBoost. Natural Resources Research, 2020, 29, 711-721. | 2.2 | 116 |
| 14 | Computational Intelligence Model for Estimating Intensity of Blast-Induced Ground Vibration in a Mine Based on Imperialist Competitive and Extreme Gradient Boosting Algorithms. Natural Resources Research, 2020, 29, 751-769. | 2.2 | 72 |
| 15 | Prediction of Rock Size Distribution in Mine Bench Blasting Using a Novel Ant Colony Optimization-Based Boosted Regression Tree Technique. Natural Resources Research, 2020, 29, 867-886. | 2.2 | 24 |
| 16 | Predicting Blast-Induced Ground Vibration in Open-Pit Mines Using Vibration Sensors and Support Vector Regression-Based Optimization Algorithms. Sensors, 2020, 20, 132. | 2.1 | 62 |
| 17 | Assessment of Earthquake Destructive Power to Structures Based on Machine Learning Methods. Applied Sciences (Switzerland), 2020, 10, 6210. | 1.3 | 7 |
| 18 | Prediction and optimization of biogas production from POME co-digestion in solar bioreactor using artificial neural network coupled with particle swarm optimization (ANN-PSO). Biomass Conversion and Biorefinery, 2023, 13, 73-88. | 2.9 | 16 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Chaotic oppositional sine-cosine method for solving global optimization problems. <i>Engineering With Computers</i> , 2022, 38, 1223-1239. | 3.5 | 53 |
| 20 | Stochastic normal mode frequency analysis of hybrid angle ply laminated composite skew plate with opening using a novel approach. <i>Mechanics Based Design of Structures and Machines</i> , 2023, 51, 275-309. | 3.4 | 15 |
| 21 | Evaluating and Predicting the Stability of Roadways in Tunnelling and Underground Space Using Artificial Neural Network-Based Particle Swarm Optimization. <i>Tunnelling and Underground Space Technology</i> , 2020, 103, 103517. | 3.0 | 51 |
| 22 | Performance Evaluation of a GM-Type Double Inlet Pulse Tube Refrigerator Using Artificial Intelligence Approach with Experimental Validation. <i>Arabian Journal for Science and Engineering</i> , 2020, 45, 9579-9597. | 1.7 | 0 |
| 23 | Early prediction of cooling load in energy-efficient buildings through novel optimizer of shuffled complex evolution. <i>Engineering With Computers</i> , 2020, , 1. | 3.5 | 17 |
| 24 | Application of EPR-MOGA in computing the liquefaction-induced settlement of a building subjected to seismic shake. <i>Engineering With Computers</i> , 2022, 38, 437-448. | 3.5 | 28 |
| 25 | A novel artificial intelligence technique to predict compressive strength of recycled aggregate concrete using ICA-XGBoost model. <i>Engineering With Computers</i> , 2021, 37, 3329-3346. | 3.5 | 176 |
| 26 | Genetic algorithm hybridized with multilayer perceptron to have an economical slope stability design. <i>Engineering With Computers</i> , 2021, 37, 3067-3078. | 3.5 | 37 |
| 27 | Artificial neural networks prediction of in-plane and out-of-plane homogenized coefficients of hollow blocks masonry wall. <i>Meccanica</i> , 2020, 55, 525-545. | 1.2 | 6 |
| 28 | Spatial assessment of landslide risk using two novel integrations of neuro-fuzzy system and metaheuristic approaches; Ardabil Province, Iran. <i>Geomatics, Natural Hazards and Risk</i> , 2020, 11, 230-258. | 2.0 | 12 |
| 29 | The feasibility of PSO-ANFIS in estimating bearing capacity of strip foundations rested on cohesionless slope. <i>Neural Computing and Applications</i> , 2021, 33, 4165-4177. | 3.2 | 9 |
| 30 | Modeling of rock fragmentation by firefly optimization algorithm and boosted generalized additive model. <i>Neural Computing and Applications</i> , 2021, 33, 3503-3519. | 3.2 | 25 |
| 31 | Comparative landslide spatial research based on various sample sizes and ratios in Penang Island, Malaysia. <i>Bulletin of Engineering Geology and the Environment</i> , 2021, 80, 851-872. | 1.6 | 9 |
| 32 | Artificial intelligence-enabled smart mechanical metamaterials: advent and future trends. <i>International Materials Reviews</i> , 2021, 66, 365-393. | 9.4 | 63 |
| 33 | Multi-objective heat transfer search algorithm for truss optimization. <i>Engineering With Computers</i> , 2021, 37, 641-662. | 3.5 | 64 |
| 34 | A new technique to predict fly-rock in bench blasting based on an ensemble of support vector regression and GLMNET. <i>Engineering With Computers</i> , 2021, 37, 421-435. | 3.5 | 51 |
| 35 | A novel artificial intelligence technique for analyzing slope stability using PSO-CA model. <i>Engineering With Computers</i> , 2021, 37, 533-544. | 3.5 | 44 |
| 36 | Dynamic Response of Angle Ply Laminates with Uncertainties Using MARS, ANN-PSO, GPR and ANFIS. <i>Materials</i> , 2021, 14, 395. | 1.3 | 18 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | The overall framework design of automatic logistics system using a hybrid ANN-PSO model. <i>Engineering With Computers</i> , 0, , 1. | 3.5 | 0 |
| 38 | Optimized neural network and adaptive neuro-fuzzy controlled dynamic voltage restorer for power quality performance. <i>International Journal of Emerging Electric Power Systems</i> , 2021, 22, 383-399. | 0.6 | 1 |
| 39 | An intelligent approach for predicting the strength of geosynthetic-reinforced subgrade soil. <i>International Journal of Pavement Engineering</i> , 2022, 23, 3505-3521. | 2.2 | 49 |
| 40 | Hybrid NHP SO-JTVAC-SVM Model to Predict Production Lead Time. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 6369. | 1.3 | 3 |
| 41 | Frequency-based Data-driven Surrogate Model for Efficient Prediction of Irregular Structure's Seismic Responses. <i>Journal of Earthquake Engineering</i> , 2022, 26, 7319-7336. | 1.4 | 3 |
| 42 | Prediction of the sorption efficiency of heavy metal onto biochar using a robust combination of fuzzy C-means clustering and back-propagation neural network. <i>Journal of Environmental Management</i> , 2021, 293, 112808. | 3.8 | 33 |
| 43 | Evolutionary computing of the compression index of fine-grained soils. <i>Arabian Journal of Geosciences</i> , 2021, 14, 1. | 0.6 | 8 |
| 44 | Comparative Traffic Flow Prediction of a Heuristic ANN Model and a Hybrid ANN-PSO Model in the Traffic Flow Modelling of Vehicles at a Four-Way Signalized Road Intersection. <i>Sustainability</i> , 2021, 13, 10704. | 1.6 | 24 |
| 45 | Improved Levenberg-Marquardt backpropagation neural network by particle swarm and whale optimization algorithms to predict the deflection of RC beams. <i>Engineering With Computers</i> , 2022, 38, 3847-3869. | 3.5 | 25 |
| 46 | A comparative study of empirical and ensemble machine learning algorithms in predicting air over-pressure in open-pit coal mine. <i>Acta Geophysica</i> , 2020, 68, 325-336. | 1.0 | 28 |
| 47 | A Generalized Artificial Neural Network for Displacement-Based Seismic Design of Mass Timber Rocking Walls. <i>Journal of Earthquake Engineering</i> , 2022, 26, 7921-7932. | 1.4 | 1 |
| 48 | Surrogate models to predict maximum dry unit weight, optimum moisture content and California bearing ratio from grain size distribution curve. <i>Road Materials and Pavement Design</i> , 2022, 23, 2733-2750. | 2.0 | 11 |
| 49 | A Review of Artificial Intelligence Applications in Mining and Geological Engineering. <i>Lecture Notes in Civil Engineering</i> , 2021, , 109-142. | 0.3 | 4 |
| 50 | Fault Diagnosis of Oil-Immersed Power Transformer Based on Difference-Mutation Brain Storm Optimized Catboost Model. <i>IEEE Access</i> , 2021, 9, 168767-168782. | 2.6 | 8 |
| 51 | An inter-comparison of different PSO-optimized artificial intelligence algorithms for thermal-based soil moisture retrieval. <i>Earth Science Informatics</i> , 2022, 15, 473-484. | 1.6 | 9 |
| 52 | An advanced Grey Wolf Optimization Algorithm and its application to planning problem in smart grids. <i>Soft Computing</i> , 2022, 26, 3789-3808. | 2.1 | 11 |
| 54 | A Bridge Structure 3D Representation for Deep Neural Network and Its Application in Frequency Estimation. <i>Advances in Civil Engineering</i> , 2022, 2022, 1-13. | 0.4 | 0 |
| 55 | Prediction of Effective Width of Varying Depth Box-Girder Bridges Using Convolutional Neural Networks. <i>Advances in Civil Engineering</i> , 2022, 2022, 1-9. | 0.4 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 56 | Quantum pulse coupled neural network. <i>Neural Networks</i> , 2022, 152, 105-117. | 3.3 | 0 |
| 57 | Using metaheuristic algorithms to optimize a mixed model-based ground-motion prediction model and associated variance components. <i>Journal of Seismology</i> , 0, , . | 0.6 | 3 |
| 59 | Research on the Prediction Model of the Used Car Price in View of the PSO-GRA-BP Neural Network. <i>Sustainability</i> , 2022, 14, 8993. | 1.6 | 14 |
| 60 | The Security of Database Network Model Based on Fractional Differential Equations. <i>Applied Mathematics and Nonlinear Sciences</i> , 2023, 8, 945-952. | 0.9 | 0 |
| 61 | Hybrid Neural Network Methodology to Detect and Predict Seismic Activities. <i>Journal of Soft Computing Paradigm</i> , 2022, 4, 150-159. | 2.9 | 0 |
| 62 | Applicability and comparison of four nature-inspired hybrid techniques in predicting driven pilesâ€™ friction capacity. <i>Transportation Geotechnics</i> , 2022, 37, 100875. | 2.0 | 10 |
| 63 | Development of Hybrid Artificial Neural Networkâ€™Particle Swarm Optimization Model and Comparison of Genetic and Particle Swarm Algorithms for Optimization of Machining Fixture Layout. <i>International Journal of Precision Engineering and Manufacturing</i> , 2022, 23, 1411-1430. | 1.1 | 13 |
| 64 | Stochastic modeling and meta-heuristic multivariate optimization of bioprocess conditions for co-valorization of feather and waste frying oil toward prodigiosin production. <i>Preparative Biochemistry and Biotechnology</i> , 2023, 53, 690-703. | 1.0 | 3 |
| 65 | Snow water equivalent prediction in a mountainous area using hybrid bagging machine learning approaches. <i>Acta Geophysica</i> , 2023, 71, 1015-1031. | 1.0 | 3 |
| 66 | ECML driven geographical location of utility poles in smart grid: Data analysis and high-definition recognition. <i>Applied Soft Computing Journal</i> , 2022, , 109973. | 4.1 | 0 |
| 67 | Optimization for a New XY Positioning Mechanism by Artificial Neural Network-Based Metaheuristic Algorithms. <i>Computational Intelligence and Neuroscience</i> , 2022, 2022, 1-18. | 1.1 | 2 |
| 68 | State of art soft computing based simulation models for bearing capacity of pile foundation: a comparative study of hybrid ANNs and conventional models. <i>Modeling Earth Systems and Environment</i> , 2023, 9, 2533-2551. | 1.9 | 11 |
| 69 | Prediction of gas consumption based on LSTM-BPNN hybrid model. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , 2022, 44, 10665-10680. | 1.2 | 1 |
| 70 | Machine learning-based fragility analysis of tunnel structure under different impulsive seismic actions. <i>Tunnelling and Underground Space Technology</i> , 2023, 133, 104953. | 3.0 | 2 |
| 71 | Fusing physics-inferred information from stochastic model with machine learning approaches for degradation prediction. <i>Reliability Engineering and System Safety</i> , 2023, 232, 109078. | 5.1 | 13 |
| 72 | Techniques Based on Metaheuristics Combined with an Adaptive Neurofuzzy System and Seismic Sensors for the Prediction of Earthquakes. <i>Journal of Sensors</i> , 2023, 2023, 1-14. | 0.6 | 2 |
| 73 | An Improved CatBoost-Based Classification Model for Ecological Suitability of Blueberries. <i>Sensors</i> , 2023, 23, 1811. | 2.1 | 5 |
| 74 | New insight into the prediction of strength properties of cementitious mortar containing nano- and micro-silica based on porosity using hybrid <scp>artificial intelligence</scp> techniques. <i>Structural Concrete</i> , 2023, 24, 5556-5581. | 1.5 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 75 | Nonparametric probabilistic seismic demand model and fragility analysis of subway stations using deep learning techniques. <i>Underground Space (China)</i> , 2023, 11, 63-80. | 3.4 | 2 |
| 76 | Support vector machines-based pre-calculation error for structural reliability analysis. <i>Engineering With Computers</i> , 0, , . | 3.5 | 1 |
| 77 | Application of machine learning algorithm in the internal and external hazards from industrial byproducts. <i>Cleaner Engineering and Technology</i> , 2023, 13, 100629. | 2.1 | 1 |
| 84 | Application of Particle Swarm Optimization Algorithm in Statistical Analysis of Financial Sharing System. , 2023, , . | | 0 |
| 97 | An improved estimation on swarm intelligence based techniques for optimization. <i>AIP Conference Proceedings</i> , 2023, , . | 0.3 | 0 |