Loss of Anti–SARS-CoV-2 Antibodies in Mild Covid-19

New England Journal of Medicine 383, 1694-1698

DOI: 10.1056/nejmc2027051

Citation Report

| # | Article | IF | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 1 | Not just antibodies: B cells and T cells mediate immunity to COVID-19. Nature Reviews Immunology, 2020, 20, 581-582. | 10.6 | 239 |
| 2 | Anti–SARS-CoV-2 Antibody Responses in Convalescent Plasma Donors Are Increased in Hospitalized Patients; Subanalyses of a Phase 2 Clinical Study. Microorganisms, 2020, 8, 1885. | 1.6 | 39 |
| 3 | Persistence of SARS-CoV-2-specific antibodies in COVID-19 patients. International Immunopharmacology, 2021, 90, 107271. | 1.7 | 36 |
| 4 | Immune Response to SARS-CoV-2 Infection in Obesity and T2D: Literature Review. Vaccines, 2021, 9, 102. | 2.1 | 28 |
| 5 | Orthogonal immunoassays for IgG antibodies to SARS-CoV-2 antigens reveal that immune response lasts beyond 4 mo post illness onset. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, . | 3.3 | 26 |
| 6 | Presence and shortâ€term persistence of <scp>SARSâ€CoV</scp> â€2 neutralizing antibodies in <scp>COVID</scp> â€19 convalescent plasma donors. Transfusion, 2021, 61, 1148-1159. | 0.8 | 11 |
| 7 | Insights to SARS-CoV-2 life cycle, pathophysiology, and rationalized treatments that target COVID-19 clinical complications. Journal of Biomedical Science, 2021, 28, 9. | 2.6 | 167 |
| 10 | Decline and loss of anti–SARS-CoV-2 antibodies in kidney transplant recipients inÂthe 6 months following SARS-CoV-2 infection. Kidney International, 2021, 99, 486-488. | 2.6 | 30 |
| 11 | Why current quantitative serology is not quantitative and how systems immunology could provide solutions. Biologia Futura, 2021, 72, 37-44. | 0.6 | 6 |
| 12 | Seroprevalence of SARS-CoV-2 in the West Bank region of Palestine: a cross-sectional seroepidemiological study. BMJ Open, 2021, 11, e044552. | 0.8 | 6 |
| 14 | SARS-CoV-2 Infection Is Asymptomatic in Nearly Half of Adults with Robust Anti-Spike Protein Receptor-Binding Domain Antibody Response. Vaccines, 2021, 9, 207. | 2.1 | 12 |
| 15 | Persistence of SARS-CoV-2-specific B and TÂcell responses in convalescent COVID-19 patients 6–8Âmonths after the infection. Med, 2021, 2, 281-295.e4. | 2.2 | 153 |
| 16 | Recovery of Innate Immune Cells and Persisting Alterations in Adaptive Immunity in the Peripheral Blood of Convalescent Plasma Donors at Eight Months Post SARS-CoV-2 Infection. Microorganisms, 2021, 9, 546. | 1.6 | 14 |
| 17 | Rapid decline of anti-SARS-CoV-2 antibodies in patients on haemodialysis: the COVID-FRIAT study. CKJ: Clinical Kidney Journal, 2021, 14, 1835-1844. | 1.4 | 27 |
| 19 | Sex Differences in the Evolution of Neutralizing Antibodies to Severe Acute Respiratory Syndrome Coronavirus 2. Journal of Infectious Diseases, 2021, 224, 983-988. | 1.9 | 65 |
| 20 | Persistent Antibody Responses to SARS-CoV-2 Infection in Cancer Patients: A Single-Center Retrospective Observational Study. Indian Journal of Medical and Paediatric Oncology, 2021, 42, 123-129. | 0.1 | 1 |
| 21 | Two SARS-CoV-2 IgG immunoassays comparison and time-course profile of antibodies response. Diagnostic Microbiology and Infectious Disease, 2021, 99, 115297. | 0.8 | 9 |
| 22 | Changes in humoral immune response after SARS-CoV-2 infection in liver transplant recipients compared to immunocompetent patients. American Journal of Transplantation, 2021, 21, 2876-2884. | 2.6 | 32 |

| # | Article | IF | Citations |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 23 | Persistence of SARS-CoV-2 N-Antibody Response in Healthcare Workers, London, UK. Emerging Infectious Diseases, 2021, 27, 1155-1158. | 2.0 | 13 |
| 24 | Risk of SARS-CoV-2 Infection in Previously Infected and Non-Infected Cohorts of Health Workers at High Risk of Exposure. Journal of Clinical Medicine, 2021, 10, 1968. | 1.0 | 10 |
| 25 | Longitudinal Serology of SARS-CoV-2-Infected Individuals in India: A Prospective Cohort Study. American Journal of Tropical Medicine and Hygiene, 2021, , . | 0.6 | 18 |
| 27 | Clinical Application of a New SARS-CoV-2 Antigen Detection Kit (Colloidal Gold) in the Detection of COVID-19. Diagnostics, 2021, 11, 995. | 1.3 | 16 |
| 28 | Serological profiles of pan-coronavirus-specific responses in COVID-19 patients using a multiplexed electro-chemiluminescence-based testing platform. PLoS ONE, 2021, 16, e0252628. | 1.1 | 11 |
| 29 | Retrospective of International Serological Studies on the Formation and Dynamics of the Humoral Immune Response to SARS-CoV-2: from 2020 to 2021. Acta Biomedica Scientifica, 2021, 6, 47-57. | 0.1 | 4 |
| 30 | The First Case of Immunity Loss and SARS-CoV-2 Reinfection by the Same Virus Lineage in Amazonia. Journal of Racial and Ethnic Health Disparities, 2021, 8, 821-823. | 1.8 | 9 |
| 31 | Key Considerations for the Development of Safe and Effective SARSâ€CoVâ€2 Subunit Vaccine: A Peptideâ€Based Vaccine Alternative. Advanced Science, 2021, 8, e2100985. | 5.6 | 16 |
| 32 | Development and longevity of antibodies against SARSâ€CoVâ€2 in kidney transplant recipients after symptomatic COVIDâ€19. Transplant Infectious Disease, 2021, 23, e13646. | 0.7 | 8 |
| 33 | Primary, Recall, and Decay Kinetics of SARS-CoV-2 Vaccine Antibody Responses. ACS Nano, 2021, 15, 11180-11191. | 7.3 | 60 |
| 34 | Factors associated with anti-SARS-CoV-2 IgG antibody production in patients convalescing from COVID-19. Journal of Infection and Chemotherapy, 2021, 27, 808-813. | 0.8 | 20 |
| 35 | Evaluation of serological lateral flow assays for severe acute respiratory syndrome coronavirus-2. BMC Infectious Diseases, 2021, 21, 580. | 1.3 | 20 |
| 36 | A population-based analysis of the longevity of SARS-CoV-2 antibody seropositivity in the United States. EClinicalMedicine, 2021, 36, 100902. | 3.2 | 85 |
| 37 | Indicators of the Immune Status in Children after a New Coronavirus Infection. Acta Biomedica Scientifica, 2021, 6, 58-62. | 0.1 | 2 |
| 39 | Long-Term Persistence of Spike Protein Antibody and Predictive Modeling of Antibody Dynamics After Infection With Severe Acute Respiratory Syndrome Coronavirus 2. Clinical Infectious Diseases, 2022, 74, 1220-1229. | 2.9 | 45 |
| 40 | Asymptomatic COVID-19 re-infection in a Japanese male by elevated half-maximal inhibitory concentration (IC50) of neutralizing antibodies. Journal of Infection and Chemotherapy, 2021, 27, 1063-1067. | 0.8 | 9 |
| 41 | SARS-CoV-2 antibody kinetics eight months from COVID-19 onset: Persistence of spike antibodies but loss of neutralizing antibodies in 24% of convalescent plasma donors. European Journal of Internal Medicine, 2021, 89, 87-96. | 1.0 | 53 |
| 42 | Risk factors and predictors that influence SARS-Cov-2 IgG positivity. Journal of King Abdulaziz University, Islamic Economics, 2021, 42, 853-861. | 0.5 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 45 | Antibodies against SARS-CoV-2 Time Course in Patients and Vaccinated Subjects: An Evaluation of the Harmonization of Two Different Methods. Diagnostics, 2021, 11, 1709. | 1.3 | 8 |
| 46 | Longitudinal clinico-serological analysis of anti-nucleocapsid and anti-receptor binding domain of spike protein antibodies against SARS-CoV-2. International Journal of Infectious Diseases, 2021, 112, 103-110. | 1.5 | 11 |
| 47 | Longitudinal observation of antibody responses for 14Âmonths after SARS-CoV-2 infection. Clinical Immunology, 2021, 230, 108814. | 1.4 | 26 |
| 48 | Brazil's COVID-19 Epicenter in Manaus: How Much of the Population Has Already Been Exposed and Are Vulnerable to SARS-CoV-2?. Journal of Racial and Ethnic Health Disparities, 2022, 9, 2098-2104. | 1.8 | 7 |
| 49 | Persistence of SARS-CoV-2 antibodies in kidney transplant recipients. American Journal of Transplantation, 2021, 21, 2307-2310. | 2.6 | 20 |
| 50 | Antibody response and therapy in COVID-19 patients: what can be learned for vaccine development?. Science China Life Sciences, 2020, 63, 1833-1849. | 2.3 | 29 |
| 56 | Peripheral Blood Immune Profiling of Convalescent Plasma Donors Reveals Alterations in Specific Immune Subpopulations Even at 2 Months Post SARS-CoV-2 Infection. Viruses, 2021, 13, 26. | 1.5 | 26 |
| 57 | Sequential Analysis of Binding and Neutralizing Antibody in COVID-19 Convalescent Patients at 14 Months After SARS-CoV-2 Infection. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 58 | Protective Immunity after Natural Infection with Severe Acute Respiratory Syndrome Coronavirus-2 (SARS-CoV-2) – Kentucky, USA, 2020. International Journal of Infectious Diseases, 2022, 114, 21-28. | 1.5 | 29 |
| 59 | Dynamics of SARS-CoV-2-specific antibodies among COVID19 biobank donors in Argentina. Heliyon, 2021, 7, e08140. | 1.4 | 7 |
| 60 | Sequential Analysis of Binding and Neutralizing Antibody in COVID-19 Convalescent Patients at 14 Months After SARS-CoV-2 Infection. Frontiers in Immunology, 2021, 12, 793953. | 2.2 | 25 |
| 61 | A Case of Suspected Tuberculous Pleurisy and Coronavirus Disease 2019 Comorbidity. Internal Medicine, 2022, 61, . | 0.3 | 1 |
| 62 | Serological evaluation of patients with coronavirus disease-2019 in Daegu, South Korea. PLoS ONE, 2022, 17, e0262820. | 1.1 | 1 |
| 63 | Detection and quantification of antibody to SARS CoV 2 receptor binding domain provides enhanced sensitivity, specificity and utility. Journal of Virological Methods, 2022, 302, 114475. | 1.0 | 8 |
| 64 | Previous Infection Combined with Vaccination Produces Neutralizing Antibodies with Potency against SARS-CoV-2 Variants. MBio, 2021, 12, e0265621. | 1.8 | 14 |
| 66 | Dynamics of COVID-19 in Amazonia: A history of government denialism and the risk of a third wave. Preventive Medicine Reports, 2022, 26, 101752. | 0.8 | 8 |
| 67 | Characterizing Kinetics and Avidity of SARS-CoV-2 Antibody Responses in COVID-19 Greek Patients. Viruses, 2022, 14, 758. | 1.5 | 4 |
| 68 | Isolation of human monoclonal antibodies with neutralizing activity to a broad spectrum of SARS-CoV-2 viruses including the Omicron variants. Antiviral Research, 2022, 201, 105297. | 1.9 | 3 |

| # | Article | IF | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 69 | The potential of COVID-19 patients' sera to cause antibody-dependent enhancement of infection and IL-6 production. Scientific Reports, 2021, 11, 23713. | 1.6 | 11 |
| 70 | SARSâ€CoVâ€2 antibody seroprevalence rates among Egyptian blood donors around the third wave: Crossâ€sectional study. Health Science Reports, 2022, 5, e634. | 0.6 | 2 |
| 71 | Seroprevalence of immunoglobulin G antibodies against SARS-CoV-2 in Cyprus. PLoS ONE, 2022, 17, e0269885. | 1.1 | 2 |
| 72 | The potential of developing a protective peptideâ€based vaccines against SARSâ€CoVâ€2. Drug Development Research, 0, , . | 1.4 | 2 |
| 73 | ACTIVATE-2: A Double-Blind Randomized Trial of BCG Vaccination Against COVID-19 in Individuals at Risk. Frontiers in Immunology, 0, 13 , . | 2.2 | 41 |
| 74 | Evaluation of the performance of multiple immunoassay diagnostic platforms on the National Microbiology Laboratory SARS-CoV-2 National Serology Panel. Jammi, 0, , . | 0.3 | 3 |
| 75 | The COVID-19 Pandemic in a Hispanic Population: A Primary Care Perspective. Journal of the American Board of Family Medicine, 2022, 35, 686-694. | 0.8 | 4 |
| 76 | Clinical usefulness of testing for severe acute respiratory syndrome coronavirus 2 antibodies. European Journal of Internal Medicine, 2023, 107, 7-16. | 1.0 | 9 |
| 77 | Prognostic markers for the clinical course in the blood of patients with SARS-CoV-2 infection. European Journal of Medical Research, 2022, 27, . | 0.9 | 4 |
| 79 | Features of the Formation of Seroprevalence to SARS-CoV2 in the Population of the Republic of Tatarstan during the Spread of COVID-19. Epidemiologiya I Vaktsinoprofilaktika, 2023, 22, 13-21. | 0.2 | 1 |
| 81 | Association between SARS-CoV-2 anti-spike antibody titers and the development of post-COVID conditions: A retrospective observational study. Global Health & Medicine, 2023, , . | 0.6 | 0 |