

The phytogeography of the Australian region

Australian Journal of Botany

8, 75

DOI: [10.1071/bt9600075](https://doi.org/10.1071/bt9600075)

Citation Report

#	ARTICLE	IF	CITATIONS
1	QUATERNARY CLIMATES OF THE AUSTRALIAN REGION. Annals of the New York Academy of Sciences, 1961, 95, 465-501.	3.8	27
2	The extractives of New Zealand Nothofagus species. Journal of the Linnean Society Botany, 1962, 58, 175-184.	0.6	26
3	A revision of the Australian Cnephasiini (Lepidoptera: Tortricidae: Tortricinae).. Australian Journal of Zoology, 1963, 11, 81.	1.0	12
4	Chromosome numbers in the proteaceae. Australian Journal of Botany, 1963, 11, 1.	0.6	34
5	Evolution in the Proteaceae.. Australian Journal of Botany, 1963, 11, 21.	0.6	88
6	Regeneration of the vegetation on Koonamore vegetation Reserve, 1926-1962.. Australian Journal of Botany, 1964, 12, 205.	0.6	85
7	Evolutionary Pathways of the Senecio lautus Alliance in New Zealand and Australia. Evolution; International Journal of Organic Evolution, 1964, 18, 349.	2.3	10
8	EVOLUTIONARY PATHWAYS OF THE SENECIO LAUTUS ALLIANCE IN NEW ZEALAND AND AUSTRALIA. Evolution; International Journal of Organic Evolution, 1964, 18, 349-360.	2.3	23
9	Growth of heath vegetation. II. The seasonal growth of a heath on ground-water Podzol at Wilson's Promontory, Victoria. Australian Journal of Botany, 1965, 13, 281.	0.6	27
10	Soil Phosphate and Its Role in Molding Segments of the Australian Flora and Vegetation, with Special Reference to Xeromorphy and Sclerophylly. Ecology, 1966, 47, 992-1007.	3.2	326
11	The sex forms of species in the flora of the south-west of Western Australia. Australian Journal of Botany, 1966, 14, 303.	0.6	34
12	A NEW FAMILY OF BOMBYCOIDEA (LEPIDOPTERA) BASED ON CARTHAEA SATURNIODES WALKER FROM WESTERN AUSTRALIA. Australian Journal of Entomology, 1966, 5, 29-36.	1.1	4
13	THE UNITS AND USES OF BIOGEOGRAPHY. Geographical Research, 1967, 5, 15-29.	0.6	6
14	Systematics, phylogeny, and zoogeography of the lizard genus Diplodactylus Gray (Gekkonidae). Australian Journal of Zoology, 1967, 15, 1007.	1.0	75
15	A review of the endemic genera of Hawaiian plants. Botanical Review, The, 1967, 33, 216-259.	3.9	13
16	Two approaches to zoogeography: a study based on the distributions of butterflies, birds and bats in the Indo-Australian area. Proceedings of the Linnean Society of London, 1968, 179, 153-188.	0.8	116
17	Ecological Association of Bird Species and Habitats in Eastern Australia; Similarity Analysis. Journal of Animal Ecology, 1968, 37, 143.	2.8	60
18	The Tipulidae (Diptera) of Australia II The genus Clytocosmus Skuse. Australian Journal of Zoology, 1968, 16, 495.	1.0	4

#	ARTICLE	IF	CITATIONS
19	Studies in the ecology of the Riverine Plain. IV. Basal area and density changes of <i>Danthonia caespitosa</i> Gaudich, in a natural pasture grazed by sheep. <i>Australian Journal of Botany</i> , 1968, 16, 565.	0.6	26
20	Introduction: The Southern Continents as Backgrounds for Mammalian Evolution. <i>Quarterly Review of Biology</i> , 1968, 43, 225-233.	0.1	5
21	Distribution and palaeogeography of two Mallee species of <i>Eucalyptus</i> in Southern Australia. <i>Australian Journal of Botany</i> , 1969, 17, 323.	0.6	17
22	PROBLEMS OF ANTIPODAL DISTRIBUTION IN LOWER LAND PLANTS. <i>Taxon</i> , 1969, 18, 46-91.	0.7	67
23	The Natural Regions of the Deserts of Western Australia. <i>Journal of Ecology</i> , 1969, 57, 677.	4.0	34
24	The biogeographical analysis of a transect sample of the moth fauna of Mt. Kinabalu, Sabah, using numerical methods. <i>Biological Journal of the Linnean Society</i> , 1970, 2, 259-286.	1.6	28
25	The Distribution and Abundance of Pink Gum in Australia. <i>Australian Forestry</i> , 1970, 34, 11-18.	0.9	0
26	Adaptations in the genetic system of Australian arid zone <i>Cassia</i> species (Leguminosae.) <i>Tj ETQq1 1 0.784314 rgBT/Overlock, 10 Tf 504</i>	0.6	33
27	Cytogeography of the genus <i>Eremophila</i> . <i>Australian Journal of Botany</i> , 1971, 19, 295.	0.6	23
28	Lignotuber Occurrence in <i>Eucalyptus camaldulensis</i> Dehn. and its Phylogenetic 1970 Series, No. 1814 -E.. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 1971, 160, 495-510.	1.2	8
29	Zoogeography and Speciation of Australian Desert Lizards: An Ecological Perspective. <i>Copeia</i> , 1972, 1972, 127.	1.3	55
30	Plate Tectonics and Australasian Paleobiogeography. <i>Science</i> , 1972, 176, 1379-1386.	12.6	258
31	Cytogenetics of the parthenogenetic grasshopper <i>Moraba virgo</i> and its bisexual relatives. <i>Chromosoma</i> , 1972, 40, 199-212.	2.2	27
32	Continental movements, "Wallace's Line" and Indomalayan-Australasian dispersal of land plants: Some eclectic concepts. <i>Botanical Review, The</i> , 1972, 38, 3-86.	3.9	46
33	Evolution of subalpine and alpine plant groups in New Zealand. <i>New Zealand Journal of Botany</i> , 1973, 11, 177-200.	1.1	141
34	Potassium-argon ages on the Cainozoic volcanic rocks of New South Wales. <i>Journal of the Geological Society of Australia</i> , 1974, 21, 247-272.	0.6	187
35	The biology of kangaroos (Marsupialia-Macropodidae). <i>Mammal Review</i> , 1974, 4, 1-59.	4.8	29
36	Xerophytes, xeromorphs and sclerophylls: the history of some concepts in ecology. <i>Biological Journal of the Linnean Society</i> , 1974, 6, 65-87.	1.6	65

#	ARTICLE	IF	CITATIONS
37	Zoogeography and the New Zealand scincidae. Journal of the Royal Society of New Zealand, 1974, 4, 217-226.	1.9	19
38	The identification of some Tertiary pollen belonging to the family Euphorbiaceae. Australian Journal of Botany, 1974, 22, 271.	0.6	32
39	Revision of the New Zealand Crambini (Lepidoptera: Pyralidae: Crambinae). New Zealand Journal of Zoology, 1975, 2, 265-363.	1.1	17
40	Historical Biogeography and Earth History: Perspectives for a Future Synthesis. Annals of the Missouri Botanical Garden, 1975, 62, 227.	1.3	57
41	The vegetation survey of Western Australia. Plant Ecology, 1975, 30, 179-187.	1.2	22
42	On the Proteaceae-the evolution and classification of a southern family*. Botanical Journal of the Linnean Society, 1975, 70, 83-182.	1.6	288
43	The distribution of Australian relict plants and its bearing on angiosperm evolution. Botanical Journal of the Linnean Society, 1975, 71, 67-88.	1.6	16
44	Seasonal Shoot Growth of Eucalyptus spp. In the Brisbane Area of Queensland (With Notes on Shoot) Tj ETQq1 1 0,784314 rgBT /Overl	0.6	83
45	THE COLLECTORS AND TYPE LOCATIONS OF SOME OF LABILLARDIÁ´RE'S áœTERRA VANá€LEU WINá€•(WESTERN) Tj ETQq0,0 0 rgBT	0.7	11
46	Myrmecochorous plants in Australia and their dispersal by ants. Australian Journal of Botany, 1975, 23, 475.	0.6	347
47	Ecological studies of <i>Acmena smithii</i> (Poir.) Merrill & Perry with special reference to Wilson's Promontory. Australian Journal of Botany, 1976, 24, 453.	0.6	34
48	Intraspecific polyploidy and gynodioecism in <i>Ptilotus obovatus</i> (Amaranthaceae). Australian Journal of Botany, 1976, 24, 237.	0.6	11
49	Geographical Elements in the Flora of Victoria. Australian Journal of Botany, 1976, 24, 249.	0.6	7
50	<i>Phytophthora cinnamomi</i> Associated with Patch Death in Tropical Rain Forests in Queensland.. Australasian Plant Pathology, 1976, 5, 1.	1.0	11
51	Population cytogenetics of the genus <i>Caledia</i> (Orthoptera: Acridinae). Chromosoma, 1976, 54, 221-243.	2.2	45
52	Discussion: Age and origin of laterite and silcrete duricrusts and their relationship to episodic tectonism in the midá€north of South Australia Reply. Journal of the Geological Society of Australia, 1977, 24, 423-425.	0.6	0
53	HOSTá€PARASITE RESEMBLANCE IN AUSTRALIAN MISTLETOES: THE CASE FOR CRYPTIC MIMICRY. Evolution; International Journal of Organic Evolution, 1977, 31, 69-84.	2.3	100
54	The Effect of Environmental Change on Six Rare Birds. Emu, 1977, 77, 173-179.	0.6	21

#	ARTICLE	IF	CITATIONS
55	The New Zealand Scincidae (Reptilia: Lacertilia); a taxonomic and zoogeographic study. <i>New Zealand Journal of Zoology</i> , 1977, 4, 221-325.	1.1	83
56	Chromosome numbers of some mosses from Western Australia. <i>Journal of Bryology</i> , 1977, 9, 343-347.	1.2	5
57	The history of <i>Ilex</i> (Aquifoliaceae) with special reference to Australia: Evidence from pollen. <i>Australian Journal of Botany</i> , 1977, 25, 655.	0.6	40
58	Species diversity and the systematics of some New World leaf litter Thysanoptera (Phlaeothripinae; Tj ETQq1 1 0.784314 rgBT / Overl	3.9	27
59	Age and origin of laterite and silcrete duricrusts and their relationship to episodic tectonism in the mid-north of South Australia. <i>Journal of the Geological Society of Australia</i> , 1977, 24, 107-116.	0.6	24
60	Host-Parasite Resemblance in Australian Mistletoes: The Case for Cryptic Mimicry. <i>Evolution; International Journal of Organic Evolution</i> , 1977, 31, 69.	2.3	33
61	Tertiary Evolution of the Australian Flora in the Light of Latitudinal Movements of the Continent. <i>Journal of Biogeography</i> , 1977, 4, 111.	3.0	30
62	Distributions of the Dipteran Genera <i>Drosophila</i> and <i>Scaptomyza</i> in Australia in Relation to Resource Utilization. <i>Journal of Biogeography</i> , 1977, 4, 327.	3.0	3
63	Population cytogenetics of the genus <i>Caledia</i> (Orthoptera: Acridinae). <i>Chromosoma</i> , 1977, 63, 181-204.	2.2	49
64	Numerical classification techniques applied to forest tree distribution data. II. <i>Phytogeography. Austral Ecology</i> , 1978, 3, 307-314.	1.5	2
65	Evolution of the Australian flora and vegetation through the Tertiary: evidence from pollen. <i>Alcheringa</i> , 1978, 2, 181-202.	1.2	124
66	Origin of the New Zealand mountain flora, with special reference to trans-Tasman relationships. <i>New Zealand Journal of Botany</i> , 1978, 16, 535-550.	1.1	89
67	Tertiary climatic evolution and vegetation history in the Southeast Indian Ocean region. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1978, 24, 169-208.	2.3	236
68	Late Cretaceous and Tertiary vegetation history of Africa. <i>Monographiae Biologicae</i> , 1978, , 77-130.	0.1	262
69	<i>Tortula oleaginosa</i> , a new moss from Australia. <i>Journal of Bryology</i> , 1978, 10, 117-124.	1.2	9
70	Carpological Evidence for Fossil <i>Eucalyptus</i> and Other <i>Leptospermeae</i> (Subfamily <i>Leptospermoideae</i> of Tj ETQq1 1 0.784314 rgBT / Overl 1978, 26, 221.	0.6	44
71	Phytogeography of <i>Acacia</i> in Western Australia. <i>Australian Journal of Botany</i> , 1978, 26, 63.	0.6	50
72	Plant-geography of east Malesia. <i>Botanical Journal of the Linnean Society</i> , 1979, 79, 97-178.	1.6	82

#	ARTICLE	IF	CITATIONS
73	Evidence for initial opening of the Pacific ocean in the Jurassic. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1979, 26, 181-220.	2.3	44
74	On the persistence and dispersal of transantarctic Hepaticae. <i>Canadian Journal of Botany</i> , 1979, 57, 2179-2225.	1.1	47
75	Parallelism and Integrated Design in the Foot Structure of Gekkonine and Diplodactyline Geckos. <i>Copeia</i> , 1979, 1979, 1.	1.3	93
76	A phylogenetic subdivision of Australian skinks. <i>Records of the Australian Museum</i> , 1979, 32, 339-371.	0.2	107
77	Biogeographical Aspects of Speciation in the Southwest Australian Flora. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 1979, 10, 399-422.	6.7	240
78	Structural and floristic diversity of shrublands and woodlands in Northern Israel and other Mediterranean areas. <i>Plant Ecology</i> , 1980, 41, 171-190.	1.2	272
79	Acacia (Mimosoideae): composition and affinities of the series Pulchellae Bentham. <i>Botanical Journal of the Linnean Society</i> , 1980, 80, 53-68.	1.6	14
80	Biogeography of Australian Sepsidae (Diptera).. <i>Australian Journal of Zoology</i> , 1980, 28, 65.	1.0	10
82	Parallel dunefield ecosystems: southern Kalahari and central Australia. <i>Journal of Arid Environments</i> , 1981, 4, 287-298.	2.4	15
83	Colonist Ability, Altitudinal Range and Origins of the Flora of Mt Field, Tasmania. <i>Journal of Biogeography</i> , 1981, 8, 249.	3.0	13
84	An early pliocene pollen assemblage from Lake Tay, south-western Australia, and its phytogeographic implications. <i>Australian Journal of Botany</i> , 1981, 29, 277.	0.6	57
85	Changing Cenozoic Barriers and the Australian Paleobotanical Record. <i>Annals of the Missouri Botanical Garden</i> , 1982, 69, 625.	1.3	33
86	A cladistic study of <i>Arillastrum</i> , <i>Angophora</i> and <i>Eucalyptus</i> (Myrtaceae). <i>Botanical Journal of the Linnean Society</i> , 1983, 87, 105-134.	1.6	37
87	Regional variation in mediterranean-type shrublands near Eneabba, south-western Australia. <i>Plant Ecology</i> , 1983, 52, 103-127.	1.2	19
88	The distribution of C3 and C4 grasses in Australia in relation to climate. <i>Oecologia</i> , 1983, 57, 113-128.	2.0	324
89	VEGETATION RESEARCH IN AUSTRALIA. <i>Acta Botanica Neerlandica</i> , 1983, 32, 111-115.	0.9	0
90	Cladistic Relationships and Biogeographic Patterns in the Peppermint Group of <i>Eucalyptus</i> (Informal) Tj ETQq0 0 0 rgBT /Overlock 10 Tf <i>Australian Journal of Botany</i> , 1983, 31, 565.	0.6	33
91	Comparative study of phosphorus and potassium levels of basaltic soils associated with scrub and forest communities on the Darling Downs. <i>Soil Research</i> , 1983, 21, 527.	1.1	3

#	ARTICLE	IF	CITATIONS
92	Development of ovule and seed in <i>Cartonema spicatum</i> R. Br. (Cartonemataceae). Australian Journal of Botany, 1983, 31, 297.	0.6	13
93	Lignotubers and burls – their structure, function and ecological significance in Mediterranean ecosystems. Botanical Review, The, 1984, 50, 225-266.	3.9	177
94	A floristic framework of Australian rainforests. Austral Ecology, 1984, 9, 169-198.	1.5	103
95	A numerical analysis of Tasmanian higher plant endemism. Botanical Journal of the Linnean Society, 1984, 88, 165-183.	1.6	37
96	PARASITES AND ASSOCIATED PATHOLOGY OF THE SWAMP WALLABY, WALLABIA BICOLOR (MARSUPIALIA). Journal of Wildlife Diseases, 1985, 21, 377-385.	0.8	36
97	The Lichen Genus <i>Psoromidium</i> Stirton. Lichenologist, 1985, 17, 173-188.	0.8	13
98	Limitations of a random screen: Search for new anticancer drugs in higher plants. Economic Botany, 1985, 39, 266-288.	1.7	22
99	Cladistics, Phenetics and Biogeography of Populations of <i>Boronia inornata</i> Turcz. (Rutaceae) and the <i>Eucalyptus diptera</i> Andrews (Myrtaceae) Species Complex in Western Australia. Australian Journal of Botany, 1985, 33, 419.	0.6	8
100	Regeneration of Three Tree Species in Arid South-Eastern Australia. Australian Journal of Botany, 1985, 33, 715.	0.6	40
101	Distribution and cytology of Australian <i>Neurachne</i> and its allies (Poaceae), a group containing C3, C4 and C3-C4 Intermediate species. Australian Journal of Botany, 1985, 33, 317.	0.6	27
102	Late Cainozoic history of vegetation, fire, lake levels and climate, at Lake George, New South Wales, Australia. Philosophical Transactions of the Royal Society of London Series B, Biological Sciences, 1985, 311, 379-447.	2.3	180
103	Comparative biology of <i>Portia africana</i> , <i>P. albimana</i> , <i>P. fimbriata</i> , <i>P. labiata</i> , and <i>P. shultzi</i> , araneophagic, web-building jumping spiders (Araneae: Salticidae): Utilisation of webs, predatory versatility, and intraspecific interactions. New Zealand Journal of Zoology, 1986, 13, 423-489.	1.1	193
104	Classification, relationships and distribution of the Crepidomeninae (Coleoptera : Elateridae). Australian Journal of Zoology Supplementary Series, 1986, 34, 1.	0.2	10
105	Chromosomal Evolution in the Diplodactylinae (Gekkonidae, Reptilia) .1. Evolutionary Relationships and Patterns of Change. Australian Journal of Zoology, 1987, 35, 507.	1.0	29
106	A CLADISTIC ANALYSIS OF <i>ANGOPHORA</i> CAV. (MYRTACEAE). Cladistics, 1988, 4, 23-42.	3.3	44
107	A Cladistic Analysis of the Genus <i>Cyttaria</i> (Fungi-Ascomycotina)*. Cladistics, 1988, 4, 279-290.	3.3	26
108	Spatial analysis of vegetation patterns in southern Western Australia: implications for reserve design. Austral Ecology, 1988, 13, 415-429.	1.5	24
109	Cyanogenesis in australian species of <i>Acacia</i> . Phytochemistry, 1988, 27, 421-428.	2.9	28

#	ARTICLE	IF	CITATIONS
112	Phytogeography of Acacia in Australia in Relation to Climate and Species-Richness. Australian Journal of Botany, 1988, 36, 361.	0.6	38
113	Patterns of Distribution of Acacia in Australia. Australian Journal of Botany, 1988, 36, 385.	0.6	16
114	Miocene palynomorph assemblages from Kiandra, New South Wales. Alcheringa, 1988, 12, 269-297.	1.2	17
115	Australia: Distribution, Characteristics, and Utilization of Shrublands. , 1989, , 61-92.		2
116	Evolution of the Australian flora through the Tertiary. Plant Systematics and Evolution, 1989, 162, 63-78.	0.9	26
117	Moss biogeography in the Tasman Sea region. New Zealand Journal of Zoology, 1989, 16, 665-678.	1.1	6
118	The Habitat Volumes of Scarce and Ubiquitous Plants: A Test of the Model of Environmental Control. American Naturalist, 1989, 133, 228-239.	2.1	63
119	Reproductively Isolated Polyploid Races of Glycine Tabcina (Leguminosae) Had Different Chloroplast Genome Donors. Systematic Botany, 1990, 15, 173.	0.5	39
120	A revision of the genera Kellera and Drapetes (Thymelaeaceae). Australian Systematic Botany, 1990, 3, 595.	0.9	28
121	Changes in vegetation and seasonal climate since the last full glacial at Lake Frome, South Australia. Palaeogeography, Palaeoclimatology, Palaeoecology, 1991, 84, 75-86.	2.3	95
122	Palynology of eastern Indonesian marine piston-cores: a Late Quaternary vegetational and climatic record for Australasia. Palaeogeography, Palaeoclimatology, Palaeoecology, 1991, 85, 239-302.	2.3	187
123	East Australian Rain-forests: A Case-study in Resource Harvesting and Conservation. Environmental Conservation, 1991, 18, 33-43.	1.3	4
124	Seed developmental patterns in Banksia attenuata R. Br. and B. loricata C. Gardner in relation to mechanical defence costs. New Phytologist, 1991, 117, 109-114.	7.3	13
125	An Oligocene palynoflora from the middle Shoalhaven catchment N.S.W. and the Tertiary evolution of flora and climate in the southeast Australian highlands. Palaeogeography, Palaeoclimatology, Palaeoecology, 1992, 95, 135-151.	2.3	10
126	Vegetation in the Australian Tertiary in Response to Climatic and Phytogeographic Forcing Factors*. Australian Systematic Botany, 1993, 6, 533.	0.9	79
127	Biogeography, Human Ecology And Prehistory In The Sandridge Deserts. Australian Archaeology, 1993, 37, 35-50.	0.6	35
128	Cladistic biogeography of waratahs (Proteaceae, Embothriaceae) and their allies across the pacific. Australian Systematic Botany, 1994, 7, 225.	0.9	55
129	A new family of Muscoid Diptera from Australasia, with sixteen new species in four new genera (Diptera : Axiniidae). Invertebrate Systematics, 1994, 8, 471.	1.3	20

#	ARTICLE	IF	CITATIONS
130	Contributions towards a revision of <i>Daviesia</i> (Fabaceae: Mirbelieae). III.* A synopsis of the genus. Australian Systematic Botany, 1995, 8, 1155.	0.9	12
131	Cladistic Biogeography of Plants in Australia and New Guinea: Congruent Pattern Reveals Two Endemic Tropical Tracks. Systematic Biology, 1995, 44, 457.	5.6	71
132	Two examples of the role of ecological biogeography in Australian prehistory: The fire ecology of <i>Callitris intratropica</i> and the spatial pattern of stone tools in the Northern Territory. Australian Archaeology, 1995, 41, 8-11.	0.6	3
133	Cladistic Biogeography of Plants in Australia and New Guinea: Congruent Pattern Reveals Two Endemic Tropical Tracks. Systematic Biology, 1995, 44, 457-473.	5.6	84
134	Biogeography of the Australian Dynastinae, Rutelinae, Scarabaeinae, Melolonthini, Scitalini and Geotrupidae (Coleoptera: Scarabaeoidea). Journal of Biogeography, 1995, 22, 31.	3.0	15
135	Patterns and causes of extinction and decline in Australian conilurine rodents. Biological Conservation, 1996, 77, 243-267.	4.1	297
136	How well protected are the forests of north-eastern New South Wales? Analyses of forest environments in relation to formal protection measures, land tenure, and vulnerability to clearing. Forest Ecology and Management, 1996, 85, 311-333.	3.2	159
137	Lifeform distributions of woodland plant species along a moisture availability gradient in Australia's monsoonal tropics. Australian Systematic Botany, 1996, 9, 205.	0.9	27
138	Diversity Patterns of Woody Species on a Latitudinal Transect From the Monsoon Tropics to Desert in the Northern Territory, Australia. Australian Journal of Botany, 1996, 44, 571.	0.6	37
139	The roles of coastlines, people and fire in the development of heathlands in northeast Tasmania. Journal of Biogeography, 1996, 23, 717-728.	3.0	21
140	Does low temperature cause the dominance of <i>Acacia</i> on the central Australian mountains? Evidence from a latitudinal gradient from 11° to 26° South in the Northern Territory, Australia. Journal of Biogeography, 1996, 23, 245-256.	3.0	15
141	New Apterous Pygmy Crickets from Australia with Notes on Their Habitats and Re-Evaluation of Characters Defining the Australian Genera (Gryllidae: Nemobiinae). , 1996, , 185.		2
142	Helminth Parasite Communities of the Water-rat, <i>Hydromys chrysogaster</i> , from Queensland. Wildlife Research, 1997, 24, 445.	1.4	22
143	Biogeography of the Helicoidea (Mollusca: Gastropoda: Pulmonata): land snails with a Pangean distribution. Journal of Biogeography, 1997, 24, 399-407.	3.0	19
144	Molecular systematics of Australian rhinolophid bats (Chiroptera : Rhinolophidae). Australian Journal of Zoology, 1998, 46, 203.	1.0	16
145	Gradient analysis of macropod distribution in open forest and woodland of eastern Australia. Austral Ecology, 1999, 24, 132-143.	1.5	25
146	Flexions sur la biodiversité: richesse, originalité et endémicités floristiques. Acta Botanica Gallica, 1999, 146, 403-419.	0.9	6
147	Species richness and endemism in the Western Australian flora. Journal of Biogeography, 2000, 27, 1257-1268.	3.0	108

#	ARTICLE	IF	CITATIONS
148	Re-assignment of the Affinities of the Fossil Pollen Type <i>Tricolpites trioblatatus</i> Mildenhall and Pocknall to <i>Wilsonia</i> (Convolvulaceae) and a reassessment of the ecological interpretations. Review of Palaeobotany and Palynology, 2000, 111, 237-251.	1.5	18
149	Origins of Australian arid-zone tenebrionid beetles. Invertebrate Systematics, 2000, 14, 941.	1.3	16
150	Documents pour la connaissance des australiens (Hépatiques, Marchantiales) nouvelles récoltes. Taxons nouveaux. Commentaires morphologiques et Écologiques.. Cryptogamie, Bryologie, 2000, 21, 289-343.	0.2	15
151	A Late Holocene Vegetation and Environment Record from Byenup Lagoon, South-western Australia. Australian Geographer, 2000, 31, 41-54.	1.7	23
152	Molecular phylogeny and biogeography of <i>Melaleuca</i> , <i>Callistemon</i> and related genera (Myrtaceae). Australian Systematic Botany, 2001, 14, 565.	0.9	39
153	Endemism in the Australian flora. Journal of Biogeography, 2001, 28, 183-198.	3.0	548
154	Phylogeny and biogeography of southern hemisphere high-mountain Cardamine species (Brassicaceae). Australian Systematic Botany, 2002, 15, 575.	0.9	38
155	Are listed threatened plant species actually at risk?. Australian Journal of Botany, 2002, 50, 1.	0.6	75
156	Understanding arid environments using fossil rodent middens. Journal of Arid Environments, 2002, 50, 499-511.	2.4	29
157	Corrigendum to: TURNER REVIEW No. 5: Are listed threatened plant species actually at risk?. Australian Journal of Botany, 2002, 50, 275.	0.6	1
158	Ecological biogeography of species of <i>Gelonus</i> , <i>Acantholybas</i> and <i>Amorbus</i> in Australia. Austral Ecology, 2002, 27, 1-25.	1.5	9
159	Australian biogeographical connections and the phylogeny of large genera in the plant family Myrtaceae. Journal of Biogeography, 2003, 30, 989-998.	3.0	173
160	Regional divergence and inbreeding in <i>Eucalyptus cladocalyx</i> (Myrtaceae). Australian Journal of Botany, 2003, 51, 393.	0.6	36
161	Speciation of <i>Antechinus stuartii</i> and <i>A. subtropicus</i> (Marsupialia : Dasyuridae) in eastern Australia: molecular and morphological evidence. Australian Journal of Zoology, 2003, 51, 443.	1.0	15
162	Distribution and habitat of the desert mouse (<i>Pseudomys desertor</i>) in Queensland. Wildlife Research, 2004, 31, 129.	1.4	14
163	Environmental and spatial variables influence the composition of frog assemblages in sub-tropical eastern Australia. Ecography, 2004, 27, 392-400.	4.5	78
164	Genetic effects of rainforest fragmentation in an early successional tree (<i>Elaeocarpus grandis</i>). Heredity, 2004, 93, 610-618.	2.6	44
165	Molecular phylogeny of <i>Phebalium</i> (Rutaceae: Boronieae) and related genera based on the nrDNA regions ITS 1+2. Plant Systematics and Evolution, 2004, 249, 197-212.	0.9	20

#	ARTICLE	IF	CITATIONS
166	Radiation of the Australian flora: what can comparisons of molecular phylogenies across multiple taxa tell us about the evolution of diversity in present-day communities?. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2004, 359, 1551-1571.	4.0	348
167	The tension between dispersal and persistence regulates the current distribution of rare palaeo-endemic rain forest flora: a case study. <i>Journal of Ecology</i> , 2005, 93, 906-917.	4.0	62
168	Historical biogeography of Australian Rhamnaceae, tribe Pomaderreae. <i>Journal of Biogeography</i> , 2005, 32, 1909-1919.	3.0	25
169	Bush peas: a rapid radiation with no support for monophyly of <i>Pultenaea</i> (Fabaceae: Mirbelieae). <i>Australian Systematic Botany</i> , 2005, 18, 133.	0.9	18
170	Origin and age of Australian Chenopodiaceae. <i>Organisms Diversity and Evolution</i> , 2005, 5, 59-80.	1.6	78
172	Biogeography of the <i>Acacia victoriae</i> , <i>pyrifolia</i> and <i>murrayana</i> species groups in arid Australia. <i>Journal of Arid Environments</i> , 2006, 66, 462-476.	2.4	20
173	Molecular systematics of Australian <i>Calotis</i> (Asteraceae: Astereae). <i>Australian Systematic Botany</i> , 2006, 19, 155.	0.9	8
174	A new acuariid species (<i>Spirurida</i> , Acuariidae) and other nematodes from <i>Hydromys</i> (Muridae). <i>Tj ETQq1 1 0.784314 rgBT / Overlock 10</i>	0.5	14
175	Diet of the spotted-tailed quoll (<i>Dasyurus maculatus</i>) in eastern Australia: effects of season, sex and size. <i>Journal of Zoology</i> , 2006, 269, 060327082204004-???	1.7	64
176	Aquatic plants diversity in arid zones of Northwest China: patterns, threats and conservation. <i>Biodiversity and Conservation</i> , 2006, 15, 3417-3444.	2.6	17
177	The new genus <i>Auritella</i> from Africa and Australia (Inocybaceae, Agaricales): molecular systematics, taxonomy and historical biogeography. <i>Mycological Progress</i> , 2006, 5, 2-17.	1.4	42
178	Biodiversity of Australian freshwater planarians (Platyhelminthes: Tricladida: Paludicola): New species and localities, and a review of paludicolan distribution in Australia. <i>Systematics and Biodiversity</i> , 2006, 4, 435-471.	1.2	20
179	The Biogeography of <i>Drosera stricticaulis</i> (Droseraceae) in Australia: a Disjunct "Island" Refugee?. <i>Transactions of the Royal Society of South Australia</i> , 2007, 131, 142-151.	0.4	3
180	Fossil flowers and fruits of capsular Myrtaceae from the Eocene of South Australia.. <i>Canadian Journal of Botany</i> , 2007, 85, 204-215.	1.1	14
181	Molecular phylogenetic dating supports an ancient endemic speciation model in Australia's biodiversity hotspot. <i>Molecular Phylogenetics and Evolution</i> , 2007, 44, 371-385.	2.7	43
182	A congruent molecular signature of vicariance across multiple plant lineages. <i>Molecular Phylogenetics and Evolution</i> , 2007, 43, 1106-1117.	2.7	135
183	An arid-adapted middle Pleistocene vertebrate fauna from south-central Australia. <i>Nature</i> , 2007, 445, 422-425.	27.8	130
184	Changes in the Abundance and Diversity of Proteaceae in South-western Australia: a Review of an Integrated Palaeoenvironmental Study. <i>Geographical Research</i> , 2007, 45, 43-53.	1.8	4

#	ARTICLE	IF	CITATIONS
185	Definition of plant functional groups for informing implementation scenarios in resource-limited multi-species recovery planning. <i>Biodiversity and Conservation</i> , 2008, 17, 2917-2937.	2.6	13
186	Trichome morphology provides phylogenetically informative characters for <i>Tremandra</i> , <i>Platytheca</i> and <i>Tetratheca</i> (former <i>Tremandraceae</i>). <i>Plant Systematics and Evolution</i> , 2008, 271, 199-221.	0.9	5
187	Climatic fluctuations shape the phylogeography of a mesic direct-developing frog from the south-western Australian biodiversity hotspot. <i>Journal of Biogeography</i> , 2008, 35, 1803-1815.	3.0	19
188	Conservation status and biogeography of Australia's terrestrial mammals. <i>Australian Journal of Zoology</i> , 2008, 56, 411.	1.0	118
189	THE BIRDS OF TASMANIA: ECOLOGY AND EVOLUTION. <i>Ibis</i> , 1966, 108, 348-393.	1.9	43
190	Incidence and new records of <i>Mycosphaerella</i> species within a <i>Eucalyptus globulus</i> plantation in Western Australia. <i>Forest Ecology and Management</i> , 2008, 255, 3931-3937.	3.2	21
191	A smaller <i>Macadamia</i> from a more vagile tribe: inference of phylogenetic relationships, divergence times, and diaspore evolution in <i>Macadamia</i> and relatives (tribe <i>Macadamieae</i>). <i>Tj ETQq0 0 0 rgBIT7 Overlook 10 Tf 50</i>	1.7	10
192	Ecosystems in Transition: The Experience of Australia and New Zealand. <i>New Zealand Geographer</i> , 1989, 87, 2-7.	0.0	0
193	Misperceptions of Climate Change Damage Coastal Tourism: Case Study of Byron Bay, Australia. <i>Tourism Review International</i> , 2008, 12, 71-88.	1.3	19
194	Phylogeographic patterns in reptiles on the New England Tablelands at the south-western boundary of the McPherson Macleay Overlap. <i>Australian Journal of Zoology</i> , 2009, 57, 317.	1.0	22
195	Phylogeny of the Australian <i>Camphorosmeae</i> (<i>Chenopodiaceae</i>) and the Taxonomic Significance of the Fruiting Perianth. <i>International Journal of Plant Sciences</i> , 2009, 170, 505-521.	1.3	13
196	Fossil history of the <i>Menispermaceae</i> (<i>Ranunculales</i>). <i>Annales De Paleontologie</i> , 2009, 95, 53-69.	0.5	21
197	A species well travelled – the <i>Dodonaea viscosa</i> (<i>Sapindaceae</i>) complex based on phylogenetic analyses of nuclear ribosomal ITS and ETSf sequences. <i>Journal of Biogeography</i> , 2009, 36, 2313-2323.	3.0	43
198	Learning from failures: testing broad taxonomic hypotheses about plant naturalization. <i>Ecology Letters</i> , 2009, 12, 1174-1183.	6.4	100
199	Continental drift, paleoclimatology, and the evolution and biogeography of birds. <i>Journal of Zoology</i> , 1973, 169, 455-543.	1.7	163
200	Phylogenetics of the pademelons (<i>Macropodidae</i> : <i>Thylogale</i>) and historical biogeography of the Australo-Papuan region. <i>Molecular Phylogenetics and Evolution</i> , 2010, 57, 1134-1148.	2.7	45
201	Biogeography of the Australian monsoon tropics. <i>Journal of Biogeography</i> , 2010, 37, 201-216.	3.0	277
202	The Discovery and History of the Heath Mouse <i>Pseudomys Shortridgei</i> (Thomas, 1907) in South Australia. <i>Transactions of the Royal Society of South Australia</i> , 2010, 134, 125-138.	0.4	11

#	ARTICLE	IF	CITATIONS
203	Geographical and historical determinants of microsatellite variation in <i>Eucalyptus pilularis</i> . <i>Canadian Journal of Forest Research</i> , 2010, 40, 1051-1063.	1.7	16
204	The Maxwell Ralph Jacobs Memorial Oration 2009. <i>Australian Forestry</i> , 2010, 73, 140-155.	0.9	1
205	A sub-continental scale living laboratory: Spatial patterns of savanna vegetation over a rainfall gradient in northern Australia. <i>Agricultural and Forest Meteorology</i> , 2011, 151, 1417-1428.	4.8	123
206	Molecular phylogeny of <i>Camphorosmeae</i> (<i>Camphorosmoideae</i> , <i>Chenopodiaceae</i>): Implications for biogeography, evolution of C ₄ photosynthesis and taxonomy. <i>Taxon</i> , 2011, 60, 51-78.	0.7	95
207	The potential impacts of climate change on Australian subtropical rainforest. <i>Australian Journal of Botany</i> , 2011, 59, 440.	0.6	19
208	Population structure, timing of divergence and contact between lineages in the endangered Hastings River mouse (<i>Pseudomys oralis</i>). <i>Australian Journal of Zoology</i> , 2011, 59, 186.	1.0	8
209	Phylogenetic tests of community assembly across regional to continental scales in tropical and subtropical rain forests. <i>Global Ecology and Biogeography</i> , 2011, 20, 707-716.	5.8	95
210	Call inducers take a leap: host-range differences explain speciation opportunity (Thysanoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10	1.1	3
211	Biogeographical origins and diversification of the exoneurine allodapine bees of Australia (Hymenoptera, Apidae). <i>Journal of Biogeography</i> , 2011, 38, 1471-1483.	3.0	35
212	Extent and timing of floristic exchange between Australian and Asian rain forests. <i>Journal of Biogeography</i> , 2011, 38, 1445-1455.	3.0	79
213	Biogeography of <i>Nicotiana</i> section <i>Suaveolentes</i> (<i>Solanaceae</i>) reveals geographical tracks in arid Australia. <i>Journal of Biogeography</i> , 2011, 38, 2066-2077.	3.0	30
214	Historical biogeographical patterns in continental Australia: congruence among areas of endemism of two major clades of eucalypts. <i>Cladistics</i> , 2011, 27, 29-41.	3.3	41
215	Beyond the prolegomenon: a molecular phylogeny of the Australian camaenid land snail radiation. <i>Zoological Journal of the Linnean Society</i> , 2011, 161, 531-572.	2.3	49
216	Cryptic grey-bellied dunnart (<i>Sminthopsis griseoventer</i>) discovered in South Australia: genetic, morphological and subfossil analyses show the value of collecting voucher material. <i>Australian Journal of Zoology</i> , 2011, 59, 127.	1.0	11
217	Molecular phylogeny and biogeography of the spider ants, genus <i>Leptomymex</i> Mayr (Hymenoptera: Tj ETQq0 0 0 rgBT /Overlock 10	2.7	31
218	First instalment in resolution of the <i>Banksia spinulosa</i> complex (<i>Proteaceae</i>): <i>B.Âneoanglica</i> , a new species supported by phenetic analysis, ecology and geography. <i>PhytoKeys</i> , 2012, 14, 57-80.	1.0	9
219	Spatial non-stationarity and anisotropy of compositional turnover in eastern Australian <i>Myrtaceae</i> species. <i>International Journal of Geographical Information Science</i> , 2012, 26, 2065-2081.	4.8	15
220	Diversity and abundance of fungivorous thrips (Thysanoptera) associated with leaf-litter and bark across forest types and two tree genera in subtropical Australia. <i>Journal of Natural History</i> , 2012, 46, 2897-2918.	0.5	13

#	ARTICLE	IF	CITATIONS
221	Not an ancient relic: the endemic <i>Livistona</i> palms of arid central Australia could have been introduced by humans. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2012, 279, 2652-2661.	2.6	40
222	Evolution of arid zone birds in Australia: Leapfrog distribution patterns and mesic-arid connections in quail-thrush (<i>Cinclosoma</i> , <i>Cinclosomatidae</i>). <i>Molecular Phylogenetics and Evolution</i> , 2012, 62, 286-295.	2.7	23
223	Phylogeny and historical biogeography of ancient assassin spiders (Araneae: Archaeidae) in the Australian mesic zone: Evidence for Miocene speciation within Tertiary refugia. <i>Molecular Phylogenetics and Evolution</i> , 2012, 62, 375-396.	2.7	82
224	Biodiversity of Terrestrial Ecosystems in Tropical to Temperate Australia. <i>International Journal of Ecology</i> , 2012, 2012, 1-15.	0.8	5
225	Integrated Pest Management of Eucalypt Psyllids (Insecta, Hemiptera, Psylloidea). , 2012, , .		14
226	A history of biogeographical regionalisation in Australia. <i>Zootaxa</i> , 2012, 3392, .	0.5	29
227	Fine-scale quantification of floral and faunal breaks and their geographic correlates, with an example from south-eastern Australia. <i>Journal of Biogeography</i> , 2012, 39, 1862-1876.	3.0	32
228	Palaeodistribution modelling and genetic evidence highlight differential post-glacial range shifts of a rain forest conifer distributed across a latitudinal gradient. <i>Journal of Biogeography</i> , 2012, 39, 2292-2302.	3.0	40
229	A biogeographical regionalization of Australian <i>Acacia</i> species. <i>Journal of Biogeography</i> , 2013, 40, 2156-2166.	3.0	48
230	Divergent lineages in two species of <i>Dendrobium</i> orchids (<i>D. speciosum</i> and <i>D. tetragonum</i>) correspond to major geographical breaks in eastern Australia. <i>Journal of Biogeography</i> , 2013, 40, 2071-2081.	3.0	10
231	Niche differentiation and spatial partitioning in the evolution of two Australian monsoon tropical tree species. <i>Journal of Biogeography</i> , 2013, 40, 559-569.	3.0	7
232	A Southern Hemisphere origin for campanulid angiosperms, with traces of the break-up of Gondwana. <i>BMC Evolutionary Biology</i> , 2013, 13, 80.	3.2	122
233	Post-Glacial Spatial Dynamics in a Rainforest Biodiversity Hot Spot. <i>Diversity</i> , 2013, 5, 124-138.	1.7	8
234	Towards an Australian Bioregionalisation Atlas: A provisional area taxonomy of Australia's biogeographical regions. <i>Zootaxa</i> , 2013, 3619, 315-42.	0.5	39
235	New species of mite harvestmen from southeast Queensland, Australia greatly extend the known distribution of the genus <i>Austropurcellia</i> (Arachnida, Opiliones, Cyphophthalmi). <i>Zootaxa</i> , 2014, 3827, 517.	0.5	8
236	Structure and Alpha Biodiversity of Major Plant Communities in South Africa, a Close Biogeographical Relation with Australia. <i>Journal of Environment and Ecology</i> , 2014, 5, 48.	0.2	1
237	Quantifying Phytogeographical Regions of Australia Using Geospatial Turnover in Species Composition. <i>PLoS ONE</i> , 2014, 9, e92558.	2.5	76
238	Paleo-Antarctic rainforest into the modern Old World tropics: The rich past and threatened future of the southern wet forest survivors. <i>American Journal of Botany</i> , 2014, 101, 2121-2135.	1.7	87

#	ARTICLE	IF	CITATIONS
239	Biogeographical regions and phytogeography of the eucalypts. <i>Diversity and Distributions</i> , 2014, 20, 46-58.	4.1	72
240	Eleven month high resolution pollen and spore sedimentation record off SW Java in the Indian Ocean. <i>Marine Micropaleontology</i> , 2014, 111, 90-99.	1.2	11
241	Patterns of rain forest plant endemism in subtropical Australia relate to stable mesic refugia and species dispersal limitations. <i>Journal of Biogeography</i> , 2014, 41, 222-238.	3.0	67
242	A molecular and morphological investigation of species boundaries and phylogenetic relationships in Australian free-tailed bats <i>Mormopterus</i> (Chiroptera : Molossidae). <i>Australian Journal of Zoology</i> , 2014, 62, 109.	1.0	18
243	How the Desert got a Past: A History of Quaternary Research in Australia's Deserts. <i>Historical Records of Australian Science</i> , 2014, 25, 172.	0.6	5
244	A revised area taxonomy of phytogeographical regions within the Australian Bioregionalisation Atlas. <i>Phytotaxa</i> , 2015, 208, 261.	0.3	57
245	Moss and vascular epiphyte distributions over host tree and elevation gradients in Australian subtropical rainforest. <i>Australian Journal of Botany</i> , 2015, 63, 696.	0.6	18
246	Savanna ant species richness is maintained along a bioclimatic gradient of increasing latitude and decreasing rainfall in northern Australia. <i>Journal of Biogeography</i> , 2015, 42, 2313-2322.	3.0	50
247	Lineage Range Estimation Method Reveals Fine-Scale Endemism Linked to Pleistocene Stability in Australian Rainforest Herpetofauna. <i>PLoS ONE</i> , 2015, 10, e0126274.	2.5	42
248	Continent-wide distribution in mycorrhizal fungi: implications for the biogeography of specialized orchids. <i>Annals of Botany</i> , 2015, 116, 413-421.	2.9	59
249	Phylogeny and biogeography of the mite harvestmen (Arachnida : Opiliones : Cyphophthalmi) of Queensland, Australia, with a description of six new species from the rainforests of the Wet Tropics. <i>Invertebrate Systematics</i> , 2015, 29, 37.	1.3	9
250	Biogeography and speciation of terrestrial fauna in the south-western Australian biodiversity hotspot. <i>Biological Reviews</i> , 2015, 90, 762-793.	10.4	107
251	The gastro-intestinal helminth parasites of the swamp wallaby, <i>Wallabia bicolor</i> (Desmarest) (Marsupialia: Macropodidae), and their regional distribution. <i>Transactions of the Royal Society of South Australia</i> , 2016, 140, 203-227.	0.4	9
252	Lines in the land: a review of evidence for eastern Australia's major biogeographical barriers to closed forest taxa. <i>Biological Journal of the Linnean Society</i> , 2016, 119, 238-264.	1.6	75
253	From the desert it came: evolution of the Australian paper daisy genus <i>Leucochrysum</i> (Asteraceae). <i>Trends in Ecology and Evolution</i> , 2016, 31, 1009-1016.	8.9	106
254	Australian spiny mountain crayfish and their temnocephalan ectosymbionts: an ancient association on the edge of coextinction?. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2016, 283, 20160585.	2.6	13
255	Estimating plant abundances from crown cover and forest structure data reveals size-dependent patterns of rarity in subtropical Australia. <i>Applied Vegetation Science</i> , 2016, 19, 700-710.	1.9	3
256	Continental-scale spatial phylogenetics of Australian angiosperms provides insights into ecology, evolution and conservation. <i>Journal of Biogeography</i> , 2016, 43, 2085-2098.	3.0	115

#	ARTICLE	IF	CITATIONS
257	Do soil and climate properties drive biogeography of the Australian proteaceae?. <i>Plant and Soil</i> , 2017, 417, 317-329.	3.7	6
258	Beetle assemblages in rainforest gaps along a subtropical to tropical latitudinal gradient. <i>Biodiversity and Conservation</i> , 2017, 26, 1689-1703.	2.6	2
259	The ecological impact of commercial beehives on invasive cane toads (<i>Rhinella marina</i>) in eastern Australia. <i>Biological Invasions</i> , 2017, 19, 1097-1106.	2.4	6
260	Marine environment, vegetation and land use changes during the late Holocene in South Kalimantan and East Java reconstructed based on pollen and organic-walled dinoflagellate cysts analysis. <i>Review of Palaeobotany and Palynology</i> , 2017, 238, 105-121.	1.5	7
261	First Miocene record of Akaniaceae in Patagonia (Argentina): a fossil wood from the early Miocene Santa Cruz formation and its palaeobiogeographical implications. <i>Botanical Journal of the Linnean Society</i> , 2017, 183, 334-347.	1.6	13
262	Saving rainforests in the South Pacific: challenges in ex situ conservation. <i>Australian Journal of Botany</i> , 2017, 65, 609.	0.6	22
263	Congruent biogeographical disjunctions at a continent-wide scale: Quantifying and clarifying the role of biogeographic barriers in the Australian tropics. <i>PLoS ONE</i> , 2017, 12, e0174812.	2.5	41
264	Evolution in Australia's mesic biome under past and future climates: Insights from a phylogenetic study of the Australian Rock Orchids (<i>Dendrobium speciosum</i> complex, Orchidaceae). <i>Molecular Phylogenetics and Evolution</i> , 2018, 118, 32-46.	2.7	11
265	Phylogenetic diversity and conservation of rainforests in the Sunshine Coast region, Queensland, Australia. <i>Australian Journal of Botany</i> , 2018, 66, 518.	0.6	2
266	Strategic national approach for improving the conservation management of insects and allied invertebrates in Australia. <i>Austral Entomology</i> , 2018, 57, 124-149.	1.4	71
267	An investigation of the soil seedbank and seed germination of perennial species in Belah (Casuarina) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.6	8
268	Evolution and Biogeography of Seagrasses. , 2018, , 3-29.		18
269	A dated molecular phylogeny of mite harvestmen (Arachnida: Opiliones: Cyphophthalmi) elucidates ancient diversification dynamics in the Australian Wet Tropics. <i>Molecular Phylogenetics and Evolution</i> , 2018, 127, 813-822.	2.7	17
270	An ancient and a recent colonization of islands by an Australian sap-feeding insect. <i>Journal of Biogeography</i> , 2018, 45, 2389-2399.	3.0	1
271	Climate as a control on foredune mode in Southern Australia. <i>Science of the Total Environment</i> , 2019, 694, 133768.	8.0	20
272	A synopsis of the genus <i>Bazzania</i> (Marchantiophyta: Lepidoziaceae) in Australia. <i>Australian Systematic Botany</i> , 2019, , .	0.9	1
273	Molecular phylogenetic relationships reveal taxonomic and biogeographic clades in <i>Dianella</i> (flax) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 1	1.2	2
274	Do phytogeographic patterns reveal biomes or biotic regions?. <i>Cladistics</i> , 2019, 35, 654-670.	3.3	13

#	ARTICLE	IF	CITATIONS
275	Australian corticolous myxomycetes: models of distribution and development. Australian Journal of Botany, 2019, 67, 617.	0.6	4
276	A regional-scale assessment of using metabolic scaling theory to predict ecosystem properties. Proceedings of the Royal Society B: Biological Sciences, 2019, 286, 20192221.	2.6	5
277	Recent advances in New Caledonian biogeography. Biological Reviews, 2019, 94, 957-980.	10.4	14
278	A review of transition zones in biogeographical classification. Biological Journal of the Linnean Society, 2020, 131, 717-736.	1.6	14
279	Mammal parasites in arid Australia. International Journal for Parasitology: Parasites and Wildlife, 2020, 12, 265-274.	1.5	5
281	Neotectonics and Australian Biogeography. SpringerBriefs in Evolutionary Biology, 2020, , 33-47.	0.2	0
282	Carving up Australia's arid zone: a review of the bioregionalisation of the Eremaean and Eyrean biogeographic regions. Australian Journal of Botany, 2020, 68, 229.	0.6	9
283	Direct climate effects are more influential than functional composition in determining future gross primary productivity. Landscape Ecology, 2020, 35, 969-984.	4.2	2
284	Extinction pulse at Eocene–Oligocene boundary drives diversification dynamics of two Australian temperate floras. Proceedings of the Royal Society B: Biological Sciences, 2020, 287, 20192546.	2.6	21
285	The role of "nativeness"™ in urban greening to support animal biodiversity. Landscape and Urban Planning, 2021, 205, 103959.	7.5	77
286	The role of landscape history in the distribution and conservation of threatened flora in the Southwest Australian Floristic Region. Biological Journal of the Linnean Society, 2021, 133, 394-410.	1.6	5
287			

#	ARTICLE	IF	CITATIONS
294	Terrestrial biomes: a conceptual review. <i>Vegetation Classification and Survey</i> , 0, 2, 73-85.	0.0	14
295	Climate, fire and vegetation history from subtropical North Stradbroke Island (Minjerribah), eastern Australia, during the last three interglacials. <i>Journal of Quaternary Science</i> , 2021, 36, 1201.	2.1	1
296	Suture-Zones of Hybrid Interaction Between Recently Joined Biotas. , 1968, , 321-428.		379
297	Biodiversity of <i>Nicotiana</i> (Solanaceae). <i>Compendium of Plant Genomes</i> , 2020, , 21-41.	0.5	5
298	Australian Savannas. <i>Ecological Studies</i> , 1982, , 5-24.	1.2	24
299	Ecological Control of the Vegetation of Southwestern Australia: Moisture versus Nutrients. <i>Ecological Studies</i> , 1983, , 66-73.	1.2	27
300	Fires and Their Effects in the Wet-Dry Tropics of Australia. <i>Ecological Studies</i> , 1990, , 159-178.	1.2	36
301	Evolution of the Australian flora through the Tertiary. , 1989, , 63-78.		6
302	Biogeographical relationships of Australia and Malesia: Loranthaceae as a model. , 1990, , 273-292.		12
303	Floristic, morphologic and vegetational diversity. , 1989, , 53-66.		28
304	The history of the phytogeographic region concept in Australia. <i>Monographiae Biologicae</i> , 1981, , 335-353.	0.1	5
305	The Tertiary flora. <i>Monographiae Biologicae</i> , 1981, , 391-406.	0.1	18
306	The loranthaceous mistletoes in Australia. <i>Monographiae Biologicae</i> , 1981, , 555-574.	0.1	8
307	Australian rainforests: patterns and change. <i>Monographiae Biologicae</i> , 1981, , 605-694.	0.1	133
308	Evolution of the Australian flora: some generalizations. <i>Monographiae Biologicae</i> , 1981, , 783-805.	0.1	14
309	Distributional patterns, regional biotas, and adaptations in the Australian biota: a synthesis. <i>Monographiae Biologicae</i> , 1981, , 1891-1997.	0.1	17
310	Origins and relationships of the Australian biota. <i>Monographiae Biologicae</i> , 1981, , 1999-2050.	0.1	7
311	Major vegetation formations in Australia. <i>Monographiae Biologicae</i> , 1981, , 163-297.	0.1	85

#	ARTICLE	IF	CITATIONS
312	The Pattern of Temperature Response and Its Ecological Significance. , 1979, , 153-162.		1
313	Biogeography and Ecology of the Reptiles of Tasmania and the Bass Strait Area. Monographiae Biologicae, 1974, , 291-338.	0.1	69
314	Vascular Plants. Monographiae Biologicae, 1965, , 201-266.	0.1	15
315	THE RAIN FORESTS OF NORTHEASTERN AUSTRALIA â€” THEIR ENVIRONMENT, EVOLUTIONARY HISTORY AND DYNAMICS. , 1989, , 241-259.		7
317	Cytogeography of <i>Brunonia australis</i> Sm.ex R.Br.. <i>Brunonia</i> , 1977, 1, 31.	0.2	5
318	Geographic reconnaissance of Western Australian Seashore vegetation. <i>Australian Journal of Botany</i> , 1965, 13, 39.	0.6	19
319	Cyt evolution in the genus <i>Calotis</i> R. Br. (Compositae: Astereae). <i>Australian Journal of Botany</i> , 1978, 26, 287.	0.6	19
320	The Nutrition of Fruits of Two Proteaceous Shrubs, <i>Grevillea wilsonii</i> and <i>Hakea undulata</i> , From South-Western Australia. <i>Australian Journal of Botany</i> , 1982, 30, 219.	0.6	24
321	Nutrient Reserves in Seeds of Selected Proteaceous Species From South-Western Australia.. <i>Australian Journal of Botany</i> , 1982, 30, 231.	0.6	82
322	Late Cenozoic pollen spectra from the Atherton Tableland, north-eastern Australia. <i>Australian Journal of Botany</i> , 1982, 30, 279.	0.6	43
323	Birds and Vegetation Between Perth and Adelaide. <i>Emu</i> , 1968, 68, 161-212.	0.6	3
324	Changing Continental Arrangements and the Origin of Australia's Non-Passeriform Continental Avifauna. <i>Emu</i> , 1975, 75, 97-112.	0.6	13
325	Sapindaceae and the biogeography of eastern Australia. <i>Australian Systematic Botany</i> , 1996, 9, 127.	0.9	5
326	Australian endemic <i>Drosophila</i> III. The inornata species-group. <i>Australian Journal of Zoology</i> , 1978, 26, 83.	1.0	7
327	A Systematic Revision of the <i>Rhytidoponera impressa</i> Group (Hymenoptera : Formicidae) in Australia and New Guinea.. <i>Australian Journal of Zoology</i> , 1980, 28, 475.	1.0	24
328	Landscape Patterns in Rainforest Phylogenetic Signal: Isolated Islands of Refugia or Structured Continental Distributions?. <i>PLoS ONE</i> , 2013, 8, e80685.	2.5	44
329	Patterns of Phylogenetic Diversity of Subtropical Rainforest of the Great Sandy Region, Australia Indicate Long Term Climatic Refugia. <i>PLoS ONE</i> , 2016, 11, e0153565.	2.5	11
330	American-Australian Scientific Expedition to Arnhem Land (1948): Its Long-Range Impact. <i>Open Ecology Journal</i> , 2012, 5, 53-83.	2.0	3

#	ARTICLE	IF	CITATIONS
331	Intraspecific Divergence Associated with a Biogeographic Barrier and Climatic Models Show Future Threats and Long-Term Decline of a Rainforest Conifer. <i>The Open Conservation Biology Journal</i> , 2013, 7, 1-10.	1.0	6
332	Palynology of Sites 815 and 823: The Neogene Vegetation History of Coastal Northeastern Australia. , 0, , .		3
333	A taxonomic and biogeographic review of the invertebrates of the Central Eastern Rainforest Reserves of Australia (CERRA) World Heritage Area, and adjacent regions. <i>Technical Reports of the Australian Museum</i> , 2002, 16, 1-208.	0.3	12
334	Development of Ecosystem Research. <i>ISRN Ecology</i> , 2011, 2011, 1-20.	1.0	4
335	Recent evidence for autochthony of Australian tropical and subtropical rainforest floristic elements. <i>Telopea</i> , 1986, 2, 575-589.	0.4	25
336	Antarctic elements in Australasian rainforests. <i>Telopea</i> , 1986, 2, 611-617.	0.4	9
337	Biogeography of Camphorosmeae (Chenopodiaceae): tracking the Tertiary history of Australian aridification. <i>Telopea</i> , 2011, 13, 313-326.	0.4	17
338	Vertebrate fauna survey of White Mountains National Park in the Desert Uplands Bioregion, central-north Queensland. <i>Australian Zoologist</i> , 2005, 33, 17-38.	1.1	8
339	Why are there so many Spotted-tailed Quolls <i>Dasyurus maculatus</i> in parts of north-eastern New South Wales?. <i>Australian Zoologist</i> , 2011, 35, 711-718.	1.1	8
340	The temperate to arid transition of the Irwin " Carnarvon phytogeographic boundary, Western Australia. <i>Records of the Western Australian Museum, Supplement</i> , 2000, 60, 155.	0.5	0
341	The Chilopoda and Diplopoda of the southern Carnarvon Basin, Western Australia. <i>Records of the Western Australian Museum, Supplement</i> , 2000, 60, 323.	0.5	0
343	MONITORING SPATIAL PATTERNS OF VEGETATION PHENOLOGY IN AN AUSTRALIAN TROPICAL TRANSECT USING MODIS EVI. <i>International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives</i> , 0, XXXIX-B8, 271-276.	0.2	0
344	Areal- und Florenkunde (Floristische Geobotanik). <i>Progress in Botany Fortschritte Der Botanik</i> , 1967, , 322-337.	0.3	0
345	Revision of <i>Stenopetalum</i> (Cruciferae). <i>Journal of the Arnold Arboretum</i> , 1972, 53, 52-75.	0.3	3
346	A revision of the Australian species of <i>Pareromene</i> (Lipidoptera : Pyralidae : Crambine :) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 182 Td (Di	1.0	1
347	A Revision of the Genus <i>Acradenia</i> (Rutaceae). <i>Journal of the Arnold Arboretum</i> , 1977, 58, 171-181.	0.3	12
349	Aquatic plants diversity in arid zones of Northwest China: patterns, threats and conservation. , 2006, , 49-76.		0
350	From continental Asia into the world: Global historical biogeography of the saltbush genus <i>Atriplex</i> (Chenopodieae, Chenopodioideae, Amaranthaceae). <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2022, 54, 125660.	2.7	13

#	ARTICLE	IF	CITATIONS
351	The Australasian grass flora in a global context. <i>Journal of Systematics and Evolution</i> , 2022, 60, 675-690.	3.1	4
352	Seeing the forest through the trees: Applications of species distribution models across an Australian biodiversity hotspot for threatened rainforest species of <i>Fontainea</i> . <i>Global Ecology and Conservation</i> , 2023, 42, e02376.	2.1	2
353	Southern Mediterranean-Type Ecosystems: An Extratropical Marvel. , 2023, , 65-80.		0
354	Biogeographic influences on the evolution and historical dispersal of the Australo-Pacific Dacini fruit flies (Tephritidae: Dacinae). <i>Zoologica Scripta</i> , 2024, 53, 87-97.	1.7	0
355	Rise and fall of a continental mesic radiation in Australia: spine evolution, biogeography, and diversification of <i>Cryptandra</i> (Rhamnaceae: Pomaderreae). <i>Botanical Journal of the Linnean Society</i> , 0, , .	1.6	0
356	Species gain and loss per degree Celsius. <i>Oikos</i> , 2024, 2024, .	2.7	0