

National Early Warning Score 2 (NEWS2) on admission p
in-hospital mortality from Covid-19 “ a prospective c

Scandinavian Journal of Trauma, Resuscitation and Emergency
28, 66

DOI: 10.1186/s13049-020-00764-3

Citation Report

#	ARTICLE	IF	CITATIONS
1	Angiotensin-converting enzyme inhibitors or angiotensin II receptor blockers and prognosis of hypertensive patients hospitalised with COVID-19. <i>Internal Medicine Journal</i> , 2020, 50, 1483-1491.	0.8	19
2	Predicting severe COVID-19 in the Emergency Department. <i>Resuscitation Plus</i> , 2020, 4, 100042.	1.7	23
3	Helmet continuous positive airway pressure versus high-flow nasal cannula in COVID-19: a pragmatic randomised clinical trial (COVID HELMET). <i>Trials</i> , 2020, 21, 994.	1.6	12
4	Prediction models for diagnosis and prognosis of covid-19: systematic review and critical appraisal. <i>BMJ</i> , The, 2020, 369, m1328.	6.0	2,134
5	The impact of charlson comorbidity index on mortality from SARS-CoV-2 virus infection and A novel COVID-19 mortality index: CoLACD. <i>International Journal of Clinical Practice</i> , 2021, 75, e13858.	1.7	35
6	The Role of the Quick Sequential Organ Failure Assessment Score (qSOFA) in the Pre-Hospitalization Prediction of Covid19 Prognosis. <i>Erciyes Medical Journal</i> , 2021, , .	0.0	0
7	Utility of early warning scores to predict mortality in COVID-19 patients: A retrospective observational study. <i>International Journal of Critical Illness and Injury Science</i> , 2021, 11, 161.	0.6	9
8	Derivation and validation of a clinical severity score for acutely ill adults with suspected COVID-19: The PRIEST observational cohort study. <i>PLoS ONE</i> , 2021, 16, e0245840.	2.5	66
9	Management of critically ill COVID-19 patients: challenges and affordable solutions. <i>Pan African Medical Journal</i> , 2021, 38, 270.	0.8	1
11	Integrating deep learning CT-scan model, biological and clinical variables to predict severity of COVID-19 patients. <i>Nature Communications</i> , 2021, 12, 634.	12.8	126
12	Impact of chronic obstructive pulmonary disease on severity and outcomes in COVID-19 patients: A systematic review. <i>International Journal of Noncommunicable Diseases</i> , 2021, 6, 10.	0.2	1
13	Prehospital identification of Covid-19: an observational study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2021, 29, 3.	2.6	12
14	Severity Scores in COVID-19 Pneumonia: a Multicenter, Retrospective, Cohort Study. <i>Journal of General Internal Medicine</i> , 2021, 36, 1338-1345.	2.6	41
16	The usefulness of NEWS2 at day 7 of hospitalization in predicting COVID-19 evolution and as an early endpoint in therapeutic trials. <i>Journal of Infection</i> , 2021, 82, 282-327.	3.3	7
17	National Early Warning Score 2 (NEWS2) to identify inpatient COVID-19 deterioration: a retrospective analysis. <i>Clinical Medicine</i> , 2021, 21, 84-89.	1.9	44
18	Diabetes is most important cause for mortality in COVID-19 hospitalized patients: Systematic review and meta-analysis. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2021, 22, 275-296.	5.7	152
19	Early Warning Scores in Patients with Suspected COVID-19 Infection in Emergency Departments. <i>Journal of Personalized Medicine</i> , 2021, 11, 170.	2.5	16
20	Reporting of coronavirus disease 2019 prognostic models: the transparent reporting of a multivariable prediction model for individual prognosis or diagnosis statement. <i>Annals of Translational Medicine</i> , 2021, 9, 421-421.	1.7	4

#	ARTICLE	IF	CITATIONS
21	Prospective validation and comparison of COVID-GRAM, NEWS2, 4C mortality score, CURB-65 for the prediction of critical illness in COVID-19 patients. <i>Infectious Diseases</i> , 2021, 53, 640-642.	2.8	14
22	The Impact of the COVID-19 Pandemic on an Israeli Acute Care Surgery Unit: Fewer Patients, More Disease. <i>American Surgeon</i> , 2022, 88, 2863-2870.	0.8	4
23	Asthma in Adult Patients with COVID-19. Prevalence and Risk of Severe Disease. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2021, 203, 893-905.	5.6	74
24	A conceptual IoT-based early-warning architecture for remote monitoring of COVID-19 patients in wards and at home. <i>Internet of Things (Netherlands)</i> , 2022, 18, 100399.	7.7	46
25	National early warning score on admission as risk factor for invasive mechanical ventilation in COVID-19 patients. <i>Medicine (United States)</i> , 2021, 100, e25917.	1.0	1
26	Prognostic Factors in Hospitalized COVID-19 Patients at the Start of the Pandemic in Colombia: A Retrospective Cohort Study. <i>Cureus</i> , 2021, 13, e14865.	0.5	2
27	In-hospital mortality of pulmonary tuberculosis with acute respiratory failure and related clinical risk factors. <i>Journal of Clinical Tuberculosis and Other Mycobacterial Diseases</i> , 2021, 23, 100236.	1.3	2
28	SARS-CoV-2 Persistent Viral Shedding in the Context of Hydroxychloroquine-Azithromycin Treatment. <i>Viruses</i> , 2021, 13, 890.	3.3	7
29	COVID-19 in solid organ transplant recipients: A national cohort study from Sweden. <i>American Journal of Transplantation</i> , 2021, 21, 2762-2773.	4.7	31
30	The ROX index has greater predictive validity than NEWS2 for deterioration in Covid-19. <i>EclinicalMedicine</i> , 2021, 35, 100828.	7.1	29
31	Investigation into the predictive capability for mortality and the trigger points of the National Early Warning Score 2 (NEWS2) in emergency department patients. <i>Emergency Medicine Journal</i> , 2021, , emermed-2020-210190.	1.0	9
32	Prognostic accuracy of emergency department triage tools for adults with suspected COVID-19: the PRIEST observational cohort study. <i>Emergency Medicine Journal</i> , 2021, 38, 587-593.	1.0	23
33	A urinary peptidomic profile predicts outcome in SARS-CoV-2-infected patients. <i>EclinicalMedicine</i> , 2021, 36, 100883.	7.1	28
34	Prognostic value of cytokines in COVID-19 associated pneumonia. <i>HERALD of North-Western State Medical University Named After I I Mechnikov</i> , 2021, 13, 59-69.	0.2	0
35	Early Warning Scores at Time of ICU Admission to Predict Mortality in Critically Ill COVID-19 Patients. <i>Disaster Medicine and Public Health Preparedness</i> , 2022, 16, 2371-2375.	1.3	7
36	Combination of (interferon beta-1b, lopinavir/ritonavir and ribavirin) versus favipiravir in hospitalized patients with non-critical COVID-19: A cohort study. <i>PLoS ONE</i> , 2021, 16, e0252984.	2.5	14
39	Performance Analysis of the National Early Warning Score and Modified Early Warning Score in the Adaptive COVID-19 Treatment Trial Cohort. , 2021, 3, e0474.		11
40	Initial clinical characteristics of gravid severe acute respiratory syndrome coronavirus 2â€“positive patients and the risk of progression to severe coronavirus disease 2019. <i>American Journal of Obstetrics & Gynecology MFM</i> , 2021, 3, 100365.	2.6	6

#	ARTICLE	IF	CITATIONS
41	Clinical Management of Adult Patients with COVID-19 Outside Intensive Care Units: Guidelines from the Italian Society of Anti-Infective Therapy (SITA) and the Italian Society of Pulmonology (SIP). <i>Infectious Diseases and Therapy</i> , 2021, 10, 1837-1885.	4.0	28
42	Experiences of a National Early Warning Score (NEWS) intervention in care homes during the COVID-19 pandemic: a qualitative interview study. <i>BMJ Open</i> , 2021, 11, e045469.	1.9	8
43	The Prognostic Accuracy of National Early Warning Score 2 on Predicting Clinical Deterioration for Patients With COVID-19: A Systematic Review and Meta-Analysis. <i>Frontiers in Medicine</i> , 2021, 8, 699880.	2.6	14
44	Outcomes for emergency department patients with suspected and confirmed COVID-19: An analysis of the Australian experience in 2020 (COVED-19). <i>EMA - Emergency Medicine Australasia</i> , 2021, 33, 911-921.	1.1	2
45	High triglyceride to HDL-cholesterol ratio as a biochemical marker of severe outcomes in COVID-19 patients. <i>Clinical Nutrition ESPEN</i> , 2021, 44, 437-444.	1.2	18
46	Evaluation of four novel prognostic scores on admission for COVID-19 mortality. An experience from a Mediterranean tertiary center. <i>Acta Clinica Belgica</i> , 2022, 77, 748-752.	1.2	2
47	Development of an Early Warning Model for Predicting the Death Risk of Coronavirus Disease 2019 Based on Data Immediately Available on Admission. <i>Frontiers in Medicine</i> , 2021, 8, 699243.	2.6	5
48	Can follow up lung ultrasound in Coronavirus Disease-19 patients indicate clinical outcome?. <i>PLoS ONE</i> , 2021, 16, e0256359.	2.5	6
49	National Early Warning Score 2 and laboratory predictors correlate with clinical deterioration in hospitalized patients with COVID-19. <i>Biomarkers in Medicine</i> , 2021, 15, 807-820.	1.4	6
50	Impact of Asthma on Severity and Outcomes in COVID-19. <i>Respiratory Care</i> , 2021, 66, 1912-1923.	1.6	4
51	External validation of prognostic scores for COVID-19: a multicenter cohort study of patients hospitalized in Greater Paris University Hospitals. <i>Intensive Care Medicine</i> , 2021, 47, 1426-1439.	8.2	39
52	Chest Radiograph Scoring Alone or Combined with Other Risk Scores for Predicting Outcomes in COVID-19. <i>Radiology</i> , 2022, 302, 460-469.	7.3	41
53	A Descriptive Study of Clinoradiological and Serum Biomarker Profile in Patients Who Died due to COVID-19 Infection in a Tertiary Care Hospital. <i>Bengal Physician Journal</i> , 2021, 8, 38-44.	0.1	0
54	Comorbidity-adjusted NEWS predicts mortality in suspected patients with COVID-19 from nursing homes: Multicentre retrospective cohort study. <i>Journal of Advanced Nursing</i> , 2022, 78, 1618-1631.	3.3	4
55	Performance of CURB-65, PSI, and APACHE-II for predicting COVID-19 pneumonia severity and mortality. <i>European Journal of Inflammation</i> , 2021, 19, 205873922110270.	0.5	6
59	Nutritional Risk Screening and Body Composition in COVID-19 Patients Hospitalized in an Internal Medicine Ward. <i>International Journal of General Medicine</i> , 2020, Volume 13, 1643-1651.	1.8	29
60	Accuracy of the pre-hospital triage tools (qSOFA, NEWS, and PRESEP) in predicting probable COVID-19 patients' outcomes transferred by Emergency Medical Services. <i>Caspian Journal of Internal Medicine</i> , 2020, 11, 536-543.	0.2	6
61	Early prediction of in-hospital death of COVID-19 patients: a machine-learning model based on age, blood analyses, and chest x-ray score. <i>ELife</i> , 2021, 10, .	6.0	22

#	ARTICLE	IF	CITATIONS
62	The development of emergency medical services benefit score: a European Delphi study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2021, 29, 151.	2.6	0
63	Stratifying risk outcomes among adult COVID-19 inpatients with high flow oxygen: The R4 score. <i>Pulmonology</i> , 2021, , .	2.1	5
64	Early warning scores to assess the probability of critical illness in patients with COVID-19. <i>Emergency Medicine Journal</i> , 2021, 38, 901-905.	1.0	13
65	Circulating levels of calprotectin, a signature of neutrophil activation in prediction of severe respiratory failure in COVID-19 patients: a multicenter, prospective study (CalCov study). <i>Inflammation Research</i> , 2022, 71, 57-67.	4.0	17
67	Lung Ultrasound, Clinical and Analytic Scoring Systems as Prognostic Tools in SARS-CoV-2 Pneumonia: A Validating Cohort. <i>Diagnostics</i> , 2021, 11, 2211.	2.6	4
68	The Impact of Charlson Comorbidity Index on Mortality From SARS-CoV-2 Virus Infection. <i>Cureus</i> , 2021, 13, e19937.	0.5	4
69	A study to introduce National Early Warning Scores (NEWS) in care homes: Influence on decisionâ€making and referral processes. <i>Nursing Open</i> , 2022, 9, 519-526.	2.4	5
70	Factors associated with admission to the intensive care unit and mortality in patients with COVID-19, Colombia. <i>PLoS ONE</i> , 2021, 16, e0260169.	2.5	10
71	Early Warning Scores and Their Application in the Inpatient Oncology Settings. <i>JCO Oncology Practice</i> , 2022, 18, 465-473.	2.9	2
72	The lineage of coronavirus SARS-CoV-2 of Russian origin: Genetic characteristics and correlations with clinical parameters and severity of coronavirus infection. <i>Sibirskij Å¾urnal KliniÄeskoj I Å“ksperimental’noj Mediciny</i> , 2022, 36, 132-143.	0.4	1
73	Comparison of Various Clinical Scoring Systems in Predicting Progression and Outcome in COVID 19 Infection. <i>Asian Journal of Research in Infectious Diseases</i> , 0, , 9-19.	0.0	0
74	Assessment of National Early Warning Score 2 as a Tool to Predict the Outcome of COVID-19 Patients on Admission. <i>Cureus</i> , 2022, 14, e21164.	0.5	6
75	Development of severity and mortality prediction models for covid-19 patients at emergency department including the chest x-ray. <i>Radiologia</i> , 2022, 64, 214-227.	0.5	5
76	Clinical update on COVID-19 for the emergency clinician: Presentation and evaluation. <i>American Journal of Emergency Medicine</i> , 2022, 54, 46-57.	1.6	146
78	Development and Validation of the Acute PNeumonia Early Assessment Score for Safely Discharging Low-Risk SARS-CoV-2-Infected Patients from the Emergency Department. <i>Journal of Clinical Medicine</i> , 2022, 11, 881.	2.4	3
79	Predictors of mortality among hospitalized COVID-19 patients and risk score formulation for prioritizing tertiary careâ€”An experience from South India. <i>PLoS ONE</i> , 2022, 17, e0263471.	2.5	28
80	Efektivitas pelatihan tutorial simulasi Early Warning Score (EWS) COVID-19 dewasa terhadap pengetahuan dan kinerja tenaga kesehatan dalam pendokumentasian di RSUD Sanjiwani, Gianyar, Indonesia. <i>Intisari Sains Medis</i> , 2021, 12, 710.	0.1	0
82	A simple risk score for mortality including the PCR Ct value upon admission in patients hospitalized due to COVID-19. <i>Infection</i> , 2022, 50, 1155-1163.	4.7	11

#	ARTICLE	IF	CITATIONS
83	One-on-one comparison between qCSI and NEWS scores for mortality risk assessment in patients with COVID-19. <i>Annals of Medicine</i> , 2022, 54, 646-654.	3.8	11
84	Prognostic value of National Early Warning Scores (NEWS2) and component physiology in hospitalised patients with COVID-19: a multicentre study. <i>Emergency Medicine Journal</i> , 2022, 39, 589-594.	1.0	8
85	Performance of NEWS, qSOFA, and SIRS Scores for Assessing Mortality, Early Bacterial Infection, and Admission to ICU in COVID-19 Patients in the Emergency Department. <i>Frontiers in Medicine</i> , 2022, 9, 779516.	2.6	11
86	Discharge from the emergency department and early hospital reevaluation in patients with COVID-19 pneumonia: a prospective study. <i>Clinical and Experimental Emergency Medicine</i> , 2022, 9, 10-17.	1.6	3
87	Co-Administration of Menstrual Blood-Derived Stem Cells and Remdesivir for the Treatment of Severe Coronavirus Disease 2019 (COVID-19) Induced Pneumonia: A Research Protocol. , 2022, 6, 1-12.		1
88	Interim Analysis of Impact of Adding Low Dose Pulmonary Radiotherapy to Moderate COVID-19 Pneumonia Patients: IMpaCt-RT Study. <i>Frontiers in Oncology</i> , 2022, 12, 822902.	2.8	5
89	Artritis reumatoide y telemedicina en tiempos de COVID-19. <i>Repertorio De Medicina Y Cirugia</i> , 0, 31, .	0.1	0
91	Identifying Predictors of COVID-19 Mortality Using Machine Learning. <i>Life</i> , 2022, 12, 547.	2.4	10
93	National early warning score (NEWS) 2 predicts hospital mortality from COVID-19 patients. <i>Annals of Medicine and Surgery</i> , 2022, 76, 103462.	1.1	10
94	National Early Warning Score 2 (NEWS2) to predict poor outcome in hospitalised COVID-19 patients in India. <i>PLoS ONE</i> , 2021, 16, e261376.	2.5	8
95	IoT-Based COVID-19 Health Monitoring System: Context, Early Warning and Self-Adaptation. , 2021, , .		4
96	Comparison of the Performance of Various Scores in Predicting Mortality Among Patients Hospitalized With COVID-19. <i>Cureus</i> , 2021, 13, e20751.	0.5	2
97	A New Early Predictor of Fatal Outcome for COVID-19 in an Italian Emergency Department: The Modified Quick-SOFA. <i>Microorganisms</i> , 2022, 10, 806.	3.6	6
98	Experience in the use of lung ultrasound in patients of the respiratory hospital of Siberian State Medical University with COVID-19 pneumonia. <i>Bulletin of Siberian Medicine</i> , 2022, 21, 96-102.	0.3	0
99	Comparison of REMS, NEWS, qSOFA and SIRS criteria scales for sepsis prediction in patients with diagnosis "SARS-CoV-2, virus unidentified" a retrospective observational study. <i>Kuban Scientific Medical Bulletin</i> , 2022, 29, 28-44.	0.4	0
100	Comparison of Pneumonia Severity Indices, qCSI, 4C-Mortality Score and qSOFA in Predicting Mortality in Hospitalized Patients with COVID-19 Pneumonia. <i>Journal of Personalized Medicine</i> , 2022, 12, 801.	2.5	6
101	Effect of ArtemiC in patients with COVID-19: A Phase II prospective study. <i>Journal of Cellular and Molecular Medicine</i> , 2022, 26, 3281-3289.	3.6	14
102	Poor prognosis indicators of type-2 diabetic COVID-19 patients. <i>Brazilian Journal of Medical and Biological Research</i> , 0, 55, .	1.5	4

#	ARTICLE	IF	CITATIONS
103	CovHos score for predicting severe respiratory failure in COVID-19 patients presenting at the emergency department. <i>Internal and Emergency Medicine</i> , 0, , .	2.0	1
104	PROcalcitonin and NEWS2 evaluation for Timely identification of sepsis and Optimal use of antibiotics in the emergency department (PRONTO): protocol for a multicentre, open-label, randomised controlled trial. <i>BMJ Open</i> , 2022, 12, e063424.	1.9	5
105	Utility of walk tests in progression of mild COVID-19 infection at a tertiary hospital in North India. <i>Recent Advances in Anti-Infective Drug Discovery</i> , 2022, 17, .	0.8	1
106	Comparison of national early warning score-2 and qSOFA in predicting the prognosis of older adults with altered mental status. <i>Irish Journal of Medical Science</i> , 0, , .	1.5	0
107	Assessment of a Comparative Bayesian-Enhanced Population-Based Decision Model for COVID-19 Critical Care Prediction in the Dominican Republic Social Security Affiliates. <i>Cureus</i> , 2022, , .	0.5	0
108	Pulmonary Artery Enlargement: An Independent Risk Factor for Mortality in Patients Hospitalized With COVID-19. <i>Mayo Clinic Proceedings Innovations, Quality & Outcomes</i> , 2022, 6, 399-408.	2.4	1
110	Comparison of prognostic scores for inpatients with COVID-19: a retrospective monocentric cohort study. <i>BMJ Open Respiratory Research</i> , 2022, 9, e001340.	3.0	10
111	Tocilizumab, netakimab, and baricitinib in patients with mild-to-moderate COVID-19: An observational study. <i>PLoS ONE</i> , 2022, 17, e0273340.	2.5	12
112	Utility of National Early Warning Score 2 to risk-stratify coronavirus disease of 2019 patients in the emergency department: A retrospective cohort study. <i>International Journal of Critical Illness and Injury Science</i> , 2022, 12, 133.	0.6	0
113	Role of cystatin C and calprotectin as potential early prognostic biomarkers in COVID-19 patients admitted to a dedicated COVID care facility. <i>Journal of Family Medicine and Primary Care</i> , 2022, 11, 3971.	0.9	6
114	Long-term survival benefit of male and multimorbid COVID-19 patients with 5-day remdesivir treatment. <i>Journal of Global Health</i> , 0, 12, .	2.7	8
115	Nursing students' perceived stress, self-efficacy, control and evaluation of a course in systematic clinical observation, physical assessment and decision-making: An observational study in Norway. <i>Nursing Open</i> , 2023, 10, 1007-1015.	2.4	2
116	Managing COVID-19 through collaboration: applying a novel patient care model in a rural Indian community. <i>Journal of Global Health Reports</i> , 0, 6, .	1.0	0
117	Acil Serviste Ciddi COVID-19 Vakalarında Kullanılan Risk Puanlama Sistemlerinin Performansları. <i>Phoenix Medical Journal</i> , 2022, 4, 123-128.	0.2	1
118	Implication of Neutrophils Extracellular Traps in the Pathogenesis of SARS-CoV-2 pneumonia. <i>Biomedicines</i> , 2022, 10, 2638.	3.2	2
119	Machine learning-based scoring system to predict in-hospital outcomes in patients hospitalized with COVID-19. <i>Archives of Cardiovascular Diseases</i> , 2022, 115, 617-626.	1.6	6
120	High levels of soluble RAGE are associated with a greater risk of mortality in COVID-19 patients treated with dexamethasone. <i>Respiratory Research</i> , 2022, 23, .	3.6	2
121	Recent Advance Analysis of Recovery in Hospitalized People with COVID-19: A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 14609.	2.6	1

#	ARTICLE	IF	CITATIONS
122	The efficacy of low molecular weight heparin is reduced in COVID-19. <i>Clinical Hemorheology and Microcirculation</i> , 2023, 84, 333-344.	1.7	0
123	Retrospective Study to Identify Risk Factors for Severe Disease and Mortality Using the Modified Early Warning Score in 5127 Patients with COVID-19 Admitted to an Emergency Department in Poland Between March 2020 and April 2021. <i>Medical Science Monitor</i> , 0, 28, .	1.1	1
124	Predictive factors for hospitalization in a cohort of primary healthcare patients with suspected COVID-19. <i>Atencion Primaria Practica</i> , 2023, , 100168.	0.0	0
125	Severity of Illness Scores and Biomarkers for Prognosis of Patients with Coronavirus Disease 2019. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2023, 44, 075-090.	2.1	2
126	Laboratory characteristics of cytokine storm syndrome in COVID-19 infection. , 2023, , 141-160.		0
128	Combining viral genomics and clinical data to assess risk factors for severe COVID-19 (mortality, ICU) Tj ETQq1 1 0.784314 rgBT /Ove 2023, 18, e0283447.	2.5	0
129	Performance of point-of-care severity scores to predict prognosis in patients admitted through the emergency department with COVID-19. <i>Journal of Hospital Medicine</i> , 2023, 18, 413-423.	1.4	2
130	Prognostic models in COVID-19 infection that predict severity: a systematic review. <i>European Journal of Epidemiology</i> , 2023, 38, 355-372.	5.7	11
131	Predictive Performance of the National Early Warning Score 2 for Stratification of Critically Ill COVID-19 Patients. <i>Eurasian Journal of Emergency Medicine</i> , 2023, 22, 49-54.	0.2	0
132	Impact of frailty on the performance of the National Early Warning Score 2 to predict poor outcome in patients hospitalised due to COVID-19. <i>BMC Geriatrics</i> , 2023, 23, .	2.7	0
133	Developing a real-time detection tool and an early warning score using a continuous wearable multi-parameter monitor. <i>Frontiers in Physiology</i> , 0, 14, .	2.8	4
134	Performance of the CURB65, NEWS2, qSOFA, SOFA, REDS, ISARIC 4C, PRIEST and the Novel COVID-19 Severity Scores, Used to Risk-Stratify Emergency Department Patients with COVID-19, on Mortalityâ€”An Observational Cohort Study. <i>Covid</i> , 2023, 3, 555-566.	1.5	0
135	PROGNOSTIC VALUE OF EARLY WARNING SCORES IN PREDICTING IN HOSPITAL MORTALITY AMONG COVID-19 PATIENTS IN AN EMERGENCY DEPARTMENT. <i>Emergency Medical Service</i> , 2023, 10, 5-13.	0.1	0
136	Frequency of Diabetes Mellitus and Newly Diagnosed Hyperglycemia and Their Impacts on Hospitalized COVID-19 Patients. <i>Shiraz E Medical Journal</i> , 2023, 24, .	0.3	0
137	Decision tree analysis as predictor tool for in-hospital mortality in critical SARS-CoV-2 infected patients. <i>Romanian Journal of Laboratory Medicine</i> , 2023, 31, 91-106.	0.2	0
138	National Early Warning Score 2 â€” versÃ£o brasileira: validade preditiva para adultos com COVID-19. <i>Revista De Enfermagem Da Universidade Federal De Santa Maria</i> , 0, 13, e14.	0.1	0
139	The National Early Warning Score on admission predicts severe disease and inâ€”hospital mortality of the coronavirus disease 2019 Delta variant: A retrospective cohort study. <i>Acute Medicine & Surgery</i> , 2023, 10, .	1.2	1
140	Prehospital physiological parameters related illness severity scores can accurately discriminate the severe/critical state in adult patients with COVID-19. <i>Annals of Medicine</i> , 2023, 55, .	3.8	1

#	ARTICLE	IF	CITATIONS
141	Head-to-head comparison of six warning scores to predict mortality and clinical impairment in COVID-19 patients in emergency department. <i>Internal and Emergency Medicine</i> , 0, , .	2.0	0
142	Clinical profile of hospitalised moderate category COVID-19 patients: Short study from a Tertiary Care Centre in Delhi. <i>Journal of Family Medicine and Primary Care</i> , 2023, 12, 1644-1653.	0.9	0
143	The new combination of oxygen saturation with age shock index predicts the outcome of COVID-19 pneumonia. <i>SAGE Open Medicine</i> , 2023, 11, .	1.8	0
144	Assessment of the disease severity in patients hospitalized for COVID-19 based on the National Early Warning Score (NEWS) using statistical and machine learning methods: An electronic health records database analysis. <i>Technology and Health Care</i> , 2023, , 1-12.	1.2	0
145	SUPER Score Contributes to Warning and Management in Early-Stage COVID-19. , 2023, , .		0
146	COVID-19: An evaluation of predictive scoring systems in South Africa. <i>Heliyon</i> , 2023, 9, e21733.	3.2	0
147	Validation of risk scores for prediction of severe pneumonia in kidney transplant recipients hospitalized with community-acquired pneumonia. <i>Infection</i> , 0, , .	4.7	0
148	Predictive value of the National Early Warning Score 2 for hospitalised patients with viral respiratory illness is improved by the addition of inspired oxygen fraction as a weighted variable. <i>BMJ Open Respiratory Research</i> , 2023, 10, e001657.	3.0	0
149	The National Early Warning Score 2 with Age and Body Mass Index (NEWS2 Plus) to Determine Patients with Severe COVID-19 Pneumonia. <i>Journal of Clinical Medicine</i> , 2024, 13, 298.	2.4	2
150	Validation of oxygen saturations measured in the community by emergency medical services as a marker of clinical deterioration in patients with confirmed COVID-19: a retrospective cohort study. <i>BMJ Open</i> , 2024, 14, e067378.	1.9	0
151	Predicting Mortality for COVID-19 Patients Admitted to an Emergency Department Using Early Warning Scores in Poland. <i>Healthcare (Switzerland)</i> , 2024, 12, 687.	2.0	0