

CITATION REPORT

List of articles citing

The use of biplane angiocardigraphy for the measurement of left ventricular volume in man

DOI: 10.1016/0002-8703(60)90359-8
American Heart Journal, 1960, 60, 762-76.

Source: <https://exaly.com/paper-pdf/7583131/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1214	Experiences with the open correction of acquired mitral valvular disease, with special reference to insufficiency. 1961 , 102, 280-92		10
1213	A scanner-computer for determining the volumes of cardiac chambers from cinefluorographic films. <i>American Heart Journal</i> , 1961 , 62, 797-803	4.9	21
1212	Evaluation of mitral annuloplasty for mitral regurgitation. Clinical and hemodynamic status four to forty-one months after surgery. <i>Circulation</i> , 1962 , 26, 26-38	16.7	25
1211	Studies on Starling's law of the heart. VI. Relationships between left ventricular enddiastolic volume and stroke volume in man with observations on the mechanism of pulsus alternans. <i>Circulation</i> , 1962 , 25, 841-8	16.7	100
1210	An angiocardiographic method for directly determining left ventricular stroke volume in man. 1962 , 11, 739-45		103
1209	The contribution of modern hemodynamic techniques to the diagnosis of acquired heart disease. 1962 , 46, 1519-54		3
1208	Pressure-volume of the diastolic left ventricle of man with heart disease. <i>American Heart Journal</i> , 1962 , 64, 503-11	4.9	95
1207	Posteromedial annuloplasty for acquired mitral insufficiency: Methods and results. 1962 , 5, 280-297		13
1206	Die Bestimmung des Ventrikellinnenvolumens mittels Farbstoffverdünnungskurven. 1962 , 39, 182-208		17
1205	The ventricular end-diastolic pressure. Appraisal of its value in the recognition of ventricular failure in man. 1963 , 34, 147-50		182
1204	Quantitation of valvular insufficiency in man by angiocardiography. <i>American Heart Journal</i> , 1963 , 65, 501-13	4.9	182
1203	AN ANGIOCARDIOGRAPHIC ANALYSIS OF THE THICKNESS OF THE LEFT VENTRICULAR WALL AND CAVITY IN AORTIC STENOSIS AND OTHER VALVULAR LESIONS. HEMODYNAMIC-ANGIOGRAPHIC CORRELATIONS IN PATIENTS WITH OBSTRUCTION TO LEFT VENTRICULAR OUTFLOW. <i>Circulation</i> , 1963 , 28, 339-45	16.7	56
1202	LEFT VENTRICULAR TENSION AND STRESS IN MAN. 1963 , 13, 91-104		419
1201	SIMPLIFIED METHOD FOR CALCULATING LEFT VENTRICULAR VOLUME FROM ANGIOCARDIOGRAMS. 1964 , 83, 1008-12		2
1200	ASSESSMENT OF THE PHYSIOLOGIC STATE IN ISOLATED VENTRICULAR SEPTAL DEFECT. 1964 , 2, 17-31		
1199	QUANTITATIVE ASSESSMENT OF MITRAL AND AORTIC INSUFFICIENCY BY ANGIOCARDIOGRAPHY. 1964 , 2, 105-19		12
1198	ISOLATED CONGENITAL MITRAL INSUFFICIENCY WITH PARTICULAR REFERENCE TO LEFT HEART VOLUMES. <i>Circulation</i> , 1964 , 29, 356-65	16.7	27

1197	EFFECT OF CHRONIC PRESSURE AND VOLUME OVERLOAD ON LEFT HEART VOLUMES IN SUBJECTS WITH CONGENITAL HEART DISEASE. <i>Circulation</i> , 1964 , 30, 205-16	16.7	54
1196	LEFT VENTRICULAR VOLUMES IN VALVULAR HEART DISEASE. <i>Circulation</i> , 1964 , 29, 887-91	16.7	53
1195	A METHOD FOR DETERMINING LEFT VENTRICULAR MASS IN MAN. <i>Circulation</i> , 1964 , 29, 666-71	16.7	406
1194	THE RELATIONSHIP OF LEFT ATRIAL PRESSURE AND VOLUME IN PATIENTS WITH HEART DISEASE. <i>American Heart Journal</i> , 1964 , 67, 635-42	4.9	85
1193	MYOCARDIAL FUNCTION AND LEFT VENTRICULAR VOLUMES IN ACQUIRED VALVULAR INSUFFICIENCY. <i>Circulation</i> , 1965 , 31, 374-84	16.7	117
1192	RIGHT VENTRICULAR VOLUMES IN PATIENTS WITH AND WITHOUT HEART FAILURE. <i>Circulation</i> , 1965 , 31, 531-41	16.7	41
1191	Left ventricular residual volume in the intact and denervated dog heart. 1965 , 17, 379-85		7
1190	THE CONTROL OF VENTRICULAR FUNCTION IN MAN. 1965 , 27, 1-16		44
1189	Volume of the left ventricle in tetralogy of Fallot. 1965 , 16, 488-93		20
1188	Left ventricular function derived from the pressure-volume diagram. 1965 , 39, 881-94		68
1187	Continuous measurement of left ventricular volume in the dog. I. Description and validation of a method employing direct external dimensions. 1966 , 18, 574-83		14
1186	Continuous measurement of left ventricular volume in the dog. II. Comparison of washout and radiographic technics with the external dimension method. 1966 , 18, 584-93		29
1185	Usefulness and limitations of thermal washout technics in ventricular volume measurement. 1966 , 18, 228-34		34
1184	Comparison of angiocardiographic and thermal washout technics for left ventricular volume measurement. 1966 , 18, 235-52		40
1183	On measuring left ventricular volume. 1966 , 18, 2-5		13
1182	Usefulness and limitations of radiographic methods for determining left ventricular volume. 1966 , 18, 10-24		571
1181	Experiences with a cinefluorographic method for measuring ventricular volume. 1966 , 18, 25-30		30
1180	An analysis of the fit of mathematical models applicable to the measurement of left ventricular volume. 1966 , 18, 31-42		105

1179	A reappraisal of nonprosthetic reconstructive surgery for mitral regurgitation based on an analysis of early and late results. 1966 , 52, 193-206		13
1178	Measurement of Left Ventricular Volume in the Canine Heart by Biplane Angiocardiology: Accuracy of the Method Using Different Model Analogies. 1966 , 19, 11-17		15
1177	Overestimation of left ventricular volume by the indicator dilution technique. 1966 , 18, 248-56		21
1176	Measurement of left ventricular volume by biplane angiocardiology and indicator-washout techniques: a comparison in the canine heart. 1966 , 19, 295-306		13
1175	Angiocardiology measurements of the cardiac ventricles in dogs. 1966 , 4, 671-80		6
1174	Ventricular volume studies in a patient with hypertrophic subaortic stenosis. <i>Circulation</i> , 1966 , 34, 579-846.7		24
1173	Left atrial volume and its changes in heart disease. <i>Circulation</i> , 1966 , 34, 989-96	16.7	44
1172	Angiocardiology Measurements in Congenital Heart Disease: III. Size of Left Ventricle Including Analysis of Normal Ventricular Volume in Systole and Diastole. 1966 , 4, 155-168		2
1171	Estimation of left ventricular volume by one-plane cineangiography. <i>Circulation</i> , 1967 , 35, 61-9	16.7	390
1170	A hemodynamic study of left ventricular aneurysm. <i>Circulation</i> , 1967 , 35, 614-30	16.7	232
1169	Acute mitral regurgitation in man. Hemodynamic evidence and observations indicating an early role for the pericardium. <i>Circulation</i> , 1967 , 36, 839-51	16.7	48
1168	Measurement of the shortening of cardiac fibers in man. 1967 , 19, 686-91		10
1167	Left ventricular mass. A comparison of angiocardiology measurements with autopsy weight. 1967 , 19, 221-3		93
1166	The use of single plane angiocardiology for the calculation of left ventricular volume in man. <i>American Heart Journal</i> , 1968 , 75, 325-34	4.9	1026
1165	Hemodynamic effects of beta-adrenergic blockade at controlled ventricular rates. <i>American Heart Journal</i> , 1968 , 76, 775-83	4.9	7
1164	Nonobstructive primary myocardial disease. Hemodynamic studies in fourteen cases. 1968 , 22, 523-31		11
1163	Wall stress in the normal and hypertrophied human left ventricle. 1968 , 22, 550-8		285
1162	Immediate hemodynamic effects of acute coronary occlusion and their modification by anesthesia. 1968 , 22, 559-67		13

1161	Hemodynamic aspects of heart failure. 1968 , 22, 24-34		85
1160	Pressure and volume changes of the left ventricle in acute pericardial tamponade. 1968 , 22, 65-74		40
1159	Fiberoptic-dye dilution method for measurement of cardiac output. Comparison with the direct Fick and the angiocardiographic methods. <i>Circulation</i> , 1968 , 37, 694-708	16.7	12
1158	Quantitative angiocardiography. II. The normal left atrial volume in man. <i>Circulation</i> , 1968 , 37, 800-4	16.7	76
1157	A quantitative angiocardiographic study of left ventricular hypertrophy and the electrocardiogram. <i>Circulation</i> , 1968 , 37, 509-17	16.7	54
1156	Contractile state of the left ventricle in man: instantaneous tension-velocity-length relations in patients with and without disease of the left ventricular myocardium. 1968 , 22, 451-63		246
1155	Quantitative angiocardiography. 3. Relationships of left ventricular pressure, volume, and mass in aortic valve disease. <i>Circulation</i> , 1968 , 38, 838-45	16.7	73
1154	Left ventricular pressure-volume characteristics in congenital heart disease. <i>Circulation</i> , 1968 , 37, 879-89	16.7	21
1153	Left ventricular volume in aortic stenosis measured by an angiocardiographic and a thermodilution method. 1968 , 30, 475-82		9
1152	The in vivo determination of left ventricular volume. Comparison of the fiberoptic-indicator dilution and the angiocardiographic methods. <i>Circulation</i> , 1968 , 37, 489-508	16.7	40
1151	Measurement of right ventricular end-systolic and end-diastolic volumes by the thermodilution technique. 1968 , 30, 690-5		7
1150	Characterization of left heart volumes and mass in normal children and in infants with intrinsic myocardial disease. <i>Circulation</i> , 1968 , 38, 826-37	16.7	51
1149	Proceedings of the British Institute of Radiology. 1969 , 42, 556-557		
1148	Severe, intermittent, mitral regurgitation in a Cross-Jones valve. 1969 , 58, 575-580		14
1147	A study of the human heart as a multiple dipole electrical source. II. Diagnosis and quantitation of left ventricular hypertrophy. <i>Circulation</i> , 1969 , 40, 697-710	16.7	61
1146	Phentolamine and cardiovascular performance. 1969 , 31, 154-62		93
1145	Use of the dipole moment in the assessment of left ventricular hypertrophy. <i>Circulation</i> , 1969 , 40, 719-30	16.7	13
1144	Effect of site of shunt on left heart-volume characteristics in children with ventricular septal defect and patent ductus arteriosus. <i>Circulation</i> , 1969 , 40, 411-8	16.7	48

1143	Evaluation of myocardial contractility in man. <i>American Heart Journal</i> , 1969 , 77, 755-66	4.9	13
1142	Left ventricular volume and mass and their significance in heart disease. 1969 , 23, 528-37		157
1141	Determination of ventricular volume by radioisotope-angiography. 1969 , 24, 72-8		58
1140	Application of fiberoptic dye-dilution technic to the assessment of myocardial function. I. Description of technic and results in 100 patients with congenital or acquired heart disease. 1969 , 24, 79-94		10
1139	Constrictive pericarditis and atrial septal defect, secundum type. With special reference to left ventricular volumes and related hemodynamic findings. 1969 , 23, 850-7		17
1138	Severe mitral insufficiency in early infancy associated with anomalous origin of the left coronary artery from the pulmonary artery. 1969 , 23, 858-63		4
1137	Physiologic evaluation of a catheter tip electromagnetic velocity probe. A new instrument. 1969 , 23, 424-33		18
1136	An analytic elastic-viscoelastic model for the shape and the forces in the left ventricle. 1969 , 2, 35-47		77
1135	Dynamic changes in left ventricular free wall thickness in the human heart. <i>Circulation</i> , 1969 , 39, 455-64	16.7	33
1134	The Computerization Of High Speed Cineangiographic Left Ventricular Volume Determination. 1969 ,		3
1133	Examining the precordium and the heart. 1970 , 57, 567-71		7
1132	Left heart volume and mass quantification in children with left ventricular pressure overload. <i>Circulation</i> , 1970 , 41, 203-12	16.7	59
1131	The role of left atrial transport in aortic and mitral stenosis. <i>Circulation</i> , 1970 , 41, 1031-41	16.7	103
1130	Quantitative angiocardiology. IV. Relationships of left atrial and ventricular pressure and volume in mitral valve disease. <i>Circulation</i> , 1970 , 41, 817-24	16.7	81
1129	The relationship of alterations in systolic time intervals to ejection fraction in patients with cardiac disease. <i>Circulation</i> , 1970 , 42, 455-62	16.7	365
1128	Systolic and diastolic abnormalities of the left ventricle in coronary artery disease. Studies in patients with little or no enlargement of ventricular volume. <i>Circulation</i> , 1970 , 42, 219-28	16.7	141
1127	Abnormal left ventricular contraction in patients with mitral stenosis. <i>Circulation</i> , 1970 , 42, 1099-110	16.7	98
1126	Relationship between quantitated precordial movement and left ventricular function. <i>Circulation</i> , 1970 , 41, 179-90	16.7	28

1125	Left ventricular volume and mass from single-plane cineangiogram. A comparison of anteroposterior and right anterior oblique methods. <i>American Heart Journal</i> , 1970 , 80, 343-52	4.9	615
1124	Primary myocardial disease. Clinical, hemodynamic and angiographic correlates in fifty patients. 1970 , 25, 625-34		27
1123	Left ventricular end-diastolic pressure in chronic heart disease. 1970 , 48, 310-9		34
1122	Left ventricular volumes and ejection fraction by echocardiography. <i>Circulation</i> , 1971 , 43, 480-90	16.7	520
1121	Preoperative assessment of left ventricular function in patients selected for direct myocardial revascularization. 1971 , 11, 395-402		13
1120	Experimental graded "pump failure" of the left ventricle. 1971 , 11, 325-41		9
1119	Left ventricular power in man. <i>American Heart Journal</i> , 1971 , 81, 799-808	4.9	28
1118	Ventricular function in idiopathic hypertrophic subaortic stenosis. A ballistocardiographic and angiographic correlative study. 1971 , 28, 641-7		2
1117	Peripheral venous scintillation angiography in determination of left ventricular volume in man. 1971 , 28, 563-7		34
1116	Intraaortic balloon pumping in the experimental animal. Effects and problems. 1971 , 27, 129-36		36
1115	The effect of corrective surgery on left heart volume and mass in children with ventricular septal defect. 1971 , 27, 254-8		70
1114	Assessment of regional myocardial performance from biplane coronary cineangiograms. 1971 , 27, 529-37		96
1113	Left ventricular dimensions and dynamics of filling in patients with gallop heart sounds. 1971 , 50, 721-7		19
1112	Evaluation of ventricular function in infants and children. 1971 , 18, 1109-32		13
1111	Function of left ventricle and extent of coronary arterial lesions: failure of correlation in cineangiographic studies. 1971 , 59, 610-7		13
1110	Angiographic method for volume estimation of right and left ventricles. 1971 , 60, 446-54		119
1109	Measurements, modeling, control and simulation as applied to the human left ventricle for purposeful physiological monitoring. 1971 , 292, 545-554		1
1108	Die Volumenbestimmung des rechten Ventrikels mittels der Angiokardiographie in zwei Ebenen. 1971 , 65, 83-95		2

1107	Digital filtering of left ventricular heart volume and calculation of aortic valve blood flow. 1971 , 4, 340-54	13
1106	On-line processing of the video-image for left ventricular volume determination. 1971 , 4, 474-85	40
1105	Intra-aortic balloon pumping (IABP) at different levels of experimental acute left ventricular failure. 1971 , 59, 68-76	32
1104	Left ventricular dysfunction in chronic constrictive pericarditis. 1971 , 59, 484-92	30
1103	Relationship between changes in left ventricular dimensions and the ejection fraction in man. <i>Circulation</i> , 1971 , 44, 548-57	16.7 87
1102	Abnormalities of left ventricular contraction induced by beta adrenergic blockade. <i>Circulation</i> , 1971 , 43, 641-7	16.7 72
1101	Determination of left ventricular volumes by ultrasound. <i>Circulation</i> , 1971 , 44, 575-84	16.7 243
1100	Quantitative hemodynamic effects of heart rate in aortic regurgitation. <i>Circulation</i> , 1971 , 44, 355-67	16.7 70
1099	Comparison of the vectorcardiogram with the electrocardiogram in the prediction of left ventricular size. <i>Circulation</i> , 1971 , 43, 547-58	16.7 27
1098	Left heart volume estimation in infancy and childhood. Reevaluation of methodology and normal values. <i>Circulation</i> , 1971 , 43, 895-904	16.7 195
1097	Measurement of ventricular volume in man. <i>Circulation</i> , 1971 , 44, 975-8	16.7 3
1096	Acute changes in left ventricular volume and contractility during ventricular pacing in patients with complete heart block. <i>Circulation</i> , 1971 , 44, 771-81	16.7 10
1095	Assessment of left ventricular function by single plane cineangiographic volume analysis. 1971 , 33, 565-71	38
1094	Influence of aortocoronary bypass surgery on left ventricular performance. 1971 , 284, 1116-20	187
1093	External isovolumic contraction times and left ventricular ejection time-external isovolumic contraction time ratios at rest and after exercise in coronary heart disease. <i>Circulation</i> , 1971 , 43, 59-65	16.7 24
1092	Abnormalities of ventricular motion induced by atrial pacing in coronary artery disease. <i>Circulation</i> , 1972 , 45, 1195-205	16.7 112
1091	Measurement of left ventricular wall thickness and mass by echocardiography. <i>Circulation</i> , 1972 , 45, 602-11	16.7 527
1090	An automated method for the measurement of ventricular volume. <i>Circulation</i> , 1972 , 45, 65-76	16.7 24

1089	Depression of left ventricular function due to acute myocardial ischemia and its reversal after aortocoronary saphenous-vein bypass. 1972 , 286, 1117-22		136
1088	Frequency tuning and high-efficiency extraction of second-harmonic radiation from a prism dispersion resonator of a neodymium laser. 1972 , 1, 547-549		
1087	Analysis of left ventricular wall motion by reflected ultrasound. Application to assessment of myocardial function. <i>Circulation</i> , 1972 , 46, 14-25	16.7	191
1086	Hemodynamic spectrum of myocardial infarction and cardiogenic shock. A conceptual model. <i>Circulation</i> , 1972 , 45, 1097-110	16.7	164
1085	Comparison of ultrasound and cineangiographic measurements of the mean rate of circumferential fiber shortening in man. <i>Circulation</i> , 1972 , 46, 914-23	16.7	187
1084	On the mechanism of the Austin Flint murmur. <i>Circulation</i> , 1972 , 45, 558-70	16.7	71
1083	Left heart function in children with tetralogy of Fallot before and after palliative or corrective surgery. <i>Circulation</i> , 1972 , 46, 478-90	16.7	91
1082	Left heart volume characteristics with a right ventricular volume overload. Total anomalous pulmonary venous connection and large atrial septal defect. <i>Circulation</i> , 1972 , 45, 389-96	16.7	65
1081	Quantitative angiocardioraphy in ischemic heart disease. The spectrum of abnormal left ventricular function and the role of abnormally contracting segments. <i>Circulation</i> , 1972 , 45, 1065-80	16.7	108
1080	Ultrasound determination of left ventricular position for volume angiography. 1972 , 62, 29-33		13
1079	Television-computer dimensional analysis interface with special application to left ventricular cineangiograms. 1972 , 2, 221-33		9
1078	Left ventricular function following internal mammary implantation. <i>American Heart Journal</i> , 1972 , 83, 41-9	4.9	5
1077	Ejection fraction in anomalous origin of the left coronary artery from the pulmonary artery. <i>American Heart Journal</i> , 1972 , 84, 325-9	4.9	3
1076	General index for the assessment of cardiac function. 1972 , 30, 483-91		66
1075	Echocardiographic determination of left ventricular dimensions, volumes and performance. 1972 , 30, 252-7		118
1074	Quantitative left ventricular angiocardioraphic findings in mitral stenosis. Detailed analysis of the anterolateral wall of the left ventricle. 1972 , 29, 621-7		63
1073	Quantifying the need for cardiac support in human shock by a functional model of cardiopulmonary vascular dynamics: with special reference to myocardial infarction. 1972 , 13, 166-81		19
1072	BOUNDARY DETECTION OF RADIOGRAPHIC IMAGES BY A THRESHOLD METHOD. 1972 , 61-82		23

1071	Automatic boundary detection of the left ventricle from cineangiograms. 1972 , 5, 388-410		305
1070	Computer determination of left ventricular volume using videodensitometry. 1972 , 10, 163-73		18
1069	Hemodynamic investigation of congenital heart disease in infancy and childhood. 1972 , 15, 191-212		10
1068	[Videometric determination of the left ventricular area with semi-automated correction for background structures]. 1972 , 158, 66-74		4
1067	Quantitative angiocardiographic methods in the evaluation of valvular heart disease. 1973 , 16, 1-23		56
1066	Quantitative angiographic evaluation and pathophysiologic mechanisms in valvular heart disease. 1973 , 15, 427-47		28
1065	Left ventricular blood flow velocity in man studied with the Doppler ultrasonic flowmeter. <i>American Heart Journal</i> , 1973 , 85, 294-301	4.9	12
1064	Quantitative evaluation of cineangiography in the assessment of aortic regurgitation. 1973 , 31, 696-700		123
1063	Regional contraction patterns in the normal and ischemic left ventricle in man. 1973 , 31, 484-9		87
1062	Aortic regurgitation and aneurysm of sinus of Valsalva associated with osteogenesis imperfecta. 1973 , 31, 654-7		25
1061	Influence of aortocoronary saphenous vein bypass surgery on left ventricular volumes and ejection fraction. Comparison before and one year after surgery in 51 patients. 1973 , 54, 290-6		83
1060	Left ventricular hypertrophy in coronary artery disease. A cardiomyopathy syndrome following myocardial infarction. 1973 , 55, 595-601		21
1059	Left ventricular volume and ejection fraction determination by radionuclide angiography. 1973 , 3, 165-76		56
1058	Regulation of cardiac performance in clinical heart disease. Interactions between contractile state mechanical abnormalities and ventricular compensatory mechanisms. 1973 , 32, 437-48		52
1057	Use of a video system in the study of ventricular function in man. 1973 , 32, 175-9		12
1056	Regional myocardial dynamics from single-plane coronary cineangiograms. 1973 , 6, 25-30		5
1055	Alveolar-arterial oxygen gradients in infants and children with left-to-right shunts. 1973 , 83, 979-87		1
1054	Echocardiographic evaluation of the hemodynamic effects of chronic aortic insufficiency with observations on left ventricular performance. <i>Circulation</i> , 1973 , 48, 253-62	16.7	10

1053	Engineering mechanics for successive states in canine left ventricular myocardium. I. Cavity and wall geometry. 1973 , 33, 639-55		142
1052	Dynamic geometry of the left ventricle in mitral regurgitation. <i>Circulation</i> , 1973 , 48, 786-96	16.7	65
1051	Left ventricular performance after myocardial infarction assessed by radioisotope angiocardigraphy. <i>Circulation</i> , 1973 , 47, 242-9	16.7	91
1050	Ventriculographic patterns and hemodynamics in primary myocardial disease. <i>Circulation</i> , 1973 , 47, 299-308	16.7	63
1049	A new technique for the study of left ventricular pressure-volume relations in man. <i>Circulation</i> , 1973 , 48, 56-64	16.7	36
1048	Left ventricular wall motion during the isovolumic relaxation period. <i>Circulation</i> , 1973 , 48, 499-505	16.7	62
1047	The missing waveform information in the orthogonal electrocardiogram (Frank leads). II. Diagnosis of left ventricular hypertrophy and myocardial infarction from "total" surface waveform information. <i>Circulation</i> , 1973 , 48, 996-1004	16.7	17
1046	The missing waveform information in the orthogonal electrocardiogram (Frank leads). I. Where and how can this missing waveform information be retrieved?. <i>Circulation</i> , 1973 , 48, 984-95	16.7	38
1045	Left atrial volume calculation by angiocardigraphy in children. 1973 , 63, 189-97		27
1044	Underestimation of ejection fraction with singleplane angiography in coronary artery disease: role of biplane angiography. 1973 , 64, 217-21		34
1043	Left ventricular function in mitral stenosis. 1973 , 64, 609-14		46
1042	Assessment of passive elastic stiffness for isolated heart muscle and the intact heart. 1973 , 33, 233-43		312
1041	Right ventricular volume determinations in children. Normal values and observations with volume or pressure overload. <i>Circulation</i> , 1973 , 47, 144-53	16.7	254
1040	Asymmetric left ventricular contraction in patients with previous myocardial infarction. Comparison of volume and dimensional characteristics derived from frontal and lateral cineangiograms. <i>Circulation</i> , 1973 , 48, 352-6	16.7	14
1039	Influence of direct myocardial revascularization on left ventricular asynergy and function in patients with coronary heart disease. With and without previous myocardial infarction. <i>Circulation</i> , 1973 , 47, 276-86	16.7	262
1038	The effect of bradycardia on ventricular end-diastolic pressure. 1973 , 24, 81-5		
1037	The physiological meaning and clinical significance of diverse indicators of ventricular performance: an integrated clinical concept. 1973 , 24, 325-31		1
1036	[Roentgen-videometric methods for the determination of ventricular volume using a video light pen and digital contour memories (author's transl)]. 1973 , 18, 124-32		2

1035	Volume changes of the left ventricle during acute myocardial ischaemia in dogs. 1973 , 14, 529-39		
1034	Cineangiographic estimation of the left ventricular volume during acute myocardial ischaemia in dogs. 1973 , 14, 43-55		3
1033	Changes in maximal exercise performance in the evaluation of saphenous vein bypass surgery. <i>Circulation</i> , 1973 , 47, 1164-73	16.7	81
1032	Hemodynamics in ruptured chordae tendineae and chronic rheumatic mitral regurgitation. <i>Circulation</i> , 1973 , 48, 1288-94	16.7	32
1031	Quantitative angiographic analysis of the left ventricle in patients with isolated rheumatic mitral stenosis. 1973 , 35, 497-502		31
1030	Left ventricular pressure-volume relationships during myocardial ischemia in man. <i>Circulation</i> , 1973 , 48, 775-85	16.7	61
1029	Beneficial effects of vasodilator agents in severe mitral regurgitation due to dysfunction of subvalvar apparatus. <i>Circulation</i> , 1973 , 48, 684-90	16.7	274
1028	Left ventricular wall motion assessed by using fixed external reference systems. <i>Circulation</i> , 1973 , 48, 1043-54	16.7	79
1027	A quantitative evaluation of heart size measurements from chest roentgenograms. <i>Circulation</i> , 1973 , 47, 1289-96	16.7	46
1026	Comparison of ultrasound and cineangiographic measurements of left ventricular performance in patients with and without wall motion abnormalities. 1973 , 35, 1026-32		54
1025	A Comprehensive Characterization of the Dynamics of Ventricular Performance *. 1973 , 6, 329-332		
1024	The intermediate coronary syndrome: clinical, angiographic and therapeutic aspects. 1973 , 288, 1193-8		151
1023	An appraisal of mitral valve echocardiograms mimicking mitral stenosis in conditions with right ventricular pressure overload. <i>Circulation</i> , 1973 , 48, 801-9	16.7	32
1022	Objective assessment of the effects of aorto-coronary bypass operation on cardiac function. 1973 , 66, 916-933		14
1021	The missing waveform information in the orthogonal electrocardiogram (Frank leads). 3. Computer diagnosis of angina pectoris from "maximal" QRS surface waveform information at rest. <i>Circulation</i> , 1974 , 49, 1212-22	16.7	16
1020	Detection of residual myocardial function in coronary artery disease using post-extra systolic potentiation. <i>Circulation</i> , 1974 , 50, 694-9	16.7	154
1019	The rate of change of left ventricular volume in man. I. Validation and peak systolic ejection rate in health and disease. <i>Circulation</i> , 1974 , 49, 729-38	16.7	56
1018	Assessment of left ventricular stiffness in primary myocardial disease and coronary artery disease. <i>Circulation</i> , 1974 , 50, 128-36	16.7	108

1017	Shape and volume changes during "isovolumetric relaxation" in normal and asynergic ventricles. <i>Circulation</i> , 1974 , 50, 306-16	16.7	58
1016	Factors influencing the ejection fraction and the mean rate of circumferential fibre shortening during atrial fibrillation in man. 1974 , 8, 18-25		57
1015	Left ventricular compliance and abnormally contracting segments in postmyocardial infarction patients. 1974 , 65, 368-78		44
1014	Restoration of regional wall motion by nitroglycerin therapy in patients with left ventricular asynergy. 1974 , 66, 545-8		18
1013	Aortocoronary saphenous-vein bypass. Failure of successful grafting to improve resting left ventricular function in chronic angina. 1974 , 290, 186-92		125
1012	Study of left ventricular geometry and function by B-scan ultrasonography in patients with and without asynergy. 1974 , 291, 1220-6		148
1011	Right atrial volume measurements from biplane cineangiography. Methodology, normal values, and alterations with pressure or volume overload. <i>Circulation</i> , 1974 , 49, 709-16	16.7	25
1010	Determination of left ventricular preload and afterload by quantitative echocardiography in man. 1974 , 34, 711-8		53
1009	Passive elasticity of the human left ventricle. The "parallel elastic element". <i>Circulation</i> , 1974 , 50, 609-18	16.7	56
1008	Scintiphotographic evaluation of patients with suspected left ventricular aneurysm. <i>Circulation</i> , 1974 , 50, 985-91	16.7	88
1007	Left ventricular function in acute myocardial infarction evaluation by gated scintiphotography. <i>Circulation</i> , 1974 , 50, 678-84	16.7	168
1006	The syndrome of systolic click, murmur, and mitral valve prolapse--a cardiomyopathy?. <i>Circulation</i> , 1974 , 49, 717-28	16.7	114
1005	Angiographic estimation of right ventricular volume in man. <i>Circulation</i> , 1974 , 50, 324-30	16.7	160
1004	Systolic time intervals in coronary artery disease as indices of left ventricular function: fact or fancy?. 1974 , 36, 368-76		18
1003	Augmentation of left ventricular contraction pattern in coronary artery disease by an inotropic catecholamine. The epinephrine ventriculogram. <i>Circulation</i> , 1974 , 49, 1063-71	16.7	150
1002	An algorithm for locating the aortic valve and the apex in left-ventricular angiocardiograms. 1974 , 21, 345-9		4
1001	A semiautomated technique for the rapid determination of left ventricular volume from left ventricular cineangiograms. 1974 , 7, 575-89		9
1000	Left ventricular hemodynamics and contractile pattern after aortocoronary bypass surgery. Factors affecting reversibility of abnormal left ventricular function. <i>American Heart Journal</i> , 1974 , 88, 149-59	4.9	39

- 999 Ventricular function curves from the cardiac response to angiographic contrast: a sensitive detector of ventricular dysfunction in coronary artery disease. *American Heart Journal*, **1974**, 88, 281-8 4.9 27
- 998 Myocardial lactate production in patients with angina-like chest pain and angiographically normal coronary arteries and left ventricle. **1974**, 34, 501-5 110
- 997 Clinical, hemodynamic and angiographic aspects of inferior and anterior myocardial infarctions in patients with angina pectoris. **1974**, 34, 513-9 70
- 996 Relation of left ventricular shape, function and wall stress in man. **1974**, 34, 627-34 147
- 995 Quantitation of valvular insufficiency by computerized radionuclide angiography. **1974**, 34, 711-21 28
- 994 Measurement of left heart ejection fraction and end-diastolic volume by a computerized, scintigraphic technique using a wedged pulmonary arterial catheter. **1974**, 34, 179-86 45
- 993 Ventricular dysfunction in coronary artery disease. **1974**, 33, 307-10 22
- 992 Left ventricular A wave amplitude in patients after myocardial infarction. **1974**, 33, 370-7 4
- 991 Posterior wall velocity: an unreliable index of total left ventricular performance in patients with coronary artery disease. **1974**, 33, 475-82 23
- 990 Comparison of biplane and single plane left ventriculograms in patients with coronary artery disease. **1974**, 33, 1-6 138
- 989 The fundamentals of computer aided X-ray analysis of the spine. **1974**, 7, 161-9 40
- 988 Clinical applications of echocardiography in infants and children. 3. Estimation of left and right ventricular size: a comparison between echocardiography and angiocardiology. **1974**, 63, 257-65 9
- 987 Angiographic determination of the left ventricular ejection rate in man with heart disease. **1974**, 66, 32-8 6
- 986 Late systolic bulging of left ventricle in patients with angina pectoris. A form of asynchronous contraction. **1974**, 65, 169-75 28
- 985 Coronary artery disease and left ventricular mural thrombi: clinical, hemodynamic and angiographic aspects. **1974**, 66, 488-94 46
- 984 Interpreting cardiac catheterization data. Part 2. **1975**, 57, 77-83
- 983 Elastic modulus of the human intact left ventricle--determination and physiological interpretation. **1975**, 13, 151-61 35
- 982 In vivo elastic modulus of the left ventricle: its determination by means of a left ventricular vibrational model and its physiological significance and clinical utility. **1975**, 13, 162-70 9

981	[Hemodynamic compensatory mechanisms of impaired left ventricular contraction in coronary artery disease (author's transl)]. 1975 , 53, 29-37		
980	Comparison of indices of muscle and pump performance in patients with coronary artery disease. 1975 , 1, 17-34		8
979	Quantification of ventricular performance: a computer-based system for the analysis of angiographic data. 1975 , 1, 133-55		11
978	Measurement of ejection fraction in man by videodensitometry. 1975 , 1, 223-32		
977	Results of direct coronary artery surgery in women. 1975 , 69, 271-277		90
976	Dynamic stiffness profiles in the left ventricle. 1975 , 39, 665-71		55
975	Right ventricular performance in patients with coronary artery disease. <i>Circulation</i> , 1975 , 52, 608-15	16.7	167
974	Abnormal regional metabolism and mechanical function in patients with ischemic heart diseases: improvement after successful regional revascularization by aortocoronary bypass. <i>Circulation</i> , 1975 , 52, 390-9	16.7	45
973	Regional differences in myocardial performance in the left ventricle of the dog. 1975 , 37, 191-9		164
972	Hemodynamic and prognostic findings in patients with transmural and nontransmural infarction. <i>Circulation</i> , 1975 , 51, 1064-70	16.7	124
971	Effect of sublingual nitroglycerin on ejection fraction and left ventricular asynergy in coronary disease. 1975 , 26, 276-82		3
970	Congenital absence of the left circumflex coronary artery in the systolic click syndrome. <i>Circulation</i> , 1975 , 52, 490-6	16.7	23
969	Ejection phase indices of left ventricular performance in infants, children, and adults. 1975 , 37, 196-202		9
968	Left ventricular aneurysm. Preoperative hemodynamics, chamber volume, and results of aneurysmectomy. <i>Circulation</i> , 1975 , 52, 868-73	16.7	75
967	Comparison of ejection phase indices of left ventricular performance in infants and children. <i>Circulation</i> , 1975 , 52, 916-25	16.7	21
966	Left Ventricular Performance After Acute Myocardial Infarction. 1975 , 135, 1539		14
965	Nontraumatic determination of left ventricular ejection fraction by radionuclide angiocardiology. <i>Circulation</i> , 1975 , 51, 902-9	16.7	166
964	Relationship between echocardiography, cardiac output, and abnormally contracting segments in patients with ischemic heart disease. <i>Circulation</i> , 1975 , 52, 634-41	16.7	32

963	Ventricular arrhythmias in the late hospital phase of acute myocardial infarction. Relation to left ventricular function detected by gated cardiac blood pool scanning. <i>Circulation</i> , 1975 , 52, 1006-11	16.7	122
962	Mitral valve prolapse and coronary artery disease. Clinical, hemodynamic, and angiographic correlations. <i>Circulation</i> , 1975 , 52, 245-53	16.7	57
961	Left atrial transport function in myocardial infarction. Importance of its booster pump function. 1975 , 59, 686-94		204
960	Left ventricular ejection fraction in severe chronic obstructive airways disease. 1975 , 59, 21-8		78
959	Myocardial perfusion imaging with 99m-Tc or 113m-In macroaggregated albumin: correlation of the perfusion image with clinical, angiographic, surgical, and histologic findings. <i>American Heart Journal</i> , 1975 , 89, 708-15	4.9	30
958	Trancutaneous determination of aortic blood-flow velocities in man. <i>American Heart Journal</i> , 1975 , 89, 605-12	4.9	75
957	Abnormalities of left ventricular function and geometry in adults with an atrial septal defect. Ventriculographic, hemodynamic and echocardiographic studies. 1975 , 36, 302-8		92
956	Left ventricular function in patients with and without myocardial infarction and one, two or three vessel coronary artery disease. 1975 , 35, 1-10		52
955	Right ventricular volume in congenital heart disease. 1975 , 36, 67-75		111
954	Dynamic ventriculography and the role of the ejection fraction. 1975 , 36, 529-31		29
953	Angiographic estimation of left ventricular volume. 1975 , 1, 7-16		33
952	Prognostic implications of left ventricular function in endomyocardial disease in infants and children. 1975 , 87, 389-95		2
951	Problems in Acquisition and Representation of Coronary Arterial Trees. 1975 , 8, 36-41		2
950	Continuous measurement of cardiac output with a catheter blood flow probe. 1976 , 21, 319-22		2
949	Simple method for computer-aided analysis of echocardiograms. 1976 , 38, 34-7		11
948	Combined hemodynamic-ultrasonic method for studying left ventricular wall stress: comparison with angiography. 1976 , 37, 864-70		99
947	Comparative response of right and left ventricles to volume overload. 1976 , 38, 209-17		35
946	Analysis of wall dynamics and directional components of left ventricular contraction in man. 1976 , 38, 322-31		56

945	Measurement of left ventricular mean circumferential fiber shortening velocity and systolic ejection rate by computerized radionuclide angiography. 1976 , 37, 388-93		19
944	Cyanotic congenital heart disease. 1976 , 37, 283-308		5
943	Effect of pulsatile and nonpulsatile flow during cardiopulmonary bypass on left ventricular ejection fraction early after aortocoronary bypass surgery. 1976 , 37, 1000-6		47
942	Problems in echocardiographic volume determinations: echocardiographic-angiographic correlations in the presence of absence of asynergy. 1976 , 37, 7-11		2199
941	Estimation of left ventricular volumes using a simplified method. <i>American Heart Journal</i> , 1976 , 91, 399-409		1
940	Correlation of heart size with clinical and hemodynamic findings in patients with coronary artery disease. <i>American Heart Journal</i> , 1976 , 91, 21-7	4.9	15
939	Vectorcardiographic, electrocardiographic, and angiographic correlations in apparently isolated inferior wall myocardial infarction. <i>American Heart Journal</i> , 1976 , 91, 699-704	4.9	11
938	Cardiac amyloidosis, constrictive pericarditis and restrictive cardiomyopathy. 1976 , 38, 547-56		151
937	Digital boundary detection, volumetric and wall motion analysis of left ventricular cine angiograms. 1976 , 6, 73-85		20
936	Radionuclide angiographic measurement of left ventricular volume and ejection fraction. 1976 , 69, 672-6		1
935	Determinants of cardiac performance in severe aortic stenosis. 1976 , 69, 192-200		19
934	Regional Myocardial Shape And Dimensions Of The Working Isolated Canine Left Ventricle. 1976 , 0072, 129		
933	Measurement of right and left ventricular ejection fractions by radionuclide angiography in coronary artery disease. 1976 , 70, 51-6		92
932	Angiographic assessment of right ventricular volumes and ejection fraction. 1976 , 2, 5-14		18
931	Right ventricular mass estimation by angioechocardiography. 1976 , 2, 125-36		11
930	A simple method for calculating left ventricular functions from angiographic data using a programmable hand calculator. 1976 , 2, 188-210		1
929	Cineangiographic measurements with the help of a vertebral grid system. 1976 , 2, 353-9		5
928	Computer representation of coronary arterial trees. 1976 , 9, 187-201		9

927	Serial radionuclide determinations of the electron fraction with ^{99m} Tc-labeled red blood cells. 1976 , 119, 729-30		13
926	Right ventricular function in children with tetralogy of Fallot before and after aortic-to-pulmonary shunt. <i>Circulation</i> , 1976 , 53, 555-61	16.7	23
925	Mitral valve area in combined mitral stenosis and regurgitation. <i>Circulation</i> , 1976 , 54, 480-3	16.7	14
924	Echocardiographic determination of left atrial volumes in children with congenital heart disease. <i>Circulation</i> , 1976 , 53, 268-72	16.7	39
923	Quantitative radionuclide angiocardiology. Determination of left ventricular ejection fraction in children. 1976 , 38, 966-73		25
922	Right and left ventricular volume characteristics in children with pulmonary stenosis and intact ventricular septum. <i>Circulation</i> , 1976 , 53, 884-90	16.7	108
921	Left heart volume characteristics following ventricular septal defect closure in infancy. <i>Circulation</i> , 1976 , 54, 294-8	16.7	36
920	Quantitative evaluation of left ventricular function by radiographic techniques. <i>Circulation</i> , 1976 , 54, 862-79	16.7	104
919	Distribution of coronary artery disease. Prediction by echocardiography. <i>Circulation</i> , 1976 , 54, 724-9	16.7	17
918	Quantitative measurement of left ventricular volumes in man from radiopaque epicardial markers. <i>Circulation</i> , 1976 , 54, 391-8	16.7	19
917	The effect of left ventricular pressure or volume overload on ventricular dimension in children. Left ventricular volume determination from one or two ventricular dimensions. <i>Circulation</i> , 1976 , 54, 969-74	16.7	5
916	Comparison of single and biplane ejection fractions in patients with Ischaemic heart disease. 1976 , 38, 388-95		10
915	Anatomical variants in aortic atresia. Potential candidates for ventriculoaortic reconstitution. 1976 , 38, 821-6		35
914	Pre and postoperative ventricular function in infants and children with right ventricular volume overload. <i>Circulation</i> , 1977 , 55, 479-84	16.7	23
913	Hypercontractile cardiac states simulating hypertrophic cardiomyopathy. <i>Circulation</i> , 1977 , 55, 901-8	16.7	84
912	Prompt return to normal of depressed right ventricular ejection fraction in acute inferior infarction. 1977 , 39, 1319-23		78
911	Immediate effect of contrast medium injection on left ventricular volumes and ejection fraction. A study using metallic epicardial markers. <i>Circulation</i> , 1977 , 56, 379-84	16.7	42
910	Nomogram for calculation of left ventricular volumes. 1977 , 39, 1143-6		1

909	Quantitative assessment of ventricular performance in unstable ischemic heart disease by dextran function curves. <i>Circulation</i> , 1977 , 55, 858-63	16.7	20
908	Approximation of the left ventricle by a cone of revolution using biplane measurements. 1977 , 125, 597-601		1
907	Correlation between chest film and angiographic assessment of left ventricular size. 1977 , 128, 367-73		37
906	Left ventricular function before and following aortic valve replacement. <i>Circulation</i> , 1977 , 56, 944-50	16.7	161
905	A study of left ventricular function in coronary patients before and after physical training. <i>Circulation</i> , 1977 , 56, 375-8	16.7	86
904	The effects of left ventricular load and contractility on mitral regurgitant orifice size and flow in the dog. <i>Circulation</i> , 1977 , 56, 106-13	16.7	65
903	Left ventricular and coronary angiographic anatomy. Relationship to ventricular irritability in the late hospital phase of acute myocardial infarction. <i>Circulation</i> , 1977 , 55, 839-43	16.7	66
902	A method of left ventricular ejection fraction estimation from cineangiocardigrams employing a special-purpose calculator. 1977 , 11, 470-4		6
901	Evaluation of ventricular function by radioisotopic technics. 1977 , 296, 1097-9		45
900	Noninvasive radioisotope cardiographic images with digital prefiltering and boundary detection for measuring left ventricular parameters. 1977 , 37, 223-243		3
899	Coronary arterial surgery in patients with incapacitating angina pectoris and myxedema. 1977 , 40, 226-31		35
898	Improvement in exercise performance after unsuccessful myocardial revascularization. 1977 , 40, 673-80		44
897	Mechanism of paradoxical early diastolic septal motion in patients with mitral stenosis: a cross-sectional echocardiographic study. 1977 , 40, 691-9		40
896	The evaluation of left ventricular function by echocardiography. 1977 , 63, 1-9		28
895	Sudden death in the year following myocardial infarction. Relation to ventricular premature contractions in the late hospital phase and left ventricular ejection fraction. 1977 , 62, 192-9		514
894	Effects of contrast medium on left ventricular pressure and volume with emphasis on coronary artery disease. <i>American Heart Journal</i> , 1977 , 93, 9-18	4.9	45
893	Noninvasive assessment of left ventricular function in chronic heart disease. <i>American Heart Journal</i> , 1977 , 93, 289-97	4.9	3
892	Programmed left ventricular contrast injection. A method to minimize left ventricular irritability during angiography. <i>American Heart Journal</i> , 1977 , 93, 141-6	4.9	4

891	Measurements of right ventricular volumes in man from single plane cineangiograms. A comparison to the biplane approach. <i>American Heart Journal</i> , 1977 , 94, 87-90	4.9	64
890	The use of the systolic time interval for predicting left ventricular ejection fraction ischemic heart disease. <i>American Heart Journal</i> , 1977 , 93, 450-4	4.9	20
889	Effect of aortocoronary saphenous vein bypass grafting on death and sudden death. Comparison of nonrandomized medically and surgically treated cohorts with comparable coronary disease and left ventricular function. 1977 , 39, 925-34		100
888	Myocardial imaging with intravenously injected thallium-201 in patients with suspected coronary artery disease: analysis of technique and correlation with electrocardiographic, coronary anatomic and ventriculographic findings. 1977 , 39, 347-54		119
887	Contractile state of the left ventricle in man as evaluated from end-systolic pressure-volume relations. <i>Circulation</i> , 1977 , 56, 845-52	16.7	530
886	Influence of coronary artery anatomy on survival following resection of left ventricular aneurysms and chronic infarcts. 1977 , 73, 120-128		19
885	Automatic data processing in the cardiac catheterization laboratory. 1977 , 7, 99-110		9
884	A geometric basis for calculation of right ventricular volume in man. 1977 , 3, 217-30		43
883	Angiocardiographic volume determination of the reindeer left ventricle. 1977 , 72, 383-91		3
882	Dynamic geometry of the left ventricle in hypertrophy studied by quantitative angiocardiography. 1977 , 72, 190-7		5
881	Comparison of scintigraphic count-volume and geometric methods for measuring left ventricular ejection fraction. 1978 , 6, 310-25		
880	Left ventricular ejection fraction--a review of several radionuclide angiographic approaches using the scintillation camera. 1978 , 20, 267-84		134
879	Echocardiographic evaluation of the mitral valve. 1978 , 21, 92-118		5
878	The use of echocardiography for quantitative evaluation of left ventricular function. 1978 , 21, 119-32		28
877	Enhancement of Noisy Images Using an Interpolative Model in Two Dimensions. 1978 , 8, 247-258		16
876	Elevated ejection fractions in patients with the anginal syndrome and normal coronary arteriograms. 1978 , 4, 249-63		3
875	Determination and importance of the magnification factor in the calculation of ventricular volume: development of a simple, accurate method. 1978 , 4, 391-8		2
874	Atrial septal defect: acute left heart failure after surgical closure. 1978 , 25, 36-43		26

873	Criteria for operability and reduction of surgical mortality in patients with severe left ventricular ischemia and dysfunction. 1978 , 25, 413-24		39
872	Ultrasonic three-dimensional imaging and volume from a series of arbitrary sector scans. 1978 , 4, 317-27		41
871	Noninvasive evaluation of the patient with suspected coronary artery disease. 1978 , 3, 1-66		
870	Coronary angiography and left ventriculography in survivors of transmural and nontransmural myocardial infarction. 1978 , 64, 108-13		79
869	Noninvasive diagnosis of ischemic cardiomyopathy by fluoroscopic detection of coronary artery calcification. <i>American Heart Journal</i> , 1978 , 96, 521-4	4.9	12
868	An evaluation of the results of left ventricular aneurysmectomy: use of a simplified method for analysis of the left ventriculogram. <i>American Heart Journal</i> , 1978 , 96, 596-604	4.9	3
867	Relation of graded exercise test findings after myocardial infarction to extent of coronary artery disease and left ventricular dysfunction. 1978 , 42, 716-23		81
866	"Ventricular function curve" from a single diagnostic left ventriculogram: technique, results and value. 1978 , 41, 710-7		18
865	Estimation of left ventricular volumes in man from biplane cineangiograms filmed in oblique projections. 1978 , 41, 726-32		192
864	Biplane angiographic volumetry using the right anterior oblique and half-axial left anterior oblique technique. 1978 , 126, 511-4		18
863	Error propagation in quantitative biplane cinerentgenography. 1978 , 23, 677-85		3
862	A video processor to facilitate computer calculation of pressure-volume indices from left ventriculograms. 1978 , 23, 503-7		
861	Edge enhancement of ECG-gated cardiac images using directional masks. 1978 , 127, 525-8		5
860	Measurement of left ventricular cast volume by computed tomography. 1978 , 127, 419-23		33
859	Right and left ventricular volume characteristics in common atrioventricular canal. <i>Circulation</i> , 1978 , 57, 991-5	16.7	18
858	Prediction of late survival in patients with mitral valve disease from clinical, hemodynamic, and quantitative angiographic variables. <i>Circulation</i> , 1978 , 57, 341-9	16.7	70
857	Correlation of angiographic and autopsy left ventricular dimensions in children. <i>Circulation</i> , 1978 , 58, 739-46	16.7	9
856	Scintigraphic Assessment of Left Ventricular Aneurysms. 1978 , 240, 2162		4

855	Accuracy of echocardiography in assessing left ventricular dimensions and volume. <i>Circulation</i> , 1978 , 57, 699-707	16.7	48
854	Evaluation of asynergy as an indicator of myocardial fibrosis. <i>Circulation</i> , 1978 , 57, 715-25	16.7	118
853	Left ventricular function following attempted surgical repair of tetralogy of Fallot. <i>Circulation</i> , 1978 , 57, 798-802	16.7	38
852	Left ventricular volume during maximal supine exercise: a study using metallic epicardial markers. <i>Circulation</i> , 1978 , 58, 732-8	16.7	17
851	The Impact Of Computers In Nuclear Medicine.		
850	Transmural myocardial deformation in the canine left ventricular wall. 1978 , 235, H523-30		15
849	The value of the augmented left ventriculogram in detecting contractile reserve in coronary artery disease. 1978 , 23, 63-72		
848	A New Method for the Precise and Complete Correction of Distortion on Cineangiographic Image: Its Effect on Left Ventricular Measurements. 1978 , 4, 111-126		3
847	Total anomalous pulmonary venous connection. 1978 , 75, 52-63		62
846	Quantitative assessment of myocardial performance and graft patency following coronary bypass with the internal mammary artery. 1978 , 75, 487-498		39
845	Hemodynamic and clinical evaluation of the Hancock xenograft bioprosthesis for aortic valve replacement (with emphasis on management of the small aortic root). 1978 , 75, 300-308		82
844	The relationship of mitral valve prolapse to obstructive coronary artery disease. A hemodynamic study. 1979 , 64, 48-57		2
843	Variables predictive of survival in patients with coronary disease. Selection by univariate and multivariate analyses from the clinical, electrocardiographic, exercise, arteriographic, and quantitative angiographic evaluations. <i>Circulation</i> , 1979 , 59, 421-30	16.7	611
842	Assessment of left ventricular ejection fraction and volumes by real-time, two-dimensional echocardiography. A comparison of cineangiographic and radionuclide techniques. <i>Circulation</i> , 1979 , 60, 760-6	16.7	639
841	Accurate volume determination in the isolated ejecting canine left ventricle by two-dimensional echocardiography. <i>Circulation</i> , 1979 , 60, 320-6	16.7	116
840	Effect of filming projection and interobserver variability on angiographic biplane left ventricular volume determination. <i>Circulation</i> , 1979 , 59, 96-104	16.7	53
839	Arrhythmias in variant angina pectoris. Relationship of arrhythmias to ST-segment elevation and R-wave changes. <i>Circulation</i> , 1979 , 60, 1343-50	16.7	61
838	Assessment of left ventricular performance and myocardial viability using quantitative radioisotope techniques. 1979 , 42, 205-13		8

837	Time-dependent shifts of the left ventricular diastolic filling relationship in conscious dogs. 1979 , 45, 641-53		27
836	Physiologic determinants of the electrocardiographic diagnosis of left ventricular hypertrophy. <i>Circulation</i> , 1979 , 60, 386-96	16.7	34
835	Characteristics of ventricular function in single ventricle. <i>Circulation</i> , 1979 , 60, 849-55	16.7	11
834	Left ventricular volumes by gated equilibrium radionuclide angiography: a new method. <i>Circulation</i> , 1979 , 60, 556-64	16.7	196
833	Temporal response of left ventricular performance to mitral valve surgery. <i>Circulation</i> , 1979 , 59, 1218-31	16.7	227
832	The superiority of mitral E point-ventricular septum separation to other echocardiographic indicators of left ventricular performance. 1979 , 2, 140-5		25
831	Measurement of left ventricular ejection fraction by mechanical cross-sectional echocardiography. <i>Circulation</i> , 1979 , 59, 1196-206	16.7	142
830	Impaired maximal rate of left ventricular relaxation in patients with coronary artery disease and left ventricular dysfunction. <i>Circulation</i> , 1979 , 59, 984-91	16.7	81
829	Long-term effects of physical training on coronary patients with impaired ventricular function. <i>Circulation</i> , 1979 , 60, 1519-26	16.7	150
828	Relationship of cardiothoracic ratio and plain film heart volume to late survival. <i>Circulation</i> , 1979 , 59, 89-95	16.7	72
827	Profiles of radionuclide left ventricular ejection fraction changes induced by supine bicycle exercise in normals and patients with coronary heart disease. 1979 , 5, 305-17		35
826	Comparison of digital boundary detection and semi-automated analysis of left ventricular cine angiograms. 1979 , 5, 331-46		9
825	Approaches to determination of left ventricular volume and ejection fraction by real-time two-dimensional echocardiography. 1979 , 2, 257-63		125
824	Noninvasive evaluation of cardiovascular effects of preoperative sedation in children. 1979 , 26, 29-33		6
823	Left ventricular function before and following surgical treatment of mitral valve disease. <i>American Heart Journal</i> , 1979 , 97, 592-8	4.9	87
822	Left ventricular mass and wall thickness in hypertension. Comparison of M mode and two dimensional echocardiography in two experimental models. 1979 , 44, 936-40		60
821	Effect of surgical versus medical therapy on return to work in patients with coronary artery disease. 1979 , 44, 105-11		76
820	Serial noninvasive assessment of left ventricular hypertrophy and function after surgical correction of aortic regurgitation. 1979 , 44, 585-94		106

819	Medically refractory unstable angina pectoris. II. Hemodynamic and angiographic effects of intraaortic balloon counterpulsation. 1979 , 43, 883-8	23
818	Mechanism of nitroglycerin effect in valvular aortic stenosis. 1979 , 44, 1371-7	17
817	Of linens and laces--the eighth anniversary of the gated blood pool scan. 1979 , 9, 296-309	53
816	Radionuclide angiography: noninvasive assessment of hemodynamic changes after administration of nitroglycerin. 1979 , 43, 278-84	39
815	A comparison of mathematical models for estimating right ventricular volumes in animals and man. 1979 , 2, 341-7	12
814	Heart synchronized gamma - camera gating: displaying two heart cycles on one screen. 1979 , 3, 71-6	
813	A simple technique for producing cast specimens of the cardiac ventricles. 1980 , 3, 131-3	3
812	Ultrastructural and histological study of left ventricular myocardium in mitral stenosis. Correlations with angiographic indices of left ventricular function (in 11 observations). 1980 , 75, 353-64	6
811	Comparison of biplane and single plane left ventricular volumes in atrial septal defect. 1980 , 6, 39-48	6
810	A simplified method for the calculation of left ventricular volume by equilibrium radionuclide angiography. 1980 , 6, 49-60	22
809	Hemodynamic assessment of the Ionescu-Shiley pericardial xenograft in the mitral position. 1980 , 6, 233-45	4
808	Cardiac dimensional analysis by use of biplane cineradiography: description and validation of method. 1980 , 6, 451-64	5
807	Predisposing factors of renal dysfunction following total correction of tetralogy of Fallot in the adult. 1980 , 80, 135-140	12
806	A method to identify implanted radiopaque markers despite rotation of the heart. 1980 , 239, H573-H580	1
805	Effect of isoprenaline and propranolol on left ventricular function as determined by nuclear angiography. 1980 , 44, 75-81	1
804	Determination of left ventricular volume in children: echocardiographic and angiographic comparisons. <i>Circulation</i> , 1980 , 62, 548-57	16.7 161
803	Diagnostic criteria for acute myocardial infarction in patients undergoing coronary artery bypass surgery. <i>Circulation</i> , 1980 , 62, 869-78	16.7 40
802	Aortic valvulotomy in neonates. <i>Circulation</i> , 1980 , 61, 421-7	16.7 55

801	Comparison of early systolic and holosystolic ejection phase indexes by contrast ventriculography in patients with coronary artery disease. <i>Circulation</i> , 1980 , 61, 1083-90	16.7	30
800	Accuracy of subxiphoid echocardiography for assessing left ventricular size and performance. <i>Circulation</i> , 1980 , 61, 367-73	16.7	10
799	Dicrotic pulse after open heart surgery. <i>Circulation</i> , 1980 , 62, 1107-14	16.7	17
798	Left ventricular function after repair of tetralogy of fallot and its relationship to age at surgery. <i>Circulation</i> , 1980 , 61, 1150-8	16.7	102
797	A clinical study of left ventricular relaxation. <i>Circulation</i> , 1980 , 62, 756-63	16.7	251
796	Noninvasive quantitation of valvular regurgitation by gated equilibrium radionuclide angiography. <i>Circulation</i> , 1980 , 62, 1089-98	16.7	67
795	Limitations of echocardiography in the assessment of left ventricular size and function in aortic regurgitation. <i>Circulation</i> , 1980 , 61, 148-55	16.7	34
794	Abnormal blood pressure response and marked ischemic ST-segment depression as predictors of severe coronary artery disease. <i>Circulation</i> , 1980 , 61, 572-8	16.7	87
793	Is postextrasystolic potentiation dependent on Starling's law? Biplane angiographic studies in normal subjects. <i>Circulation</i> , 1980 , 62, 1032-5	16.7	25
792	Predictors of clinical course, coronary anatomy and left ventricular function after recovery from acute myocardial infarction. <i>Circulation</i> , 1980 , 62, 960-70	16.7	372
791	[Calculation of the ejection fraction from periodical components of the radiocardiogram after correction of background noise]. 1980 , 7, 361-4		
790	Left ventricular function in severe pure mitral stenosis as seen at the Kenyatta National Hospital. <i>American Heart Journal</i> , 1980 , 99, 727-33	4.9	25
789	Ventricular volume characteristics of single ventricle before corrective surgery. 1980 , 45, 806-10		26
788	Circulation in neonates with intracranial arteriovenous fistula and cardiac failure. 1980 , 45, 1019-24		60
787	Peak systolic blood pressure/end-systolic volume ratio: assessment at rest and during exercise in normal subjects and patients with coronary heart disease. 1980 , 46, 813-20		64
786	End-systolic volume as a predictor of postoperative left ventricular performance in volume overload from valvular regurgitation. 1980 , 68, 655-63		260
785	Longitudinal study of cardiac function in thalassemia major. 1980 , 344, 397-404		100
784	Left ventricle volume characteristics in children with tricuspid atresia before and after surgery. 1981 , 47, 1105-10		34

783	Method for quantitative analysis of regional left ventricular function with first pass and gated blood pool scintigraphy. 1981 , 47, 618-25		33
782	Hemodynamic abnormalities in response to supine exercise in patients after operative correction of tetrad of Fallot after early childhood. 1981 , 48, 325-30		21
781	Nuclear medicine: a new tool in the diagnosis of cardiac disease. 1981 , 10, 1-65		3
780	Improved long-term survival following myocardial revascularization in patients with severe left ventricular dysfunction. 1981 , 81, 846-850		49
779	Right ventricular distension and left ventricular compliance. 1981 , 240, H87-98		10
778	Exercise testing after nontransmural myocardial infarction. Coronary angiographic and prognostic correlations. 1981 , 68, 218-32		8
777	A method to estimate volume and surface area of organ by two-dimensional echocardiography. 1981 , 28, 294-7		4
776	Indices of cardiac status. 1981 , 28, 553-67		13
775	Left atrial volume estimation by two-dimensional echocardiography. 1981 , 7, 165-78		108
774	Biplane regional wall motion analysis: optimal method for identification of left ventricular akinesis/dyskinesis with quantitative cineangiography in man. 1981 , 11, 21-32		2
773	Measurement of ventricular volume with a programmable calculator. 1981 , 11, 221-9		
772	Regional wall motion from radiopaque markers after intravenous and intracoronary injections of nifedipine. <i>Circulation</i> , 1981 , 63, 584-91	16.7	95
771	Non-invasive measurement of left ventricular function in coronary artery disease. Comparison of first pass radionuclide ventriculography, M-mode echocardiography, and systolic time intervals. 1981 , 45, 369-75		15
770	70 Biplane isozentrische hemiaxiale Angiokardiographie (BIA). 1981 , 26, 151-152		
769	Effect of the normal pericardium on the left ventricular diastolic pressure-volume relationship. 1981 , 22, 529-34		1
768	Atrioventricular conduction and right atrial volume in children with and without secundum atrial septal defects. 1981 , 46, 69-73		2
767	Left ventricular ejection fraction calculated from volumes and areas: underestimation by area method. <i>Circulation</i> , 1981 , 63, 149-51	16.7	13
766	Effect of mitral valvular regurgitation on transthoracic impedance cardiogram. 1981 , 45, 166-72		16

765	Quantification of myocardial ischemia and infarction by left ventricular imaging. <i>Circulation</i> , 1981 , 63, 747-51	16.7	94
764	Coronary artery atherosclerosis: severity of the disease, severity of angina pectoris and compromised left ventricular function. <i>Circulation</i> , 1981 , 63, 285-99	16.7	169
763	Quantitation of human left ventricular mass and volume by two-dimensional echocardiography: in vitro anatomic validation. <i>Circulation</i> , 1981 , 63, 1398-407	16.7	218
762	Systemic ventricular function in patients with tetralogy of fallot, ventricular septal defect and transposition of the great arteries repaired during infancy. <i>Circulation</i> , 1981 , 64, 878-85	16.7	57
761	Thrombolysis in acute myocardial infarction using intracoronary streptokinase: assessment by thallium-201 scintigraphy. <i>Circulation</i> , 1982 , 66, 658-64	16.7	76
760	Accuracy of serial myocardial perfusion scintigraphy with thallium-201 for prediction of graft patency early and late after coronary artery bypass surgery. A controlled prospective study. <i>Circulation</i> , 1982 , 66, 1017-24	16.7	59
759	Reversal of exercise-induced hemodynamic and electrocardiographic abnormalities after coronary artery bypass surgery. <i>Circulation</i> , 1982 , 65, 684-9	16.7	8
758	Calculation of left ventricular volume using implanted tantalum markers: a method reproducible despite rotation of the heart. 1982 , 23, 7-13		2
757	Simultaneous contrast imaging of the left ventricle by two-dimensional echocardiography and standard ventriculography. 1982 , 5, 208-13		16
756	Application Of Cross Correlation Technique In Left Ventricular Wall Motion Assessment. 1982 , 0347, 115		
755	Mitral regurgitation in coronary artery disease. 1982 , 81, 550-5		38
754	Comparison of single-plane and biplane volume determination by two-dimensional echocardiography. 1. Asymmetric model hearts. 1982 , 3, 469-80		85
753	Left ventricular function in men and women. Another difference between sexes. 1982 , 3, 525-8		39
752	Measurement of absolute left ventricular volume from gated blood pool studies. <i>Circulation</i> , 1982 , 65, 82-91	16.7	240
751	Ventricular diastolic pressure-volume relations after the intra-atrial baffle operation for transposition of the great arteries. <i>American Heart Journal</i> , 1982 , 104, 1045-53	4.9	9
750	Relative sensitivity of echocardiography and systolic time intervals for assessing acute positive inotropic interventions in normal human subjects. <i>American Heart Journal</i> , 1982 , 104, 1061-70	4.9	14
749	Quantitative axial oblique contrast left ventriculography: validation of the method by demonstrating improved visualization of regional wall motion and mitral valve function with accurate volume determinations. <i>American Heart Journal</i> , 1982 , 103, 185-94	4.9	18
748	Clinical and hemodynamic results of the Fontan operation for tricuspid atresia. 1982 , 49, 1733-40		81

747	Limitations of comparing left ventricular volumes by two dimensional echocardiography, myocardial markers and cineangiography. 1982 , 50, 512-9	105
746	Hypertrophic nonobstructive cardiomyopathy: a precise assessment of hemodynamic characteristics and clinical implications. 1982 , 50, 990-7	43
745	Determination of left ventricular diastolic chamber stiffness and myocardial stiffness in patients with congenital heart disease. 1982 , 49, 771-9	10
744	Enhancement of left ventricular function by glucose-insulin-potassium infusion in acute myocardial infarction. 1982 , 49, 811-20	70
743	Canine left ventricular volume and mass during thoracotomy by two-dimensional echocardiography. Increased ventricular mass after ischemia and reperfusion. 1982 , 33, 294-304	18
742	Prinzmetal's variant angina: electrocardiographic and angiographic correlations. 1982 , 15, 365-80	11
741	The influence of beta-adrenoceptor antagonists with and without intrinsic sympathomimetic activity on local wall motion abnormalities in patients with coronary heart disease. 1982 , 13, 301S-304S	8
740	Left ventricular function and compliance in pulmonary atresia with intact ventricular septum. 1982 , 84, 192-199	24
739	Employment following aortocoronary bypass surgery in young patients. 1982 , 69, 52-9	10
738	Diagnostic capabilities of exercise testing soon after myocardial revascularization surgery. 1982 , 69, 358-65	2
737	Volumetric studies of spheroids and left ventricles. 1982 , 10, 241-70	
736	Right ventricular function in adult cardiovascular disease. 1982 , 25, 225-67	98
735	Imaging of the left ventricle in patients with ischemic heart disease: role of the contrast angiogram. 1982 , 5, 137-44	2
734	Investigation of human right ventricular cast specimens. 1982 , 5, 296-303	12
733	A Method for Volume Estimation by Using Vector Areas and Centroids of Serial Cross Sections. 1982 , BME-29, 202-205	27
732	Measurement of three-dimensional positions and motions of large numbers of spherical radiopaque markers from biplane cineradiograms. 1982 , 15, 76-96	41
731	Detection of lesions in thallium-201 myocardial perfusion scintigraphy. 1982 , 7, 174-80	6
730	An ultrasonic technique for imaging the ventricle in three dimensions and calculating its volume. 1983 , 30, 482-92	101

729	Proximal left anterior descending coronary heart disease and complex ventricular arrhythmias. 1983 , 6, 79-85		1
728	Cardiac catheterization and angiographic analysis computer applications. 1983 , 25, 409-34		8
727	Computerized cardiovascular imaging. 1983 , 25, 487-512		1
726	The accuracy of experimentally determined angiographic right ventricular volume. 1983 , 78, 172-82		11
725	Evaluation of right ventricular volume and ejection fraction in children by two-dimensional echocardiography. <i>Pediatric Cardiology</i> , 1983 , 4, 197-203	2.1	84
724	Massive dilatation of the atria and coronary sinus in a child with restrictive cardiomyopathy and persistence of the left superior vena cava. 1983 , 9, 47-53		5
723	Significance of precordial ST-segment depression in acute transmural inferior infarction: coronary angiographic findings. 1983 , 9, 143-51		27
722	The accuracy of radionuclide ventriculography in the analysis of left ventricular ejection fraction. 1983 , 16, 234-46		1
721	Ventricular function in a child with arterial switch for transposition of the great arteries. 1983 , 2, 450-1		1
720	Editorial note Non-invasive determination of left ventricular function – what is the preferred study?. 1983 , 2, 503-506		1
719	Angiographic correlates of recurrent sustained ventricular tachycardia in chronic ischemic heart disease. <i>American Heart Journal</i> , 1983 , 105, 928-34	4.9	5
718	Mitral E point septal separation: a reliable index of left ventricular performance in coronary artery disease. <i>American Heart Journal</i> , 1983 , 106, 21-8	4.9	36
717	Effects of airway pressure and lung volume on left ventricular transmural pressure-volume relationships in humans. <i>American Heart Journal</i> , 1983 , 106, 46-51	4.9	4
716	Three-dimensional echoventriculography. <i>American Heart Journal</i> , 1983 , 106, 435-43	4.9	63
715	Left bundle branch block: a predictor of poor left ventricular function in coronary artery disease. <i>American Heart Journal</i> , 1983 , 106, 471-7	4.9	50
714	Value of isometric exercise testing during cardiac catheterization in mitral stenosis. 1983 , 52, 540-3		7
713	Coronary and left ventricular angiographic anatomy and prognosis of survivors of first acute myocardial infarction. 1983 , 52, 257-60		14
712	Relation of segmental wall motion to global left ventricular function in acute myocardial infarction. 1983 , 51, 1275-81		25

711	Left ventricular response to isometric exercise and its value in predicting the change in ventricular function after mitral valve replacement for mitral regurgitation. 1983 , 51, 1110-5		28
710	Natural history of the flail mitral leaflet syndrome: a serial 2-dimensional echocardiographic study. 1983 , 52, 789-95		16
709	Measurement of left ventricular ejection fraction by videodensitometric analysis of digital subtraction angiograms. 1983 , 52, 871-5		30
708	Two-dimensional echocardiographic assessment of left atrial size in children. 1983 , 52, 1249-57		43
707	Significance of ventricular tachycardia in idiopathic dilated cardiomyopathy: observations in 35 patients. 1983 , 51, 507-12		219
706	Quantitative contrast angiography for assessment of ventricular performance in heart disease. 1983 , 1, 73-81		40
705	Atrial transport function in coronary artery disease: relation to left ventricular function. 1983 , 1, 1011-7		27
704	Effects of AR-L 115 BS (Sulmazol), a new cardiotoxic agent, in coronary artery disease: improved ventricular wall motion, increased pump function and abolition of pacing-induced ischemia. 1983 , 2, 332-7		18
703	Left ventricular volumes determined by two-dimensional echocardiography in a normal adult population. 1983 , 1, 863-8		166
702	Two-dimensional echocardiographic estimation of right ventricular ejection fraction in patients with coronary artery disease. 1983 , 2, 911-8		53
701	Two-dimensional echocardiographic determination of left atrial emptying volume: a noninvasive index in quantifying the degree of nonrheumatic mitral regurgitation. 1983 , 2, 729-36		128
700	Value of partial ejection fraction, volume increment, and regional wall motion in identifying patients with clinically significant coronary artery disease. <i>Circulation</i> , 1983 , 68, 756-62	16.7	16
699	Importance of left atrial function in patients with myocardial infarction. <i>Circulation</i> , 1983 , 67, 566-71	16.7	229
698	Accuracy of volume determination by two-dimensional echocardiography: defining requirements under controlled conditions in the ejecting canine left ventricle. <i>Circulation</i> , 1983 , 67, 889-95	16.7	81
697	Influence of age on wall thickness, cavity dimensions and myocardial contractility of the left ventricle in simple transposition of the great arteries. <i>Circulation</i> , 1983 , 67, 1311-7	16.7	19
696	Effect of mitral valve replacement on left ventricular function in mitral regurgitation. 1983 , 49, 328-33		39
695	Adverse effects of nifedipine therapy on hypertrophic obstructive cardiomyopathy. 1983 , 83, 704-6		8
694	Assessment of right ventricular function and anatomy using peripheral vein infusion of krypton 81m. 1983 , 56, 657-63		23

693	Results of coronary artery surgery in patients with poor left ventricular function (CASS). <i>Circulation</i> , 1983 , 68, 785-95	16.7	660
692	Quantification of left ventricular volumes by two-dimensional echocardiography: a simplified and accurate approach. <i>Circulation</i> , 1983 , 67, 579-84	16.7	114
691	Ventricular and pulmonary artery volumes in patients with absent pulmonary valve. Factors affecting the natural course. <i>Circulation</i> , 1983 , 67, 183-90	16.7	17
690	Left ventricular function in peripartum cardiomyopathy. 1983 , 83, 701-4		12
689	Mitral valve E point-septal separation as an index of left ventricular function with valvular heart disease. 1983 , 83, 102-8		10
688	Coronary artery bypass grafting in patients with ejection fractions below forty percent. 1983 , 86, 519-527		73
687	Left ventricular volume as a predictor of postoperative hemodynamics and a criterion for total correction of tetralogy of Fallot. 1984 , 88, 389-394		10
686	Hemodynamic effect of isoprenaline and dobutamine immediately after correction of tetralogy of Fallot. 1984 , 87, 862-869		15
685	Importance of temporal heterogeneity in assessing the contraction abnormalities associated with acute myocardial ischemia. <i>Circulation</i> , 1984 , 70, 102-12	16.7	92
684	The effect of left ventricular systolic function on maximal aerobic exercise capacity in asymptomatic patients with coronary artery disease. <i>Circulation</i> , 1984 , 70, 552-60	16.7	33
683	Different mechanisms for the relief of angina after coronary bypass surgery. Physiological versus anatomical assessment. 1984 , 52, 502-9		22
682	Cross sectional echocardiographic assessment of left ventricular volume and ejection fraction in patients with tetralogy of Fallot. Comparison with biplane angiographic measurements. 1984 , 52, 191-7		3
681	A new scintigraphic method for determining left ventricular volumes. <i>Circulation</i> , 1984 , 70, 672-80	16.7	14
680	Factors affecting left ventricular function after correction of tetralogy of Fallot. 1984 , 52, 536-41		14
679	Impedance cardiograms reliably estimate beat-by-beat changes of left ventricular stroke volume in humans. 1984 , 18, 354-60		68
678	Fetal cardiac structure and function as studied by ultrasound. 1984 , 7, 239-53		22
677	Left ventricular function during atrial pacing: a radionuclide angiographic study. 1984 , 7, 349-55		10
676	Left ventricular wall motion analysis using operator-independent contour positioning. 1984 , 17, 129-42		1

675	Effects of angiographic contrast medium on left ventricular function: evaluation by contrast angiography and radionuclide angiography. 1984 , 10, 129-36		4
674	Single versus biplane right and left ventricular volumetry: a cast and clinical study. 1984 , 10, 137-56		9
673	Reproducibility of ventricular function measurements by contrast angiography. 1984 , 10, 561-72		7
672	M-mode echocardiographic findings in children with idiopathic restrictive cardiomyopathy. <i>Pediatric Cardiology</i> , 1984 , 5, 273-9	2.1	11
671	Reproducibility of left ventricular volume determinations with use of a semi-automated system. 1984 , 7, 53-8		3
670	Diagnostic value of electrocardiogram and vectorcardiogram in postinfarction ventricular asynergy. 1984 , 17, 169-78		6
669	Left ventricular pressure-volume diagrams and end-systolic pressure-volume relations in human beings. 1984 , 3, 301-12		52
668	Inferior ST segment depression during acute anterior myocardial infarction: clinical and angiographic correlations. 1984 , 4, 467-76		59
667	Two-dimensional echocardiographic evaluation of the size, function and shape of the left ventricle in chronic aortic regurgitation: comparison with radionuclide angiography. 1984 , 4, 1195-206		26
666	Beneficial hemodynamic effects of intravenous and oral diltiazem in severe congestive heart failure. 1984 , 3, 1044-50		81
665	Cross sectional echocardiographic assessment of cardiac chamber size and ejection fraction in children. 1984 , 10, 757-69		20
664	Fetal echocardiography; basic and clinical considerations. 1984 , 10, 315-27		11
663	Accurate internal correction for the magnification of cineangiography in infants with congenital heart disease. <i>American Heart Journal</i> , 1984 , 107, 113-8	4.9	5
662	Regional and global left ventricular function during intra-aortic balloon counterpulsation in patients with acute myocardial infarction shock. <i>American Heart Journal</i> , 1984 , 108, 249-54	4.9	27
661	Five-year effect of medical and surgical therapy on resting left ventricular function in stable angina: Veterans Administration Cooperative Study. 1984 , 53, 444-50		25
660	Left ventricular volumes and function during atrial pacing in coronary artery disease: a radionuclide angiographic study. 1984 , 53, 497-502		16
659	Effect of coronary artery bypass grafting on left ventricular response to isometric exercise. 1984 , 54, 514-8		7
658	Randomized comparison of intravenous versus intracoronary streptokinase for myocardial infarction. 1984 , 54, 14-9		112

657	Limitations of qualitative angiographic grading in aortic or mitral regurgitation. 1984 , 53, 1593-8	231
656	Ventricular arrhythmias in aortic valve disease: analysis of 102 patients. 1984 , 53, 1079-83	54
655	Quantitative variability in regional wall motion during serial left ventricular cineangiography: guidelines for assessing changes in segmental function with intervention studies. 1984 , 53, 1148-53	5
654	Left ventricular volumes by single-plane cineangiography: in vivo validation of the Kennedy regression equation. 1984 , 53, 1159-63	15
653	Angiographic evidence that reciprocal ST-segment depression during acute myocardial infarction does not indicate remote ischemia: analysis of 23 patients. 1984 , 53, 55-62	83
652	Difference quantitation of planar and tomographic heart scintigrams with identification of segments using reconstructive three-dimensional reference modelling. 1985 , 10, 241-51	3
651	Volumetric analysis of right ventricular cadaver models viewed in axially angled projections. 1985 , 8, 8-13	1
650	Quantification of mitral valvular incompetence. 1985 , 11, 139-52	27
649	A method for volume estimation by two-dimensional echocardiography: examination with excised animal left ventricles. 1985 , 15, 61-9	1
648	Ventricular Function Following Mitral Valve Replacement. 1985 , 3, 445-460	
647	Left ventricular volume and ejection fraction determined by gated blood pool emission tomography. 1985 , 53, 216-22	24
646	Relationship between myosin isoenzyme composition, hemodynamics, and myocardial structure in various forms of human cardiac hypertrophy. 1985 , 57, 729-40	108
645	Inhospital prognosis of patients with their first transmural or subendocardial infarction and comparison of their coronary arteriogram and ventriculogram. 1985 , 36, 778-84	3
644	Angiographic findings after myocardial infarction in patients with previous bypass surgery: explanations for smaller infarcts in this group compared with control patients. <i>Circulation</i> , 1985 , 71, 693-8 ^{16.7}	33
643	Detection of local abnormalities in ventricular activation sequence by body surface isochrone mapping in patients with previous myocardial infarction. <i>Circulation</i> , 1985 , 72, 801-9	16.7 24
642	Late results of surgical and medical therapy for patients with coronary artery disease and depressed left ventricular function. 1985 , 5, 1036-45	158
641	Silent myocardial ischemia: hemodynamic changes during dynamic exercise in patients with proven coronary artery disease despite absence of angina pectoris. 1985 , 6, 275-84	85
640	Three-dimensional echocardiographic reconstruction: how does it stack up?. 1985 , 7, 77-81	12

639	Prognosis in valvular heart disease. 1985 , 6, 51-74		9
638	Accuracy of biplane axial oblique and oblique cineangiographic left ventricular cast volume determinations using a modification of Simpson's rule algorithm. <i>American Heart Journal</i> , 1985 , 110, 1219-25	4.9	24
637	Feasibility, reliability, and advantage of utilizing low contrast dose digital subtraction ventriculography in a conventional catheterization laboratory. <i>American Heart Journal</i> , 1985 , 110, 631-6	4.9	4
636	Correlations of systolic time intervals and radionuclide angiography at rest and during exercise. <i>American Heart Journal</i> , 1985 , 109, 104-12	4.9	4
635	Flail mitral valve syndrome: comparison with chronic mitral regurgitation of other etiologies. <i>American Heart Journal</i> , 1985 , 109, 435-42	4.9	7
634	The effects of Valsalva maneuver on global and segmental left ventricular function in presence and absence of coronary artery disease. <i>American Heart Journal</i> , 1985 , 109, 259-64	4.9	1
633	Comparative angiographic right and left ventricular volumes. <i>American Heart Journal</i> , 1985 , 109, 321-6	4.9	10
632	Clinical predictability of left ventricular function post myocardial infarction from the electrocardiogram. <i>American Heart Journal</i> , 1985 , 109, 338-42	4.9	15
631	Measurement of left ventricular volume using single-photon emission computed tomography. 1985 , 56, 781-6		19
630	Compliance, mass, and shape of the canine left ventricle after global ischemia analyzed with two-dimensional echocardiography. 1985 , 39, 199-208		20
629	A randomized controlled trial of intravenous streptokinase in evolving acute myocardial infarction. <i>American Heart Journal</i> , 1986 , 111, 1021-9	4.9	33
628	Arrhythmia control and other factors related to sudden death in coronary disease patients at intermediate risk. <i>American Heart Journal</i> , 1986 , 111, 638-44	4.9	13
627	Pinhole radionuclide ventriculography in small infants. <i>American Heart Journal</i> , 1986 , 111, 316-21	4.9	3
626	Comparison of contrast x-ray biplane cineangiography and technetium-99m radionuclide scans for measurement of ventricular volumes in human autopsy hearts. <i>American Heart Journal</i> , 1986 , 112, 1032-8	4.9	6
625	Early exercise testing after stabilization of unstable angina: correlation with coronary angiographic findings and subsequent cardiac events. <i>American Heart Journal</i> , 1986 , 111, 11-8	4.9	39
624	Percutaneous transluminal coronary angioplasty as palliation for patients considered poor surgical candidates. <i>American Heart Journal</i> , 1986 , 111, 840-4	4.9	17
623	Platelet hyperaggregability in patients with chest pain and angiographically normal coronary arteries. 1986 , 57, 657-60		47
622	Diagnostic implications of figure-of-eight and clockwise QRS loop rotation on the horizontal vectorcardiogram in chronic aortic valve disease. 1986 , 19, 123-30		3

621	Effect of pressure loading, volume loading and surgery on left ventricular chamber and myocardial stiffness in congenital heart disease, with a reevaluation of normal pediatric values. 1986 , 8, 371-8		7
620	Radionuclide determination of absolute LV volumes: interstudy, interobserver and intraobserver variances. 1986 , 13, 43-7		1
619	Coronary sinus blood flow and myocardial oxygen consumption after valve replacement for aortic insufficiency. 1986 , 42, 86-9		8
618	Different patterns of hemodynamic abnormalities in patients with ischemic heart disease compared with patients with congestive cardiomyopathy. 1986 , 73, 121-31		1
617	Adaptations to training in patients with exercise-induced left ventricular dysfunction. 1986 , 34, 148-55		5
616	Characterization of left ventricular chamber distortion: alterations in cavity shape and orientation in mitral stenosis. 1986 , 12, 85-92		
615	Right ventricular volume determination in isolated human hearts. 1986 , 14, 89-97		6
614	Combined evaluation of first-pass radionuclide angiography and equilibrium radionuclide ventriculography in the diagnosis of coronary artery disease. I. Results at rest. 1986 , 12, 115-9		4
613	Veterans Administration Cooperative Study of medical versus surgical treatment for stable angina--progress report. Section 9. Effect of medical versus surgical treatment on resting left ventricular ejection fraction at five years. 1986 , 28, 293-9		
612	Cross-sectional echocardiographic assessment of regional left ventricular performance and myocardial perfusion. 1986 , 29, 1-52		50
611	Radionuclide left ventricular function curve during atrial pacing in normal subjects and in patients with coronary artery disease. 1986 , 9, 107-14		1
610	Pulmonary atresia with intact ventricular septum: a quantitative cineventriculographic study of the right and left ventricular function. <i>Pediatric Cardiology</i> , 1986 , 7, 183-7	2.1	11
609	Improvement of left ventricular contractile function by exercise training in patients with coronary artery disease. <i>Circulation</i> , 1986 , 74, 350-8	16.7	119
608	Advantages and applications of the centerline method for characterizing regional ventricular function. <i>Circulation</i> , 1986 , 74, 293-305	16.7	558
607	[Comparison between i.a. DSA and cineangiography for evaluating the coronary arteries and the left ventricle]. 1986 , 144, 499-505		1
606	Regional variation in the timing and extent of left ventricular wall motion in normal subjects. 1986 , 56, 226-35		32
605	The significance of a persistent precordial ST segment greater than or equal to 0.1 mV depression in acute inferior myocardial infarction (coronary angiographic and ventriculographic findings). 1986 , 37, 57-62		7
604	Exercise digital subtraction ventriculography for the detection of ischaemic wall motion abnormalities in patients without myocardial infarction. 1986 , 56, 131-7		3

603	The effect of medical and surgical treatment on subsequent sudden cardiac death in patients with coronary artery disease: a report from the Coronary Artery Surgery Study. <i>Circulation</i> , 1986 , 73, 1254-63	16.7	193
602	Noninvasive evaluation of aortic regurgitation by continuous-wave Doppler echocardiography. <i>Circulation</i> , 1986 , 73, 460-6	16.7	109
601	Regional perfusion, glucose metabolism, and wall motion in patients with chronic electrocardiographic Q wave infarctions: evidence for persistence of viable tissue in some infarct regions by positron emission tomography. <i>Circulation</i> , 1986 , 73, 951-63	16.7	253
600	Precision of measurements of right and left ventricular volume by cine computed tomography. <i>Circulation</i> , 1986 , 74, 890-900	16.7	158
599	Assessment of left atrial function in patients with hypertensive heart disease. 1986 , 8, 779-85		48
598	Suppressor T lymphocyte function in patients with idiopathic congestive cardiomyopathy. 1987 , 57, 458-61		13
597	Clinical improvement and long-term survival after surgical treatment of postinfarction left ventricular aneurysm. 1987 , 21, 135-40		2
596	A comparison of angiographic and electrocardiographically gated computed tomographic measurements of left-ventricular function. 1987 , 60, 969-74		2
595	A new approach for reconstruction of the left ventricle from biplane angiocardiograms.		3
594	Color Doppler assessment of mitral regurgitation with orthogonal planes. <i>Circulation</i> , 1987 , 75, 175-83	16.7	1108
593	Reversal of exertional hypotension by prolonged exercise training in selected patients with ischemic heart disease. <i>Circulation</i> , 1987 , 76, 548-55	16.7	5
592	Assessment of a procedure for left ventricle volumetry. 1987 , 32, 495-507		1
591	Left atrial filling in normal human subjects: relation between left atrial contraction and left atrial early filling. 1987 , 21, 255-9		52
590	Value of qualitative angiographic grading in aortic regurgitation. 1987 , 8 Suppl C, 11-4		26
589	Evaluation of three methods for quantifying valvular regurgitation using gated equilibrium radionuclide ventriculography. 1987 , 8, 1109-18		3
588	Determination of left ventricular volumes and ejection fraction by nuclear magnetic resonance imaging. <i>American Heart Journal</i> , 1987 , 113, 24-32	4.9	43
587	ST segment changes in exercise body surface mapping after myocardial infarction in patients with isolated left anterior descending coronary artery disease. <i>American Heart Journal</i> , 1987 , 114, 1120-8	4.9	4
586	Contrast echo washout curves from the left ventricle: application of basic principles of indicator-dilution theory and calculation of ejection fraction. 1987 , 10, 125-34		37

585	Functional and histopathologic correlation in patients with dilated cardiomyopathy: an integrated evaluation by multivariate analysis. 1987 , 10, 186-92	62
584	Noninvasive quantification of left ventricular myocardial mass by gated proton nuclear magnetic resonance imaging. 1987 , 10, 682-92	63
583	Comparison of outcome after valve replacement with a bioprosthesis versus a mechanical prosthesis: initial 5 year results of a randomized trial. 1987 , 10, 719-32	62
582	Effects of a new second generation calcium channel blocker, nilvadipine (FR34235), on exercise-induced hemodynamic changes in stable angina pectoris. 1987 , 10, 830-6	17
581	Advances in the hemodynamic assessment of stenotic cardiac valves. 1987 , 10, 912-9	102
580	R-wave amplitude changes during exercise stress testing: patients with dilative cardiomyopathy compared to patients with coronary artery disease. 1987 , 20, 260-71	3
579	Plasminogen activator inhibitor in plasma: risk factor for recurrent myocardial infarction. 1987 , 2, 3-9	1152
578	Assessment of left ventricular function in a randomised study of intravenous anisoylated plasminogen streptokinase activator complex versus heparin in acute myocardial infarction. Preliminary results of the European Multicentre Study (Belgian Centres). 1987 , 33 Suppl 3, 216-20	6
577	Left ventricular aneurysm with predominating congestive heart failure. 1987 , 94, 571-581	24
576	Clinical, hemodynamic, and angiographic predictors of operative mortality in patients undergoing single valve replacement. 1987 , 93, 884-897	57
575	Effects of persisting myocardial sinusoids on left ventricular performance in pulmonary atresia with intact ventricular septum. 1987 , 8, 291-6	29
574	A Noninvasive Index of Severity of Valvular Aortic Stenosis. 1987 , 1, 102-108	
573	Increased Accuracy of Scintigraphic Quantitation of Valvular Regurgitation Using Atrial-Corrected Fourier Amplitude Ratios. 1987 , 1, 155-162	4
572	Anterior ST-Segment Depression Associated with Acute Inferior Myocardial Infarction: Clinical, Hemodynamic, and Angiographic Correlates. 1987 , 1, 290-295	3
571	Could inspiratory apnea disturb left ventricular volume assessment by contrast angiography?. 1987 , 10, 65-70	
570	Evaluation of end-diastolic left ventricular volume in equilibrium gated radionuclide cardiography. 1987 , 21, 55-65	2
569	Significance of right ventricular filling for left ventricular enddiastolic pressure-volume relationship under acute hypoxia in the dog. 1987 , 82, 109-22	2
568	Quantitative validation of cineangiographic axial oblique biplane left ventricular volume measurement. 1987 , 13, 157-61	2

567	Thermodilution measurement of the right ventricular ejection fraction. 1987 , 13, 167-73	18
566	Influence of left ventricular cavity dimension on electrocardiographic estimation of the extent of wall motion abnormalities. 1987 , 10, 521-7	8
565	Evolutionary changes in left and right ventricular function in acute myocardial infarction. 1987 , 1, 7-14	0
564	Left ventricular systolic and diastolic function after total correction of tetralogy of Fallot. 1987 , 60, 1148-51	13
563	Influence of left ventricular mass on coronary artery cross-sectional area. 1987 , 59, 1395-7	61
562	Determination of left ventricular ejection fraction by computer densitometric analysis of digital subtraction angiography: experimental validation and correlation with area-length methods. 1987 , 59, 675-80	18
561	Use of a satellite-assisted computer link for long-distance research collaboration. 1988 , 15, 73-5	2
560	Aortic percutaneous transluminal valvuloplasty in elderly patients by balloon larger than aortic anulus. 1988 , 15, 81-8	5
559	Lack of correlation after reperfusion between ventricular function and infarct size estimated by thallium single-photon emission computed tomography. 1988 , 3, 203-8	2
558	Right ventricular volume: cine vs CT measurements. 1988 , 11, 300-2	2
557	Significance of gated equilibrium radionuclide ventriculography in quantification and follow up of valvular regurgitation. 1988 , 14, 467-71	1
556	Characterization of right or left ventricular contraction heterogeneity using Fourier phase analysis. Application to a group of patients with severe ventricular arrhythmias. 1988 , 14, 196-202	13
555	A new method of three dimensional analysis of left ventricular wall motion. 1988 , 14, 113-9	6
554	Effects of supine and lateral positions on cardiac output and intracardiac pressures. 1988 , 62, 330-3	22
553	Correlation of left ventricular angiographic casts and biplane left ventricular volumetry in infants and children. 1988 , 61, 441-5	3
552	Correlation of coronary arteriography after acute myocardial infarction with predischage limited exercise test response. 1988 , 61, 201-7	13
551	Limitations in the interpretation of rest-exercise ejection fraction changes after early thrombolytic therapy during acute myocardial infarction. 1988 , 61, 743-8	3
550	Influence on prognosis and morbidity of left ventricular ejection fraction with and without signs of left ventricular failure after acute myocardial infarction. 1988 , 61, 1165-71	111

549	Correlation of right ventricular volume using axial angulated ventriculography to known right ventricular cast volumes in infants and children with congenital heart disease. 1988 , 61, 161-5		4
548	Left ventricular systolic and diastolic function after two-stage anatomic correction of transposition of the great arteries. <i>American Heart Journal</i> , 1988 , 115, 1257-62	4.9	10
547	Heart rate correlates with severity of coronary atherosclerosis in young postinfarction patients. <i>American Heart Journal</i> , 1988 , 116, 1369-73	4.9	73
546	Factors determining programmed stimulation responses and long-term arrhythmic outcome in survivors of ventricular fibrillation with ischemic heart disease. <i>American Heart Journal</i> , 1988 , 116, 355-63	4.9	22
545	Prognostic cardiac catheterization variables in survivors of acute myocardial infarction: a five year prospective study. 1988 , 11, 1164-72		52
544	Six month postoperative hemodynamics of the Hancock heterograft and the Björk-Shiley prosthesis: results of a Veterans Administration cooperative prospective randomized trial. 1988 , 12, 8-18		29
543	Early recovery of left ventricular function after thrombolytic therapy for acute myocardial infarction: an important determinant of survival. 1988 , 12, 289-300		175
542	Prolonged PR interval associated with an abnormal frontal plane QRS axis as an electrocardiographic criterion of left ventricular function. 1988 , 19, 327-34		2
541	Measurement of Cardiac Output. 1988 , 332, 257-258		1
540	Abnormal exercise hemodynamics in patients with normal systolic function late after aortic valve replacement. <i>Circulation</i> , 1988 , 77, 613-24	16.7	36
539	Lack of association between haemostatic variables and the presence or the extent of coronary atherosclerosis. 1988 , 59, 287-91		32
538	Left ventricular volume measured rapidly by oblique magnetic resonance imaging. 1988 , 60, 188-95		52
537	Potential protective effect of high coronary wedge pressure on left ventricular function after coronary occlusion. <i>Circulation</i> , 1988 , 78, 566-72	16.7	51
536	Time course of regression of left ventricular hypertrophy after aortic valve replacement. <i>Circulation</i> , 1988 , 77, 1345-55	16.7	207
535	Intravenous streptokinase for acute myocardial infarction. Effects on global and regional systolic function. <i>Circulation</i> , 1988 , 78, 258-66	16.7	61
534	Low-fat diet and regular, supervised physical exercise in patients with symptomatic coronary artery disease: reduction of stress-induced myocardial ischemia. <i>Circulation</i> , 1988 , 77, 172-81	16.7	54
533	Angiographic validation of eigenvolume to measure left ventricular size. 1988 , 62, 1237-46		8
532	Reversible Subaortic Obstruction in Hypertensive Hypertrophic Cardiomyopathy. 1989 , 3, 97-104		2

531	Coronary hemodynamics and myocardial metabolism during and after pacing stress in normal humans. 1989 , 257, E309-17	31
530	Neonatal critical valvar aortic stenosis. A comparison of surgical and balloon dilation therapy. <i>Circulation</i> , 1989 , 80, 831-9	16.7 115
529	Impaired blood pressure response to exercise in patients with coronary artery disease: possible contribution of attenuated reflex vasoconstriction in non-exercising muscles. 1989 , 61, 149-54	1
528	Determination of left ventricular volumes by Simpson's rule in infants and children with congenital heart disease. 1989 , 61, 182-5	12
527	The influence of coronary artery bypass grafting to totally occluded coronary arteries on the left ventricular contractility. 1989 , 19, 42-8	
526	Right ventricular myocardial function after atrial switch operation for transposition of the great arteries. 1989 , 63, 226-30	19
525	Left ventricular dysfunction in acute myocardial infarction due to isolated left circumflex coronary artery stenosis. 1989 , 64, 440-7	15
524	Prognosis after acute myocardial infarction in patients with and without residual anterograde coronary blood flow. 1989 , 64, 155-60	166
523	Factors influencing accuracy in left ventricular volume determination. 1989 , 64, 661-4	21
522	Angiographic characteristics of the infarct-related coronary artery in patients with angina pectoris after myocardial infarction. 1989 , 64, 257-60	5
521	Early and late results of coronary angioplasty without antecedent thrombolytic therapy for acute myocardial infarction. 1989 , 64, 1221-30	201
520	The cardiac catheter: past, present and future. 1989 , 64, 1034-6	
519	Evolution of left ventricular function after intracoronary thrombolysis for acute myocardial infarction. 1989 , 63, 497-502	55
518	Pre-operative assessment of the patient with cardiac disease. 1989 , 3, 47-102	
517	Left atrial conduit function for left ventricular filling dynamics in patient with myocardial infarction. 1989 , 18, 85-9	11
516	Reconstruction of the left ventricle from two orthogonal projections. 1989 , 47, 165-188	11
515	Measurement of left ventricular ejection fraction and volumes with three-dimensional reconstructed transesophageal ultrasound scans: comparison to radionuclide and thermal dilution measurements. 1989 , 3, 260-8	35
514	Assessment of left ventricular function from the electrocardiogram in left bundle branch block. 1989 , 24, 297-304	9

513	Clinical and hemodynamic course of infants and children with anomalous left coronary artery. <i>American Heart Journal</i> , 1989 , 118, 1176-81	4.9	21
512	Long-term function of the morphologic right ventricle in adult patients with corrected transposition of the great arteries. <i>American Heart Journal</i> , 1989 , 118, 526-30	4.9	97
511	Significance of ST segment depression in exercise-induced supraventricular extrasystoles. <i>American Heart Journal</i> , 1989 , 117, 1035-41	4.9	4
510	Electrocardiographic markers of impaired left ventricular ejection performance in aortic stenosis. 1989 , 22, 45-52		5
509	Risk factor profiles of patients with sudden cardiac death and death from other cardiac causes: a report from the Coronary Artery Surgery Study (CASS). 1989 , 13, 524-30		39
508	Quantitative assessment of mitral regurgitation by Doppler color flow imaging: angiographic and hemodynamic correlations. 1989 , 13, 585-90		366
507	Early detection of myocardial ischemia by myocardial free fatty acid extraction in patients with exercise-induced angina pectoris. 1989 , 64, 180-5		7
506	Reference ranges of left ventricular cross-sectional echocardiographic measurements in adult men. 1989 , 2, 415-8		3
505	A percutaneous approach to cardiac haemodynamics in anaesthetised rats. 1989 , 23, 21-4		3
504	Diastolic time during low-level exercise in the late phase of hospitalization for acute myocardial infarction. 1989 , 96, 601-5		7
503	Inaccuracy of various proposed electrocardiographic criteria in the diagnosis of apical myocardial infarction--a critical review. 1989 , 10, 880-6		7
502	CALIPSO: an interactive image analysis software package for desktop PACS workstations. 1990 , 1233, 340		
501	Implementation and evaluation of an interactive user interface for a clinical image analysis workstation. 1990 , 1245, 220		
500	Diastolic time during static and dynamic exercise in myocardial infarction. 1990 , 98, 667-71		1
499	Ventricular volume measurement from a multiplanar transesophageal ultrasonic imaging system: an in vitro study. 1990 , 37, 442-9		32
498	A new video intensity based wall motion analysis technique. 1990 , 14, 107-18		6
497	Left atrial function in acute transient left ventricular ischemia produced during percutaneous transluminal coronary angioplasty of the left anterior descending coronary artery. 1990 , 65, 282-6		52
496	Prehospital thrombolysis in acute myocardial infarction. 1990 , 66, 1429-33		97

495	Influence of coronary arterial thrombus location on left ventricular function in acute myocardial infarction. 1990 , 66, 16-21		1
494	Angiographic assessment of left ventricular volume, afterload and contractile state in normal children. 1990 , 65, 1021-5		6
493	Usefulness of angioplasty during acute myocardial infarction in patients with prior coronary artery bypass grafting. 1990 , 65, 698-702		36
492	Role of two-dimensional echocardiography, pulsed, continuous wave color flow Doppler techniques in the assessment of ventricular septal rupture after myocardial infarction. 1990 , 65, 852-60		25
491	Analysis and prediction of left ventricular performance under load changes during cardiac catheterization. 1990 , 18, 445-61		1
490	Left ventricular function in the early postoperative stage--cardioplegic baneful effect is lost in the first 24 hours. 1990 , 20, 44-50		3
489	Prediction of left ventricular function during supine bicycle ergometer exercise in angina-free patients with old myocardial infarction. 1990 , 13, 480-4		
488	Segmental diastolic narrowing of epicardial coronary arteries in aortic regurgitation. Phase analysis by quantitative angiography of coronary artery diameter change during cardiac cycles. <i>Heart and Vessels</i> , 1990 , 6, 48-54	2.1	1
487	Quantification of regurgitant lesions by MRI. 1990 , 6, 109-16		14
486	Left ventricular contractile state after surgical correction of tetralogy of Fallot: risk factors for late left ventricular dysfunction. <i>Pediatric Cardiology</i> , 1990 , 11, 61-8	2.1	47
485	An evaluation of central laboratories in three VA cooperative studies. 1990 , 9, 125-34; discussion 135-6		
484	Evaluation of catheters and metallic catheter markers as calibration standard for measurement of coronary dimension. 1990 , 21, 148-53		45
483	Diastolic Time and Systolic Time Intervals during Static Exercise in the Late Hospital Phase of Acute Myocardial Infarction. 1990 , 4, 139-144		1
482	Gender differences in coronary angiographic findings from 1972 through 1981 in Los Angeles, California. 1990 , 41, 609-15		9
481	Determination of right ventricular mass in humans and dogs with ultrafast cardiac computed tomography. <i>Circulation</i> , 1990 , 82, 202-12	16.7	69
480	Post-extrasystolic potentiation without a compensatory pause in normal and diseased hearts. 1990 , 63, 284-6		12
479	Left ventricular volume measurement using cardiac axis nuclear magnetic resonance imaging. Validation by calibrated ventricular angiography. <i>Circulation</i> , 1990 , 82, 154-63	16.7	175
478	Mitral stenosis: left atrial dynamics reflect altered passive and active emptying. <i>American Heart Journal</i> , 1990 , 120, 124-32	4.9	23

477	Left ventricular end-systolic stress-volume index ratio in aortic and mitral regurgitation with normal ejection fraction. <i>American Heart Journal</i> , 1990 , 120, 892-901	4.9	7
476	Quantification of aortic regurgitation with amplitude-weighted mean flow velocity from continuous wave Doppler spectra. 1990 , 15, 1305-9		15
475	Apical segmental dysfunction in hypertrophic cardiomyopathy: subgroup with unique clinical features. 1990 , 16, 1579-88		27
474	Serial left ventricular performance evaluated by cardiac catheterization before, immediately after and at 6 months after balloon aortic valvuloplasty. 1990 , 16, 1351-8		14
473	Effect of coronary angioplasty on electrocardiographic changes in patients with unstable angina secondary to left anterior descending coronary artery disease. 1990 , 16, 325-31		25
472	Direct coronary angioplasty in acute myocardial infarction: outcome in patients with single vessel disease. 1990 , 15, 534-43		55
471	The use of intraaortic balloon pumping as an adjunct to reperfusion therapy in acute myocardial infarction. The Thrombolysis and Angioplasty in Myocardial Infarction (TAMI) Study Group. <i>American Heart Journal</i> , 1991 , 121, 895-901	4.9	96
470	Correlation between resting ST segment depression, exercise testing, coronary angiography, and long-term prognosis. <i>American Heart Journal</i> , 1991 , 122, 1617-28	4.9	58
469	Experimental model of chronic global left ventricular dysfunction secondary to left coronary microembolization. 1991 , 18, 1794-803		38
468	Coronary hemodynamics and myocardial metabolism in patients with syndrome X: response to pacing stress. 1991 , 17, 1461-70		181
467	Comparison of silent and symptomatic ischemia during exercise testing in men. 1991 , 114, 649-56		19
466	Exercise training improves left ventricular systolic function in older men. <i>Circulation</i> , 1991 , 83, 96-103	16.7	150
465	Role of the electrocardiogram in assessing irreversibly impaired left ventricular systolic function in chronic mitral regurgitation. 1991 , 12, 770-6		2
464	Coronary reserve in patients with aortic valve disease before and after successful aortic valve replacement. 1991 , 12, 127-38		75
463	Comparison of left ventricular ejection fraction by magnetic resonance imaging and radionuclide ventriculography in idiopathic dilated cardiomyopathy. 1991 , 67, 411-5		41
462	Interstudy reproducibility of biplane cine nuclear magnetic resonance measurements of left ventricular function. 1991 , 67, 1413-20		74
461	Usefulness of early versus late programmed ventricular stimulation in acute myocardial infarction. 1991 , 68, 13-20		30
460	Beneficial effect of long-term beta blockade after acute myocardial infarction in patients without anterograde flow in the infarct artery. 1991 , 68, 150-4		14

459	Left ventricular diastolic filling in patients with coronary artery disease without myocardial infarction. 1991 , 14, 657-64		9
458	Diastolic pressure-volume relationship during handgrip exercise in patients with coronary artery disease. 1991 , 14, 743-8		5
457	Evaluation of the densitometric method of ejection fraction by direct digital subtraction left ventriculography. 1991 , 23, 61-6		3
456	Post-myocardial infarction exercise testing. Non-Q wave versus Q wave correlation with coronary angiography and long-term prognosis. <i>Circulation</i> , 1991 , 84, 2357-65	16.7	15
455	Polymorphous ventricular tachycardia associated with acute myocardial infarction. <i>Circulation</i> , 1991 , 84, 1543-51	16.7	129
454	Implications of third heart sounds in patients with valvular heart disease. The Veterans Affairs Cooperative Study on Valvular Heart Disease. 1992 , 327, 458-62		51
453	Chess-Board Pattern Spatial Modulation of Magnetization: Assessment of Myocardial Function. 1992 , 33, 16-23		4
452	Angiographic Patterns and Severe Coronary Artery Disease. 1992 , 152, 1618		18
451	Hemodynamic performance and myosin light chain-1 expression of the hypertrophied left ventricle in aortic valve disease before and after valve replacement. 1992 , 70, 1035-43		36
450	Myocardial oxygen consumption in aortic valve disease with and without left ventricular dysfunction. 1992 , 67, 161-9		16
449	Mechanisms involved in cardiac enlargement and congestive heart failure development after acute myocardial infarction. 1992 , 81, 213-20		10
448	Left ventricular function in myocardial infarction. Predictive value during negative low-level exercise three weeks postinfarction. 1992 , 102, 335-40		3
447	Intracavitary repair of ventricular aneurysm and regional dyskinesia. 1992 , 215, 417-23; discussion 423-4		41
446	Three-dimensional echocardiographic volume computation by polyhedral surface reconstruction: in vitro validation and comparison to magnetic resonance imaging. 1992 , 5, 115-24		114
445	Value and limitations of transesophageal echocardiography in determination of left ventricular volumes and ejection fraction. 1992 , 19, 1213-22		84
444	Value of acceleration flow signals proximal to the leaking orifice in assessing the severity of prosthetic mitral valve regurgitation. 1992 , 19, 333-8		41
443	Effects of intraaortic balloon pumping on coronary hemodynamics after coronary angioplasty in patients with acute myocardial infarction. <i>American Heart Journal</i> , 1992 , 124, 1133-8	4.9	27
442	The natural history of isolated left ventricular diastolic dysfunction. 1992 , 92, 627-30		93

441	Difference in the residual left ventricular pump function between anterior and inferior myocardial infarctions. 1992 , 80, 367-74		3
440	Evaluation of right ventricular function by regional wall motion analysis in patients after correction of tetralogy of Fallot. 1992 , 104, 917-923		30
439	Long-Term Prognostic Value of Thallium Scintigraphy and Coronary Angiography after Myocardial Infarction in Young Men. 1992 , 6, 291-303		
438	Usefulness of exercise-induced ST-segment depression in the inferior leads during exercise testing as a marker for coronary artery disease. 1992 , 69, 303-7		41
437	Effect of an anterior wall motion abnormality on the results of single-plane and biplane left ventriculography. 1992 , 70, 791-6		2
436	Influence of collateral filling of the occluded infarct-related coronary artery on prognosis after acute myocardial infarction. 1992 , 69, 10-2		25
435	Assessment of left ventricular function in Kawasaki disease by dipyridamole-loading cineventriculography. 1992 , 70, 863-8		6
434	Comparison of single and biplane ventriculography for determination of left ventricular volume and ejection fraction. 1992 , 69, 1079-82		17
433	Left ventricular diastolic dysfunction in coronary artery disease: effects of coronary revascularization. 1992 , 15, 577-81		6
432	Maximum stress-volume index ratio of the left ventricle in hypertrophic cardiomyopathy. 1992 , 26, 185-91		
431	Cardiac ejection fraction: phantom study comparing cine MR imaging, radionuclide blood pool imaging, and ventriculography. 1992 , 2, 135-42		57
430	A difference between front-loaded streptokinase and standard-dose recombinant tissue-type plasminogen activator in preserving left ventricular function after acute myocardial infarction (the Central Illinois Thrombolytic Therapy Study). 1993 , 72, 1010-4		9
429	Significance of R wave changes in exercise-induced supraventricular extrasystoles. Angiographic correlates. 1993 , 26, 197-206		1
428	Evaluation of left ventricular mass: comparison of ultrafast computed tomography, magnetic resonance imaging, and contrast left ventriculography. <i>American Heart Journal</i> , 1993 , 126, 1372-9	4-9	36
427	Prediction of cardiovascular death by means of clinical and exercise test variables in patients selected for cardiac catheterization. <i>American Heart Journal</i> , 1993 , 125, 1717-26	4-9	37
426	Left ventricular volume calculation with integrated backscatter from echocardiography. 1993 , 6, 553-63		39
425	.		0
424	Current expectations in dynamic cardiomyoplasty. 1993 , 55, 299-303		55

423	Extension of hypokinesia into angiographically perfused myocardium in patients with acute infarction. 1993 , 22, 1010-5	6
422	Three-dimensional echocardiographic measurement of left ventricular volume in vitro: comparison with two-dimensional echocardiography and cineventriculography. 1993 , 22, 1530-7	100
421	Measurement of left ventricular volume by three-dimensional echocardiography--present promise and potential problems. 1993 , 22, 1538-40	24
420	Electrocardiographic characteristics indicating a risk of irreversibly impaired myocardial function in chronic aortic regurgitation. 1993 , 42, 129-38	5
419	Prognostic significance of silent myocardial ischemia after a first uncomplicated myocardial infarction. 1993 , 38, 41-7	17
418	Natural history of left ventricular function in patients with uncomplicated acute myocardial infarction. 1993 , 103, 1320-4	3
417	The effects of tissue plasminogen activator, streptokinase, or both on coronary-artery patency, ventricular function, and survival after acute myocardial infarction. 1993 , 329, 1615-22	1505
416	Relation of plasma lipoprotein(a) to infarct artery patency in survivors of myocardial infarction. <i>Circulation</i> , 1993 , 88, 935-40	16.7 65
415	Left ventricular diastolic Doppler characteristics in beta-thalassemia major. <i>Circulation</i> , 1993 , 88, 1127-35	6.7 134
414	Impaired coronary flow reserve immediately after coronary angioplasty in patients with acute myocardial infarction. 1993 , 69, 288-92	36
413	Three-dimensional echocardiography. In vivo validation for left ventricular volume and function. <i>Circulation</i> , 1993 , 88, 1715-23	16.7 134
412	Prediction of cardiovascular death in men undergoing noninvasive evaluation for coronary artery disease. 1993 , 118, 689-95	124
411	Effect of infarct site on diastolic time during exercise. 1993 , 103, 1749-54	
410	Time course of left ventricular function and coronary patency after saruplase vs streptokinase in acute myocardial infarction. The PRIMI Trial Study Group. 1993 , 14, 958-63	13
409	Ventriculoarterial coupling during low-level exercise testing after myocardial infarction. 1993 , 83, 190-6	
408	Left ventricular function during exercise after aortic valve replacement. 1993 , 82, 301-8	
407	Improved Diagnostic Accuracy with the Evaluation of ECG Changes in Exercise-Induced Supraventricular Extrasystoles. 1994 , 8, 20-27	
406	Detection of left ventricular dysfunction after acute myocardial infarction: comparison of clinical, echocardiographic, and neurohormonal methods. 1994 , 72, 16-22	124

405	Intracardiac ultrasound measurement of volumes and ejection fraction in normal, infarcted, and aneurysmal left ventricles using a 10-MHz ultrasound catheter. <i>Circulation</i> , 1994 , 90, 1481-91	16.7	28
404	Invasive monitoring combined with two-dimensional echocardiographic study in septic shock. 1994 , 20, 550-4		106
403	Improved densitometric measurement of left ventricular ejection fraction using dual-energy digital subtraction angiography. 1994 , 10, 113-21		3
402	Quantification of infarct size by thallium-201 single-photon emission computed tomography using the unfolded map method. Comparison with QRS score and angiographic infarct size at 4 weeks after infarction. 1994 , 17, 184-90		7
401	Long-term prognosis of medically treated patients with acute myocardial infarction and one-vessel coronary artery disease. 1994 , 73, 158-63		8
400	Systolic and diastolic function in tricuspid valve atresia before the Fontan operation. 1994 , 73, 292-7		9
399	Difference between women and men in left ventricular pump function during predischage exercise test after acute myocardial infarction. 1994 , 73, 11-5		7
398	Frequency, cause and effect on operative outcome of depressed left ventricular ejection fraction in mitral stenosis. 1994 , 73, 65-9		13
397	Quantitative evaluation of the severity of aortic regurgitation by cine magnetic resonance imaging. 1994 , 3, 179-184		
396	Real-time volume measurements in the isolated beating rat heart. 1994 , 41, 383-7		
395	Clinical and biochemical factors associated with prognosis after myocardial infarction at a young age. 1994 , 24, 592-9		63
394	Use of the left ventricular peak systolic pressure/end-systolic volume ratio to predict symptomatic improvement with valve replacement in patients with aortic regurgitation and enlarged end-systolic volume. 1994 , 24, 1672-7		10
393	Outcome of pregnancy after the Mustard operation for transposition of the great arteries with intact ventricular septum. 1994 , 24, 190-3		68
392	Response of patients with coronary artery disease stratified by ejection fraction following short-term training. 1994 , 46, 209-22		7
391	Improved left ventriculography with the new 5F helical-tip Halo catheter. <i>American Heart Journal</i> , 1994 , 128, 724-32	4.9	3
390	Diagnostic and prognostic accuracy of the exercise electrocardiogram in patients with preexisting right bundle branch block. <i>American Heart Journal</i> , 1994 , 127, 1521-5	4.9	14
389	Estimation of left ventricular diastolic pressures from precordial pulsed-Doppler analysis of pulmonary venous and mitral flow. <i>American Heart Journal</i> , 1994 , 128, 293-300	4.9	91
388	Left atrial myopathy in idiopathic dilated cardiomyopathy. <i>American Heart Journal</i> , 1994 , 128, 308-15	4.9	53

- 387 Right ventricular ejection fraction during exercise in patients with recent myocardial infarction: effect of the interventricular septum. *American Heart Journal*, **1994**, 127, 49-55 4.9 14
- 386 R peak time prolongation and R peak delay in leads I, V5, or V6. Diagnostic values as signs of myocardial dysfunction in chronic mitral incompetence. **1994**, 27, 129-36 3
- 385 Multidimensional cardiac imaging in retrospect. **1994**,
- 384 In vivo assessment of left ventricular remodelling after myocardial infarction by digital video contrast angiography in the rat. **1994**, 28, 349-57 13
- 383 Left ventricular volume and mass: Comparative study of two-dimensional echocardiography and ultrafast computed tomography. **1994**, 11, 1-9 30
- 382 Cardioprotective effect of unstable angina prior to acute anterior myocardial infarction. **1994**, 105, 57-61 42
- 381 Neurohormonal changes after acute myocardial infarction. Relationships with haemodynamic indices and effects of ACE inhibition. **1995**, 16, 770-8 38
- 380 Angiographic determination of left and right ventricular volumes and left ventricular mass in normal infants and children. **1995**, 177, 153-60 4
- 379 Impact of patency of the left anterior descending coronary artery on long-term survival. **1995**, 76, 250-4 7
- 378 Effects of left ventricular diastolic dysfunction on exercise capacity three to six weeks after acute myocardial infarction in men. **1995**, 75, 14-7 15
- 377 Comparison of left atrial volume by two-dimensional echocardiography and cine-computed tomography. **1995**, 75, 754-7 83
- 376 Comparison of thallium-201 myocardial single-photon emission computed tomography and cine magnetic resonance imaging in Duchenne's muscular dystrophy. **1995**, 75, 1284-6 5
- 375 Renal dopamine receptors are involved in the development of cardiac hypertrophy. **1995**, 144, 81-4 4
- 374 The discrepancy between echocardiography, cineventriculography and thermodilution. Evaluation of left ventricular volume and ejection fraction. **1995**, 11, 255-62 8
- 373 Effects of nicorandil on regional perfusion and left ventricular function. **1995**, 9 Suppl 2, 203-11 3
- 372 Gated planar technetium 99m-labeled sestamibi myocardial perfusion image inversion for quantitative scintigraphic assessment of left ventricular function. **1995**, 2, 285-95 10
- 371 Cardiac Imaging and Assessment of Left Ventricular Function. **1995**, 6, 97-115 1
- 370 Recovery of the 3-D shape of the left ventricle from echocardiographic images. **1995**, 14, 301-17 69

369	Long-term prognostic significance of M mode echocardiography in young men after myocardial infarction. 1995 , 74, 124-30		12
368	Evaluation of Left Ventricular Ejection Fraction - a Comparison of Electron Beam Tomography and Angiography.. 1995 , 40, 219-220		
367	A new echocardiographic formula to calculate ejection fraction by using systolic excursion of mitral annulus. 1995 , 46, 157-63		20
366	Comparison of Doppler echocardiographic methods with heart catheterisation in assessing aortic valve area in 100 patients with aortic stenosis. 1995 , 73, 293-8		30
365	Response of left atrial systolic function to handgrip in normal subjects. <i>American Heart Journal</i> , 1995 , 130, 1303-5	4.9	5
364	Left atrial volumes and function in orthotopic cardiac transplantation. <i>American Heart Journal</i> , 1995 , 129, 774-82	4.9	6
363	Right ventricular volume estimation with an ellipsoidal shell model and two-plane magnetic resonance imaging. <i>American Heart Journal</i> , 1995 , 129, 782-90	4.9	17
362	The effects of bisoprolol and propranolol on left ventricular cardiac function in patients with coronary artery disease and congestive heart failure. 1995 , 56, 587-596		
361	Tomographic left ventricular volume determination in the presence of aneurysm by three-dimensional echocardiographic imaging. I: Asymmetric model hearts. 1996 , 9, 488-500		33
360	Left ventricular function in patients with coronary artery disease assessed by gated tomographic myocardial perfusion images. Comparison with assessment by contrast ventriculography and first-pass radionuclide angiography. 1996 , 27, 173-81		119
359	Plasma immunoreactive endothelin concentration correlates with severity of coronary artery disease in patients with stable angina pectoris and normal ventricular function. 1996 , 28, 14-9		41
358	Increased left ventricular dysfunction in elderly patients despite successful thrombolysis: the GUSTO-I angiographic experience. 1996 , 28, 331-7		77
357	Binary reconstruction of the heart chambers from biplane angiographic image sequences. 1996 , 15, 532-46		43
356	Transthoracic echocardiography for right ventricular function late after the Mustard operation. <i>American Heart Journal</i> , 1996 , 131, 360-7	4.9	32
355	Effect of percutaneous transluminal coronary angioplasty on exercise ventilation in patients with coronary artery disease and normal left ventricular function. <i>American Heart Journal</i> , 1996 , 132, 48-53	4.9	4
354	Measurement of ventricular volumes by cine magnetic resonance imaging in complex congenital heart disease with morphologically abnormal ventricles. <i>American Heart Journal</i> , 1996 , 131, 567-75	4.9	40
353	Accuracy and precision of angiographic volumetry methods for left and right ventricle. 1996 , 53, 179-88		21
352	Changes of left ventricular function after percutaneous balloon mitral valvuloplasty in mitral stenosis with impaired left ventricular performance. 1996 , 56, 211-5		17

351	Validation of right and left ventricular conductance and echocardiography for cardiac function studies. 1996 , 62, 1104-9	21
350	Angiographic findings and outcome in diabetic patients treated with thrombolytic therapy for acute myocardial infarction: the GUSTO-I experience. 1996 , 28, 1661-9	234
349	Antithrombin III and fibrinogen as predictors of cardiac events in patients with angina pectoris. 1996 , 16, 357-62	45
348	Left ventricular volume calculations using a multiplanar transoesophageal echoprobe; in vitro validation and comparison with biplane angiography. 1996 , 17, 1279-88	21
347	Mechanism of left atrial enlargement related to ventricular diastolic impairment in hypertension. 1996 , 19, 954-9	76
346	Automated determination of left ventricular volume curves from bi-plane digital angiography without explicit use of edge detection algorithms. 1996 , 12, 31-45	2
345	Left ventricular regression equations from single plane cine and digital X-ray ventriculograms revisited. 1996 , 12, 69-78	12
344	Comparison of quantitation of left ventricular volume, ejection fraction, and cardiac output in patients with atrial fibrillation by cine magnetic resonance imaging versus invasive measurements. 1996 , 78, 1119-23	21
343	Comparison of the usefulness of doppler pressure half-time in mitral stenosis in patients . 1996 , 78, 1390-13938	
342	Accuracy of biplane long-axis left ventricular volume determined by cine magnetic resonance imaging in patients with regional and global dysfunction. 1996 , 77, 1098-104	43
341	Utility of the 12-lead electrocardiogram in identifying underlying coronary artery disease in patients with depressed left ventricular systolic function. 1996 , 77, 1289-92	9
340	Volume estimation from multiplanar 2D ultrasound images using a remote electromagnetic position and orientation sensor. 1996 , 22, 561-72	67
339	The accuracy of a new system for estimating organ volume using ultrasound. 1997 , 18, 73-84	9
338	Left ventricular aneurysmectomy; comparison between two techniques; early and late results. 1997 , 12, 291-7	29
337	Quantitative, non-invasive assessment of ventricular septal defect shunt flow by measuring proximal isovelocity surface area on colour Doppler mapping. 1997 , 78, 305-9	13
336	Impaired Left Ventricular Diastolic Filling Occurs in Diabetic Patients Without Atherosclerotic Coronary Artery Disease. 1997 , 313, 125-130	
335	Prediction of left ventricular dysfunction in coronary artery disease from clinical and exercise test findings. 1997 , 88, 246-53	
334	Left atrial function as a reliable predictor of exercise capacity in patients with recent myocardial infarction. 1997 , 111, 922-8	16

333	Effects of left ventricular peak filling rate on exercise capacity 3 to 6 weeks after acute myocardial infarction. 1997 , 111, 590-4		5
332	Determination of ventricular ejection fraction: a comparison of available imaging methods. The Cardiovascular Imaging Working Group. 1997 , 72, 860-70		72
331	Immediate coronary angiography in survivors of out-of-hospital cardiac arrest. 1997 , 336, 1629-33		1245
330	Congestive heart failure in patients with coronary artery disease: the gender paradox. <i>American Heart Journal</i> , 1997 , 134, 207-12	4-9	73
329	Importance of left ventricular diastolic function on maintenance of exercise capacity in patients with systolic dysfunction after anterior myocardial infarction. <i>American Heart Journal</i> , 1997 , 133, 87-93	4-9	14
328	Ventricular hypertrophy as a risk factor in ventricular septation for double-inlet left ventricle. 1997 , 64, 730-4		6
327	Gender and acute myocardial infarction: is there a different response to thrombolysis?. 1997 , 29, 35-42		124
326	A prospective, randomized evaluation of prophylactic intraaortic balloon counterpulsation in high risk patients with acute myocardial infarction treated with primary angioplasty. Second Primary Angioplasty in Myocardial Infarction (PAMI-II) Trial Investigators. 1997 , 29, 1459-67		238
325	Atrial fibrillation in the setting of acute myocardial infarction: the GUSTO-I experience. Global Utilization of Streptokinase and TPA for Occluded Coronary Arteries. 1997 , 30, 406-13		319
324	Mild mitral regurgitation reduces exercise capacity in patients with idiopathic dilated cardiomyopathy. 1997 , 58, 41-5		23
323	Assessment of viable myocardium and prediction of postoperative improvement in left ventricular function in patients with severe left ventricular dysfunction by quantitative planar stress-redistribution-reinjection 201-Tl imaging. 1997 , 58, 179-84		5
322	The diameter of the epicardial coronary arteries in patients with dilated cardiomyopathy. 1997 , 62, 133-41		8
321	Preoperative left ventricular peak systolic pressure/end-systolic volume ratio and functional status following valve surgery in patients with mitral regurgitation and enlarged end-systolic volumes. 1997 , 79, 1493-7		2
320	Influence of right ventricular volume and pressure overloads on assessment of left ventricular volume using two-dimensional echocardiography in infants and children with congenital heart diseases. 1997 , 80, 965-8		8
319	Dynamic on-line quantification of biventricular function with acoustic quantification (AQ). Validation, reproducibility and normal values of a new echocardiographic approach. 1997 , 13, 463-74		3
318	Variability in frame by frame analysis of left ventricular wall motion from contrast angiograms. 1997 , 13, 367-74; discussion 375-7		1
317	[Heart valve diseases]. 1997 , 37, 341-50		0
316	The effects of coronary angioplasty on the global and regional left ventricular function in patients with angina pectoris after anterior myocardial infarction. 1997 , 6, 199-202		

315	Detection of Viability of Dysfunctional Myocardium in Coronary Heart Disease. II. Echocardiography. 1998 , 2, 207-233	4
314	Normal left ventricular volumes and ejection fraction: assessment with quantitative digital cardioangiography. 1998 , 14, 27-36	6
313	Reproducibility of right and left ventricular volume measurements by electron-beam CT in patients with congestive heart failure. 1998 , 14, 201-9	26
312	Intracardiac echocardiography: computerized detection of left ventricular borders. 1998 , 14, 397-411	10
311	Long-term results of visually guided left ventricular reconstruction as single therapy to treat ventricular tachycardia associated with postinfarction anteroseptal aneurysm. 1998 , 9, 1133-43	11
310	Predictive Value of Late Potentials after Myocardial Infarction in the Thrombolytic Era. 1998 , 3, 202-210	1
309	Benefit of early sustained reperfusion in patients with prior myocardial infarction (the GUSTO-I trial). Global Utilization of Streptokinase and TPA for occluded arteries. 1998 , 81, 282-7	22
308	New modalities of regional and global left ventricular function analysis: state of the art. 1998 , 81, 49G-57G	23
307	Measurements and day-to-day variabilities of left ventricular volumes and ejection fraction by three-dimensional echocardiography and comparison with magnetic resonance imaging. 1998 , 82, 209-14	47
306	Significance of exercise-induced ST-segment elevation and T-wave pseudonormalization for improvement of function in healed Q-wave myocardial infarction. 1998 , 82, 148-53	22
305	Comparison of fast spiral, echo planar, and fast low-angle shot MRI for cardiac volumetry at .5T. 1998 , 8, 1033-9	16
304	Comparative value of Doppler echocardiography and cardiac catheterization in the decision to operate on patients with aortic stenosis. 1998 , 65, 163-8	9
303	Clinical and electrophysiologic features of idiopathic left ventricular aneurysm with sustained ventricular tachycardia. 1998 , 67, 27-38	19
302	Left ventricular regional systolic motion in patients with right ventricular pressure overload. 1998 , 67, 55-63	8
301	Left anterior descending endarterectomy and internal thoracic artery bypass for diffuse coronary disease. 1998 , 65, 659-62	55
300	Rescue angioplasty after failed thrombolysis: technical and clinical outcomes in a large thrombolysis trial. GUSTO-1 Angiographic Investigators. Global Utilization of Streptokinase and Tissue Plasminogen Activator for Occluded Coronary Arteries. 1998 , 31, 1511-7	101
299	T wave normalization in infarct-related electrocardiographic leads during exercise testing for detection of residual viability: comparison with positron emission tomography. 1998 , 32, 75-82	25
298	Significance of rest technetium-99m sestamibi imaging for the prediction of improvement of left ventricular dysfunction after Q wave myocardial infarction: importance of infarct location adjusted thresholds. 1998 , 32, 648-54	32

297	Specificity of electrocardiographic myocardial infarction screening criteria in patients with nonischemic cardiomyopathies. <i>American Heart Journal</i> , 1998 , 136, 314-9	4.9	3
296	Nongeometric quantitative assessment of right and left ventricular function: myocardial performance index in normal children and patients with Ebstein anomaly. 1998 , 11, 849-56		237
295	Three-dimensional echocardiographic evaluation of left ventricular volume: comparison of Doppler myocardial imaging and standard gray-scale imaging with cineventriculography--an in vitro and in vivo study. <i>American Heart Journal</i> , 1998 , 135, 970-9	4.9	10
294	Non-Q-wave versus Q-wave myocardial infarction after thrombolytic therapy: angiographic and prognostic insights from the global utilization of streptokinase and tissue plasminogen activator for occluded coronary arteries-I angiographic substudy. GUSTO-I Angiographic Investigators. <i>Circulation</i> , 1998 , 97, 444-50	16.7	63
293	Myocardial contractility is not constant during spontaneous atrial fibrillation in patients. <i>Circulation</i> , 1998 , 98, 1762-8	16.7	64
292	3-D cardiac volume analysis using magnetic resonance imaging.		1
291	Changes in patterns of left ventricular diastolic filling revealed by Doppler echocardiography in infants with ventricular septal defect. 1998 , 8, 94-9		4
290	Relationship between normalization of negative T waves on exercise ECG and residual myocardial viability in patients with previous myocardial infarction and no post-infarction angina. 1998 , 62, 153-9		5
289	Diastolic and systolic function as predictors of exercise capacity after myocardial infarction in young Men. 1998 , 90, 8-12		6
288	Diastolic time during weight carrying exercise in patients with myocardial infarction. 1998 , 89, 68-72		
287	MR imaging of the heart in patients after myocardial infarction: effect of increasing intersection gap on measurements of left ventricular volume, ejection fraction, and wall thickness. 1999 , 213, 513-20		38
286	Volumetric analysis of the right and left ventricle in a porcine heart model: comparison of three-dimensional echocardiography, magnetic resonance imaging and angiocardiology. 1999 , 9, 245-55		46
285	Plain-film examination of the normal heart. 1999 , 34, 169-80		3
284	Associations between different status of myocardial ischemia and ischemia-related negative or positive epicardial U-waves: observations during coronary angioplasty. 1999 , 32, 293-303		5
283	Mortality, risk indicators, mode and place of death and symptoms of angina pectoris in the five years after coronary artery bypass grafting in patients with and without a history of hypertension. 1999 , 8, 200-6		6
282	Hemodynamic effects of celiprolol in patients with ischemic and non-ischemic cardiomyopathy. 1999 , 68, 289-95		4
281	Ejection fraction by radionuclide ventriculography and contrast left ventriculogram. A tale of two techniques. SAVE Investigators. Survival and Ventricular Enlargement. 1999 , 33, 180-5		23
280	Ventricular function. 1999 , 37, 341-59, vi		16

279	A randomized trial comparing primary angioplasty with a strategy of short-acting thrombolysis and immediate planned rescue angioplasty in acute myocardial infarction: the PACT trial. PACT investigators. Plasminogen-activator Angioplasty Compatibility Trial. 1999 , 34, 1954-62	289
278	Volume measurement of the left ventricle in children with congenital heart defects: 3-dimensional echocardiography versus angiocardiology. 1999 , 92, 45-52	12
277	Valvular heart disease. <i>Circulation</i> , 2000 , 102, IV24-33	16.7 10
276	On-line vectorcardiography during elective coronary angioplasty indicates procedure-related myocardial infarction. 2000 , 11, 161-9	9
275	Mortality, mode of death and risk indicators for death during 5 years after coronary artery bypass grafting among patients with and without a history of diabetes mellitus. 2000 , 11, 339-46	41
274	Cardiovascular response to combined static-dynamic exercise of patients with myocardial infarction. 2000 , 11, 35-40	5
273	Women react with more myocardial ischemia and angina pectoris during elective percutaneous transluminal coronary angioplasty. 2000 , 11, 527-35	2
272	Mortality, risk indicators of death, mode of death and symptoms of angina pectoris during 5 years after coronary artery bypass grafting in men and women. 2000 , 247, 500-6	30
271	Role of cardiac surgery in the hospital phase management of patients treated with primary angioplasty for acute myocardial infarction. 2000 , 85, 1292-6	53
270	Computerized left ventricular pressure-volume relationships (pV-loops) using disposable angiographic tip transducer pigtail catheters. 2000 , 16, 13-21	2
269	Accurate measures of left ventricular ejection fraction using electron beam tomography: a comparison with radionuclide angiography, and cine angiography. 2000 , 16, 391-8	19
268	Mortality, risk indicators for death, and mode of death in younger and elderly patients during five years after coronary artery bypass graft. 2000 , 23, 421-6	4
267	Prognostic role of on-line vectorcardiography as regards repeat revascularization after successful coronary angioplasty. 2000 , 93, 78-86	2
266	Risk factors, angiographic patterns, and outcomes in patients with ventricular septal defect complicating acute myocardial infarction. GUSTO-I (Global Utilization of Streptokinase and TPA for Occluded Coronary Arteries) Trial Investigators. <i>Circulation</i> , 2000 , 101, 27-32	16.7 474
265	Relationship of infarct artery patency and left ventricular ejection fraction to health-related quality of life after myocardial infarction: the GUSTO-I Angiographic Study experience. <i>Circulation</i> , 2000 , 102, 1245-51	16.7 27
264	Cardioprotective effects of the Na(+)/H(+) exchange inhibitor cariporide in patients with acute anterior myocardial infarction undergoing direct PTCA. <i>Circulation</i> , 2000 , 101, 2902-8	16.7 189
263	Limitation of physical activity, dyspnoea and chest pain before and two years after coronary artery bypass grafting in relation to preoperative ejection fraction. 2000 , 34, 65-72	3
262	New digital measurement methods for left ventricular volume using real-time three-dimensional echocardiography: comparison with electromagnetic flow method and magnetic resonance imaging. 2000 , 1, 96-104	17

261	Long term prognosis after CABG in relation to preoperative left ventricular ejection fraction. 2000 , 72, 163-71; discussion 173-4		13
260	Evaluation of left ventricular function in coronary bypass surgery. 2000 , 34, 493-500		2
259	Optimal rotational interval for 3-dimensional echocardiography data acquisition for rapid and accurate measurement of left ventricular function. 2000 , 13, 715-22		11
258	Measurement of postsystolic shortening to assess viability and predict recovery of left ventricular function after acute myocardial infarction. 2000 , 35, 1842-9		59
257	Clinical and angiographic outcomes in patients with previous coronary artery bypass graft surgery treated with primary balloon angioplasty for acute myocardial infarction. Second Primary Angioplasty in Myocardial Infarction Trial (PAMI-2) Investigators. 2000 , 35, 605-11		78
256	Predictors of left ventricular function after acute myocardial infarction: effects of time to treatment, patency, and body mass index: the GUSTO-I angiographic experience. <i>American Heart Journal</i> , 2001 , 142, 43-50	4.9	14
255	Electromechanical dysfunction of the left atrium associated with interatrial block. <i>American Heart Journal</i> , 2001 , 142, 823-7	4.9	156
254	Hypertonic saline method accurately determines parallel conductance for dual-field conductance catheter. 2001 , 281, H755-63		96
253	Phase plane analysis of left ventricular hemodynamics. 2001 , 90, 2238-44		31
252	Cardiovascular responses to the induction of mild hypothermia in the presence of epidural anesthesia. 2001 , 94, 678-82		6
251	DOCA-salts induce heart failure in the guinea pig. 2001 , 3, 545-51		5
250	Chemoreflexsensitivity in chronic heart failure patients. 2001 , 3, 679-84		10
249	Shape reconstruction of the left ventricle: accuracy of limited-plane three-dimensional echocardiography. 2001 , 20, 767-74		
248	Cardiovascular effects of aging. Interrelationships of aortic, left ventricular, and left atrial function. 2001 , 26, 129-39		16
247	In vitro determination of cardiac ventricular volumes using MRI at 1.0 T in a porcine heart model. 2001 , 17, 237-42		5
246	Bidirectional Glenn procedure improves the mechanical efficiency of a total cavopulmonary connection in high-risk fontan candidates. <i>Circulation</i> , 2001 , 103, 2176-80	16.7	103
245	Cardiac architecture: Gothic versus Romanesque. A cardiologist's view. 2001 , 13, 417-30		7
244	The coronary angiogram and its seminal contributions to cardiovascular medicine over five decades. <i>Circulation</i> , 2002 , 106, 752-6	16.7	56

243	Comparison of angioplasty with stenting, with or without abciximab, in acute myocardial infarction. 2002 , 346, 957-66		1022
242	Using ECG-gated multidetector CT to evaluate global left ventricular myocardial function in patients with coronary artery disease. 2002 , 179, 1545-50		130
241	Comparison of techniques for the measurement of left ventricular function following cardiac transplantation. 2002 , 4, 255-63		48
240	Continuous on-line measurement of absolute left ventricular volume by transcardiac conductance: angiographic validation in sheep. 2002 , 30, 1301-5		8
239	Left atrial functional reserve in patients with nonischemic dilated cardiomyopathy: an echocardiographic dobutamine study. 2002 , 122, 1340-7		24
238	Method for three-dimensional data registration from disparate imaging modalities in the NOGA Myocardial Viability Trial. 2002 , 21, 1264-70		7
237	Reversible myocardial dysfunction in survivors of out-of-hospital cardiac arrest. 2002 , 40, 2110-6		476
236	Relation between left ventricular remodeling and clinical outcomes in heart failure patients with left ventricular systolic dysfunction. 2002 , 8, S465-71		76
235	Systolic and Diastolic Function (Mechanics) of the Intact Heart. 2002 , 741-785		5
234	How long is too long? Association of time delay to successful reperfusion and ventricular function outcome in acute myocardial infarction: the case for thrombolytic therapy before planned angioplasty for acute myocardial infarction. <i>American Heart Journal</i> , 2002 , 144, 456-62	4.9	22
233	Chemoreflex sensitivity as a predictor of arrhythmia relapse in ICD recipients. 2002 , 86, 169-75		11
232	Rserve de prècharge ventriculaire gauche dans le choc septique : mythe ou râlité?. 2002 , 11, 105-110		1
231	Alterations of systolic left ventricular twist after acute myocardial infarction. 2002 , 282, H357-62		67
230	Analysis of left ventricular hemodynamics in physiological hyperspace. 2002 , 92, 323-30		11
229	Comparison of positron emission tomography with the resting electrocardiogram for assessing viable myocardium in chronic ischemic cardiomyopathy involving the anterior left ventricular wall. 2002 , 90, 878-82		3
228	Conversion of left ventricular endocardial positions from patient-independent co-ordinates into biplane fluoroscopic projections. 2002 , 40, 41-6		4
227	Changes in pulmonary venous flow patterns in patients with ventricular septal defect. <i>Pediatric Cardiology</i> , 2002 , 23, 491-5	2.1	8
226	Three-dimensional echocardiographic measurement of left and right ventricular mass and volume: in vitro validation. 2002 , 18, 111-8		57

225	End-diastolic and end-systolic volume from the left ventricular angiogram: how accurate is visual frame selection? Comparison between visual and semi-automated computer-assisted analysis. 2003 , 19, 259-66		5
224	Factors determining left atrial kinetic energy in patients with chronic mitral valve disease. 2003 , 28, 437-44		24
223	Usefulness of myocardial blush grade early and late after primary coronary angioplasty for acute myocardial infarction in predicting left ventricular function. 2003 , 92, 1015-9		46
222	Visual quantitative estimation: semiquantitative wall motion scoring and determination of ejection fraction. 2003 , 20, 401-10		15
221	Quantitative assessment of pericardial effusion volume by two-dimensional echocardiography. 2003 , 16, 147-53		7
220	Clinical outcome of patients undergoing non-cardiac surgery in the two months following coronary stenting. 2003 , 42, 234-40		366
219	Quantitative regional wall motion analysis with early contrast ventriculography for the assessment of myocardium at risk in acute myocardial infarction. <i>American Heart Journal</i> , 2003 , 145, 1051-7	4.9	6
218	Ventricular energetics in endoventricular circular patch plasty for dyskinetic anterior left ventricular aneurysm. 2003 , 75, 1205-8; discussion 1208-9		21
217	Ventricular mechanics in the bidirectional glenn procedure and total cavopulmonary connection. 2003 , 76, 562-6		38
216	Defining normal left ventricular wall motion from contrast ventriculograms. 2003 , 24, 785-92		2
215	. 2003 , 24, 915-924		
214	A new radionuclide approach for the quantification of left ventricular volumes: the 'geometric count based' method. 2003 , 24, 915-24		3
213	Evaluation of global left ventricular myocardial function with electrocardiogram-gated multidetector computed tomography: comparison with magnetic resonance imaging. 2003 , 38, 653-61		98
212	Rapid evaluation of right and left ventricular function and mass using real-time true-FISP cine MR imaging without breath-hold: comparison with segmented true-FISP cine MR imaging with breath-hold. 2003 , 5, 439-50		48
211	Time-effectiveness, observer-dependence, and accuracy of measurements of left ventricular ejection fraction using 4-channel MDCT. 2004 , 176, 529-37		31
210	Left ventricular performance of pulmonary atresia with intact ventricular septum after right heart bypass surgery. 2004 , 128, 710-7		27
209	Angiographic right and left ventricular function in arrhythmogenic right ventricular dysplasia. 2004 , 93, 728-33		29
208	Presence and extent of angiographic coronary narrowing in patients with left bundle branch block. 2004 , 93, 1426-7, A10		9

207	Echocardiographic predictors of prognosis after first acute myocardial infarction. 2004 , 94, 1278-80	9
206	Assessment of left ventricular function with steady-state-free-precession magnetic resonance imaging. Reference values and a comparison to left ventriculography. 2004 , 93, 686-95	20
205	Transplantation of progenitor cells after reperfused acute myocardial infarction: evaluation of perfusion and myocardial viability with FDG-PET and thallium SPECT. 2004 , 31, 1146-51	87
204	Tissue doppler imaging predicts recovery of left ventricular function after recanalization of an occluded coronary artery. 2004 , 43, 85-91	25
203	Impact of intravenous beta-blockade before primary angioplasty on survival in patients undergoing mechanical reperfusion therapy for acute myocardial infarction. 2004 , 43, 1780-7	58
202	Importance of mitral regurgitation in patients undergoing percutaneous coronary intervention for acute myocardial infarction: the Controlled Abciximab and Device Investigation to Lower Late Angioplasty Complications (CADILLAC) trial. 2004 , 43, 1368-74	73
201	Frequency, correlates, and clinical implications of myocardial perfusion after primary angioplasty and stenting, with and without glycoprotein IIb/IIIa inhibition, in acute myocardial infarction. 2004 , 44, 305-12	150
200	Left ventricular performance of pulmonary atresia with intact ventricular septum after right heart bypass surgery. 2004 , 128, 710-717	27
199	Quantification of functional mitral valve regurgitation in patients with congestive heart failure: comparison of electron-beam computed tomography with cardiac catheterization. 2004 , 39, 728-39	7
198	Right ventricular systolic function and the manner of transformation of the right ventricle in patients with dilated cardiomyopathy. 2004 , 68, 933-7	7
197	Ventriculogram segmentation using boosted decision trees. 2004 , 5370, 1804	3
196	Assessment of global and regional left ventricular function by electrocardiographic gated N-13 ammonia positron emission tomography in patients with coronary artery disease. 2005 , 69, 177-82	8
195	Relation between electrocardiographic ST-segment resolution and early and late outcomes after primary percutaneous coronary intervention for acute myocardial infarction. 2005 , 95, 343-8	59
194	Determination of timing for reoperation in patients after right ventricular outflow reconstruction. 2005 , 95, 1344-50	9
193	Impact and determinants of left ventricular function in patients undergoing primary percutaneous coronary intervention in acute myocardial infarction. 2005 , 96, 325-31	65
192	Poor long-term patient and graft survival after primary percutaneous coronary intervention for acute myocardial infarction due to saphenous vein graft occlusion. 2005 , 65, 504-9	24
191	[Improved analysis of left ventricular function using three-dimensional echocardiography]. 2005 , 94 Suppl 4, IV/31-37	
190	Angiographic determination of right ventricular volumes. 2005 , 21, 587-90	

189	Assessment of systolic and diastolic ventricular properties via pressure-volume analysis: a guide for clinical, translational, and basic researchers. 2005 , 289, H501-12	502
188	Dynamics of solitons in the model of nonlinear Schrödinger equation with an external harmonic potential: II. Dark Solitons. 2005 , 35, 929-937	45
187	Assessment of reperfused acute myocardial infarction with two-phase contrast-enhanced helical CT: prediction of left ventricular function and wall thickness. 2005 , 235, 804-11	85
186	Locally targeted cytoprotection with dextran sulfate attenuates experimental porcine myocardial ischaemia/reperfusion injury. 2005 , 26, 2334-43	33
185	Prediction of mortality after primary percutaneous coronary intervention for acute myocardial infarction: the CADILLAC risk score. 2005 , 45, 1397-405	367
184	Appropriate additional pulmonary blood flow at the bidirectional Glenn procedure is useful for completion of total cavopulmonary connection. 2005 , 80, 976-81	50
183	Door-to-balloon time with primary percutaneous coronary intervention for acute myocardial infarction impacts late cardiac mortality in high-risk patients and patients presenting early after the onset of symptoms. 2006 , 47, 289-95	188
182	Prognostic implications of creatine kinase elevation after primary percutaneous coronary intervention for acute myocardial infarction. 2006 , 47, 951-61	49
181	Evaluation of global and regional left ventricular function with 16-slice computed tomography, biplane cineventriculography, and two-dimensional transthoracic echocardiography: comparison with magnetic resonance imaging. 2006 , 48, 2034-44	124
180	Impact of treatment delays on outcomes of primary percutaneous coronary intervention for acute myocardial infarction: analysis from the CADILLAC trial. <i>American Heart Journal</i> , 2006 , 151, 1231-8	4.9 93
179	Retrospective ECG-gated left ventriculography using multislice CT following left ventricular bolus injection and evaluation of its utility and motion artifact at every cardiac phase. 2006 , 113, 132-8	12
178	Inhibitory effect of candesartan cilexetil on left ventricular remodeling after myocardial infarction. 2006 , 47, 715-25	12
177	Scarred myocardium imposes additional burden on remote viable myocardium despite a reduction in the extent of area with late contrast MR enhancement. 2006 , 16, 827-36	36
176	Measurement of cardiac ventricular volumes using multidetector row computed tomography: comparison of two- and three-dimensional methods. 2006 , 16, 2341-9	9
175	Association of obesity with left ventricular remodeling and diastolic dysfunction in patients without coronary artery disease. 2006 , 98, 116-20	154
174	Obstructive sleep apnoea inhibits the recovery of left ventricular function in patients with acute myocardial infarction. 2006 , 27, 2317-22	88
173	3D Echocardiography. 2007 ,	
172	Attenuation of myocardial reperfusion injury in pigs by Mirococept, a membrane-targeted complement inhibitor derived from human CR1. 2007 , 76, 482-93	33

171	Ejection fraction: a measure of desperation?. 2008 , 94, 400-1	30
170	A novel mechanism of heart failure with normal ejection fraction. 2008 , 94, 446-9	90
169	Assessment of global left and right ventricular function using dual-source computed tomography (DSCT) in comparison to MRI: an experimental study in a porcine model. 2007 , 42, 756-64	18
168	Exploration hémodynamique et angiographie cardiaque. 2007 , 2, 1-24	
167	Cell therapy in myocardial infarction. 2007 , 369, 2142-2143	42
166	Carvedilol improves left atrial and left ventricular function and reserve in dilated cardiomyopathy after 1 year of treatment. 2007 , 13, 108-13	4
165	Comparison of late survival in patients with cardiogenic shock due to right ventricular infarction versus left ventricular pump failure following primary percutaneous coronary intervention for ST-elevation acute myocardial infarction. 2007 , 99, 431-5	45
164	Comparison of radionuclide ventriculography using SPECT and planar techniques in different cardiac conditions. 2007 , 34, 1735-46	23
163	An unsupervised clustering framework for automatic segmentation of left ventricle cavity in human heart angiograms. 2008 , 32, 396-408	3
162	Leserbrief zum Artikel: Kardiogener Schock 4 Stunden nach akut-PTCA bei Hinterwandinfarkt. 2008 , 45, 360-360	
161	Can negative cardiac effect of proton pump inhibitor and high-dose H2-blocker have clinical influence on patients with stable angina?. 2008 , 52, 39-48	4
160	Outcome after mechanical aortic valve replacement in children and young adults. 2008 , 85, 604-10	18
159	Valvular heart disease: a century of progress. 2008 , 121, 664-73	13
158	Accuracy of the long-axis area-length method for the measurement of left ventricular volumes and ejection fraction using multidetector computed tomography. 2008 , 24, 685-9	7
157	Hemodynamic evaluation of aortic regurgitation by magnetic resonance imaging. 2008 , 16, 278-83	11
156	Serum carbohydrate antigen 125 levels in advanced heart failure: relation to B-type natriuretic peptide and left atrial volume. 2008 , 10, 556-9	25
155	The looped heart does not save energy by maintaining the momentum of blood flowing in the ventricle. 2008 , 294, H2191-6	57
154	Does quantitative left ventricular regional wall motion change after fibrous tissue resection in endomyocardial fibrosis?. 2009 , 64, 17-22	3

153	Avaliaçã da funçã ventricular esquerda pela sequêcia de ressonâcia magnética sem apneia e com múltiplas excitaçães. 2009 , 42, 289-294	
152	Left atrial function and deformation in chronic primary mitral regurgitation. 2009 , 10, 833-40	47
151	REFERENCES. 2009 , 192, 132-143	
150	Left ventricular response to isometric exercise in aortic valve diseases and its value in the optimal timing of aortic valve replacement. 1983 , 213, 399-404	4
149	ST depression and left ventricular haemodynamics during exercise in patients with angina pectoris. 1983 , 214, 43-7	2
148	Narrowing of coronary artery: thresholds for the occurrence of angina pectoris. 1985 , 694, 77-82	
147	Intravenous thrombolytic treatment for acute myocardial infarction. Effects of early intervention and early examination. 1988 , 224, 523-9	1
146	Post mortem measurement of ventricular volumes of the heart. An analysis of errors and presentation of a new method. 1985 , 93, 109-13	
145	Effect of respiratory motion on quantitative myocardial gated SPECT: a simulation study. 2009 , 23, 587-93	7
144	Methods for prenatal assessment of fetal cardiac function. 2009 , 29, 1193-203	67
143	Comparison of LVEF obtained with single-plane RAO ventriculography and echocardiography in patients with and without obstructive coronary artery disease. 2009 , 26, 630-7	6
142	Is the presence of mitral annular calcification associated with poor left atrial function?. 2009 , 26, 877-84	9
141	Culprit-only or multivessel percutaneous coronary stenting in patients with non-ST-segment elevation acute coronary syndromes: one-year follow-up. 2009 , 22, 329-35	37
140	Cardiovascular involvement in patients with beta-thalassemia major without cardiac iron overload. 2009 , 134, 207-11	15
139	Quantitative analysis of left ventricular function as a tool in clinical research. Theoretical basis and methodology. 2009 , 62, 535-51	5
138	Effects of levosimendan versus dobutamine on left atrial function in decompensated heart failure. 2009 , 25, e353-6	11
137	Análisis cuantitativo de la funciã ventricular izquierda como herramienta para la investigaciã clíica. Fundamentos y metodologã. 2009 , 62, 535-551	18
136	Quantitative Analysis of Cardiac Function. 2009 , 419-434	

135	Evidence that the degree of obstructive sleep apnea may not increase myocardial ischemia and arrhythmias in patients with stable coronary artery disease. 2009 , 64, 223-30		6
134	Inhibitory effect of valsartan against progression of left ventricular dysfunction after myocardial infarction: T-VENTURE study. 2009 , 73, 918-24		14
133	Consequences of a hypertensive right ventricle on left ventricular performance of patients with pulmonary atresia and intact ventricular septum after right heart bypass surgery. 2010 , 29, 43-48		7
132	Efficacy of aneurysmectomy in patients with severe left ventricular dysfunction: favorable short-and long-term results in ischemic cardiomyopathy. 2010 , 65, 947-52		3
131	Normal Cardiac Anatomy, Orientation, and Function. 2010 , 140-157		
130	Comparison of Doppler-based and three-dimensional methods for fetal cardiac output measurement. 2012 , 32, 72-8		11
129	Use and overuse of left ventriculography. <i>American Heart Journal</i> , 2012 , 163, 617-23.e1	4.9	14
128	Evaluation of multimeric tyrosine-O-sulfate as a cytoprotectant in an in vivo model of acute myocardial infarction in pigs. 2012 , 121, 59-70		5
127	Head-to-head comparison of left ventricular function assessment with 64-row computed tomography, biplane left cineventriculography, and both 2- and 3-dimensional transthoracic echocardiography: comparison with magnetic resonance imaging as the reference standard. 2012 , 59, 1897-907		135
126	Mapping molecular agents distributions in whole mice hearts using born-normalized optical projection tomography. 2012 , 7, e34427		5
125	A comparison between dual axis rotational coronary angiography and conventional coronary angiography. 2012 , 80, 576-80		19
124	Altered diastolic left atrial and ventricular performance in asymptomatic patients after repair of tetralogy of Fallot. <i>Pediatric Cardiology</i> , 2013 , 34, 948-53	2.1	9
123	Could severity of mitral annular calcification predict other left sided structural or functional abnormalities?. 2013 , 55, e212-e216		
122	Variation in use of left ventriculography in the Veterans Affairs Health Care System. 2013 , 6, 687-93		4
121	Cardiovascular Physiology. 2013 , 366-389		4
120	Left ventricular volume regulation in heart failure with preserved ejection fraction. 2013 , 1, e0007		11
119	Quantitative, noninvasive assessment of patent ductus arteriosus shunt flow by measuring proximal isovelocity surface area on color Doppler imaging. 2014 , 78, 2302-8		3
118	The differences in left atrial function between ischemic and idiopathic dilated cardiomyopathy patients: A two-dimensional speckle tracking imaging study. 2016 , 44, 437-45		6

117	Aortic annulus displacement assessed by contrast left ventriculography during invasive coronary angiography as a predictor of adverse events. 2017 , 69, 442-448	
116	Quantification of left atrial volume and phasic function using cardiovascular magnetic resonance imaging-comparison of biplane area-length method and Simpson's method. 2017 , 33, 1761-1769	12
115	Characteristics of coronary artery disease among patients with atrial fibrillation compared to patients with sinus rhythm. 2017 , 58, 204-212	8
114	Accuracy of Left Ventricular Cavity Volume and Ejection Fraction for Conventional Estimation Methods and 3D Surface Fitting. 2019 , 8, e009124	8
113	Optimal Technique for Measurement of Linear Left Ventricular Dimensions. 2019 , 32, 476-483.e1	8
112	Cardiovascular Physiology. 2019 , 473-519	1
111	Quantification of left ventricular mass by echocardiography compared to cardiac magnet resonance imaging in hemodialysis patients. 2020 , 18, 39	1
110	JCS 2018 Guideline on Diagnosis of Chronic Coronary Heart Diseases. 2021 , 85, 402-572	11
109	Diagnostic role of coronary CT angiography in paroxysmal or first diagnosed atrial fibrillation. 2021 , 8,	0
108	A tribute to P.R. Krishnaiah. 2021 , 104828	
107	Quantitation of Aortic Regurgitation. 1988 , 107-128	1
106	Ischemic Heart Disease. 1985 , 107-169	2
105	Quantitative Aspects of Image Intensifier- Television-Based Digital X-Ray Imaging. 1986 , 83-132	3
104	Left Ventricular Muscle Mass and Chamber Volume in Dilative Cardiomyopathy - An Angiocardiographic Study. 1983 , 175-181	3
103	Prognosis of Patients with Coronary Heart Disease Evaluated Using Data Obtained by Invasive Methods. 1983 , 1-15	1
102	Contrast Ventriculography. 1982 , 173-197	2
101	Left Ventricular Volume, Mass and Related Measures; Usefulness in Determination of Ventricular Function. 1971 , 189-199	1
100	Ventricular volume measurement. 1994 , 158-172	1

99	QUANTITATIVE MR IMAGING OF THE HEART. 1996 , 4, 287-305		31
98	Relationship of peak systolic pressure/end systolic volume ratio to standard ejection phase indices and ventricular function curves in coronary disease. 1984 , 288, 162-8		4
97	Impaired left ventricular diastolic filling occurs in diabetic patients without atherosclerotic coronary artery disease. 1997 , 313, 125-30		6
96	A geometric method of measuring the left ventricular ejection fraction on gated Tc-99m sestamibi myocardial imaging. 1996 , 21, 439-44		9
95	Right ventricular volume estimation using an ellipsoidal shell model and single-plane magnetic resonance imaging. 1996 , 31, 17-25		9
94	Effects of a new angiotensin-converting enzyme inhibitor (idrapril) in rats with left ventricular dysfunction after myocardial infarction. 1996 , 27, 347-54		5
93	Magnetic resonance imaging assessment of the severity of mitral regurgitation. Comparison with invasive techniques. <i>Circulation</i> , 1995 , 92, 1151-8	16.7	161
92	Clinical study of the effects of latissimus dorsi muscle flap stimulation after cardiomyoplasty. <i>Circulation</i> , 1995 , 92, 11210-5	16.7	36
91	Cardiovascular effects of insulin-like growth factor-1 and growth hormone in chronic left ventricular failure in the rat. <i>Circulation</i> , 1996 , 93, 2188-96	16.7	108
90	Heart rate variability assessment early after acute myocardial infarction. Pathophysiological and prognostic correlates. GUSTO ECG Substudy Investigators. Global Utilization of Streptokinase and TPA for Occluded Arteries. <i>Circulation</i> , 1996 , 93, 1388-95	16.7	78
89	Evolution of early TIMI 2 flow after thrombolysis for acute myocardial infarction. GUSTO-1 Angiographic Investigators. <i>Circulation</i> , 1996 , 94, 2441-6	16.7	35
88	Hemodynamic evaluation of the heart with a nonfluoroscopic electromechanical mapping technique. <i>Circulation</i> , 1997 , 96, 3672-80	16.7	56
87	Tomographic three-dimensional echocardiographic determination of chamber size and systolic function in patients with left ventricular aneurysm: comparison to magnetic resonance imaging, cineventriculography, and two-dimensional echocardiography. <i>Circulation</i> , 1997 , 96, 4286-97	16.7	130
86	LEFT VENTRICULAR VOLUME IN MAN MEASURED BY THERMODILUTION. 1964 , 43, 1203-21		94
85	LOAD, WORK, AND VELOCITY OF MUSCLE SHORTENING OF THE LEFT VENTRICLE IN NORMAL AND ABNORMAL HUMAN HEARTS. 1965 , 44, 1295-310		17
84	Cardiac hemodynamics in alcoholic patients with chronic liver disease and a presystolic gallop. 1969 , 48, 860-8		92
83	Investigation of the physiological basis for increased exercise threshold for angina pectoris after physical conditioning. 1974 , 54, 763-70		66
82	Effects of sodium nitroprusside on left ventricular diastolic pressure-volume relations. 1977 , 59, 59-68		125

81	Insulin-like growth factor-1 enhances ventricular hypertrophy and function during the onset of experimental cardiac failure. 1995 , 95, 619-27	247
80	Quantitative Analysis of Cardiac Function. 2000 , 359-374	1
79	Angiokardiographie. 2000 , 34-78	0
78	Angiokardiographie. 2002 , 301-363	
77	Aufbau und Funktion des Herzens. 2003 , 1-10	
76	Koronarangiographie, Herzkatheterisierung und Angiokardiographie. 2004 , 281-317	
75	A Clustering Based Approach for Automatic Image Segmentation: An Application to Biplane Ventriculograms. 2006 , 316-325	4
74	Ventricular Mechanics. 2008 , 739-755	
73	Evaluation of Valvular Heart Disease by Cardiac Catheterization and Angiocardiology. 2009 , 85-100	1
72	Evaluation of LV function in cases of global and segmental disease. 2009 , 218-224	
71	Introduction to cardiac catheterization. 2010 , 1-12	1
70	Cardiac Catheterization Laboratory. 2011 , 33-73	
69	A study on improvement of misdiagnosis rate in aortic regurgitation disease by physically correcting EF in 2D echo cardiography. 2012 , 13, 2142-2147	
68	Quantitative Techniques in Cardiovascular MRI. 2013 , 235-268	
67	Determination of Left Ventricular Volume and Ejection Fraction by Echocardiography. 1971 , 204-212	
66	Klinische Aspekte der Linkshypertrophie. 1972 , 87-101	
65	Bewegungsabläufe und Wanddickenänderungen in dyskinetischen und akinetischen Myokardbezirken. 1972 , 1023-1026	
64	The Measurement of Blood Flow and Cardiac Output. 1974 , 126-149	

- 63 Quantitative angiokardiographische Hämodynamik bei 13 Patienten vor und nach Aneurysmektomie. **1974**, 472-475
- 62 References. **1975**, 185-201
- 61 Computer Acquisition and Processing of Left Ventricular Echocardiograms. **1975**, 363-371 2
- 60 Dynamic geometry of the left ventricle in hypertrophy studied by quantitative angiocardiography. **1977**, 98-105
- 59 Nuklearmedizinische Untersuchungsmethoden zur Beurteilung von schwerer Linksherzinsuffizienz. **1977**, 197-200 1
- 58 Assessment of Left Ventricular Function: Current Methods and Clinical Significance. **1977**, 15-26
- 57 Early Effect of Cardiac Surgery on Left-Ventricular Ejection Fraction. **1977**, 231-239
- 56 Myocardial Imaging at Rest and During Stress with MAA or Microspheres. **1977**, 89-100
- 55 The "Lazy Left Ventricle" **1978**, 676-679
- 54 Die kombinierte Anwendung der 201-Thallium-Myokardszintigraphie und der EKG-getriggerten Herzbinnenraumszintigraphie zur Beurteilung der linksventrikulären Funktion nach Myokardinfarkt. **1978**, 648-654 1
- 53 Einfluß von Dobutamin auf die Hämodynamik herzinsuffizienter Patienten. **1978**, 21-28 1
- 52 Response of Left Ventricular Volume and Ejection Fraction to Exercise in Normal Persons and Patients With Angina Pectoris. **1980**, 214-221
- 51 The Effect of Left Ventricular Aneurysmectomy on Left Ventricular Function at Rest and During Exercise. A Retrospective Study of 350 Patients. **1981**, 410-414
- 50 Herzkatheterung und Angiokardiographie. **1982**, 384-412
- 49 Klinische und biochemische Befunde bei antiarrhythmischer Therapie mit Ipratropiumbromid. **1982**, 221-232
- 48 The use of quantitative angiocardiography in mitral valve disease. **1984**, 149-159 1
- 47 Angiokardiographie (Ventrikulographie). **1984**, 559-592
- 46 Globale und regionale Kontraktionsstörungen des Herzens bei koronarer Herzkrankheit. **1984**, 305-360

45 Kardiologie. **1984**, 1365-1444

44 Assessment of Coronary Artery Disease and Myocardial Ischemia by Invasive Methods. **1985**, 239-284

1

43 Radionuclide imaging of the heart. **1985**, 207-239

42 Myocardial Contractility, Afterload Mismatch and Ventricular Dysfunction. **1985**, 5-15

41 Introduction to Echocardiography. **1985**, 27-71

40 Estimation of Left Ventricular Muscle Mass. **1986**, 109-119

39 Left ventricular and coronary cineangiography; overview of techniques, applications and limitations. **1986**, 3-40

38 Regional wall motion disorders during exercise with and without angina. **1987**, 107-116

37 Results of Coronary Revascularization in Patients with Very Poor Versus Normal Left Ventricular Function. **1987**, 29-30

36 Assessment of Left Ventricular Pressure-Volume Relationships Using an Automatic Computerized Videodensitometric Approach. **1988**, 107-118

35 Herzkatheterung und Angiokardiographie. **1989**, 347-366

34 A New Approach to Left Ventricular Aneurysms: Restoration of Ventricular Dynamics by Pericardial Patch Septoplasty. **1989**, 235-242

33 Functional Aspects of the Cardiovascular System. **1989**, 33-41

32 Collaterals and coronary wedge pressure. **1990**, 75-91

31 Videovolumetrie. **1990**, 315-321

30 Left atrial function in acute transient ischemia of the left ventricle. **1990**, 155-165

29 Digital coronary angiography. **1991**, 9-24

28 Factors Responsible for Left Ventricular Underfilling in Pure Mitral Stenosis. **1995**, 117-127

- 27 Herzkatheterisierung und Angiokardiographie. **1996**, 401-417
- 26 Evaluaci3n hemodin3mica no invasiva a largo plazo de la terapia de resincronizaci3n cardiaca endoc3rdica izquierda. **2019**, 87, 434-440
- 25 Quantitative Cin3angiokardiographie beim Normalen und bei Patienten mit Coronarsklerose (Three vessel disease). **1973**, 1149-1151
- 24 Kinetography and Its Application in Heart Studies. **1973**, 241-250
- 23 Literaturverzeichnis. **1983**, 102-116
- 22 CORONARY ARTERY SURGERY IN WOMEN. **1974**, 1, 215-222 1
- 21 OBJECTIVE ASSESSMENT OF THE EFFECTS OF AORTO-CORONARY BYPASS OPERATION ON CARDIAC FUNCTION. **1976**, 3, 183-201
- 20 The value of electrocardiographic R-wave changes in exercise testing: Preexercise versus postexercise measurements. **1981**, 8, 333-343 1
- 19 Left ventricular volumes and ejection fraction derived from apical two-dimensional echocardiography. **1981**, 8, 344-354 2
- 18 Stress test evaluation of patients with poor left ventricular function before and after coronary artery bypass surgery. **1986**, 13, 109-12
- 17 Ventricular endoaneurysmorrhaphy: results of a new operation for repairing left ventricular aneurysms in 100 patients. **1992**, 19, 42-6 8
- 16 Coronary artery surgery in women. 1974. **2004**, 31, 410-7; discussion 409 2
- 15 Clinical nuclear cardiology: 2. Nuclear angiography. **1987**, 136, 489-95
- 14 Cine-angiography of the mitral valve. *The BMJ*, **1966**, 1, 1377
- 13 THE PREOPERATIVE ASSESSMENT OF MULTIPLE VALVE DISEASE. *Cmaj*, **1964**, 91, 887-92 1
- 12 Anomalous origin of the left coronary artery: the effects of aortocoronary vein bypass on left ventricular function. *Cmaj*, **1972**, 107, 118-22 2
- 11 Effect of pronethalol on left ventricular volumes of dogs during hemorrhagic shock. *American Journal of Pathology*, **1970**, 60, 93-102 5.8 1
- 10 Thallium 201 exercise scintigraphy for detection of multivessel coronary artery disease after transmural myocardial infarction. *Journal of the National Medical Association*, **1984**, 76, 1193-200 2.3 1

9	The Current Status of Performing Left Ventriculography in Taiwan. <i>Acta Cardiologica Sinica</i> , 2016 , 32, 49-54	1.1	1
8	[Volume determination of the right ventricle using angiocardiology in two planes]. <i>Archiv Fur Kreislaufforschung</i> , 1971 , 65, 83-95		1
7	A geometrical pitfall of Area-Length method; -Is left ventricle volume evaluation of repaired Tetralogy of Fallot by angiocardiology accurate?. <i>Heart and Vessels</i> , 2022 , 1	2.1	
6	Pulmonary Artery Development Over Time in Severe Ebstein Anomaly.. <i>Pediatric Cardiology</i> , 2022 , 1	2.1	
5	Valvular Heart Disease. <i>Circulation</i> , 2000 , 102,	16.7	
4	DETERMINATION OF LEFT VENTRICULAR VOLUME AND MASS. 1971 , 9, 459-467		10
3	Cardiac Magnetic Resonance Imaging: The Massachusetts General Hospital Experience. 1985 , 23, 745-764		2
2	FUNCTIONAL EVALUATION OF THE HEART BY ANGIOCARDIOGRAPHY. 1976 , 14, 209-217		0
1	NEW CONCEPTS OF ISOLATED VENTRICULAR SEPTAL DEFECT. 1968 , 6, 327-342		0