

Can Activation of NRF2 Be a Strategy against COVID-19?

Trends in Pharmacological Sciences

41, 598-610

DOI: [10.1016/j.tips.2020.07.003](https://doi.org/10.1016/j.tips.2020.07.003)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Do free radical NETWORK and oxidative stress disparities in African Americans enhance their vulnerability to SARS-CoV-2 infection and COVID-19 severity?. Redox Biology, 2020, 37, 101721. | 3.9 | 19 |
| 2 | COVID-19: A Challenge to Physiology of Aging. Frontiers in Physiology, 2020, 11, 584248. | 1.3 | 12 |
| 3 | Antiviral Effects of Oleandrin. Journal of Experimental Pharmacology, 2020, Volume 12, 503-515. | 1.5 | 13 |
| 4 | Role of Oxidative Stress on SARS-CoV (SARS) and SARS-CoV-2 (COVID-19) Infection: A Review. Protein Journal, 2020, 39, 644-656. | 0.7 | 213 |
| 5 | Flavonoids Activation of the Transcription Factor Nrf2 as a Hypothesis Approach for the Prevention and Modulation of SARS-CoV-2 Infection Severity. Antioxidants, 2020, 9, 659. | 2.2 | 76 |
| 6 | The Antiaging Effect of Active Fractions and Ent-11 β -Hydroxy-15-Oxo-Kaur-16-En-19-Oic Acid Isolated from Adenostemma lavenia (L.) O. Kuntze at the Cellular Level. Antioxidants, 2020, 9, 719. | 2.2 | 12 |
| 7 | Nrf2 as a Molecular Target for Sepsis Patients in Critical Care. Biomolecules, 2020, 10, 1688. | 1.8 | 13 |
| 8 | Nrf2-interacting nutrients and COVID-19: time for research to develop adaptation strategies. Clinical and Translational Allergy, 2020, 10, 58. | 1.4 | 56 |
| 9 | Anti-Viral Potential and Modulation of Nrf2 by Curcumin: Pharmacological Implications. Antioxidants, 2020, 9, 1228. | 2.2 | 47 |
| 10 | Cabbage and fermented vegetables: From death rate heterogeneity in countries to candidates for mitigation strategies of severe COVID-19. Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 735-750. | 2.7 | 83 |
| 11 | Perspectives on mechanistic implications of ROS inducers for targeting viral infections. European Journal of Pharmacology, 2021, 890, 173621. | 1.7 | 9 |
| 12 | Genetic Screens Identify Host Factors for SARS-CoV-2 and Common Cold Coronaviruses. Cell, 2021, 184, 106-119.e14. | 13.5 | 320 |
| 13 | Efficacy of broccoli and glucoraphanin in COVID-19: From hypothesis to proof-of-concept with three experimental clinical cases. World Allergy Organization Journal, 2021, 14, 100498. | 1.6 | 27 |
| 14 | SARS-CoV-2 Infection and Oral Health: Therapeutic Opportunities and Challenges. Journal of Clinical Medicine, 2021, 10, 156. | 1.0 | 28 |
| 15 | Reactive oxygen species, proinflammatory and immunosuppressive mediators induced in COVID-19: overlapping biology with cancer. RSC Chemical Biology, 2021, 2, 1402-1414. | 2.0 | 9 |
| 16 | Potential Interplay between Nrf2, TRPA1, and TRPV1 in Nutrients for the Control of COVID-19. International Archives of Allergy and Immunology, 2021, 182, 324-338. | 0.9 | 33 |
| 17 | Nrf2 is a Central Regulator of the Metabolic Landscape in Macrophages and Finetunes Their Inflammatory Response. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 18 | Potential Role of Antioxidant and Anti-Inflammatory Therapies to Prevent Severe SARS-Cov-2 Complications. Antioxidants, 2021, 10, 272. | 2.2 | 47 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Potential of Sulforaphane as a Natural Immune System Enhancer: A Review. <i>Molecules</i> , 2021, 26, 752. | 1.7 | 51 |
| 20 | The effect of Co-Q10 on allergic rhinitis and allergic asthma. <i>Allergy, Asthma and Clinical Immunology</i> , 2021, 17, 32. | 0.9 | 4 |
| 21 | Infección por SARS-CoV-2 y seroprevalencia en pacientes con esclerosis múltiple. <i>Neurología</i> , 2021, , . | 0.3 | 1 |
| 22 | Therapeutic Potential of EGCG, a Green Tea Polyphenol, for Treatment of Coronavirus Diseases. <i>Life</i> , 2021, 11, 197. | 1.1 | 25 |
| 24 | Monocytes and macrophages in COVID-19: Friends and foes. <i>Life Sciences</i> , 2021, 269, 119010. | 2.0 | 97 |
| 25 | Evaluation of oxidative stress markers in hospitalized patients with moderate and severe COVID-19. <i>Romanian Journal of Internal Medicine = Revue Roumaine De Medecine Interne</i> , 2021, 59, 375-383. | 0.3 | 9 |
| 26 | A Crosstalk between the Biorhythms and Gatekeepers of Longevity: Dual Role of Glycogen Synthase Kinase-3. <i>Biochemistry (Moscow)</i> , 2021, 86, 433-448. | 0.7 | 15 |
| 27 | The Role of Nrf2 in Hearing Loss. <i>Frontiers in Pharmacology</i> , 2021, 12, 620921. | 1.6 | 16 |
| 28 | ΔμΔ³ÑfΔ»ÑÑ†Δ,Ñ±ΔμΔ»ΔºΔ³⁄Δ² Ñ†Δ,Ñ€ºΔ°Δ†Δ½Ñ<Ñ... Ñ€Δ,Ñ,Δ¹⁄Δ³⁄Δ² Δ, Nrf2-Δ³⁄ΔΔ;Δ³⁄ΔÑÑ€ΔμΔ†ΔºΔ¹⁄Δ½Δ³⁄Δ¹ Δº | | |
| 29 | Modulation of Antiviral Immunity and Therapeutic Efficacy by 25-Hydroxycholesterol in Chronically SIV-Infected, ART-Treated Rhesus Macaques. <i>Virologica Sinica</i> , 2021, 36, 1197-1209. | 1.2 | 6 |
| 30 | Reactive oxygen species as potential antiviral targets. <i>Reviews in Medical Virology</i> , 2022, 32, . | 3.9 | 21 |
| 31 | The age-dependent decline of the extracellular thiol-disulfide balance and its role in SARS-CoV-2 infection. <i>Redox Biology</i> , 2021, 41, 101902. | 3.9 | 30 |
| 32 | Bardoxolone and bardoxolone methyl, two Nrf2 activators in clinical trials, inhibit SARS-CoV-2 replication and its 3C-like protease. <i>Signal Transduction and Targeted Therapy</i> , 2021, 6, 212. | 7.1 | 25 |
| 33 | Endothelial Immunity Trained by Coronavirus Infections, DAMP Stimulations and Regulated by Anti-Oxidant NRF2 May Contribute to Inflammations, Myelopoiesis, COVID-19 Cytokine Storms and Thromboembolism. <i>Frontiers in Immunology</i> , 2021, 12, 653110. | 2.2 | 43 |
| 34 | Flavonoids against the SARS-CoV-2 induced inflammatory storm. <i>Biomedicine and Pharmacotherapy</i> , 2021, 138, 111430. | 2.5 | 102 |
| 35 | Interplay between nuclear factor erythroid 2-related factor 2 and inflammatory mediators in COVID-19-related liver injury. <i>World Journal of Gastroenterology</i> , 2021, 27, 2944-2962. | 1.4 | 15 |
| 36 | SARS-CoV-2 infection and seroprevalence in patients with multiple sclerosis. <i>Neurología (English)</i> Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 | 0.2 | 0 |
| 37 | COVID-19: A Redox Disease€”What a Stress Pandemic Can Teach Us About Resilience and What We May Learn from the Reactive Species Interactome About Its Treatment. <i>Antioxidants and Redox Signaling</i> , 2021, 35, 1226-1268. | 2.5 | 28 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 38 | Use of Antioxidants for the Neuro-Therapeutic Management of COVID-19. <i>Antioxidants</i> , 2021, 10, 971. | 2.2 | 21 |
| 39 | The Coronavirus Disease 2019 (COVID-19): Key Emphasis on Melatonin Safety and Therapeutic Efficacy. <i>Antioxidants</i> , 2021, 10, 1152. | 2.2 | 19 |
| 40 | The Good and Bad of Nrf2: An Update in Cancer and New Perspectives in COVID-19. <i>International Journal of Molecular Sciences</i> , 2021, 22, 7963. | 1.8 | 19 |
| 41 | SARS-CoV-2 suppresses mRNA expression of selenoproteins associated with ferroptosis, endoplasmic reticulum stress and DNA synthesis. <i>Food and Chemical Toxicology</i> , 2021, 153, 112286. | 1.8 | 56 |
| 42 | Comparison of COVID-19 and Lung Cancer via Reactive Oxygen Species Signaling. <i>Frontiers in Oncology</i> , 2021, 11, 708263. | 1.3 | 6 |
| 43 | Nrf2 activation putatively mediates clinical benefits of low-dose radiotherapy in COVID-19 pneumonia and acute respiratory distress syndrome (ARDS): Novel mechanistic considerations. <i>Radiotherapy and Oncology</i> , 2021, 160, 125-131. | 0.3 | 30 |
| 45 | Homeostatic control of redox status and health. <i>IUBMB Life</i> , 2022, 74, 24-28. | 1.5 | 14 |
| 46 | Insights on the mechanisms of action of ozone in the medical therapy against COVID-19. <i>International Immunopharmacology</i> , 2021, 96, 107777. | 1.7 | 24 |
| 47 | Targeting phytoprotection in the COVID-19-induced lung damage and associated systemic effects—the evidence-based 3PM proposition to mitigate individual risks. <i>EPMA Journal</i> , 2021, 12, 325-347. | 3.3 | 9 |
| 49 | Potential protective mechanisms of green tea polyphenol EGCG against COVID-19. <i>Trends in Food Science and Technology</i> , 2021, 114, 11-24. | 7.8 | 96 |
| 50 | Upregulation of oxidative stress gene markers during SARS-COV-2 viral infection. <i>Free Radical Biology and Medicine</i> , 2021, 172, 688-698. | 1.3 | 53 |
| 51 | Inhibiting HDAC3 (Histone Deacetylase 3) Aberration and the Resultant Nrf2 (Nuclear Factor) Tj ETQq1 1 0.784314 rgBT /Overlock 10T e15-e25. | 1.3 | 9 |
| 52 | COVID-19 and low-dose radiation therapy. <i>Radiation Medicine and Protection</i> , 2021, 2, 139-145. | 0.4 | 10 |
| 53 | Therapeutic potential of chelerythrine as a multi-purpose adjuvant for the treatment of COVID-19. <i>Cell Cycle</i> , 2021, 20, 2321-2336. | 1.3 | 27 |
| 54 | Phytochemicals and Their Possible Mechanisms in Managing COVID-19 and Diabetes. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 8163. | 1.3 | 5 |
| 55 | Computational Analysis Illustrates the Mechanism of Qingfei Paidu Decoction in Blocking the Transition of COVID-19 Patients from Mild to Severe Stage. <i>Current Gene Therapy</i> , 2022, 22, 277-289. | 0.9 | 13 |
| 56 | GDF15: an emerging modulator of immunity and a strategy in COVID-19 in association with iron metabolism. <i>Trends in Endocrinology and Metabolism</i> , 2021, 32, 875-889. | 3.1 | 30 |
| 57 | Nrf2 activation does not affect adenoma development in a mouse model of colorectal cancer. <i>Communications Biology</i> , 2021, 4, 1081. | 2.0 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 58 | KEAP1/NRF2 (NFE2L2) mutations in NSCLC â€œ Fuel for a superresistant phenotype?. Lung Cancer, 2021, 159, 10-17. | 0.9 | 18 |
| 59 | Redox modulation of vitagenes via plant polyphenols and vitamin D: Novel insights for chemoprevention and therapeutic interventions based on organoid technology. Mechanisms of Ageing and Development, 2021, 199, 111551. | 2.2 | 18 |
| 60 | Efficacy of Antioxidants in Amelioration the Toxic Effect of Oxidative Stress Induced By COVID- 19 Infection. International Journal of Research Studies in Medical and Health Sciences, 2021, 6, 21-27. | 0.1 | 0 |
| 61 | The Isoquinoline PRL-295 Increases the Thermostability of Keap1 and Disrupts Its Interaction with Nrf2. SSRN Electronic Journal, 0, , . | 0.4 | 0 |
| 63 | NOX-Dependent Signaling Dysregulation in Severe COVID-19: Clues to Effective Treatments. Frontiers in Cellular and Infection Microbiology, 2020, 10, 608435. | 1.8 | 24 |
| 64 | Calming the (Cytokine) Storm: Dimethyl Fumarate as a Therapeutic Candidate for COVID-19. Pharmaceuticals, 2021, 14, 15. | 1.7 | 28 |
| 65 | Is Ferroptosis a Key Component of the Process Leading to Multiorgan Damage in COVID-19?. Antioxidants, 2021, 10, 1677. | 2.2 | 43 |
| 66 | Untapping host-targeting cross-protective efficacy of anticoagulants against SARS-CoV-2. , 2022, 233, 108027. | | 2 |
| 67 | Nrf2/Keap1/ARE signaling: Towards specific regulation. Life Sciences, 2022, 291, 120111. | 2.0 | 147 |
| 68 | Inhibitory effects of sulforaphane on NLRP3 inflammasome activation. Molecular Immunology, 2021, 140, 175-185. | 1.0 | 20 |
| 69 | Significance of thiol-disulfide balance in SARS-CoV-2 infection. Medicinski Podmladak, 2021, 72, 30-36. | 0.2 | 0 |
| 70 | The Mechanisms Linking Relative Hypercortisolism - The Common Feature Across COVID-19 Risks - To ARDS, Septic Shock, and Cytokine Dysregulation. SSRN Electronic Journal, 0, , . | 0.4 | 1 |
| 71 | Phytonutrient Inhibitors of SARS-CoV-2/NSP5-Encoded Main Protease (M ^{pro}) Autocleavage Enzyme Critical for COVID-19 Pathogenesis. Journal of Dietary Supplements, 2023, 20, 284-311. | 1.4 | 4 |
| 72 | Gene expression changes related to bone mineralization, blood pressure and lipid metabolism in mouse kidneys after space travel. Kidney International, 2022, 101, 92-105. | 2.6 | 11 |
| 73 | Role of NRF2 and Sirtuin activators in COVID-19. Clinical Immunology, 2021, 233, 108879. | 1.4 | 19 |
| 74 | Redox Dynamic Homeostasis and Aging. Healthy Ageing and Longevity, 2022, , 3-20. | 0.2 | 0 |
| 75 | The isoquinoline PRL-295 increases the thermostability of Keap1 and disrupts its interaction with Nrf2. IScience, 2022, 25, 103703. | 1.9 | 11 |
| 76 | Andrographolide Derivatives Target the KEAP1/NRF2 Axis and Possess Potent Antiâ€SARSâ€CoVâ€ Activity. ChemMedChem, 2022, 17, e202100732. | 1.6 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 77 | Potential Therapeutic Use of the Rosemary Diterpene Carnosic Acid for Alzheimer's Disease, Parkinson's Disease, and Long-COVID through NRF2 Activation to Counteract the NLRP3 Inflammasome. <i>Antioxidants</i> , 2022, 11, 124. | 2.2 | 57 |
| 78 | A Natural Plant Source-Tea Polyphenols, a Potential Drug for Improving Immunity and Combating Virus. <i>Nutrients</i> , 2022, 14, 550. | 1.7 | 9 |
| 79 | Redox Homeostasis and Immune Alterations in Coronavirus Disease-19. <i>Biology</i> , 2022, 11, 159. | 1.3 | 10 |
| 80 | A Journey into the Clinical Relevance of Heme Oxygenase 1 for Human Inflammatory Disease and Viral Clearance: Why Does It Matter on the COVID-19 Scene?. <i>Antioxidants</i> , 2022, 11, 276. | 2.2 | 12 |
| 81 | The diversity of heme sensor systems – heme-responsive transcriptional regulation mediated by transient heme protein interactions. <i>FEMS Microbiology Reviews</i> , 2022, 46, . | 3.9 | 7 |
| 82 | Nrf2 activation reprograms macrophage intermediary metabolism and suppresses the type I interferon response. <i>IScience</i> , 2022, 25, 103827. | 1.9 | 51 |
| 83 | The impact of the COVID-19 pandemic on lifestyle behaviors in children and adolescents: an international overview. <i>Italian Journal of Pediatrics</i> , 2022, 48, 22. | 1.0 | 32 |
| 84 | Tea Polyphenols Prevent and Intervene in COVID-19 through Intestinal Microbiota. <i>Foods</i> , 2022, 11, 506. | 1.9 | 9 |
| 85 | Elderberries as a potential supplement to improve vascular function in a SARS-CoV-2 environment. <i>Journal of Food Biochemistry</i> , 2022, 46, e14091. | 1.2 | 4 |
| 86 | Immunomodulatory and Anti-Inflammatory Properties of Selenium-Containing Agents: Their Role in the Regulation of Defense Mechanisms against COVID-19. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2360. | 1.8 | 34 |
| 87 | Oxidative Stress in Arterial Hypertension (HTN): The Nuclear Factor Erythroid Factor 2-Related Factor 2 (Nrf2) Pathway, Implications and Future Perspectives. <i>Pharmaceutics</i> , 2022, 14, 534. | 2.0 | 10 |
| 88 | Results of the Adult COVID-19 Lifestyle Matching Study. <i>International Journal of Public Health</i> , 2022, 67, 1604329. | 1.0 | 5 |
| 89 | Ozone in Medicine: A Few Points of Reflections. <i>Frontiers in Physiology</i> , 2022, 13, 842229. | 1.3 | 6 |
| 90 | A Systematic Review of the Global Intervention for SARS-CoV-2 Combating: From Drugs Repurposing to Molnupiravir Approval. <i>Drug Design, Development and Therapy</i> , 2022, Volume 16, 685-715. | 2.0 | 30 |
| 91 | Available and affordable complementary treatments for COVID-19: From hypothesis to pilot studies and the need for implementation. <i>Clinical and Translational Allergy</i> , 2022, 12, e12127. | 1.4 | 6 |
| 92 | Sulforaphane exhibits antiviral activity against pandemic SARS-CoV-2 and seasonal HCoV-OC43 coronaviruses in vitro and in mice. <i>Communications Biology</i> , 2022, 5, 242. | 2.0 | 42 |
| 93 | Bioactive small-molecule constituents of Lao plants. <i>Journal of Medicinal Plants Research</i> , 2021, 15, 540-559. | 0.2 | 3 |
| 94 | Anti-Inflammatory and Anticancer Properties of Birch Bark-Derived Betulin: Recent Developments. <i>Plants</i> , 2021, 10, 2663. | 1.6 | 27 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 95 | Development of customized inner beauty products and customized cosmetics apps according to the use of NRF2 through DTC genetic testing after the COVID-19 pandemic. <i>Journal of Cosmetic Dermatology</i> , 2022, 21, 2288-2297. | 0.8 | 6 |
| 96 | Can Selenium Reduce the Susceptibility and Severity of SARS-CoV-2? A Comprehensive Review. <i>International Journal of Molecular Sciences</i> , 2022, 23, 4809. | 1.8 | 9 |
| 97 | Activation of Nrf2 in Mice Causes Early Microvascular Cyclooxygenase-Dependent Oxidative Stress and Enhanced Contractility. <i>Antioxidants</i> , 2022, 11, 845. | 2.2 | 1 |
| 98 | Antioxidant Genetic Profile Modifies Probability of Developing Neurological Sequelae in Long-COVID. <i>Antioxidants</i> , 2022, 11, 954. | 2.2 | 10 |
| 99 | Gene Set Enrichment Analysis Reveals That Fucoidan Induces Type I IFN Pathways in BMDC. <i>Nutrients</i> , 2022, 14, 2242. | 1.7 | 5 |
| 100 | Network pharmacology and experimental validation identify the potential mechanism of sophocarpine for COVID-19. <i>Journal of Medical Microbiology</i> , 2022, 71, . | 0.7 | 2 |
| 101 | Comprehensive Analysis of Potential ceRNA Network and Different Degrees of Immune Cell Infiltration in Acute Respiratory Distress Syndrome. <i>Frontiers in Genetics</i> , 0, 13, . | 1.1 | 0 |
| 102 | Potential effects of icariin, the Epimedium-derived bioactive compound in the treatment of COVID-19: a hypothesis. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 0, . | 1.4 | 1 |
| 103 | A comprehensive review on modulation of SIRT1 signaling pathways in the immune system of COVID-19 patients by phytotherapeutic melatonin and epigallocatechin gallate. <i>Journal of Food Biochemistry</i> , 2022, 46, . | 1.2 | 7 |
| 104 | Does atmospheric dimethylselenide play a role in reducing COVID-19 mortality?. <i>Gondwana Research</i> , 2023, 114, 87-92. | 3.0 | 4 |
| 105 | SARS-CoV-2 virus NSP14 Impairs NRF2/HMOX1 activation by targeting Sirtuin 1. , 2022, 19, 872-882. | | 32 |
| 106 | Mechanistic Understanding of Lung Inflammation: Recent Advances and Emerging Techniques. <i>Journal of Inflammation Research</i> , 0, Volume 15, 3501-3546. | 1.6 | 14 |
| 107 | Crystallography-Guided Optimizations of the Keap1-Nrf2 Inhibitors on the Solvent Exposed Region: From Symmetric to Asymmetric Naphthalenesulfonamides. <i>Journal of Medicinal Chemistry</i> , 2022, 65, 8289-8302. | 2.9 | 11 |
| 108 | How Aging and Oxidative Stress Influence the Cytopathic and Inflammatory Effects of SARS-CoV-2 Infection: The Role of Cellular Glutathione and Cysteine Metabolism. <i>Antioxidants</i> , 2022, 11, 1366. | 2.2 | 14 |
| 109 | An overview of possible pivotal mechanisms of Genistein as a potential phytochemical against SARS-CoV-2 infection: A hypothesis. <i>Journal of Food Biochemistry</i> , 2022, 46, . | 1.2 | 6 |
| 110 | Molecular Mechanisms Related to Responses to Oxidative Stress and Antioxidative Therapies in COVID-19: A Systematic Review. <i>Antioxidants</i> , 2022, 11, 1609. | 2.2 | 21 |
| 111 | Role of Nuclear Factor Erythroid 2 (Nrf2) in the Recovery of Long COVID-19 Using Natural Antioxidants: A Systematic Review. <i>Antioxidants</i> , 2022, 11, 1551. | 2.2 | 12 |
| 112 | Tumor necrosis factor- α coordinates with transforming growth factor- β 21 to induce epithelial-mesenchymal transition and migration via the NF- κ B/NOX4 pathway in bronchial epithelial cells. <i>Molecular Biology Reports</i> , 2022, 49, 9325-9333. | 1.0 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 113 | The landscape of potential health benefits of carotenoids as natural supportive therapeutics in protecting against Coronavirus infection. <i>Biomedicine and Pharmacotherapy</i> , 2022, 154, 113625. | 2.5 | 4 |
| 114 | Potential role of lipoxin in the management of COVID-19: a narrative review. <i>Inflammopharmacology</i> , 2022, 30, 1993-2001. | 1.9 | 20 |
| 115 | Eugenol Attenuates Transmissible Gastroenteritis Virus-Induced Oxidative Stress and Apoptosis Via ROS-NRF2-ARE Signaling. <i>Antioxidants</i> , 2022, 11, 1838. | 2.2 | 9 |
| 116 | Glutathione deficiency in the pathogenesis of SARS-CoV-2 infection and its effects upon the host immune response in severe COVID-19 disease. <i>Frontiers in Microbiology</i> , 0, 13, . | 1.5 | 9 |
| 117 | BP5 alleviates endotoxemia-induced acute lung injury by activating Nrf2 via dual regulation of the Keap1-Nrf2 interaction and the Akt (Ser473)/GSK3 β (Ser9)/Fyn pathway. <i>Free Radical Biology and Medicine</i> , 2022, 193, 304-318. | 1.3 | 2 |
| 118 | Potential usefulness of Mediterranean diet polyphenols against COVID-19-induced inflammation: a review of the current knowledge. <i>Journal of Physiology and Biochemistry</i> , 2023, 79, 371-382. | 1.3 | 4 |
| 119 | The Relationship between Nrf2 and HO-1 with the Severity of COVID-19 Disease. <i>Medicina (Lithuania)</i> , 2022, 58, 1658. | 0.8 | 3 |
| 120 | Transcription factor Nrf2 as a potential therapeutic target for COVID-19. <i>Cell Stress and Chaperones</i> , 2023, 28, 11-20. | 1.2 | 4 |
| 121 | Small molecules in the treatment of COVID-19. <i>Signal Transduction and Targeted Therapy</i> , 2022, 7, . | 7.1 | 42 |
| 122 | MLN-4760 Induces Oxidative Stress without Blood Pressure and Behavioural Alterations in SHR: Roles of Nfe2l2 Gene, Nitric Oxide and Hydrogen Sulfide. <i>Antioxidants</i> , 2022, 11, 2385. | 2.2 | 0 |
| 123 | The anti-inflammatory and anti-oxidative effect of a classical hypnotic bromovalerylurea mediated by the activation of NRF2. <i>Journal of Biochemistry</i> , 2023, 174, 131-142. | 0.9 | 2 |
| 124 | Targeting NRF2 to promote epithelial repair. <i>Biochemical Society Transactions</i> , 2023, 51, 101-111. | 1.6 | 3 |
| 126 | Sulforaphane is a reversible covalent inhibitor of 3 α -chymotrypsin α -like protease of SARS-CoV-2. <i>Journal of Medical Virology</i> , 2023, 95, . | 2.5 | 4 |
| 127 | A small-molecule inhibitor of Keap1-Nrf2 interaction attenuates sepsis by selectively augmenting the antibacterial defence of macrophages at infection sites. <i>EBioMedicine</i> , 2023, 90, 104480. | 2.7 | 8 |
| 129 | Effect of Supplemental Antioxidant-Based Therapy on the Oxidative Stress Level in COVID-19 Patients. <i>Prilozi - Makedonska Akademija Na Naukite I Umetnostite Oddelenie Za Medicinski Nauki</i> , 2023, 44, 7-16. | 0.2 | 0 |
| 130 | SARS-CoV-2 Inhibits NRF2-Mediated Antioxidant Responses in Airway Epithelial Cells and in the Lung of a Murine Model of Infection. <i>Microbiology Spectrum</i> , 2023, 11, . | 1.2 | 11 |
| 145 | SARS-CoV-2 infection and dysregulation of nuclear factor erythroid-2-related factor 2 (Nrf2) pathway. <i>Cell Stress and Chaperones</i> , 2023, 28, 657-673. | 1.2 | 1 |