

# CITATION REPORT

List of articles citing

## Node-Positive Patients Treated with Neoadjuvant Chemotherapy Can Be Spared Axillary Lymph Node Dissection with Wireless Non-Radioactive Localizers

DOI: 10.1245/s10434-020-08902-y  
Annals of Surgical Oncology, 2020, 27, 4819-4827.

**Source:** <https://exaly.com/paper-pdf/75932607/citation-report.pdf>

**Version:** 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
23	Leveraging Neoadjuvant Chemotherapy to Minimize the Burden of Axillary Surgery: a Review of Current Strategies and Surgical Techniques. <i>Current Breast Cancer Reports</i> , <b>2020</b> , 12, 317-325	0.8	
22	The Virtual Scientific Sessions from the American Society of Breast Surgeons During the COVID-19 Pandemic. <i>Annals of Surgical Oncology</i> , <b>2020</b> , 27, 4585-4587	3.1	2
21	„Targeted axillary dissection“ – Standard oder noch experimentell?. <i>Der Gynakologe</i> , <b>2021</b> , 54, 156-163	0.1	
20	Targeted axillary biopsy and sentinel lymph node biopsy for axillary restaging after neoadjuvant chemotherapy. <i>Annals of Surgical Treatment and Research</i> , <b>2021</b> , 100, 305-312	2	1
19	The Evolving Role of Marked Lymph Node Biopsy (MLNB) and Targeted Axillary Dissection (TAD) after Neoadjuvant Chemotherapy (NACT) for Node-Positive Breast Cancer: Systematic Review and Pooled Analysis. <i>Cancers</i> , <b>2021</b> , 13,	6.6	5
18	Surgical Management of the Axilla in Clinically Node-Positive Breast Cancer Patients Converting to Clinical Node Negativity through Neoadjuvant Chemotherapy: Current Status, Knowledge Gaps, and Rationale for the EUBREAST-03 AXSANA Study. <i>Cancers</i> , <b>2021</b> , 13,	6.6	15
17	The applicability of Magseed® for targeted axillary dissection in breast cancer patients treated with neoadjuvant chemotherapy. <i>Breast</i> , <b>2021</b> , 57, 113-117	3.6	3
16	Early reflector localization improves the accuracy of localization and excision of a previously positive axillary lymph node following neoadjuvant chemotherapy in patients with breast cancer. <i>Breast Cancer Research and Treatment</i> , <b>2021</b> , 189, 121-130	4.4	0
15	From the Reading Room to Operating Room: Retrospective Data and Pictorial Review After 806 SCOUT Placements. <i>Current Problems in Diagnostic Radiology</i> , <b>2021</b> ,	1.6	
14	Options to Determine Pathological Response of Axillary Lymph Node Metastasis after Neoadjuvant Chemotherapy in Advanced Breast Cancer. <i>Cancers</i> , <b>2021</b> , 13,	6.6	1
13	Image-guided Localization Techniques for Nonpalpable Breast Lesions: An Opportunity for Multidisciplinary Patient-centered Care. <i>Journal of Breast Imaging</i> , <b>2021</b> , 3, 542-555	1	3
12	Imaging Updates to Breast Cancer Lymph Node Management. <i>Radiographics</i> , <b>2021</b> , 41, 1283-1299	5.4	1
11	SAVI SCOUT® localization of metastatic axillary lymph node prior to neoadjuvant chemotherapy for targeted axillary dissection: a pilot study. <i>Breast Cancer Research and Treatment</i> , <b>2021</b> , 191, 107	4.4	1
10	Biopsia del ganglio centinela y disección axilar dirigida en mujeres con cáncer de mama y axila positiva en el momento del diagnóstico: caminando hacia el futuro. <i>Revista De Senologia Y Patologia Mamaria</i> , <b>2022</b> ,	0.1	
9	Combining conventional ultrasound and sonoelastography to predict axillary status after neoadjuvant chemotherapy for breast cancer.. <i>European Radiology</i> , <b>2022</b> , 1	8	1
8	Diagnostic accuracy of de-escalated surgical procedure in axilla for node-positive breast cancer patients treated with neoadjuvant systemic therapy: A systematic review and meta-analysis.. <i>Cancer Medicine</i> , <b>2022</b> ,	4.8	
7	Ultrasound-guided radar reflector localization of axillary lymph nodes facilitates targeted axillary dissection. <i>Clinical Imaging</i> , <b>2022</b> ,	2.7	

- 6 Multidisciplinary considerations in the management of breast cancer patients receiving neoadjuvant chemotherapy. **2022**, 101191
- 5 Radar reflector guided axillary surgery in node positive breast cancer patients. **2022**, 19, 791-795
- 4 Surgical Management of the Axilla for Breast Cancer. **2023**, 37, 51-77
- 3 Concomitant Use of Biopsy Clips and Wire Localization in Invasive Breast Cancer is Associated with Successful Clip Retrieval. **2022**,
- 2 Possível Evitar a Biópsia do Linfonodo Sentinela em Pacientes com Câncer de Mama e Linfonodo Axilar Positivo com Resposta Patológica Completa à Quimioterapia Neoadjuvante?. **2022**, 69,
- 1 Clinical utility of axillary nodal markers in breast cancer. **2023**,