

# CITATION REPORT

List of articles citing

A randomized controlled study of the efficacy of tadalafil monotherapy versus combination of tadalafil and mirabegron for the treatment of persistent overactive bladder symptoms in men presenting with lower urinary tract symptoms (CONTACT Study)

DOI: 10.1002/nau.24285

Neurourology and Urodynamics, 2020, 39, 804-812.

**Source:** <https://exaly.com/paper-pdf/77442836/citation-report.pdf>

**Version:** 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
19	Are Beta 3 Adrenergic Agonists Now the Preferred Pharmacologic Management of Overactive Bladder?. <i>Current Urology Reports</i> , <b>2020</b> , 21, 49	2.9	3
18	Treatment of Non-neurogenic Lower Urinary Tract Symptoms-A Review of Key Publications from 2018 Onward. <i>European Urology Focus</i> , <b>2021</b> , 7, 1438-1447	5.1	0
17	A randomized controlled study of the efficacy of tadalafil monotherapy versus combination of tadalafil and mirabegron for the treatment of persistent overactive bladder symptoms in men presenting with lower urinary tract symptoms (CONTACT Study). <i>Neurourology and Urodynamics</i> , <b>2022</b> , 33, 881-812	2.3	15
16	Mirabegron Add-On Therapy to Tamsulosin in Men with Overactive Bladder: Post Hoc Analyses of Efficacy from the MATCH Study. <i>Advances in Therapy</i> , <b>2021</b> , 38, 739-757	4.1	
15	Beyond Antimuscarinics: A Review of Pharmacological and Interventional Options for Overactive Bladder Management in Men. <i>European Urology</i> , <b>2021</b> , 79, 492-504	10.2	9
14	Postoperative medical treatment of lower urinary tract symptoms after benign prostatic hyperplasia surgery. Are we underestimating the problem?. <i>Current Opinion in Urology</i> , <b>2021</b> , 31, 451-455 <sup>2.8</sup>		
13	Efficacy and Safety of Vibegron Add-on Therapy in Men With Persistent Storage Symptoms After Receiving Alpha 1-Blocker or Phosphodiesterase 5 Inhibitor: A Preliminary Study. <i>Urology</i> , <b>2021</b> , 153, 256-263	1.6	1
12	Beta 3 Adrenoreceptor Agonist for the Management of Lower Urinary Tract Symptoms in Men With Benign Prostatic Hyperplasia: A Systematic Review. <i>International Neurourology Journal</i> , <b>2021</b> , 25, 182-191 <sup>2.6</sup>		0
11	Current pharmacotherapy of overactive bladder. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , <b>2021</b> , 47, 1091-1107	2	3
10	Editorial Comment to Efficacy of mirabegron, a β <sub>3</sub> adrenoreceptor agonist, in Japanese women with overactive bladder and either urgency urinary incontinence or mixed urinary incontinence: Post-hoc analysis of pooled data from two randomized, placebo-controlled, double-blind studies. <i>International Journal of Urology</i> , <b>2021</b> ,	2.3	
9	Tadalafil 5 mg Once Daily Improved Each IPSS Subscore, QOL, and Nocturia in Elderly BPH Patients over 70 Years Old in a Real-World Clinical Setting. <i>Urologia Internationalis</i> , <b>2021</b> , 1-7	1.9	
8	Efficacy and Safety of 12-week Monotherapy With Once Daily 5 mg Tadalafil for Lower Urinary Tract Symptoms of Benign Prostatic Hyperplasia: Evidence-based Analysis. <i>Frontiers in Medicine</i> , <b>2021</b> , 8, 744012	4.9	0
7	Pharmacological Management of Urinary Incontinence: Current and Emerging Treatment. <i>Clinical Pharmacology: Advances and Applications</i> , <b>2021</b> , 13, 209-223	1.5	1
6	International Continence Society (ICS) report on the terminology for sexual health in men with lower urinary tract (LUT) and pelvic floor (PF) dysfunction.. <i>Neurourology and Urodynamics</i> , <b>2022</b> , 41, 140-165	2.3	1
5	Chapter 4: Treatment of overactive bladder in men: Is it really different?. <i>Neurourology and Urodynamics</i> ,	2.3	0
4	Efficacy of Combination Treatment with Tadalafil and Mirabegron in Patients with Benign Prostatic Hyperplasia Who Presented with Persistent Storage Symptoms After Tadalafil Monotreatment: A Prospective, Multicenter, Open-Labelled Study. <b>2022</b> , 65, 231-237		0
3	Age-specific effect of transurethral holmium laser enucleation of the prostate on overactive bladder in men with benign prostatic hyperplasia: An investigation using an overactive bladder symptom score.		0

- 2 Efficacy of Transcutaneous Tibial Nerve Stimulation With Silver Spike Point□ Electrodes for Refractory Overactive Bladder: A Single-Arm Study. **2023**, ○
- 1 Voiding dysfunction in geriatric people. **2023**, 60, 25-32 ○