

# CITATION REPORT

List of articles citing

## COVID-19 in otolaryngologist practice: a review of current knowledge

DOI: 10.1007/s00405-020-05968-y  
European Archives of Oto-Rhino-Laryngology, 2020,  
277, 1885-1897.

**Source:** <https://exaly.com/paper-pdf/77618189/citation-report.pdf>

**Version:** 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
127	The Potential Use of Mesenchymal Stem Cells and Their Derived Exosomes as Immunomodulatory Agents for COVID-19 Patients. <b>2020</b> , 2020, 8835986		26
126	Dissemination of Information During Public Health Crises: Early COVID-19 Data From The Laryngoscope. <i>Laryngoscope</i> , <b>2020</b> , 130, 2508-2515	3.6	1
125	The Spectrum of Neuroimaging Findings on CT and MRI in Adults With COVID-19. <b>2021</b> , 217, 959-974		21
124	Frequency and outcome of olfactory impairment and sinonasal involvement in hospitalized patients with COVID-19. <b>2020</b> , 41, 2331-2338		25
123	Tracheostomy in a patient with COVID-19: a case report. <b>2020</b> , 2020, rjaa194		
122	Otolaryngology residency strategies during the COVID-19 pandemic. <b>2020</b> , 17, 544-546		0
121	Coronaviruses: a challenge of today and a call for extended human postmortem brain analyses. <b>2020</b> , 127, 1217-1228		14
120	Telemedicine in Otolaryngology in the COVID-19 Era: Initial Lessons Learned. <i>Laryngoscope</i> , <b>2020</b> , 130, 2568-2573	3.6	22
119	Head and Neck Practice in the COVID-19 Pandemics Today: A Rapid Systematic Review. <b>2020</b> , 24, e518-e526		4
118	A prospective clinical pilot study on the effects of a hydrogen peroxide mouthrinse on the intraoral viral load of SARS-CoV-2. <b>2020</b> , 24, 3707-3713		35
117	Emergent tracheostomy during the pandemic of COVID-19: Slovenian National Recommendations. <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2021</b> , 278, 2209-2217	3.5	3
116	Snapshot Impact of COVID-19 on Mental Wellness in Nonphysician Otolaryngology Health Care Workers: A National Study. <b>2020</b> , 4, 2473974X20948835		15
115	Relationship between anosmia and hospitalisation in patients with coronavirus disease 2019: an otolaryngological perspective. <i>Journal of Laryngology and Otology</i> , <b>2020</b> , 134, 710-716	1.8	17
114	A Telemedicine Approach to Covid-19 Assessment and Triage. <i>Medicina (Lithuania)</i> , <b>2020</b> , 56,	3.1	6
113	Influence de la « phobie du COVID » sur les diagnostics oto-rhino-laryngologiques précoces. <b>2020</b> , 137, 325-326		
112	Olfactory disorders in coronavirus disease 2019 patients: a systematic literature review. <i>Journal of Laryngology and Otology</i> , <b>2020</b> , 1-10	1.8	8
111	Safety Protocols for Videolaryngoscopy During the COVID-19 Pandemic: A Prospective Review of 196 Cases. <b>2020</b> , 1-8		1

110	Seasonal Allergic Rhinitis Symptoms in Relation to COVID-19. <b>2020</b> , 11, 2152656720968804		3
109	Severe Acute Respiratory Syndrome Coronavirus 2-Induced Neurological Complications. <b>2020</b> , 8, 605972		4
108	Body Localization of ACE-2: On the Trail of the Keyhole of SARS-CoV-2. <b>2020</b> , 7, 594495		63
107	Short Communication: COVID-19-Pandemie und HNO. <b>2020</b> , 99, 370-373		1
106	Review of practical recommendations for otolaryngologists and head and neck surgeons during the COVID-19 pandemic. <b>2020</b> , 47, 544-558		10
105	"COVIDphobia" influences early otolaryngology diagnoses. <b>2020</b> , 137, 353-354		
104	[BK 3101: COVID-19 infection of the ENT physician is an occupational disease, not an occupational accident]. <b>2020</b> , 68, 444-446		1
103	Otolaryngology in the COVID-19 pandemic era: the impact on our clinical practice. <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2021</b> , 278, 629-636	3.5	18
102	MRI of Patients Infected With COVID-19 Revealed Cervical Lymphadenopathy. <b>2021</b> , 100, 26-28		4
101	A structural equation model to examine the clinical features of mild-to-moderate COVID-19: A multicenter Italian study. <b>2021</b> , 93, 983-994		30
100	Case Report of Acute Airway Obstruction Caused by Transglottic Squamous Carcinoma (Stage IV) During the Coronavirus Pandemic Cured by ECMO-Assisted Tracheostomy. <b>2021</b> , 100, 113S-115S		1
99	Otolaryngological manifestations of hospitalised patients with confirmed COVID-19 infection. <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2021</b> , 278, 1675-1685	3.5	38
98	Airborne Aerosolized Mouse Cytomegalovirus From Common Otolaryngology Procedures: Implications for COVID-19 Infection. <b>2021</b> , 164, 547-555		1
97	Evaluation of Olfactory Function With Objective Tests in COVID-19-Positive Patients: A Cross-Sectional Study. <b>2021</b> , 100, 169S-173S		16
96	Bilateral Sudden Sensorineural Hearing Loss and Intralabyrinthine Hemorrhage in a Patient With COVID-19. <b>2021</b> , 42, e10-e14		33
95	The Relation Between Otolaryngology-Specific Symptoms and Computed Tomography Findings in Ambulatory Care COVID-19 Patients. <b>2021</b> , 100, 79-85		2
94	Coronavirus Disease (COVID-19): Comprehensive Review of Clinical Presentation. <b>2020</b> , 8, 582932		45
93	Biomolecular endotype factors involved in COVID-19 airway infectivity: A systematic review. <b>2021</b> , 48, 32-40		2

92	Otolaryngologic Manifestation and Long-Term Outcome in Mild COVID-19: Experience from a Tertiary Care Centre in India. <b>2020</b> , 73, 1-6			14
91	Results of a national web-based survey on the SARS-CoV-2 infectious state of otorhinolaryngologists in Germany. <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2021</b> , 278, 1247-1255	3.5		1
90	Face to face with COVID-19: highlights of challenges encountered in various ENT practices across the Czech Republic (a national survey). <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2021</b> , 278, 807-812	3.5		1
89	Pain Symptoms in Patients with Coronavirus Disease (COVID-19): A Literature Review. <b>2021</b> , 14, 147-159			22
88	Personal protective equipment for reducing the risk of COVID-19 infection among health care workers involved in emergency trauma surgery during the pandemic: An umbrella review. <b>2021</b> , 90, e72-e80			7
87	The relation between serum D-dimer, ferritin and vitamin D levels, and dysgeusia symptoms, in patients with coronavirus disease 2019. <i>Journal of Laryngology and Otology</i> , <b>2021</b> , 135, 45-49	1.8		3
86	What still presents urgently to ENT during a pandemic? Experience of an ENT rapid access clinic during the coronavirus disease 2019 pandemic. <i>Journal of Laryngology and Otology</i> , <b>2021</b> , 135, 70-73	1.8		2
85	Smell Status in Children Infected with SARS-CoV-2. <i>Laryngoscope</i> , <b>2021</b> , 131, E2475-E2480	3.6		11
84	The Association of Smell and Taste Dysfunction with COVID19, And Their Functional Impacts. <b>2021</b> , 1-6			6
83	Otorhinolaryngology in the COVID-19 era: Are there significant differences between hospital-based and private practices?. <b>2021</b> , 75, e14054			
82	[The first year of the SARS-CoV-2 pandemic-impact on otorhinolaryngology]. <b>2021</b> , 69, 615-622			2
81	SARS-CoV-2 is not found in the sweat of COVID-19 positive patients. <b>2021</b> , 1			4
80	Radiologic Assessment of the Sinonasal Tract, Nasopharynx and Mastoid Cavity in Patients with SARS-Cov-2 Infection Presenting with Acute Neurological Symptoms. <b>2021</b> , 130, 1228-1235			1
79	Audiovestibular symptoms and sequelae in COVID-19 patients. <b>2021</b> , 31, 381-387			12
78	Acoustic voice analysis in the COVID-19 era. <b>2021</b> , 41, 1-5			5
77	COVID-19 infection rate among tertiary referral center otorhinolaryngology healthcare workers. <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2021</b> , 278, 3091-3098	3.5		2
76	Olfactory Dysfunction is Associated with More Severe Clinical Course in COVID-19. <b>2021</b> , 1-6			2
75	Assessment of Knowledge, Attitude, and Practice Regarding COVID-19 Ocular Manifestations in the Western Region of Saudi Arabia. <b>2021</b> , 15, 25-33			0

74	COVID-19 and otorhinolaryngology: Returning to practice. <b>2021</b> , 36, 256	0
73	Validity and reliability of the COVID-19 symptom index, an instrument evaluating severity of general and otolaryngological symptoms. <b>2021</b> , 141, 615-620	7
72	Topical Ocular Povidone-Iodine as an Adjunctive Preventative Practice in the Era of COVID-19. <b>2021</b> , 10, 142-145	4
71	Clinical and diagnostic value of the combination of lymphocyte count and creatine kinase in the detection of coronavirus 2019. <b>2021</b> , 21, 641	
70	Clinical Considerations in Otorhinolaryngology Practice in COVID-19 Pandemic Era. <b>2021</b> , 64, 297-303	1
69	Insulin fast-dissolving film for intranasal delivery via olfactory region, a promising approach for the treatment of anosmia in COVID-19 patients: Design, in-vitro characterization and clinical evaluation. <b>2021</b> , 601, 120600	9
68	Otorhinolaryngological manifestations of COVID-19. <b>2021</b> , 10, 18-24	0
67	Sequelae, persistent symptomatology and outcomes after COVID-19 hospitalization: the ANCOHVID multicentre 6-month follow-up study. <b>2021</b> , 19, 129	30
66	[Impact of the COVID-19 pandemic on consultations and diagnosis in ENT practices in Germany]. <b>2021</b> ,	2
65	Incidence of Anosmia among Covid 19 patients in India. <b>2021</b> , 1-10	3
64	Effects of SARS-CoV-2 on the Practice of Otolaryngology. <b>2021</b> , 114, 327-333	1
63	Follow-up of a national web-based survey on the SARS-CoV-2 infectious state of otorhinolaryngologists in Germany. <b>2021</b> , 69, 658-665	
62	Challenges and Adaptation in Otorhinolaryngology Practice During Pandemic Lockdown: Experience from a Malaysian COVID-19 Hospital. <b>2021</b> , 28, 143-150	0
61	Tele-Otolaryngology at a Tertiary Care Center in North India During COVID-19 Pandemic Lockdown: A Validated Patient Feedback Questionnaire Based Study. <b>2021</b> , 1-14	
60	Does Higher Self-Reported Cardiorespiratory Fitness Reduce the Odds of Hospitalization From COVID-19?. <b>2021</b> , 18, 782-788	4
59	Ear, Nose, and Throat Manifestations of COVID-19 in Children. <b>2021</b> , 50, e277-e281	1
58	COVID-Q: validation of the first COVID-19 questionnaire based on patient-rated symptom gravity.	
57	Mitigation effect of face shield to reduce SARS-CoV-2 airborne transmission risk: Preliminary simulations based on computed tomography. <b>2021</b> , 198, 111229	2

56	Otolaryngology-Specific Symptoms May Be Highly Observed in Patients With a History of Covid-19 Infection After Inactivated Coronavirus Vaccination. <b>2021</b> , 1455613211028493	5
55	AEROSOL GENERATION DURING COUGHING - QUANTITATIVE DEFINITION FOR AEROSOL GENERATING PROCEDURES: OBSERVATIONAL STUDY.	1
54	Clinical Characteristics of COVID-19 from the Otorhinolaryngologist's Perspective: First Report from Oman, Middle East. <b>2021</b> , 1-7	
53	The Frequency and Clinical Assessment of COVID-19 in Patients With Chronic Rhinosinusitis. <b>2021</b> , 1455613211038070	
52	COVID-Q: Validation of the first COVID-19 questionnaire based on patient-rated symptom gravity. <b>2021</b> , e14829	4
51	Occupational Health and Safety Measures in Healthcare Settings during COVID-19: Strategies for Protecting Staff, Patients and Visitors. <b>2021</b> , 1-9	1
50	Bacterial infections of the oropharynx and deep neck spaces: An investigation of changes in presentation patterns during the COVID-19 pandemic. <b>2021</b> ,	0
49	Auditory Performance in Recovered SARS-COV-2 Patients. <b>2021</b> , 42, 666-670	10
48	Efficacy of Povidone-Iodine Nasal And Oral Antiseptic Preparations Against Severe Acute Respiratory Syndrome-Coronavirus 2 (SARS-CoV-2).	10
47	Evidence of SARS-CoV2 entry protein ACE2 in the human nose and olfactory bulb.	4
46	Evidence of SARS-CoV2 Entry Protein ACE2 in the Human Nose and Olfactory Bulb. <b>2020</b> , 209, 155-164	30
45	One disease, many faces-typical and atypical presentations of SARS-CoV-2 infection-related COVID-19 disease. <b>2020</b> , 8, 3956-3970	9
44	Neurological Manifestations of COVID-19 (SARS-CoV-2): A Review. <i>Frontiers in Neurology</i> , <b>2020</b> , 11, 518 4.1	102
43	Safer Practice of Aesthetic Dermatology during the COVID-19 Pandemic: Recommendations by SIG Aesthetics (IADVL Academy). <b>2020</b> , 11, 534-539	5
42	CoVID-19: a Digestive Disease!. 714-721	4
41	Microdebrider is less aerosol-generating than CO laser and cold instruments in microlaryngoscopy. <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2021</b> , 1	3.5 1
40	[Olfactory dysfunction and COVID-19 - current state of the problem]. <b>2020</b> , 85, 100-104	2
39	Pediatric COVID-19 and the Factors That May Mitigate Its Clinical Course. <b>2020</b> , 10, e137-e140	0

38	Personal protective equipment for reducing the risk of COVID-19 infection among healthcare workers involved in emergency trauma surgery during the pandemic: an umbrella review.		
37	What about incorporating selenium in the therapeutic regimen of SARS-CoV-2?. <b>2020</b> , 19, 1544-1546		
36	Neurological complications and infection mechanism of SARS-COV-2. <b>2021</b> , 6, 406		16
35	Does COVID-19 have an impact on hearing?. <b>2022</b> , 1-4		2
34	Literature Review: Healthy Home as The New Normal for Covid19 Prevention. <b>2020</b> , 12, 1		
33	Recent Hearing Loss and Earache due to Bilateral Otitis Media associated with SARS-CoV-2 infection. <b>2020</b> , 111-113		
32	A review on epidemiology, genomic characteristics, spread, and treatments of COVID-19. <b>2022</b> , 487-505		2
31	ENT Manifestations in Patients Suffering from COVID-19: Study from a COVID Hospital in North India.. <b>2022</b> , 26, e148-e151		0
30	Impact of SARS-CoV-2 on Saliva: TNF-?, IL-6, IL-10, Lactoferrin, Lysozyme, IgG, IgA, and IgM.. <b>2022</b> ,		0
29	Comparison of pure tone audiometry thresholds and transient evoked otoacoustic emissions (TEOAE) of patients with and without Covid-19 pneumonia.. <b>2022</b> , 43, 103377		
28	Cervical and preauricular lymphadenopathies as atypical manifestations in the setting of COVID-19: a case report.. <b>2022</b> ,		1
27	ENT Manifestations in Patients with COVID-19. <b>2021</b> , 8-17		
26	Patterns of Otorhinolaryngological Manifestations of Covid-19: A Longitudinal Questionnaire-Based Prospective Study in a Tertiary Hospital in Saudi Arabia.. <i>Journal of Primary Care and Community Health</i> , <b>2022</b> , 13, 21501319221084158	2.1	0
25	Economic and emotional impact of COVID-19 pandemic on phoniaticians' practice in Egypt. <i>The Egyptian Journal of Otolaryngology</i> , <b>2022</b> , 38,		0.9
24	Indirect Impact of the COVID-19 Pandemic on Natural Gas Consumption by Commercial Consumers in a Selected City in Poland. <i>Energies</i> , <b>2022</b> , 15, 1393		3.1
23	COVID-19 smart diagnosis in the Emergency Department: all-in in practice.. <i>Expert Review of Respiratory Medicine</i> , <b>2022</b> ,	3.8	4
22	Frequency and Severity of Ear-Nose-Throat (ENT) Symptoms during COVID-19 Infection. <i>Medicina (Lithuania)</i> , <b>2022</b> , 58, 623	3.1	0
21	Aerosol Generation During Coughing - An Observational Study.. <i>Journal of Laryngology and Otology</i> , <b>2022</b> , 1-15	1.8	

20	Mouthrinses against SARS-CoV-2 - High antiviral effectivity by membrane disruption in vitro translates to mild effects in a randomized placebo-controlled clinical trial.. <i>Virus Research</i> , <b>2022</b> , 316, 198791	6.4	4
19	Factors Shifting Preference Toward Telemedicine in the Delivery of Skin Cancer Reconstruction Care.. <i>Laryngoscope</i> , <b>2022</b> ,	3.6	
18	SARS COV-2 and other viral etiology as a possible clue for the olfactory dilemma. <i>The Egyptian Journal of Otolaryngology</i> , <b>2022</b> , 38,	0.9	
17	Correlation between vitamin D level and severity of prognostic markers in Egyptian COVID-19 patients: a cohort study. <i>The Egyptian Journal of Internal Medicine</i> , <b>2022</b> , 34,	0.5	
16	Anosmia in COVID-19 Patients at a Health Center in Yogyakarta, Indonesia. <i>Open Access Macedonian Journal of Medical Sciences</i> , <b>2022</b> , 10, 517-520	1	
15	Long-Term Effects of COVID-19 and the Pandemic on Tinnitus Patients. <i>Frontiers in Neurology</i> , 13,	4.1	
14	Comprehensive evaluation of otorhinolaryngological symptoms in COVID-19 patients. <i>The Egyptian Journal of Otolaryngology</i> , <b>2022</b> , 38,	0.9	
13	Multi-level comparison of congenital and acquired anosmia. <b>2022</b> , 11, 8-13		
12	Burnout Syndrome among Otorhinolaryngologists during the COVID-19 Pandemic. <b>2022</b> , 58, 1089		
11	Management of Post-Infectious Anosmia and Hyposmia: A Systematic Review. 000348942211181		
10	COVID-19 Sequelae Affecting Ear, Nose and Throat. <b>2022</b> , 107-127		o
9	The Role of Otorhinolaryngological Manifestations of Mild Covid-19 Disease in Hilly Terrain: Lessons Learnt at a Secondary Care Hospital.		o
8	Sinus, Middle Ear and Mastoid Radiological Findings of SARS-CoV-2. 1-16		o
7	Sudden Sensorineural Hearing Loss in the COVID-19 Pandemic: A Systematic Review and Meta-Analysis. <b>2022</b> , 12, 3139		o
6	STUDY OF D-DIMER AND SERUM FERRITIN LEVELS AS PROGNOSTIC BIOMARKERS IN COVID-19 PATIENTS. 92-94		o
5	Otorhinolaryngology Symptom Assessment Using SNOT 22 Among SARS CoV-2 Patients in a Tertiary Care Centre.		o
4	Exacerbation of Activated Latent Tuberculosis Following COVID-19: A Case Report. <b>2022</b> , 10, 204-207		o
3	COVID-19 Vaccination Rollout: Aspects of Hesitancy in South Africa. <b>2023</b> , 11, 407		o

- 2 Manifestaciones otorrinolaringológicas más frecuentes en pacientes con infección por SARS-CoV-2 en un servicio de urgencias. Estudio transversal. **2023**, 21, 51-54 ○
- 1 Efficacy of chlorine dioxide wipes in disinfecting airway devices contaminated with Covid-19. 13, ○