

# Quantifying impacts of the 2018 drought on European e

Biogeosciences

17, 1655-1672

DOI: [10.5194/bg-17-1655-2020](https://doi.org/10.5194/bg-17-1655-2020)

Citation Report

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Large-scale early wilting response of Central European forests to the 2018 extreme drought. <i>Global Change Biology</i> , 2020, 26, 7021-7035.   | 4.2 | 80        |
| 2  | Warmer spring alleviated the impacts of 2018 European summer heatwave and drought on vegetation photosynthesis. <i>Agricultural and Forest Meteorology</i> , 2020, 295, 108195.   | 1.9 | 48        |
| 3  | The record-breaking compound hot and dry 2018 growing season in Germany. <i>Weather and Climate Extremes</i> , 2020, 29, 100270.  | 1.6 | 72        |
| 4  | Lessons from the 2018 drought for management of local water supplies in upland areas: A tracer-based assessment. <i>Hydrological Processes</i> , 2020, 34, 4190-4210.   | 1.1 | 16        |
| 5  | Spatiotemporal variation of streambed quality and fine sediment deposition in five freshwater pearl mussel streams, in relation to extreme drought, strong rain and snow melt. <i>Limnologica</i> , 2020, 85, 125833.             | 0.7 | 20        |
| 6  | Modeling multivariate landscape affordances and functional ecosystem connectivity in landscape archeology. <i>Archaeological and Anthropological Sciences</i> , 2020, 12, 1.  | 0.7 | 10        |
| 7  | A historical, geographical and ecological perspective on the 2018 European summer drought. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2020, 375, 20190505.                                   | 1.8 | 89        |
| 8  | Potential Effects of the COVID-19 Pandemic through Changes in Outbound Tourism on Water Demand: The Case of Liège (Belgium). <i>Water (Switzerland)</i> , 2020, 12, 2820.   | 1.2 | 16        |
| 9  | The European carbon cycle response to heat and drought as seen from atmospheric CO <sub>2</sub> data for 1999–2018. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2020, 375, 20190506.          | 1.8 | 19        |
| 10 | The fingerprint of the summer 2018 drought in Europe on ground-based atmospheric CO <sub>2</sub> measurements. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2020, 375, 20190513.               | 1.8 | 31        |
| 11 | Spring enhancement and summer reduction in carbon uptake during the 2018 drought in northwestern Europe. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2020, 375, 20190509.                     | 1.8 | 39        |
| 12 | Excess forest mortality is consistently linked to drought across Europe. <i>Nature Communications</i> , 2020, 11, 6200.   | 5.8 | 221       |
| 13 | Stable Allometric Trajectories in <i>Picea abies</i> (L.) Karst. Trees along an Elevational Gradient. <i>Forests</i> , 2020, 11, 1231.  | 0.9 | 1         |
| 14 | Tracing Real-Time Transnational Hydrologic Sensitivity and Crop Irrigation in the Upper Rhine Area over the Exceptional Drought Episode 2018–2020 Using Open Source Sentinel-2 Data. <i>Water (Switzerland)</i> , 2020, 12, 3298. | 1.2 | 5         |
| 15 | Higher susceptibility of beech to drought in comparison to oak. <i>Dendrochronologia</i> , 2020, 64, 125780.  | 1.0 | 25        |
| 16 | Changes in the Characteristics of Dry and Wet Periods in Europe (1851–2015). <i>Atmosphere</i> , 2020, 11, 1080.  | 1.0 | 10        |
| 17 | Capturing the Impact of the 2018 European Drought and Heat across Different Vegetation Types Using OCO-2 Solar-Induced Fluorescence. <i>Remote Sensing</i> , 2020, 12, 3249.  | 1.8 | 25        |
| 18 | Provenance selection and site conditions determine growth performance of pedunculate oak. <i>Dendrochronologia</i> , 2020, 61, 125705.  | 1.0 | 25        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Climatic factors controlling stem growth of alien tree species at a mesic forest site: a multispecies approach. <i>European Journal of Forest Research</i> , 2020, 139, 915-934.  | 1.1 | 3         |
| 20 | An Integrative Information Aqueduct to Close the Gaps between Satellite Observation of Water Cycle and Local Sustainable Management of Water Resources. <i>Water (Switzerland)</i> , 2020, 12, 1495.                            | 1.2 | 12        |
| 21 | Affordable Phenotyping of Winter Wheat under Field and Controlled Conditions for Drought Tolerance. <i>Agronomy</i> , 2020, 10, 882.  | 1.3 | 23        |
| 22 | A first assessment of the impact of the extreme 2018 summer drought on Central European forests. <i>Basic and Applied Ecology</i> , 2020, 45, 86-103.   | 1.2 | 482       |
| 23 | Tree growth at the end of the 21st century - the extreme years 2018/19 as template for future growth conditions. <i>Environmental Research Letters</i> , 2020, 15, 074022.  | 2.2 | 37        |
| 24 | Species interactions under climate change in mixed stands of Scots pine and pedunculate oak. <i>Forest Ecology and Management</i> , 2021, 481, 118615.  | 1.4 | 14        |
| 25 | A Multi-Level Framework for Adaptation to Drought Within Temperate Agriculture. , 2021, 8, .  |     | 20        |
| 26 | Using soil water isotopes to infer the influence of contrasting urban green space on ecohydrological partitioning. <i>Hydrology and Earth System Sciences</i> , 2021, 25, 927-943.  | 1.9 | 19        |
| 27 | A revision of the Combined Drought Indicator (CDI) used in the European Drought Observatory (EDO). <i>Natural Hazards and Earth System Sciences</i> , 2021, 21, 481-495.  | 1.5 | 29        |
| 28 | Europe under multi-year droughts: how severe was the 2014â€“2018 drought period?. <i>Environmental Research Letters</i> , 2021, 16, 034062.   | 2.2 | 66        |
| 29 | Monitoramento da temperatura atmosfÃ©rica visando o conforto tÃ©rmico e a conservaÃ§Ã£o de florestas. <i>Revista De Ciencias Agroveterinarias</i> , 2021, 20, 032-040.  | 0.0 | 0         |
| 30 | Fertilized graminoids intensify negative drought effects on grassland productivity. <i>Global Change Biology</i> , 2021, 27, 2441-2457.   | 4.2 | 39        |
| 32 | Drought alters the carbon footprint of trees in soilsâ€”tracking the spatio-temporal fate of <sup>13</sup> C-labelled assimilates in the soil of an old-growth pine forest. <i>Global Change Biology</i> , 2021, 27, 2491-2506. | 4.2 | 32        |
| 33 | The European Heat Wave 2018: The Dendroecological Response of Oak and Spruce in Western Germany. <i>Forests</i> , 2021, 12, 283.  | 0.9 | 8         |
| 34 | Climate Change Effects on Temperate Grassland and Its Implication for Forage Production: A Case Study from Northern Germany. <i>Agriculture (Switzerland)</i> , 2021, 11, 232.  | 1.4 | 18        |
| 35 | Emergent spatial patterns of competing benthic and pelagic algae in a river network: A parsimonious basin-scale modeling analysis. <i>Water Research</i> , 2021, 193, 116887.   | 5.3 | 12        |
| 36 | The Timber Footprint of the German Bioeconomyâ€”State of the Art and Past Development. <i>Sustainability</i> , 2021, 13, 3878.  | 1.6 | 11        |
| 37 | Drought Extent and Severity on Arable Lands in Romania Derived from Normalized Difference Drought Index (2001â€“2020). <i>Remote Sensing</i> , 2021, 13, 1478.  | 1.8 | 14        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 38 | The <sc>GEOMON</sc> network of Czech catchments provides long-term insights into altered forest biogeochemistry: From acid atmospheric deposition to climate change. <i>Hydrological Processes</i> , 2021, 35, e14204.           | 1.1 | 22        |
| 39 | Ambiguous Agricultural Drought: Characterising Soil Moisture and Vegetation Droughts in Europe from Earth Observation. <i>Remote Sensing</i> , 2021, 13, 1990.   | 1.8 | 23        |
| 40 | Increasing canopy mortality affects the future demographic structure of Europe's forests. <i>One Earth</i> , 2021, 4, 749-755.   | 3.6 | 46        |
| 41 | High plasticity in germination and establishment success in the dominant forest tree <i>Fagus sylvatica</i> across Europe. <i>Global Ecology and Biogeography</i> , 2021, 30, 1583-1596.   | 2.7 | 15        |
| 42 | Using isotopes to understand landscape-scale connectivity in a groundwater-dominated, lowland catchment under drought conditions. <i>Hydrological Processes</i> , 2021, 35, e14197.  | 1.1 | 20        |
| 43 | Multi-criteria modelling of drought: a study of Brandenburg Federal State, Germany. <i>Modeling Earth Systems and Environment</i> , 2022, 8, 2035-2049.  | 1.9 | 12        |
| 44 | Drivers controlling spatial and temporal variation of microbial properties and dissolved organic forms (DOC and DON) in fen soils with persistently low water tables. <i>Global Ecology and Conservation</i> , 2021, 27, e01605. | 1.0 | 6         |
| 45 | Climate Analogues for Temperate European Forests to Raise Silvicultural Evidence Using Twin Regions. <i>Sustainability</i> , 2021, 13, 6522.   | 1.6 | 8         |
| 46 | Deficit in carbon uptake of vegetation on the British Isles during the 2018 European summer drought. <i>Egyptian Journal of Remote Sensing and Space Science</i> , 2021, 24, 571-578.  | 1.1 | 3         |
| 47 | Ground and satellite phenology in alpine forests are becoming more heterogeneous across higher elevations with warming. <i>Agricultural and Forest Meteorology</i> , 2021, 303, 108383.  | 1.9 | 18        |
| 48 | Forestry contributed to warming of forest ecosystems in northern Germany during the extreme summers of 2018 and 2019. <i>Ecological Solutions and Evidence</i> , 2021, 2, e12087.  | 0.8 | 13        |
| 49 | Evaluation of morphological, physiological, and biochemical traits for assessing drought resistance in eleven tree species. <i>Science of the Total Environment</i> , 2021, 779, 146466.   | 3.9 | 107       |
| 50 | Climate warming predispose sessile oak forests to drought-induced tree mortality regardless of management legacies. <i>Forest Ecology and Management</i> , 2021, 491, 119097.  | 1.4 | 18        |
| 51 | Sentinel-2 Analysis of Spruce Crown Transparency Levels and Their Environmental Drivers After Summer Drought in the Northern Eifel (Germany). <i>Frontiers in Forests and Global Change</i> , 2021, 4, .                         | 1.0 | 10        |
| 52 | Post-glacial re-colonization and natural selection have shaped growth responses of silver fir across Europe. <i>Science of the Total Environment</i> , 2021, 779, 146393.  | 3.9 | 14        |
| 53 | Mediterranean-Scale Drought: Regional Datasets for Exceptional Meteorological Drought Events during 1975-2019. <i>Atmosphere</i> , 2021, 12, 941.  | 1.0 | 27        |
| 54 | The Analysis of Long-Term Trends in the Meteorological and Hydrological Drought Occurrences Using Non-Parametric Methods—Case Study of the Catchment of the Upper Noteć River (Central Tj ETQq0 0 0 rgt /Overlock 10 Tf          |     |           |
| 55 | Capability of Existing Drought Indices in Reflecting Agricultural Drought in China. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2021, 126, e2020JG006064.   | 1.3 | 9         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 56 | Trunk radial growth, water and carbon relations of mature apple trees on two size-controlling rootstocks during severe summer drought. <i>Tree Physiology</i> , 2022, 42, 289-303.   | 1.4 | 4         |
| 57 | Factors influencing residential water consumption in Wallonia, Belgium. <i>Utilities Policy</i> , 2022, 74, 101281.  | 2.1 | 11        |
| 58 | Climate data for the European forestry sector: From end-user needs to opportunities for climate resilience. <i>Climate Services</i> , 2021, 23, 100247.  | 1.0 | 3         |
| 59 | Intransitive Atmosphere Dynamics Leading to Persistent Hot/Dry or Cold/Wet European Summers. <i>Journal of Climate</i> , 2021, 34, 6303-6317.  | 1.2 | 4         |
| 60 | Grassland fallows as key for successful insect conservation. <i>Insect Conservation and Diversity</i> , 2021, 14, 837-850.   | 1.4 | 6         |
| 61 | Premature leaf discoloration of European deciduous trees is caused by drought and heat in late spring and cold spells in early fall. <i>Agricultural and Forest Meteorology</i> , 2021, 307, 108492.   | 1.9 | 35        |
| 62 | Spatio-temporal variations in stable isotopes in peri-urban catchments: A preliminary assessment of potential and challenges in assessing streamflow sources. <i>Journal of Hydrology</i> , 2021, 600, 126685.   | 2.3 | 10        |
| 63 | Tree mortality of European beech and Norway spruce induced by 2018-2019 hot droughts in central Germany. <i>Agricultural and Forest Meteorology</i> , 2021, 307, 108482.   | 1.9 | 86        |
| 64 | Coastal heathland vegetation is surprisingly resistant to experimental drought across successional stages and latitude. <i>Oikos</i> , 2021, 130, 2015-2027.   | 1.2 | 5         |
| 65 | A New Framework for Identifying and Investigating Seasonal Climate Extremes. <i>Journal of Climate</i> , 2021, 34, 7761-7782.  | 1.2 | 4         |
| 66 | Empirical survival model for European beech ( <i>Fagus sylvatica</i> L.) seedlings in response to interactive resource gradients and (a-) biotic conditions within an experimental canopy gap study. <i>Forest Ecology and Management</i> , 2021, 499, 119627. | 1.4 | 3         |
| 67 | From parcel to continental scale – A first European crop type map based on Sentinel-1 and LUCAS Copernicus in-situ observations. <i>Remote Sensing of Environment</i> , 2021, 266, 112708.   | 4.6 | 74        |
| 68 | Modeling of complex ecosystems, extension of deserts and violation of the short water cycle. <i>Ecological Modelling</i> , 2021, 461, 109762.  | 1.2 | 0         |
| 69 | Climatic regulation of leaf and cambial phenology in <i>Quercus pubescens</i> : Their interlinkage and impact on xylem and phloem conduits. <i>Science of the Total Environment</i> , 2022, 802, 149968.   | 3.9 | 13        |
| 70 | Xylem Phenology and Growth Response of European Beech, Silver Fir and Scots Pine along an Elevational Gradient during the Extreme Drought Year 2018. <i>Forests</i> , 2021, 12, 75.  | 0.9 | 21        |
| 71 | Assessing the Economic Resilience of Different Management Systems to Severe Forest Disturbance. <i>SSRN Electronic Journal</i> , 0, , .  | 0.4 | 2         |
| 73 | A First Assessment of the 2018 European Drought Impact on Ecosystem Evapotranspiration. <i>Remote Sensing</i> , 2021, 13, 16.  | 1.8 | 12        |
| 74 | Volatile organic compound fluxes in a subarctic peatland and lake. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 13399-13416.   | 1.9 | 28        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 75 | Risk of crop failure due to compound dry and hot extremes estimated with nested copulas. <i>Biogeosciences</i> , 2020, 17, 4815-4830.  | 1.3 | 83        |
| 76 | The extremely warm summer of 2018 in Sweden – set in a historical context. <i>Earth System Dynamics</i> , 2020, 11, 1107-1121.   | 2.7 | 26        |
| 77 | The 2018 northern European hydrological drought and its drivers in a historical perspective. <i>Hydrology and Earth System Sciences</i> , 2020, 24, 5621-5653.                                   | 1.9 | 62        |
| 78 | Agricultural Drought Detection with MODIS Based Vegetation Health Indices in Southeast Germany. <i>Remote Sensing</i> , 2021, 13, 3907.  | 1.8 | 27        |
| 79 | A techno-economic analysis of membrane-based advanced treatment processes for the reuse of municipal wastewater. <i>Journal of Water Reuse and Desalination</i> , 2021, 11, 705-725.             | 1.2 | 9         |
| 80 | Drought reduces water uptake in beech from the drying topsoil, but no compensatory uptake occurs from deeper soil layers. <i>New Phytologist</i> , 2022, 233, 194-206.                           | 3.5 | 51        |
| 81 | Vulnerability of European ecosystems to two compound dry and hot summers in 2018 and 2019. <i>Earth System Dynamics</i> , 2021, 12, 1015-1035.   | 2.7 | 49        |
| 82 | Local urban risk assessment of dry and hot hazards for planning mitigation measures. <i>Climate Risk Management</i> , 2021, 34, 100371.  | 1.6 | 4         |
| 83 | Climate Signals for Growth Variations of <i>F. sylvatica</i> , <i>P. abies</i> , and <i>P. sylvestris</i> in Southeast Germany over the Past 50 Years. <i>Forests</i> , 2021, 12, 1433.          | 0.9 | 12        |
| 84 | Drying conditions in Switzerland – indication from a 35-year Landsat time-series analysis of vegetation water content estimates to support SDGs. <i>Big Earth Data</i> , 0, , 1-31.              | 2.0 | 13        |
| 85 | MOSES: A Novel Observation System to Monitor Dynamic Events across Earth Compartments. <i>Bulletin of the American Meteorological Society</i> , 2022, 103, E339-E348.                            | 1.7 | 9         |
| 86 | 37 Years of Forest Monitoring in Switzerland: Drought Effects on <i>Fagus sylvatica</i> . <i>Frontiers in Forests and Global Change</i> , 2021, 4, .   | 1.0 | 14        |
| 87 | Quantifying drought effects in Central European grasslands through regression-based unmixing of intra-annual Sentinel-2 time series. <i>Remote Sensing of Environment</i> , 2022, 268, 112781.   | 4.6 | 25        |
| 88 | Amplified signals of soil moisture and evaporative stresses across Poland in the twenty-first century. <i>Science of the Total Environment</i> , 2022, 812, 151465.                              | 3.9 | 15        |
| 89 | TreeNet – The Biological Drought and Growth Indicator Network. <i>Frontiers in Forests and Global Change</i> , 2021, 4, .  | 1.0 | 13        |
| 90 | The Potential for Future Shifts in Tree Species Distribution Provided by Dispersal and Ecological Niches: A Comparison between Beech and Oak in Europe. <i>Sustainability</i> , 2021, 13, 13067. | 1.6 | 5         |
| 91 | Compound climate events increase tree drought mortality across European forests. <i>Science of the Total Environment</i> , 2022, 816, 151604.  | 3.9 | 69        |
| 92 | The European Forest Condition Monitor: Using Remotely Sensed Forest Greenness to Identify Hot Spots of Forest Decline. <i>Frontiers in Plant Science</i> , 2021, 12, 689220.                     | 1.7 | 14        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 93  | Leaf trait modification in European beech trees in response to climatic and edaphic drought. <i>Plant Biology</i> , 2022, 24, 1272-1286.  | 1.8 | 18        |
| 94  | Multi-Year Eddy-Covariance Measurements at a Pre-Alpine Humid Grassland Site: Dataset Overview, Drought Responses, and Effects of Land Management. <i>SSRN Electronic Journal</i> , 0, , .  | 0.4 | 0         |
| 95  | Non-native Douglas fir ( <i>Pseudotsuga menziesii</i> ) in Central Europe: Ecology, performance and nature conservation. <i>Forest Ecology and Management</i> , 2022, 506, 119956.  | 1.4 | 26        |
| 96  | Climatic conditions, not above- and belowground resource availability and uptake capacity, mediate tree diversity effects on productivity and stability. <i>Science of the Total Environment</i> , 2022, 812, 152560.                 | 3.9 | 8         |
| 97  | Diversification of <i>Molinia</i> -dominated blanket bogs using <i>Sphagnum</i> propagules. <i>Ecological Solutions and Evidence</i> , 2021, 2, .   | 0.8 | 0         |
| 98  | The 2018 European heatwave led to stem dehydration but not to consistent growth reductions in forests. <i>Nature Communications</i> , 2022, 13, 28.   | 5.8 | 66        |
| 99  | A First Assessment of Canopy Cover Loss in Germany's Forests after the 2018–2020 Drought Years. <i>Remote Sensing</i> , 2022, 14, 562.  | 1.8 | 38        |
| 100 | Heat and drought impact on carbon exchange in an age-sequence of temperate pine forests. <i>Ecological Processes</i> , 2022, 11, 7.   | 1.6 | 18        |
| 101 | Satellite data track spatial and temporal declines in European beech forest canopy characteristics associated with intense drought events in the RhÄn Biosphere Reserve, central Germany. <i>Plant Biology</i> , 2022, 24, 1120-1131. | 1.8 | 10        |
| 102 | Improved understanding of regional groundwater drought development through time series modelling: the 2018–2019 drought in the Netherlands. <i>Hydrology and Earth System Sciences</i> , 2022, 26, 551-569.                           | 1.9 | 20        |
| 103 | Disentangling carbon uptake and allocation in the stems of a spruce forest. <i>Environmental and Experimental Botany</i> , 2022, 196, 104787.   | 2.0 | 16        |
| 104 | Drought impacts in forest canopy and deciduous tree saplings in Central European forests. <i>Forest Ecology and Management</i> , 2022, 509, 120075.   | 1.4 | 17        |
| 105 | Woodchips or potato chips? How enhancing soil carbon and reducing chemical inputs influence the allocation of cropland. <i>Agricultural Systems</i> , 2022, 198, 103372.  | 3.2 | 2         |
| 106 | Linking different drought types in a small catchment from a statistical perspective – Case study of the Wernersbach catchment, Germany. <i>Journal of Hydrology X</i> , 2022, 15, 100122.   | 0.8 | 1         |
| 107 | Will forest dynamics continue to accelerate throughout the 21st century in the Northern Alps?. <i>Global Change Biology</i> , 2022, 28, 3260-3274.  | 4.2 | 11        |
| 108 | MASTREE+: Time-series of plant reproductive effort from six continents. <i>Global Change Biology</i> , 2022, 28, 3066-3082.   | 4.2 | 19        |
| 109 | Effect of Climate Change on the Growth of Tree Species: Dendroclimatological Analysis. <i>Forests</i> , 2022, 13, 496.  | 0.9 | 7         |
| 110 | The 2018 hot drought pushed conifer wood formation to the limit of its plasticity: Consequences for woody biomass production and tree ring structure. <i>Plant Biology</i> , 2022, 24, 1171-1185.                                     | 1.8 | 12        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 111 | Identification of typical ecohydrological behaviours using InSAR allows landscape-scale mapping of peatland condition. <i>Earth Surface Dynamics</i> , 2022, 10, 261-277.  | 1.0 | 12        |
| 112 | Record summers in Europe: Variations in drought and heavy precipitation during 1901–2018. <i>International Journal of Climatology</i> , 2022, 42, 6235-6257.   | 1.5 | 12        |
| 113 | Expansion and evaluation of two coupled root–shoot models in simulating CO <sub>2</sub> and H <sub>2</sub> O fluxes and growth of maize. <i>Vadose Zone Journal</i> , 2022, 21, .  | 1.3 | 6         |
| 114 | Increase in compound dry-warm and wet-warm events under global warming in CMIP6 models. <i>Global and Planetary Change</i> , 2022, 210, 103773.  | 1.6 | 25        |
| 115 | Assessment of Drought-Tolerant Provenances of Austria’s Indigenous Tree Species. <i>Sustainability</i> , 2022, 14, 2861.   | 1.6 | 0         |
| 116 | The role of species interactions for forest resilience to drought. <i>Plant Biology</i> , 2022, 24, 1098-1107.   | 1.8 | 36        |
| 117 | Satellite data reveal differential responses of Swiss forests to unprecedented 2018 drought. <i>Global Change Biology</i> , 2022, 28, 2956-2978.   | 4.2 | 28        |
| 118 | Severe drought can delay autumn senescence of silver birch in the current year but advance it in the next year. <i>Agricultural and Forest Meteorology</i> , 2022, 316, 108879.  | 1.9 | 7         |
| 119 | An environmental exploration system for visual scenario analysis of regional hydro-meteorological systems. <i>Computers and Graphics</i> , 2022, 103, 192-200.   | 1.4 | 4         |
| 120 | Cumulative growth and stress responses to the 2018–2019 drought in a European floodplain forest. <i>Global Change Biology</i> , 2022, 28, 1870-1883.   | 4.2 | 31        |
| 121 | Assessing effects of drought on tree mortality and productivity in European forests across two decades: a conceptual framework and preliminary results. <i>IOP Conference Series: Earth and Environmental Science</i> , 2021, 932, 012009.     | 0.2 | 3         |
| 122 | Effects of extreme meteorological conditions in 2018 on European methane emissions estimated using atmospheric inversions. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2022, 380, 20200443. | 1.6 | 4         |
| 123 | Long-Term Dynamics and Response to Climate Change of Different Vegetation Types Using GIMMS NDVI3g Data over Amathole District in South Africa. <i>Atmosphere</i> , 2022, 13, 620.   | 1.0 | 4         |
| 124 | Jet stream position explains regional anomalies in European beech forest productivity and tree growth. <i>Nature Communications</i> , 2022, 13, 2015.  | 5.8 | 8         |
| 125 | Climate change and modernization drive structural realignments in European grain production. <i>Scientific Reports</i> , 2022, 12, 7374.   | 1.6 | 12        |
| 126 | Potential of Biochar to Reduce Greenhouse Gas Emissions and Increase Nitrogen Use Efficiency in Boreal Arable Soils in the Long-Term. <i>Frontiers in Environmental Science</i> , 2022, 10, .  | 1.5 | 18        |
| 127 | Interactive effects of drought and edge exposure on old-growth forest understory species. <i>Landscape Ecology</i> , 2022, 37, 1839-1853.  | 1.9 | 8         |
| 128 | Growth resilience of conifer species decreases with early, long-lasting and intense droughts but cannot be explained by hydraulic traits. <i>Journal of Ecology</i> , 2022, 110, 2088-2104.  | 1.9 | 8         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 129 | Sentinel-1 SAR Backscatter Response to Agricultural Drought in The Netherlands. <i>Remote Sensing</i> , 2022, 14, 2435.   | 1.8 | 12        |
| 131 | Below Average Midsummer to Early Autumn Precipitation Evolved Into the Main Driver of Sudden Scots Pine Vitality Decline in the Swiss RhÁne Valley. <i>Frontiers in Forests and Global Change</i> , 0, 5, . | 1.0 | 11        |
| 132 | Impact of the North Seaâ€Caspian pattern on meteorological drought and vegetation response over diverging environmental systems in western Eurasia. <i>Ecohydrology</i> , 0, , .                            | 1.1 | 4         |
| 133 | Hemiboreal forestsâ€™ CO2 fluxes response to the European 2018 heatwave. <i>Agricultural and Forest Meteorology</i> , 2022, 323, 109042.  | 1.9 | 7         |
| 134 | Forest Adaptation Strategies to Reconcile Timber Production and Carbon Sequestration Objectives Under Multiple Risks of Extreme Drought and Windstorm Events. <i>SSRN Electronic Journal</i> , 0, , .       | 0.4 | 0         |
| 135 | A model framework to investigate the role of anomalous land surface processes in the amplification of summer drought across Ireland during 2018. <i>International Journal of Climatology</i> , 0, , .       | 1.5 | 0         |
| 136 | Geometric and radiometric evaluation of remote sensing information in virtual platforms. <i>Earth Science Informatics</i> , 0, , .  | 1.6 | 0         |
| 137 | Mapping Dominant Tree Species of German Forests. <i>Remote Sensing</i> , 2022, 14, 3330.  | 1.8 | 20        |
| 138 | Central European 2018 hot drought shifts scots pine forest to its tipping point. <i>Plant Biology</i> , 2022, 24, 1186-1197.  | 1.8 | 21        |
| 139 | Changing patterns of soil water content and relationship with national wheat and maize production in Europe. <i>European Journal of Agronomy</i> , 2022, 140, 126579.                                       | 1.9 | 3         |
| 140 | Towards improved understanding of cascading and interconnected risks from concurrent weather extremes: Analysis of historical heat and drought extreme events. , 2022, 1, e0000057.                         |     | 9         |
| 141 | The principle of space-for-time substitution in predicting <i>Picea</i> spp. biomass change under climate shifts. <i>Central European Forestry Journal</i> , 2022, 68, 174-189.                             | 0.2 | 3         |
| 142 | Impacts of Drought Stress and Mycorrhizal Inoculation on the Performance of Two Spring Wheat Cultivars. <i>Plants</i> , 2022, 11, 2187.   | 1.6 | 5         |
| 144 | Soil water depletion induces discrepancies between in situ measured vegetation indices and photosynthesis in a temperate heathland. <i>Agricultural and Forest Meteorology</i> , 2022, 324, 109110.         | 1.9 | 4         |
| 145 | Soil water stress at young urban street-tree sites in response to meteorology and site parameters. <i>Urban Forestry and Urban Greening</i> , 2022, 75, 127692.   | 2.3 | 6         |
| 146 | Soil moisture content retrieval over meadows from Sentinel-1 and Sentinel-2 data using physically based scattering models. <i>Remote Sensing of Environment</i> , 2022, 280, 113191.                        | 4.6 | 8         |
| 147 | Exceeding 1.5Â°C global warming could trigger multiple climate tipping points. <i>Science</i> , 2022, 377, .  | 6.0 | 562       |
| 148 | Is there a coherence in observed and projected changes in riverine low flow indices across Central Europe?. <i>Earth-Science Reviews</i> , 2022, 233, 104187.   | 4.0 | 7         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 149 | The imprint of hydroclimate, urbanization and catchment connectivity on the stable isotope dynamics of a large river in Berlin, Germany. <i>Journal of Hydrology</i> , 2022, 613, 128335.                          | 2.3  | 8         |
| 150 | Multi-year eddy-covariance measurements at a pre-alpine humid grassland site: Dataset overview, drought responses, and effects of land management. <i>Agricultural and Forest Meteorology</i> , 2022, 326, 109166. | 1.9  | 1         |
| 151 | Features predisposing forest to bark beetle outbreaks and their dynamics during drought. <i>Forest Ecology and Management</i> , 2022, 523, 120480.   | 1.4  | 12        |
| 152 | Automatized Spatio-Temporal Detection of Drought Impacts from Newspaper Articles Using Natural Language Processing and Machine Learning. <i>SSRN Electronic Journal</i> , 0, , .                                   | 0.4  | 1         |
| 153 | Past and Future Global Drought Assessment. <i>Water Resources Management</i> , 2022, 36, 5259-5276.  | 1.9  | 6         |
| 154 | Interactions between hot and dry fuel conditions and vegetation dynamics in the 2017 fire season in Portugal. <i>Environmental Research Letters</i> , 2022, 17, 095009.  | 2.2  | 2         |
| 155 | Climate Variability Impacts and Coping Strategies in Malipati Communal Area, Chiredzi District, Southeast Zimbabwe. <i>International Journal of Ecology</i> , 2022, 2022, 1-8.                                     | 0.3  | 0         |
| 156 | Trade-offs for Climate-smart Forestry in Europe Under Uncertain Future Climate. <i>Earth's Future</i> , 2022, 10, .  | 2.4  | 8         |
| 157 | Developing a parsimonious canopy model (PCM v1.0) to predict forest gross primary productivity and leaf area index of deciduous broad-leaved forest. <i>Geoscientific Model Development</i> , 2022, 15, 6957-6984. | 1.3  | 1         |
| 158 | Assessing the Economic Resilience of Different Management Systems to Severe Forest Disturbance. <i>Environmental and Resource Economics</i> , 2023, 84, 343-381.   | 1.5  | 11        |
| 159 | Long-term forest monitoring reveals constant mortality rise in European forests. <i>Plant Biology</i> , 2022, 24, 1108-1119.   | 1.8  | 19        |
| 160 | Attribution of surface ozone to NO <sub>x</sub> and volatile organic compound sources during two different high ozone events. <i>Atmospheric Chemistry and Physics</i> , 2022, 22, 11675-11699.                    | 1.9  | 6         |
| 161 | Douglas Fir Growth Is Constrained by Drought: Delineating the Climatic Limits of Timber Species under Seasonally Dry Conditions. <i>Forests</i> , 2022, 13, 1796.  | 0.9  | 3         |
| 162 | Vegetation impact on atmospheric moisture transport under increasing land-ocean temperature contrasts. <i>Heliyon</i> , 2022, 8, e11173.   | 1.4  | 5         |
| 163 | Root water uptake depth determines the hydraulic vulnerability of temperate European tree species during the extreme 2018 drought. <i>Plant Biology</i> , 2022, 24, 1224-1239.                                     | 1.8  | 14        |
| 164 | Light competition drives herbivore and nutrient effects on plant diversity. <i>Nature</i> , 2022, 611, 301-305.  | 13.7 | 45        |
| 165 | Blanket bog CO <sub>2</sub> flux driven by plant functional type during summer drought. <i>Ecohydrology</i> , 2023, 16, .  | 1.1  | 3         |
| 167 | Compound droughts and hot extremes: Characteristics, drivers, changes, and impacts. <i>Earth-Science Reviews</i> , 2022, 235, 104241.  | 4.0  | 33        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 168 | Grazing and light modify <i>Silene latifolia</i> responses to nutrients and future climate. <i>PLoS ONE</i> , 2022, 17, e0276789.   | 1.1 | 0         |
| 169 | Analysis of the relationship between yield in cereals and remotely sensed fAPAR in the framework of monitoring drought impacts in Europe. <i>Natural Hazards and Earth System Sciences</i> , 2022, 22, 3737-3750.         | 1.5 | 3         |
| 170 | Spatial vulnerability assessment of silver fir and Norway spruce dieback driven by climate warming. <i>Landscape Ecology</i> , 2023, 38, 341-361.   | 1.9 | 6         |
| 171 | Testing the Efficiency of the Push-and-Pull Strategy during Severe Ips typographus Outbreak and Extreme Drought in Norway Spruce Stands. <i>Forests</i> , 2022, 13, 2175.   | 0.9 | 2         |
| 172 | Changing climate sensitivity of secondary growth following extreme drought events in forest ecosystems: a global analysis. <i>Environmental Research Letters</i> , 2023, 18, 014021.                                      | 2.2 | 5         |
| 173 | Effects of dry spells on soil moisture and yield anomalies at a montane managed grassland site: A lysimeter climate experiment. <i>Ecohydrology</i> , 2023, 16, .   | 1.1 | 2         |
| 174 | Arbuscular Mycorrhizal Fungi for Enhanced Production and Crop Yield Under Changing Climate. <i>Advances in Environmental Engineering and Green Technologies Book Series</i> , 2023, , 115-147.                            | 0.3 | 0         |
| 175 | Analysis of factors influencing spatiotemporal differentiation of the NDVI in the upper and middle reaches of the Yellow River from 2000 to 2020. <i>Frontiers in Environmental Science</i> , 0, 10, .                    | 1.5 | 3         |
| 176 | When things get MESI: The Manipulation Experiments Synthesis Initiativeâ€”A coordinated effort to synthesize terrestrial global change experiments. <i>Global Change Biology</i> , 2023, 29, 1922-1938.                   | 4.2 | 4         |
| 177 | Effects of Extreme Drought and Heat Events on Leaf Metabolome of Black Alder ( <i>Alnus glutinosa</i> L.) Growing at Neighboring Sites with Different Water Availability. <i>Forests</i> , 2023, 14, 151.                 | 0.9 | 2         |
| 178 | A generalized framework for drought monitoring across Central European grassland gradients with Sentinel-2 time series. <i>Remote Sensing of Environment</i> , 2023, 286, 113449.   | 4.6 | 4         |
| 179 | A New Method for Sequential Fractionation of Nitrogen in Drained Organic (Peat) Soils. <i>International Journal of Environmental Research and Public Health</i> , 2023, 20, 2367.   | 1.2 | 4         |
| 180 | Distinct Responses of European Beech ( <i>Fagus sylvatica</i> L.) to Drought Intensity and Lengthâ€”A Review of the Impacts of the 2003 and 2018â€”2019 Drought Events in Central Europe. <i>Forests</i> , 2023, 14, 248. | 0.9 | 8         |
| 181 | Present and future heat stress of preschoolers in five Swedish cities. <i>Climate Risk Management</i> , 2023, 40, 100508.   | 1.6 | 4         |
| 182 | Large Variability in Simulated Response of Vegetation Composition and Carbon Dynamics to Variations in Droughtâ€”Heat Occurrence. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2023, 128, .                 | 1.3 | 3         |
| 183 | UAV-based reference data for the prediction of fractional cover of standing deadwood from Sentinel time series. <i>ISPRS Open Journal of Photogrammetry and Remote Sensing</i> , 2023, 8, 100034.                         | 1.3 | 5         |
| 184 | Variability and drivers of grassland sensitivity to drought at different timescales using satellite image time series. <i>Agricultural and Forest Meteorology</i> , 2023, 331, 109325.                                    | 1.9 | 5         |
| 185 | Resource-based growth models reveal opportunities to mitigate climate change effects on beech regeneration by silvicultural measures. <i>Forest Ecology and Management</i> , 2023, 532, 120815.                           | 1.4 | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 186 | European forests under global climate change: Review of tree growth processes, crises and management strategies. <i>Journal of Environmental Management</i> , 2023, 332, 117353.                              | 3.8 | 31        |
| 187 | Cross-sectoral impacts of the 2018–2019 Central European drought and climate resilience in the German part of the Elbe River basin. <i>Regional Environmental Change</i> , 2023, 23, .                        | 1.4 | 9         |
| 188 | Where should hydrology go? An early-career perspective on the next IAHS Scientific Decade: 2023–2032. <i>Hydrological Sciences Journal</i> , 2023, 68, 529-541.   | 1.2 | 3         |
| 189 | Potential of Sentinel-1 SAR to Assess Damage in Drought-Affected Temperate Deciduous Broadleaf Forests. <i>Remote Sensing</i> , 2023, 15, 1004.   | 1.8 | 4         |
| 190 | An event-oriented database of meteorological droughts in Europe based on spatio-temporal clustering. <i>Scientific Reports</i> , 2023, 13, .  | 1.6 | 1         |
| 191 | Forest edge effects on moss growth are amplified by drought. <i>Ecological Applications</i> , 0, , .  | 1.8 | 2         |
| 192 | Towards a General Monitoring System for Terrestrial Primary Production: A Test Spanning the European Drought of 2018. <i>Remote Sensing</i> , 2023, 15, 1693.   | 1.8 | 2         |
| 193 | Vegetation changes at oligotrophic grasslands managed for a declining butterfly. <i>Nature Conservation</i> , 0, 52, 23-46.   | 0.0 | 2         |
| 194 | Melting Alpine Water Towers Aggravate Downstream Low Flows: A Stress-Test Storyline Approach. <i>Earth's Future</i> , 2023, 11, .   | 2.4 | 1         |
| 195 | Meteorological history of low-forest-greenness events in Europe in 2002–2022. <i>Biogeosciences</i> , 2023, 20, 1155-1180.  | 1.3 | 4         |
| 196 | Towards precision forestry: Drought response from remote sensing-based disturbance monitoring and fine-scale soil information in Central Europe. <i>Science of the Total Environment</i> , 2023, 880, 163114. | 3.9 | 1         |
| 197 | Forest Structure Characterization in Germany: Novel Products and Analysis Based on GEDI, Sentinel-1 and Sentinel-2 Data. <i>Remote Sensing</i> , 2023, 15, 1969.  | 1.8 | 7         |
| 198 | A Record-Setting 2021 Heat Wave in Western Canada Had a Significant Temporary Impact on Greenness of the World's Largest Protected Temperate Rainforest. <i>Remote Sensing</i> , 2023, 15, 2162.              | 1.8 | 0         |
| 232 | Multi-Frequency Radiometry for Multi-Year Monitoring of Relative Water Content In A Temperate Forest. , 2023, , .   |     | 0         |
| 258 | Agronomic practices for storing soil carbon and reducing greenhouse gas emission in the Mediterranean region. , 2024, , 445-480.  |     | 0         |