

Are Data from Mycotoxins' Urinary Biomarkers and F Underneath Risk Assessment

Food Reviews International

37, 373-398

DOI: [10.1080/87559129.2019.1709200](https://doi.org/10.1080/87559129.2019.1709200)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Food Consumption Data as a Tool to Estimate Exposure to Mycoestrogens. Toxins, 2020, 12, 118.	1.5	10
2	The Usefulness of Human Biomonitoring in the Case of Mycotoxins Exposure Assessment. , 2021, , 176-179.		2
3	Deoxynivalenol exposure assessment through a modelling approach of food intake and biomonitoring data " A contribution to the risk assessment of an enteropathogenic mycotoxin. Food Research International, 2021, 140, 109863.	2.9	12
4	Assessment of Mycotoxin Exposure in a Rural County of Chile by Urinary Biomarker Determination. Toxins, 2021, 13, 439.	1.5	10
5	Implications of Mycotoxins in Food Safety. , 0, , .		4
6	earlyMYCO: A Pilot Mother-Child Cohort Study to Assess Early-Life Exposure to Mycotoxins"Challenges and Lessons Learned. International Journal of Environmental Research and Public Health, 2022, 19, 7716.	1.2	2
7	How to use human biomonitoring in chemical risk assessment: Methodological aspects, recommendations, and lessons learned from HBM4EU. International Journal of Hygiene and Environmental Health, 2023, 249, 114139.	2.1	5