Cold Application and Exercise on Development of Perip Chemotherapy in Breast Cancer Patients: A Randomize

Asia-Pacific Journal of Oncology Nursing 8, 255-268 DOI: 10.4103/apjon.apjon-2075

Citation Report

#	Article	IF	CITATIONS
1	Corneal nerve changes following treatment with neurotoxic anticancer drugs. Ocular Surface, 2021, 21, 221-237.	4.4	7
2	Optimal outcome measures for assessing exercise and rehabilitation approaches in chemotherapy-induced peripheral-neurotoxicity: Systematic review and consensus expert opinion. Expert Review of Neurotherapeutics, 2022, 22, 65-76.	2.8	11
3	Rehabilitation, exercise, and related non-pharmacological interventions for chemotherapy-induced peripheral neurotoxicity: Systematic review and evidence-based recommendations. Critical Reviews in Oncology/Hematology, 2022, 171, 103575.	4.4	18
4	The use of photobiomodulation therapy for the prevention of chemotherapy-induced peripheral neuropathy: a randomized, placebo-controlled pilot trial (NEUROLASER trial). Supportive Care in Cancer, 2022, 30, 5509-5517.	2.2	6
5	Alternative Therapies for Chemotherapy-Induced Peripheral Neuropathy. , 2022, , 401-446.		0
6	Psychometric Properties of the Korean Version of the Chemotherapy-Induced Peripheral Neuropathy Assessment Tool. Research and Theory for Nursing Practice, 0, , RTNP-2022-0037.R1.	0.4	1
7	Influence of vibrotactile random noise on the smoothness of the grasp movement in patients with chemotherapy-induced peripheral neuropathy. Experimental Brain Research, 2023, 241, 407-415.	1.5	1
8	Wellbeing and Complementary Therapies in Breast Cancer Peripheral Neuropathy Care: A Scoping Review Focused on Foot Health. Cancers, 2023, 15, 2110.	3.7	1
9	Framework to leverage physical therapists for the assessment and treatment of chemotherapy-induced peripheral neurotoxicity (CIPN). Supportive Care in Cancer, 2023, 31, .	2.2	1
10	Foot Health in People with Cancer Undergoing Chemotherapy: A Scoping Review. Healthcare (Switzerland), 2023, 11, 1588.	2.0	1
11	Efficacy of cryotherapy on chemotherapy-induced peripheral neuropathy in patients with breast cancer: a propensity score-matched study. Annals of Medicine and Surgery, 2023, 85, 2695-2703.	1.1	3
12	Effect of exercise before and/or during taxane-containing chemotherapy treatment on chemotherapy-induced peripheral neuropathy symptoms in women with breast cancer: systematic review and meta-analysis. Journal of Cancer Survivorship, 0, , .	2.9	3
13	Effectiveness of physiotherapy interventions on improving quality of life, total neuropathy score, strength and reducing pain in cancer survivors suffering from chemotherapy-induced peripheral neuropathy – a systematic review. Acta Oncológica, 2023, 62, 1143-1151.	1.8	1
14	Effectiveness of Nonpharmacologic Interventions for Chemotherapy-Induced Peripheral Neuropathy in Patients With Breast Cancer. Cancer Nursing, 0, , .	1.5	0
15	The Future of Chemotherapy: The Mechanisms and Benefits of Exercise in Taxane-Induced Peripheral Neuropathy. Physiologia, 2023, 3, 563-584.	2.2	0
17	Updated systematic review of the effects of exercise on understudied health outcomes in cancer survivors. Cancer Medicine, 0, , .	2.8	2
18	Cryotherapy for prevention of chemotherapy induced peripheral neuropathy in breast cancer. Critical Reviews in Oncology/Hematology, 2024, 194, 104244.	4.4	0
19	Exercise for reducing chemotherapy-induced peripheral neuropathy: a systematic review and meta-analysis of randomized controlled trials. Frontiers in Neurology, 0, 14, .	2.4	0

#	Article	IF	CITATIONS
20	High-Intensity Pulsed Magnetotherapy in the Rehabilitation Programme of Patients with Chemotherapy-Induced Peripheral Polyneuropathy: a Prospective Randomized Clinical Study. Bulletin of Restorative Medicine, 2024, 22, 72-82.	0.0	0
21	Exercise intervention for the management of chemotherapy-induced peripheral neuropathy: a systematic review and network meta-analysis. Frontiers in Neurology, 0, 15, .	2.4	ο
22	Physiotherapy management of breast cancer treatment-related sequelae. Journal of Physiotherapy, 2024, 70, 90-105.	1.7	0