## Effects of the COVID-19 pandemic on primary care-record episodes in the UK: a population-based cohort study

Lancet Public Health, The 6, e124-e135 DOI: 10.1016/s2468-2667(20)30288-7

**Citation Report** 

#	Article	IF	CITATIONS
1	Effects of the COVID-19 pandemic on self-harm. Lancet Psychiatry,the, 2021, 8, e4.	7.4	27
2	The effect of rapidly discharging psychiatric inpatients from Mental Health Act section during COVID-19: a cohort study. Epidemiology and Psychiatric Sciences, 2021, 30, e54.	3.9	Ο
4	Mental health of children and young people during pandemic. BMJ, The, 2021, 372, n614.	6.0	136
5	Suicide prevention and COVID-19: the role of primary care during the pandemic and beyond. British Journal of General Practice, 2021, 71, 200-201.	1.4	5
6	Geographic variability in homicide rates following the COVID-19 pandemic. Forensic Science, Medicine, and Pathology, 2021, 17, 419-421.	1.4	3
7	Hospitalizations for suicide attempt during the first COVIDâ€19 lockdown in France. Acta Psychiatrica Scandinavica, 2021, 143, 535-536.	4.5	17
8	Mental health support through primary care during and after covid-19. BMJ, The, 2021, 373, n1064.	6.0	16
9	Suicide prevention training. British Dental Journal, 2021, 230, 558-558.	0.6	0
11	EAP and ECPCP Statement Risks for Children's Health During the COVID-19 Pandemic and a Call for Maintenance of Essential Pediatric Services. Frontiers in Pediatrics, 2021, 9, 679803.	1.9	6
13	The impact of the COVID-19 pandemic on self-harm and suicidal behaviour: update of living systematic review. F1000Research, 2020, 9, 1097.	1.6	123
15	Debate: The toll of the COVIDâ€19 pandemic on children's risk for suicidal thoughts and behaviors. Child and Adolescent Mental Health, 2021, 26, 274-275.	3.5	5
16	Debate: Is there a true global children and young people's mental health crisis, fact or fiction?. Child and Adolescent Mental Health, 2021, 26, 272-273.	3.5	3
17	Teaching psychiatry to medical students in the time of COVID-19: experiences from UK medical schools. BJPsych Bulletin, 2022, 46, 342-351.	1.1	5
19	The complex picture of self-harm during the COVID-19 pandemic. Lancet Regional Health - Europe, The, 2021, 6, 100123.	5.6	4
20	Mental health responses to the COVID-19 pandemic: a latent class trajectory analysis using longitudinal UK data. Lancet Psychiatry,the, 2021, 8, 610-619.	7.4	268
21	Suicide Risk and Prevention During the COVID-19 Pandemic: One Year On. Archives of Suicide Research, 2022, 26, 1944-1949.	2.3	42
22	Self-Harm in Aviation Medicine—A Complex Challenge During a Pandemic. Frontiers in Public Health, 2021, 9, 681618.	2.7	4
23	Analysis of primary care prescription trends in England during the COVID-19 pandemic compared against a predictive model. Family Medicine and Community Health, 2021, 9, e001143.	1.6	20

TATION PEDO

CITATION REPORT

#	Article	IF	CITATIONS
24	Changes in the top 25 reasons for primary care visits during the COVID-19 pandemic in a high-COVID region of Canada. PLoS ONE, 2021, 16, e0255992.	2.5	53
25	COVID-19 and the Blitz compared: mental health outcomes in the UK. Lancet Psychiatry,the, 2021, 8, 708-716.	7.4	5
26	Effects of the first COVID-19 lockdown on quality and safety in mental healthcare transitions in England. BJPsych Open, 2021, 7, e156.	0.7	7
30	Disability-Adjusted Life Years for the COVID-19 Pandemic in the Mexican Population. Frontiers in Public Health, 2021, 9, 686700.	2.7	18
31	What can internet users' behaviours reveal about the mental health impacts of the COVID-19 pandemic? A systematic review. Public Health, 2021, 198, 44-52.	2.9	43
32	Challenge of optimising medication in people with severe mental illness. BMJ Quality and Safety, 2021, , bmjqs-2021-013847.	3.7	3
33	Psychiatric Admissions, Referrals, and Suicidal Behavior Before and During the COVIDâ€19 Pandemic in Denmark: A Timeâ€Trend Study. Acta Psychiatrica Scandinavica, 2021, 144, 553-562.	4.5	42
34	Innovations in suicide assessment and prevention during pandemics. Public Health Research and Practice, 2021, 31, .	1.5	5
35	Higher incidence of Ménière's disease during COVID-19 pandemic: a preliminary report. Acta Oto-Laryngologica, 2021, 141, 921-924.	0.9	15
36	The COVID-19 disaster and mental health—assessing, responding and recovering. European Journal of Public Health, 2021, 31, iv31-iv35.	0.3	43
37	Loneliness in older adult mental health services during the COVIDâ€19 pandemic and before: Associations with disability, functioning and pharmacotherapy. International Journal of Geriatric Psychiatry, 2022, 37, .	2.7	19
38	Attempted suicide rates before and during the COVID-19 pandemic: interrupted time series analysis of a nationally representative sample. Psychological Medicine, 2023, 53, 2485-2491.	4.5	22
39	The Interplay between Housing Environmental Attributes and Design Exposures and Psychoneuroimmunology Profile—An Exploratory Review and Analysis Paper in the Cancer Survivors' Mental Health Morbidity Context. International Journal of Environmental Research and Public Health, 2021, 18, 10891.	2.6	6
40	Impact of COVID-19 restrictions on diabetes health checks and prescribing for people with type 2 diabetes: a UK-wide cohort study involving 618 161 people in primary care. BMJ Quality and Safety, 2022, 31, 503-514.	3.7	53
41	COVID-19: responding to a pandemic on Operation TORAL. BMJ Military Health, 2023, 169, 475-478.	0.9	1
42	Australian Mental Health Consumers' Experiences of Service Engagement and Disengagement: A Descriptive Study. International Journal of Environmental Research and Public Health, 2021, 18, 10464.	2.6	6
43	Behavioural activation to prevent depression and loneliness among socially isolated older people with long-term conditions: The BASIL COVID-19 pilot randomised controlled trial. PLoS Medicine, 2021, 18, e1003779.	8.4	31
44	Time trend analysis of social inequalities in psychological distress among young adults before and during the pandemic: evidence from the UK Household Longitudinal Study COVID-19 waves. Journal of Epidemiology and Community Health, 2022, 76, 421-427.	3.7	13

#	Article	IF	CITATIONS
45	Temporal trends in primary care-recorded self-harm during and beyond the first year of the COVID-19 pandemic: Time series analysis of electronic healthcare records for 2.8 million patients in the Greater Manchester Care Record. EClinicalMedicine, 2021, 41, 101175.	7.1	25
46	The Cost Effectiveness of Ecotherapy as a Healthcare Intervention, Separating the Wood from the Trees. International Journal of Environmental Research and Public Health, 2021, 18, 11599.	2.6	10
47	Mental distress among young adults in Great Britain: long-term trends and early changes during the COVID-19 pandemic. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 1261-1272.	3.1	24
48	Increase in Anxiety-Related Out-of-Hours Primary Care Consultations Since COVID-19: An Observational Study Using Routine Data in Flanders. , 2021, 1, .		0
49	Adolescent psychiatric outpatient care rapidly switched to remote visits during the COVID-19 pandemic. BMC Psychiatry, 2021, 21, 586.	2.6	6
50	Prevalence and determinants of healthcare avoidance during the COVID-19 pandemic: A population-based cross-sectional study. PLoS Medicine, 2021, 18, e1003854.	8.4	65
52	Impact of the COVID-19 Pandemic on the General Mental Health in Sweden: No Observed Changes in the Dispensed Amount of Common Psychotropic Medications in the Region of Scania. Frontiers in Psychiatry, 2021, 12, 731297.	2.6	7
53	Child suicide rates during the COVID-19 pandemic in England. Journal of Affective Disorders Reports, 2021, 6, 100273.	1.7	23
54	The Mental Health and Social Media Use of Young Australians during the COVID-19 Pandemic. International Journal of Environmental Research and Public Health, 2022, 19, 1077.	2.6	28
56	Impact of Workplace on the Risk of Severe COVID-19. Frontiers in Public Health, 2021, 9, 731239.	2.7	3
57	A retrospective analysis of patient flow in mental health services for older adults in South London during the COVID-19 pandemic. International Psychogeriatrics, 2022, 34, 297-298.	1.0	4
58	Mental Health During the First Year of the COVID-19 Pandemic: A Review and Recommendations for Moving Forward. Perspectives on Psychological Science, 2022, 17, 915-936.	9.0	255
59	Behavioral Health Diagnoses and Health Care Use Before and During the COVID-19 Pandemic. Psychiatric Services, 2022, 73, 801-804.	2.0	2
60	The times, they are a-changin': tracking shifts in mental health signals from early phase to later phase of the COVID-19 pandemic in Australia. BMJ Clobal Health, 2022, 7, e007081.	4.7	10
61	Antidepressants Drug Use during COVID-19 Waves in the Tuscan General Population: An Interrupted Time-Series Analysis. Journal of Personalized Medicine, 2022, 12, 178.	2.5	8
62	Crisis Response and Suicidal Patterns in U.S. Youth Before and During COVID-19: A Latent Class Analysis. Journal of Adolescent Health, 2022, 70, 48-56.	2.5	21
63	The association between COVID-19-related fear and reported self-harm in a national survey of people with a lifetime history of self-harm. BMC Psychiatry, 2022, 22, 68.	2.6	2
65	Medical Psychotropics in Forensic Autopsies in European Countries: Results from a Three-Year Retrospective Study in Spain. Toxics, 2022, 10, 64.	3.7	2

CITATION REPORT

#	Article	IF	CITATIONS
66	ANALYSIS OF MENTAL HEALTH IN PATIENTS, WHO HAVE HAD SARS COV-2 AT THE PRIMARY LEVEL OF HEALTH CARE. Wiadomości Lekarskie, 2022, 75, 39-46.	0.3	1
67	Subjective experiences of the first response to mental health crises in the community: a qualitative systematic review. BMJ Open, 2022, 12, e055393.	1.9	4
68	The potential of general practice to support young people who self-harm: a narrative review. BJGP Open, 2022, , BJGPO.2021.0159.	1.8	1
69	Lessons learned from psychosocial support and mental health surveys during the 10 years since the Great East Japan Earthquake: Establishing evidenceâ€based disaster psychiatry. Psychiatry and Clinical Neurosciences, 2022, 76, 212-221.	1.8	8
71	Changes in antidepressant use in Australia: A nationwide analysis (2015–2021). Australian and New Zealand Journal of Psychiatry, 2023, 57, 49-57.	2.3	18
72	Primary care clinical management following self-harm during the first wave of COVID-19 in the UK: population-based cohort study. BMJ Open, 2022, 12, e052613.	1.9	4
73	Growth in emergency department self-harm or suicidal ideation presentations in young people: Comparing trends before and since the COVID-19 first wave in New South Wales, Australia. Australian and New Zealand Journal of Psychiatry, 2023, 57, 58-68.	2.3	39
74	Is fear of COVID-19 higher in individuals residing in more deprived areas? A nationwide study. Journal of Public Health, 2022, , .	1.8	1
75	Self-harm in people experiencing homelessness: investigation of incidence, characteristics and outcomes using data from the Multicentre Study of Self-Harm in England. BJPsych Open, 2022, 8, e74.	0.7	6
77	COVID-19 and resilience of healthcare systems in ten countries. Nature Medicine, 2022, 28, 1314-1324.	30.7	164
78	Mental health research in the Arab region in response to the COVID-19 pandemic: a scoping review. Annals of General Psychiatry, 2022, 35, e100590.	3.1	1
79	Primary care and cancer: an analysis of the impact and inequalities of the COVID-19 pandemic on patient pathways. BMJ Open, 2022, 12, e059374.	1.9	27
80	Behavioural Activation for Social IsoLation (BASIL+) trial (Behavioural activation to mitigate) Tj ETQq0 0 0 rgBT /C fully-powered pragmatic randomised controlled trial. PLoS ONE, 2022, 17, e0263856.	Overlock 1 2.5	.0 Tf 50 267 T 7
82	Impact of the COVID-19 pandemic on diagnoses of common mental health disorders in adults in Catalonia, Spain: a population-based cohort study. BMJ Open, 2022, 12, e057866.	1.9	7
83	A randomised controlled trial investigating the clinical and cost-effectiveness of Alpha-Stim AID cranial electrotherapy stimulation (CES) in patients seeking treatment for moderate severity depression in primary care (Alpha-Stim-D Trial). Trials, 2022, 23, 250.	1.6	3
84	The prevalence and incidence of major depressive disorder in 8079 Chinese university freshmen before and during COVID-19. Journal of Affective Disorders, 2022, 307, 62-68.	4.1	5
85	Correlates of suicidal ideation related to the COVID-19 Pandemic: Repeated cross-sectional nationally representative Canadian data. SSM - Population Health, 2021, 16, 100988.	2.7	11
86	Changes in the Diagnosis of Stroke and Cardiovascular Conditions in Primary Care During the First 2 COVID-19 Waves in the Netherlands. Neurology, 2022, 98, e564-e572.	1.1	9

#	Article	IF	CITATIONS
87	The interaction between social factors and adversities on self-harm during the COVID-19 pandemic: longitudinal analysis of 49 227 UK adults. BJPsych Open, 2022, 8, e12.	0.7	3
88	Suicide and other causes of death among working-age and older adults in the year after discharge from in-patient mental healthcare in England: matched cohort study. British Journal of Psychiatry, 2022, 221, 468-475.	2.8	6
89	COVID-19 lockdowns and incidence of psychoactive substance exposure according to age and sex. Clinical Toxicology, 2022, 60, 596-601.	1.9	3
91	Risk factors for excess all-cause mortality during the first wave of the COVID-19 pandemic in England: A retrospective cohort study of primary care data. PLoS ONE, 2021, 16, e0260381.	2.5	13
92	Suicide and Suicide Attempts Among Patients Attending Primary Health Care Facilities in Uganda: A Medical Records Review. Risk Management and Healthcare Policy, 2022, Volume 15, 703-711.	2.5	11
93	How Did the COVID-19 Pandemic Affect the Use of Emergency Medical Services by Patients Experiencing Mental Health Crises?. Healthcare (Switzerland), 2022, 10, 716.	2.0	1
94	Suicide trends in Norway during the first year of the Covid-19 pandemic. A register-based cohort study. European Psychiatry, 2022, , 1-24.	0.2	11
95	Examining drivers of selfâ€harm guideline implementation by general practitioners: A qualitative analysis using the theoretical domains framework. British Journal of Health Psychology, 2022, , .	3.5	3
96	Suicide and death by other causes among patients with a severe mental illness: cohort study comparing risks among patients discharged from inpatient care <i>v</i> . those treated in the community. Epidemiology and Psychiatric Sciences, 2022, 31, e32.	3.9	2
97	Healthcare contacts with self-harm during COVID-19: An e-cohort whole-population-based study using individual-level linked routine electronic health records in Wales, UK, 2016—March 2021. PLoS ONE, 2022, 17, e0266967.	2.5	11
98	Changes and Challenges in Inpatient Mental Health Care During the First Two High Incidence Phases of the COVID-19 Pandemic in Germany – Results From the COVID Î <sup>°</sup> Psychiatry Survey. Frontiers in Psychiatry, 2022, 13, 855040.	2.6	5
99	Trends in suicide attempts and suicide deaths before and during the COVID-19 pandemic in New Taipei City, Taiwan: an interrupted time-series analysis. Psychological Medicine, 2023, 53, 4364-4372.	4.5	2
100	Mental Health Presentations Across Health Care Settings During the First 9 Months of the COVID-19 Pandemic in England: Retrospective Observational Study. JMIR Public Health and Surveillance, 2022, 8, e32347.	2.6	3
101	Analysis of Firearm Violence During the COVID-19 Pandemic in the US. JAMA Network Open, 2022, 5, e229393.	5.9	23
102	The early impact of the COVID-19 pandemic on patients with severe mental illness: An interrupted time-series study in South-East England. European Psychiatry, 2022, 65, 1-15.	0.2	6
103	Mental Health and the COVID-19 Pandemic Evidence from Antidepressant Prescriptions in General Practices in England. SSRN Electronic Journal, 0, , .	0.4	0
106	Feasibility of Extracting Meaningful Patient Centered Outcomes From the Electronic Health Record Following Critical Illness in the Elderly. Frontiers in Medicine, 0, 9, .	2.6	1
107	Pediatric mental health emergency visits during the COVID-19 pandemic. Scandinavian Journal of Child and Adolescent Psychiatry and Psychology, 2022, 10, 53-57.	0.6	5

#	Article	IF	CITATIONS
109	Locked in and locked out: sequelae of a pandemic for distressed and vulnerable teenagers in Ireland. Irish Journal of Medical Science, 2023, 192, 1419-1426.	1.5	3
110	Development and Evaluation of an eLearning Training Module to Improve United Kingdom Secondary School Teachers' Knowledge and Confidence in Supporting Young People Who Self-Harm. Frontiers in Education, 0, 7, .	2.1	Ο
111	Utilization and Acceptability of Formal and Informal Support for Adolescents Following Self-Harm Before and During the First COVID-19 Lockdown: Results From a Large-Scale English Schools Survey. Frontiers in Psychiatry, 0, 13, .	2.6	10
112	Does Change in Physical Activity During the Initial Phase of the COVID-19 Pandemic Predict Psychological Symptoms in Physically Active Adults? A Six-Month Longitudinal Study. International Journal of Public Health, 0, 67, .	2.3	Ο
113	Comparisons of mental health symptoms, treatment access, and self-harm behaviors in rural adolescents before and during the COVID-19 pandemic. European Child and Adolescent Psychiatry, 2023, 32, 1051-1060.	4.7	11
114	The impact of the COVID-19 pandemic on presentations to health services following self-harm: systematic review. British Journal of Psychiatry, 2022, 221, 603-612.	2.8	17
115	Increased antidepressant use during the COVID-19 pandemic: Findings from the Friuli Venezia Giulia region, Italy, 2015–2020. Psychiatry Research, 2022, 315, 114704.	3.3	9
116	Trends and Geographic Variabilities in Benzodiazepines Prescription in Primary Care to Older Adults: A 3-Year Population-Based Ecological Study in Portugal. Healthcare (Switzerland), 2022, 10, 1342.	2.0	1
117	Depression, anxiety, substance misuse and self-harm in children and young people with rare chronic liver disease. BJPsych Open, 2022, 8, .	0.7	2
118	Changes in the clustering of health-related behaviors during the COVID-19 pandemic: examining predictors using latent transition analysis. BMC Public Health, 2022, 22, .	2.9	1
119	Presentations of children to emergency departments across Europe and the COVID-19 pandemic: A multinational observational study. PLoS Medicine, 2022, 19, e1003974.	8.4	16
120	Hospitalizations for Anorexia Nervosa during the COVID-19 Pandemic in France: A Nationwide Population-Based Study. Journal of Clinical Medicine, 2022, 11, 4787.	2.4	7
121	The Impact of the COVID-19 Pandemic on Calls to a National Suicide Prevention Hotline in Taiwan: An Analysis of Time Trend and Characteristics of Calls. Archives of Suicide Research, 2023, 27, 1245-1260.	2.3	2
122	Alprazolam-related deaths in Scotland, 2004–2020. Journal of Psychopharmacology, 2022, 36, 1020-1035.	4.0	6
123	Reasons and trends in youth's suicide rates during the COVID-19 pandemic. The Lancet Regional Health - Western Pacific, 2022, 27, 100567.	2.9	25
124	Effects of the COVID-19 pandemic on suicide attempts in a rural region in Germany, a 5-year observational study. Journal of Affective Disorders, 2022, 318, 393-399.	4.1	3
125	The COVID-19 pandemic and child and adolescent mental health—what has been learned and lessons for the future. , 2023, , 111-144.		0
126	Psychological Impacts of the COVID-19 Pandemic. , 2022, , 205-240.		Ο

#	Article	IF	CITATIONS
127	Temporal trends in calls for suicide attempts to poison control centers in France during the COVID-19 pandemic: a nationwide study. European Journal of Epidemiology, 2022, 37, 901-913.	5.7	12
128	Loneliness and self-harm in adolescents during the first national COVID-19 lockdown: results from a survey of 10,000 secondary school pupils in England. Current Psychology, 0, , .	2.8	9
131	Expanding Perspectives on Integrative Medicine: Promoting Global Health in the COVID-19 Era. , 2022, 1, 1-2.		0
132	Use of anxiolytics and hypnotic drugs during COVID-19 pandemic: The literature review. Medicinski Podmladak, 2022, 73, 12-17.	0.0	Ο
133	The impact of the first UK COVIDâ€19 lockdown on presentations with psychosis to mental health services for older adults: An electronic health records study in South London. International Journal of Geriatric Psychiatry, 2022, 37, .	2.7	2
134	COMPARISON OF REFERRALS TO A UNIVERSITY CHILD AND ADOLESCENT PSYCHIATRY OUT-PATIENT UNIT BEFORE AND DURING THE COVID-19 PANDEMIC. Kocatepe Tıp Dergisi, 2022, 23, 406-413.	0.1	0
135	Predictors and Consequences of Not Seeking Healthcare during the COVID-19 Pandemic: Findings from the HEAF Cohort. International Journal of Environmental Research and Public Health, 2022, 19, 13271.	2.6	0
136	Utilization of antidepressants, anxiolytics, and hypnotics during the COVID-19 pandemic in Scandinavia. Journal of Affective Disorders, 2023, 323, 292-298.	4.1	13
137	A global portrait of expressed mental health signals towards COVID-19 in social media space. International Journal of Applied Earth Observation and Geoinformation, 2023, 116, 103160.	1.9	2
138	Use of path analysis to predict changes to community pharmacy and GP emergency hormonal contraception (EHC) provision in England. BMJ Open, 2022, 12, e059039.	1.9	1
139	The experience of primary care teams during the early phase of COVID-19: A qualitative study of primary care practice leaders in Ontario, Canada. , 2022, 23, .		2
140	Trends and characteristics of attempted and completed suicides reported to general practitioners before vs during the COVID-19 pandemic in France: Data from a nationwide monitoring system, 2010–2022. PLoS ONE, 2022, 17, e0278266.	2.5	1
141	Prevalence of Depression and Related Factors among Patients with Chronic Disease during the COVID-19 Pandemic: A Systematic Review and Meta-Analysis. Diagnostics, 2022, 12, 3094.	2.6	6
143	Differential impact of the COVID-19 pandemic on primary care utilization related to common mental disorders in four European countries: A retrospective observational study. Frontiers in Psychiatry, 0, 13, .	2.6	0
144	The Impact of the COVID-19 Pandemic on the Registration and Care Provision of Mental Health Problems in General Practice: Registry-Based Study. JMIR Public Health and Surveillance, 0, 9, e43049.	2.6	1
145	Self-injury, suicidality and eating disorder symptoms in young adults following COVID-19 lockdowns in Denmark. Nature Human Behaviour, 2023, 7, 411-419.	12.0	10
146	Compassionate Care Within the Primary Health Care Setting: Before and During a Public Health Crisis. , 2023, , 43-59.		0
147	Impact of COVID-19 pandemic on incidence of long-term conditions in Wales: a population data linkage study using primary and secondary care health records. British Journal of General Practice, 2023, 73,	1.4	5

CITATION REPORT

ARTICLE IF CITATIONS Trends in incident diagnoses and drug prescriptions for anxiety and depression during the COVID-19 148 4.8 1 pandemic: an 18-month follow-up study based on the UK Biobank. Translational Psychiatry, 2023, 13, . Impact of COVID-19 lockdown on patient-provider electronic communications. Journal of Telemedicine 149 2.7 and Telecare, 0, , 1357633X2211468. Changes in prescription drug abuse during the COVID-19 pandemic evidenced in the Catalan pharmacies. 150 2.7 3 Frontiers in Public Health, 0, 11, . Rates of Antipsychotic Drug Prescribing Among People Living With Dementia During the COVID-19 Pandemic. JAMA Psychiatry, 2023, 80, 211. OpenSAFELY NHS Service Restoration Observatory 2: changes in primary care clinical activity in 153 3 1.4 England during the COVID-19 pandemic. British Journal of General Practice, 2023, 73, e318-e331. Mental health inequalities during the second COVID-19 wave among Millennials who grew up in England: Evidence from the Next Steps cohort study. Journal of Affective Disorders, 2023, 327, 23-30. 4.1 Impact of the COVID-19 pandemic on incidence of tics in children and young people: a population-based 155 7.1 5 cohort study. EClinicalMedicine, 2023, 57, 101857. The association of severe COVID anxiety with poor social functioning, quality of life, and protective 2.6 behaviours among adults in United Kingdom: a cross-sectional study. BMC Psychiatry, 2023, 23, . Age- and sex-dependent increase in self-harm among adolescents with mental health problems in East 157 2.7 1 China during COVID-19 related society-wide isolation. Frontiers in Public Health, 0, 11, . Opioid Injection-Associated Bacterial Infections in England, 2002–2021: A Time Series Analysis of Seasonal Variation and the Impact of Coronavirus Disease 2019. Clinical Infectious Diseases, 2023, 77, 5.8 338-345. Establishing evidence to inform culturally competent mental health services: A mixed methods study 159 2.5 1 protocol. PLoS ONE, 2023, 18, e0282445. General practice wide adaptations to support patients affected by DVA during the COVID-19 pandemic: a rapid qualitative study., 2023, 24,. The Relationship Between Perceived Vulnerability to Disease and Anxiety During the COVID-19 Pandemic: Serial Mediation by Fear of COVID-19 and Trust in the Government. Psychology Research and Behavior 161 2.8 1 Management, 0, Volume 16, 989-996. Detecting somatisation disorder via speech: introducing the Shenzhen Somatisation Speech Corpus. 3.1 Intelligent Medicine, 2023, , . Reactive surveillance of suicides during the COVID-19 pandemic in France, 2020 to March 2022. 163 3.9 2 Epidemiology and Psychiatric Sciences, 2023, 32, . Mental health and addiction health service use by physicians compared to non-physicians before and during the COVID-19 pandemic: A population-based cohort study in Ontario, Canada. PLoS Medicine, 164 8.4 2023, 20, e1004187 Depressive and anxiety symptoms in adults during the COVID-19 pandemic in England: A panel data 165 8.4 10 analysis over 2 years. PLoS Medicine, 2023, 20, e1004144. Impact of the COVID-19 Pandemic on the Management of Staphylococcus aureus Bloodstream 2.8 Infections in a Tertiary Care Hospital. Pathogens, 2023, 12, 611.

CITATION REPORT

#	Article	IF	CITATIONS
167	The Impact of COVID-19 on Mental Healthcare Utilization in Switzerland Was Strongest Among Young Females—Retrospective Study in 2018–2020. International Journal of Public Health, 0, 68, .	2.3	0
168	Signed Up with Family Doctors and Health Education among Internal Migrants in China: A Nationwide Cross-Sectional Study. Health and Social Care in the Community, 2023, 2023, 1-9.	1.6	2
169	A Rapid Systematic Review of the Prevalence of Suicide and Self-Harm Behaviors in Adolescents During the COVID-19 Pandemic. Crisis, 2023, 44, 497-505.	1.2	4
170	Mental health in Europe during the COVID-19 pandemic: a systematic review. Lancet Psychiatry,the, 2023, 10, 537-556.	7.4	22
171	Effects of the COVID-19 pandemic on the mental health of clinically extremely vulnerable children and children living with clinically extremely vulnerable people in Wales: a data linkage study. BMJ Open, 2023, 13, e067882.	1.9	1
172	Temporal trends in eating disorder and self-harm incidence rates among adolescents and young adults in the UK in the 2 years since onset of the COVID-19 pandemic: a population-based study. The Lancet Child and Adolescent Health, 2023, 7, 544-554.	5.6	13
175	A nationwide study of COVID-19 impact on mental health-related presentations among children and adolescents to primary care practices in Australia. Psychiatry Research, 2023, 326, 115332.	3.3	2
176	General practice as a place to receive help for domestic abuse during the COVID-19 pandemic: a qualitative interview study in England and Wales. British Journal of General Practice, 2023, 73, e769-e777.	1.4	1
177	Patterns of engagement in a digital mental health service during COVID-19: a cohort study for children and young people. Frontiers in Psychiatry, 0, 14, .	2.6	1
179	How is primary care access changing? A retrospective, repeated cross-sectional study of patient-initiated demand at general practices in England using a modern access model, 2019–2022. BMJ Open, 2023, 13, e072944.	1.9	0
180	Suicidality and protective factors among sexual and gender minority youth and adults in Canada: a cross-sectional, population-based study. BMC Public Health, 2023, 23, .	2.9	0
181	Contact with primary care physicians among adults with pre-existing common mental health problems during the COVID-19 pandemic: a registry-based study from Norway. BMC Health Services Research, 2023, 23, .	2.2	0
183	Changes to healthcare utilisation and symptoms for common mental health problems over the first 21 months of the COVID-19 pandemic: parallel analyses of electronic health records and survey data in England. Lancet Regional Health - Europe, The, 2023, 32, 100697.	5.6	2
184	Temporal patterns in the recorded annual incidence of common mental disorders over two decades in the United Kingdom: a primary care cohort study. Psychological Medicine, 2024, 54, 663-674.	4.5	2
185	Incidence rates of treated mental disorders before and during the COVID-19 pandemic—a nationwide study comparing trends in the period 2015 to 2021. BMC Psychiatry, 2023, 23, .	2.6	1
187	New and continuing physician-based outpatient mental health care among children and adolescents during the COVID-19 pandemic in Ontario, Canada: a population-based study. Frontiers in Psychiatry, O, 14, .	2.6	0
188	Analysis of all non-fatal self-harm cases in an urban area of Japan during pre- and peri-pandemic periods of COVID-19: a population-based study. Environmental Health and Preventive Medicine, 2023, 28, 65-65.	3.4	0
189	Evaluation of the rate and pattern of suicide attempts and deaths by self-poisoning among Egyptians before and during the COVID-19 pandemic. Toxicology Research, 2023, 12, 1113-1125.	2.1	1

~			_
( 15	ΓΔΤΙ	ON	Report
			<b>KLFOKI</b>

#	Article	IF	CITATIONS
190	Seeking help for mental health during the COVID-19 pandemic: A longitudinal analysis of adults' experiences with digital technologies and services. , 2023, 2, e0000402.		0
191	Digital technology and mental health during the COVID-19 pandemic: a narrative review with a focus on depression, anxiety, stress, and trauma. Frontiers in Psychiatry, 0, 14, .	2.6	0
192	Risk Factors and Trends in Adolescent's Suicide Attempt Rates Before and After the Coronavirus Disease 2019 Pandemic. Journal of Korean Medical Science, 2024, 39, .	2.5	1
193	Patterns of Hospital Presenting Suicide-Related Ideation in Older Adults before and during COVID-19: Findings from a National Clinical Service in Ireland 2018-2021. Archives of Suicide Research, 0, , 1-12.	2.3	0
194	Far from the threatening crowd: Generalisation of conditioned threat expectancy and fear in COVID-19 lockdown. Learning and Behavior, 0, , .	1.0	0
195	The indignities of shielding during the COVID-19 pandemic for people with sickle cell disorders: an interpretative phenomenological analysis. Frontiers in Sociology, 0, 9, .	2.0	0
196	Emotions and behaviours of child and adolescent psychiatric patients during the COVID-19 pandemic. BJPsych Open, 2024, 10, .	0.7	0
197	Predictors of unplanned emergency hospital admissions among patients aged 65+ with multimorbidity and depression in Northwest London during and after the Covid-19 lockdown in England. PLoS ONE, 2024, 19, e0294639.	2.5	0
198	Incidence of mental health diagnoses during the COVID-19 pandemic: a multinational network study. Epidemiology and Psychiatric Sciences, 2024, 33, .	3.9	0
199	The cost of illness and burden of suicide and suicide attempts in France. BMC Psychiatry, 2024, 24, .	2.6	0
200	Preventable suicides involving medicines: A systematic case series of coroners' reports in England and Wales. Public Health in Practice, 2024, 7, 100491.	1.5	0
201	Impact of the Covid-19 pandemic on Suicidal Behaviour in Copenhagen. , 2024, 3, 100089.		0